

GM 67291

REPORT ON EXPLORATION ACTIVITIES IN 2009, EASTMAIN MINE PROJECT

Documents complémentaires

Additional Files



Licence



License

Cette première page a été ajoutée
au document et ne fait pas partie du
rapport tel que soumis par les auteurs.

Énergie et Ressources
naturelles

Québec 

1.0 TITLE PAGE

Technical Report

EASTMAIN MINE PROJECT

REPORT ON EXPLORATION ACTIVITIES IN 2009

for

EASTMAIN RESOURCES INC.

Volume 1 of 6

GM 67291

Ressources naturelles et Faune, Québec

31 MAI 2013

Service de la Géoinformation

Prepared by:

Peter Dadson (B.Sc., P.Geo)


REÇU AU MRNF

13 MAI 2013

DIRECTION DES TITRES MINERS

Supervised by:

Donald J. Robinson (PhD, P.Geo)



January 21, 2010

REÇU AU MRNF

03 FEV. 2010

DIRECTION DES TITRES MINERS

1304/70

2.0 TABLE OF CONTENTS

1.0	TITLE PAGE.....	1
2.0	TABLE OF CONTENTS	2
3.0	SUMMARY	5
4.0	INTRODUCTION AND TERMS OF REFERENCE.....	8
5.0	DISCLAIMER	8
6.0	PROPERTY DESCRIPTION AND CLAIM STATUS.....	8
7.0	PROPERTY LOCATION, ACCESSIBILITY, TOPOGRAPHY AND CLIMATE.....	8
8.0	HISTORY	9
9.0	GEOLOGICAL SETTING	12
	9.1 Regional Geology	12
	9.2 Property Geology	12
10.0	DEPOSIT TYPES.....	12
11.0	MINERALIZATION	13
12.0	EXPLORATION	13
	12.1 Geological Mapping.....	13
	12.1.1 Stratigraphy	13
	12.1.2 Alteration	15
	12.1.3 Mineralization	16
	12.1.4 Structure.....	17
	12.2 Prospecting / Rock Sampling.....	18
	12.3 Soil Sampling Survey.....	20
	12.3.1 Soil Sampling "S" Grid	21
	12.3.2 Soil Sampling "NW" Grid	22
	12.3.3 Soil Sampling "I" Grid	23
	12.4 Litho geochemistry	24
13.0	DRILLING	25
14.0	SAMPLING METHOD AND APPROACH.....	25
	14.1 Rocks	25
	14.2 Soils	26
15.0	SAMPLE PREPARATION, ANALYSIS AND SECURITY.....	26
	15.1 Analytical Procedures.....	26
	15.1.1 Fire Assay Fusion with Atomic Absorption Finish Procedures.....	26
	15.1.2 Inductively Coupled Plasma Multi-Element Assay Procedures.....	27

15.2	Assay Results and Certificates.....	27
15.3	Security	27
16.0	DATA VERIFICATION	27
16.1	Internal ALS-Chemex Quality Control Procedures	27
16.2	Internal Eastmain Quality Control Procedures	27
17.0	ADJACENT PROPERTIES.....	27
18.0	MINERAL PROCESSING AND METALLURGICAL TESTING.....	28
19.0	MINERAL RESOURCE AND MINERAL RESERVE ESTIMATES	28
20.0	OTHER RELEVANT DATA AND INFORMATION.....	28
21.0	INTERPRETATION AND CONCLUSIONS	28
22.0	RECOMMENDATIONS.....	29
23.0	PROPOSED BUDGET	30
24.0	BIBLIOGRAPHY AND REFERENCES	31
25.0	CERTIFICATE OF AUTHOR	33
26.0	ADDITIONAL REQUIREMENTS FOR TECHNICAL REPORTS ON DEVELOPMENT PROPERTIES AND PRODUCTION PROPERTIES.....	34
27.0	ILLUSTRATIONS AND TABLE	35

LIST OF TABLES

Table 1:	Eastmain Mine Property: Claims/Mining Lease
Table 2:	Eastmain Mine Property: Prospecting Rock Samples
Table 3:	Eastmain Mine Property: Field Notes and Rock Sample Descriptions
Table 4:	Eastmain Mine Property: Soil Geochemistry S Grid
Table 5:	Eastmain Mine Property: Soil Geochemistry NW Grid
Table 6:	Eastmain Mine Property: Soil Geochemistry I Grid
Table 7:	Eastmain Mine Property: Lithochemical Sampling
Table 8:	Eastmain Mine Property: Phase 1 Proposed Diamond Drilling
Table 9:	Eastmain Mine Property: Proposed Budget

LIST OF FIGURES

Figure 1:	Eastmain Mine Property: Location Map
Figure 2:	Eastmain Mine Property: Claims Map
Figure 3:	General Regional Geology
Figure 4:	Eastmain Mine Property: Grids

- Figure 5: Eastmain Mine Property: Prospecting Tracks, Mineralized Zones, VTEM and Magnetic Trends
- Figure 6: Eastmain Mine Property Soil Geochemistry S Grid: Au ppb
- Figure 7: Eastmain Mine Property Soil Geochemistry S Grid: Cu ppm
- Figure 8: Eastmain Mine Property Soil Geochemistry NW Grid: Au ppb
- Figure 9: Eastmain Mine Property Soil Geochemistry NW Grid: Cu ppm
- Figure 10: Eastmain Mine Property Soil Geochemistry I Grid: Au ppb
- Figure 11: Eastmain Mine Property Soil Geochemistry I Grid: Cu ppm
- Figure 12: Jensen Cation Plot: Eastmain Mine Property

MAPS

- Map 1: Eastmain Mine Project: 2009 Geological Map Sheets A to F
- Map 2: Eastmain Mine Project: 2009 Rock Sample Location Map Sheets A to E
- Map 3: Eastmain Mine Project: 2010 Proposed DDH Map Sheets A and B

APPENDICIES

- Appendix 1: 2009 Rock Sample Assay Certificates
- Appendix 2: 2009 Soil Sample Assay Certificates
- Appendix 3: 2009 Rock Sample Quality Control Documents
- Appendix 4: 2009 Soil Sample Quality Control Documents
- Appendix 5: ALS Chemex Assay Procedures

3.0 SUMMARY

The Eastmain Mine project is located approximately 800 km north of Montreal at 72° 5' W Longitude and 52° 18' N Latitude. The project lies within the Upper Eastmain River Greenstone belt of James Bay, Quebec in which there are three significant mineral deposits including the Eastmain gold deposit, McLeod Lake copper-molybdenum deposit and the Foxtrot diamond pipes. The property is accessible via fixed wing aircraft or helicopter from Chibougamau or Temiscamie, Quebec. A base camp at the Eastmain mine owned by Eastmain Resources Inc. was used as a base for the exploration program.

Eastmain holds a 100% interest in the Eastmain Mine property which consists of 152 mineral claims (8014.34 hectares) in a single block. The Ruby Hill East property, also held by Eastmain Resources Inc. is contiguous with the Eastmain Mine property and lies immediately to the west. The Eastmain gold deposit currently contains 255,750 ounces of gold, including measured resources of 91,500 tons grading 0.268 ounces/ton and indicated resources of 786,600 tons at 0.294 ounces/ton (historical non-compliant NI 43-101 resource).

This report summarizes the 2009 exploration field program which consisted of geological mapping, soil geochemistry on three grids and prospecting. Prior to the in-field portion of the program historical data was re-evaluated as an aid to prioritizing targets.

Soil sampling on the three grids outlined numerous anomalous trends and/or clusters related to interpreted structures (New Shears), stratigraphy, magnetic anomalies or VTEM conductors.

Geological mapping proceeded along the mine trend but also was expanded to cross the stratigraphy and when completed had outlined four possible cycles of volcanic activity. The mineralized zones that constitute the Eastmain deposit form at what may be the termination of the third cycle.

Two mineralized horizons in the "G" grid area may represent the endings of cycles one and two.

The area is primarily underlain by mafic volcanic rocks consisting of massive, pillowed and variolitic flows of basaltic composition. Interspersed are felsic volcanics and probable sub-volcanic intrusives of granodioritic and gabbroic composition.

Structurally the stratigraphy is within an overturned syncline with the major fold axis being interpreted to the west outside the study area. The Eastmain Deformation Zone, a wide belt of ductile/brittle deformation, includes the main mine trend which could be the loci of this major strain zone. Cross-cutting is a series of E-W trending shears which are auriferous and primarily concentrated in the Julian Lake area although there are strong indications that they form a more extensive period of shearing throughout the property.

The prospecting program concentrated along the mine trend or the termination of the third volcanic cycle. In addition the areas of isolated VTEM conductors and known New Shears were sampled. Results confirmed the auriferous nature of the New Shears as well as new shears or mineralized locations within the volcanic stratigraphy.

The conclusions derived from the 2009 exploration program include the following:

1. The volcanic stratigraphy suggests four periods or cycles of volcanism extending from the Placer Lake area to the syncline's core.
2. The first two cycles appear to contain more sub-volcanic mafic intrusives which may be part of the feeder system to later flows.
3. Alteration types are numerous with some being syn-volcanism while others are post.
4. Styles of alteration include silicification, albitization, epidotization and potassium feldspar. Some occurred as pervasive alteration while others were more stringer, fracture or vein controlled.
5. Sulphide mineralization is widespread with po>py>cpy>sph>gal. Mo is rare and no VG was noted either during the mapping or in the muck pile. However numerous occurrences have been noted in the historical drill core logging.
6. Sulphides are generally disseminated and in concentrations of <1% to 2%, fine grained and commonly occur as small masses or euhedral/subhedral crystals. Syngenetic sulphides are massive layers or perhaps remobilized into narrow stringers/fractures commonly with chlorite. In reference to the drill core logs, sulphides are common with most occurring in or closely associated with the gold bearing zones. Concentrations are variable with between 2% to 15% total sulphides being most common. However some intervals had sulphide levels in excess of 30%.
7. Structurally the property is complexly deformed and several phases of deformation are evident.
8. Flexures occur along the "Mine Trend" sometimes having associated VTEM conductors on their flanks. The NW VTEM conductor appears to form a flexure having the identical sense of movement as all the others.
9. Soil sampling defined a number of anomalous stations but also anomalous zones which may be directly related to structural features and VTEM conductors.
10. The mineralized outcrops located S of the Michel Lake showing and SW of the Julian Lake area have the same characteristics/mineralogy as the main zone but they seem to occur stratigraphically above the main mine trend. One difference would be an extensive occurrence of an altered and fractured primary mafic fragmental.
11. Rock sampling has confirmed the known mineralized areas but has also outlined several new areas.
12. Litho-geochemistry tends to indicate two populations within the suite of ultramafic rocks with most samples lying within the tholeiitic basalt fields.

Recommendations based on the in-field exploration program include the following proposals:

1. All data must be re-evaluated as the soil, rock assay and rock geochemistry results become available.
2. Rock collection for litho-geochemistry should continue in subsequent field seasons.

3. Basic mapping has been completed in some areas and should be continued in the next field season along with more detailed mapping in some areas specifically the Julian Lake area and the Michel Lake showing.
4. A re-evaluation of the mineralized outcrops S of Michel Lake and SW of the Julian Lake areas to determine their placement in the stratigraphy.
5. Follow-up rock sampling especially those samples that had gold values greater than 1 gpt Au. Also the gabbro boulder NNW of camp that had gold but also copper and Pd.
6. Channel sampling should be done on some of the known mineralized zones and also from rusty or rusted outcrops such as the gabbros on the "G" grid.
7. Old drill core should be re-boxed, re-evaluated, sampled and moved to a central storage area.
8. Due to the mineralized zones on the G grid this grid should be tested by soil sampling.
9. Backhoe trenching in the Julian Lake area to expose the "New Shears".
10. Drilling of 10,000 m with initial targets as per Table 8 and Maps 3A and 3B but to form a multi-phase program with suggested targets listed below:
 - a) a series of deep holes in the "A" and "B" zones collared to intersect the zones at about 400 m vertical
 - b) more drilling on "C" and "I" zones
 - c) drill testing of the VTEM conductors/flexure immediately NW of camp
 - d) drilling for geology SW of the zone for stratigraphic purposes
 - e) drilling the felsic units SW of the zone known to be mineraliz
 - f) exploratory holes to intersect the actual flexures at right angles to stratigraphy
 - g) in conjunction with drilling a downhole PEM survey should be conducted on select holes

Based on the conclusions and recommendations a preliminary budget of \$2,600,000 has been proposed based on a multi-phase program.

4.0 INTRODUCTION AND TERMS OF REFERENCE

This technical report has been prepared by the author for Eastmain Resources Inc. It presents the status of current geological knowledge in regards to the property and provides, on the basis of the results, recommendations for future work. It also serves as an internal reference document for the Company.

The 2009 field exploration program was to re-assess and expand upon the property's geological base through the assessment of work completed by previous operators and by geologically re-mapping a large portion of the outcrop area. In addition soil geochemistry was undertaken to assess areas along strike of the known mineralized zones and several areas parallel to this trend which were considered of higher priority. Part of the current work also included the intensive prospecting of the known mineralized trend and once again higher priority parallel zones.

All coordinates used in this report are NAD 83 Zone 18 unless otherwise stated.

5.0 DISCLAIMER

The author of this report, Peter Dadson, (P.Geol.) was onsite during the entire in-field portion of the program as well as reviewing the historical data including the construction of new drill sections prior to the exploration program. Mr. Dadson is a consultant employed on a contractual basis by Eastmain Resources Inc. Any reference to properties outside of the Eastmain Mine Property is based on the author's best knowledge for comparison and informational purposes only and does not imply that Eastmain Resources Inc. has any interest in these properties unless specified.

6.0 PROPERTY DESCRIPTION AND CLAIM STATUS

The Eastmain Mine Property is situated in the James Bay district approximately 320 km northeast of Chibougamau and centered at 72° 5' W longitude and 52° 18' N latitude (Figure 1). The Property (Figure 2) consists of 152 mining claims and one mining lease for a total area of 8014.34 hectares (Table 1).

7.0 PROPERTY LOCATION, ACCESSIBILITY, TOPOGRAPHY AND CLIMATE

The property is located approximately 320 km north-northeast of Chibougamau and 160 km north of Temiscamie which is accessible from Chibougamau by asphalt and gravel roads (Figure 1). Logistical support and access to the property is by float plane or helicopter, either from Chibougamau airport or seasonally from the Temiscamie air base (Lac Albanel) to Placer Lake which is located on the Eastmain Mine Property about 5 km NE from the Eastmain mine site. A helicopter needs to be based at the Eastmain Mine Site as Placer Lake is not directly accessible from the mine site. Alternatively float planes can be landed on Icon Lake about 20 km by gravel road SE of the minesite.

A gravel air strip, located 2.7 km south of the mine site, is in disrepair but could permit direct air access if upgraded or if aircraft were equipped with balloon tires. A 175 km winter road connects the Eastmain Mine camp (closed in 1995) to Temiscamie allowing direct ground access from the town of Chibougamau (365 km). This, however, is also in disrepair but may be refurbished in two years time by the Quebec government.

With a population of 7,992, Chibougamau serves as the main centre of communications and supply for the area. A number of government branches and private businesses provide services to the exploration sector, while a long history of mining in the region contributes to a well-skilled work force. Regularly scheduled commercial airliners from Montréal service Chibougamau.

The topography of the Eastmain Mine Property is gently rolling to flat lying with local relief varying from 100 to 200 metres. There are numerous northeast trending rivers and lakes in the area and the relatively gently rolling topography ensures adequate drainage. Rocky outcrops are not plentiful but are generally of limited elevation, rounded and most often small in areal extent. Overburden, with depths ranging from less than one to twenty metres, generally consists of an upper humus layer underlain by a thin horizon of brown glacial outwash and moraine sands ± gravel ± boulders.

Vegetation consists of small black spruce, jackpine and larch with lesser birch and poplar.

Alder predominates in areas of swamps which Labrador tea and blueberry bushes being plentiful on sloped terrains.

Climate information for this area comes from data from Chapais that shows January as the coldest month with an average maximum of -12° C and average minimum of -23° C while July is the warmest month with an average maximum of 22° C and an average minimum of 10° C. Rainfall is highest in July with 115 mm and snowfall is highest in December with 57 cm. The highest average snow cover is in February with 92 cm. Winter lake ice is generally greater than 30 to 36 inches and breakup occurs by the middle of May.

8.0 HISTORY

The following is a brief history of the Eastmain Mine Property and surrounding area:

- | | |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1930's and 1940's | Prospecting of the gossan zones in felsic and ultramafic rocks south of Lac Dolent and on the east shore of Lac Jim. Extensive trenching targeted gossan zones, siliceous chrome (Cr) mica rich felsic volcanic rocks on the east shore of the Lac Jim and on gossan zones within ultramafic rocks on the south shore of Lac Dolent. |
| 1950's and 1960's | A number of companies, including Riocanex, explored the northeast trending portion of the belt in the Lac Leran area, 25 km northeast of the Eastmain Gold mine deposit. |
| mid-1960's, | Fort George completed diamond drilling (X-Ray) on a gossan zone associated with a komatiite horizon located south-west of the Dejour claim block. Large mineralized zones with sulfides (pyrite-pyrrhotite-chalcopyrite) were encountered. |
| 1969 | Canex-Placer completed an airborne geophysical survey (678 km) on the volcano-sedimentary belt and ground geophysics (ALEM and mag). |
| 1970 | Drilling of seven holes for 406 m was performed on a single line overburden covered magnetic-electromagnetic airborne anomaly |

resulting in the discovery of the A zone of the Eastmain Gold Mine grading 13.71 g/t Au, 20.22 g/t Ag and 0.33% Cu over 1.50 m .

- 1974 Nordore completed an airborne (Aerodat AEM) geophysical survey and ground surveys on the volcanic belt hosting the Eastmain Gold Mine. Drilling (3 holes) returned weakly anomalous gold values over Eastmain Gold Mine adjacent to the B zone.
- 1974 Inco-Uranerz completed an airborne geophysical survey within the greenstone volcano-sedimentary belt of the Eastmain River. Trenches and x-ray diamond drilling was completed on priority targets near Lac Lepante and south-southeast of Lac Clement and west of the Eastmain Gold Mine.
- 1981 - 1982 Placer returned to the area staking the A Zone. Ground geophysics (Max-Min, VLF and mag) was completed to define the A, B, and C zones. The B zone was discovered at a depth of 100 m by drill testing geophysical targets. Drill hole 82-1 intersected a 3 m wide sulphide zone grading 8.34 g/t Au, 10.16 g/t Ag and 0.21% Cu. By the end of 1982 750,000 tonnes had been outlined in the A and B Zones and more claims were added. Placer also established grids (7 grids) several kilometers south of the Eastmain Gold Mine.
- 1983 - 1985 Aerodat completed an airborne magnetic and electromagnetic survey for the Placer - Eldor Joint Venture over the Lac Rene and Lac Clement area; 260 km of this 2611 km survey were flown in the Eastman Mine area. Magnetometer and VLF-EM surveys followed with Max-Min and deep pulse EM. A total of 91 drill holes were completed for 20,418 m and 40 of these had PEM borehole surveys. Geological mapping at both detailed and reconnaissance level was undertaken along with prospecting and an orientation litho-geochemical study.
- 1984 South Atlantic Ventures and Eurocan Ventures completed a ground magnetic and electromagnetic (VLF and Max-Min) survey on the Lac Rene and Lac Clement claim blocks to the NW.
- 1986 Diamond drilling by Placer continues in the A and B zone areas, 25 holes for 2,937 m.
- 1987 Placer Dome-MSV Joint Venture completes 33 drill holes for 7,754.9 m in the A and B Zone areas. Underground exploration includes a portal, 826.2 m of decline, 226.2 m of sub-level drifting and 95.5 m of raising. Additional borehole PEM surveys were completed in 4 holes as were ground based magnetometer and VLF-EM (102 km) surveys.
- 1988 Watts Mining Ltd., staked 500 claims south and southeast of the Eastmain mine (east of Lac Clement and Lac Corona) and carried out an airborne reconnaissance survey over the area resulting in the addition of 400 claims while the Placer-MSV Joint Venture completed another 99 drill holes (15,582.0 m) and continued geological mapping.

Elsewhere in the belt the Eastmain Syndicate of Dejour Mines, Battle Mountain Canada and Mingold Resources staked two claim blocks and

undertook line cutting, reconnaissance geology, sampling and a VLF-EM survey.

1989 MSV Resources Inc. completes 56 drill holes for 9,551.4 m. The Eastmain Syndicate was also active in the belt with an airborne (Aerodat) magnetic and electromagnetic (VLF-EM) survey, a basal till sampling program, mapping, trenching and sampling which led to the discovery of the Exko showing NW of the Eastmain Mine property.

1990 MSV Resources Inc. undertakes a structural study of portions of the "F" and "G" grid areas, a Landsat study, compilation of airborne magnetic data and collects 3,017 soil samples over the "F" grid and some of its extensions.

1991 MSV Resources Inc. excavates 34 trenches for 568 m and completes 16.1 km of IP survey.

1994-1995 Soquem in partnership with MSV Resources Inc. completed 74.95 km of EM survey on the "F" and "I" grids, drilled 11 drill holes for 1325 m on the "F" and "G" grids, undertook 16.5 km of IP survey, mapping and prospecting. At the Michel Lake showing 7 drill holes were completed for 867 m. At the conclusion of 1995 Soquem terminated the partnership.

1994-1995 MSV Resources Inc. mined 118,356 tonnes grading 10.58 g/t Au and 0.3% Cu by room and pillar mining which when milled at the Copper Rand mine in Chibougamau resulted in 40,000 ounces of Au. Mining ceased in November 1995.

1997 Further evaluation of the project by MSV Resources Inc. which also included geological mapping, prospecting, trenching and re-cutting of some of the "F" grid NW of the "A" zone.

2005 Eastmain Resources Inc. completed an aerial geophysical survey (VTEM and magnetics) over the property as part of a larger survey which included the adjoining Ruby Hill East and further to the NW the Ruby Hill West properties. In total 3,200 line-kilometres were flown.

2007 MSV Resources Inc. conducted a re-evaluation (verification and interpretation) of the VTEM survey done in 2005 in order to delineate new targets.

Eastmain Resources Inc. acquires a 100% interest in the property from Campbell Resources Inc. through Eastmain Mines Inc. a wholly owned subsidiary. Campbell Resources Inc. retained a 2% NSR in the cash/share/warrant agreement.

9.0 GEOLOGICAL SETTING

9.1 Regional Geology

The Eastmain Mine Property is situated within the east-northeast trending, 2.75 billion-year-old Upper Eastmain River Greenstone Belt which forms part of the Superior Geological province.

The Eastmain River Greenstone Belt is part of the La Grande Sub-province of the Superior Geological Province and is located between the La Grande Belt to the north and the Frotet-Evans Greenstone Belt to the south.

The Upper Eastmain River Greenstone Belt extends for 100 km and varies from 2.5 km in width on the west side to 20 km in width to the east (Figure 3). The belt consists of a volcano-sedimentary sequence with predominantly massive and pillowed mafic volcanics, occasional felsic and ultramafic flows, intermediate tuffs and meta-sediments. Narrow intrusions of mafic (gabbro) and ultramafic composition (pyroxenite) form part of this sequence which lies upon a basement of older gneisses and granitic gneisses. Throughout the Belt numerous granitic plutons as well as north-northwest trending diabase dykes intrude all rock sequences.

The metamorphism varies from upper greenschist to amphibolite to almandine-amphibolite facies. The Eastmain volcanic belt is a northerly dipping synclinal (40° to 50°) structure that is tightly folded and appears to be overturned. Several structures parallel the contacts of the rock units and these are important since much of the sulphide mineralization forms in relation to these trends.

9.2 Property Geology

The property is predominantly underlain by a sequence of mafic volcanic rocks that are massive, pillowed, fractured, silicified, amphibole enriched and mineralized locally with pyrite and pyrrhotite. This sequence is interlayered with narrow sections of possible banded felsic volcanic rocks of rhyolitic composition. These latter rocks may also include probable fine grained, whitish weathering intrusives of granodioritic composition and what may be zones of pervasive silicification. Ultramafic rocks of probable komatiitic composition are inter-layered with the mafic units at the base of interpreted volcanic cycles. Mafic intrusions including gabbros and diabase intrude the volcanic package as sills or cross cutting dykes. Granitic intrusions of various compositions occur in contact with the volcanics as poorly foliated to massive units with larger plutons forming at the periphery of the property. The volcanic sequence appears to thicken to the east-southeast. Persistent sulphide horizons occur in the volcanic pile within siliceous rocks and may mark the termination of a volcanic cycle. These horizons are in close association with probable komatiitic flows.

As within the entire belt metamorphism varies from upper greenschist to amphibolite to almandine amphibolite facies and the rocks within the property are tightly synclinally folded into an overturned northwest trending synform that has moderate north-northeast dips.

10.0 DEPOSIT TYPES

Within the area are two metallic mineral deposits; one being the Eastmain gold deposit and

the other a Cu-Mo deposit in the MacLeod Lake area.

The Eastmain gold deposit occurs within northwest trending mafic volcanic rocks and is reported to contain 825,000 tonnes at 12 g/t Au, 0.26% Cu and 16 g/t Ag (GM53606, 1994 A. Tremblay). The deposit occurs as lenses of massive to semi-massive sulphide with widths of 3 m to 10 m and associated with chert in a sequence of probable rhyolitic tuffs, mafic tuffs and pyroxenite (altered komatiite flows) within a mafic volcanic sequence. Three separate shoots (A, B, C) have been discovered to date.

The MacLeod Lake deposit discovered in 1982 occurs west-northwest of the Eastmain Mine property on the west side of the Eastmain River. Low grade Cu-Mo-Ag-Au mineralization occurs within amphibolite gneisses near a gneiss/granodiorite contact. The MacLeod Lake deposit contains 23.7 million tonnes grading 0.52% Cu, 0.08% Mo, 4.0 g/t Ag and 0.5 g/t Au (MacLeod Lake, L.S. Winter 2005).

11.0 MINERALIZATION

The principal mineralization style and exploration target on the Eastmain Mine property is a volcanic hosted lode gold deposit characterized by stratabound, pyrrhotite, pyrite and chalcopyrite which occur as veinlets and lenses associated with a fine grained quartz (chert) within a possible ultramafic flow unit accompanied by narrow felsic tuffs. This stratigraphic package is contained within a thicker assemblage of tholeiitic pillowed and variolitic mafic volcanic rocks.

12.0 EXPLORATION

The 2009 exploration program which began July 30, 2009 and extended to September 23, 2009 was a multi-faceted program consisting of geological mapping (1:1000), soil sampling and prospecting. Work concentrated primarily on the existing "Mine Trend" but also included the geological mapping of a cross section of the volcanic pile and prospecting strong VTEM anomalies in the south Placer Lake area. The following sub-sections describe this program and the results. Figure 4 illustrates the grids referred to in this report, current soil grids and areas of interest.

12.1 Geological Mapping

12.1.1 Stratigraphy

The property is primarily underlain by a succession of mafic volcanic flows, fragmentals and lesser tuffs (Map 1, Sheets A to F). Pillowed flows are most abundant and can be traced laterally for over one kilometer and the volcanic pile is greater than two kilometers in thickness. Geological mapping has shown the sequence to have a general NW trend, having variable but generally shallow northeasterly dips and younging to the southwest. This would indicate an overturned sequence with a synclinal axis further to the southwest beyond the mapped area.

The "Mine Trend" host rocks do include a "pyroxenite" which is fine to medium grained, grey in colour and altered in surface exposures. Although no spinifex or other komatiitic flow features have been noted these rocks could indeed be ultramafic flows and mark the base of a new volcanic cycle.

In the Placer Lake area cooling textures in a fine grained dark coloured rock may be indicative of komatiitic flows and their location in relationship to interpreted volcanic cycles would be ideal.

It is possible that there is a minimum of four volcanic cycles within the area mapped and within the property boundaries. The first two, in the Placer Lake area, appear to be capped by mineralized horizons bearing primarily pyrite in a grey siliceous host and altered by sericite in sheared portions of the horizons. In both cases they are preceded by pillowed mafic flows and as mentioned above at the start of the second cycle possible komatiitic flow(s).

The third cycle would be thick and would be terminated by the mineralized "chert" within the "Mine Trend" hosts. The fourth would include at this time all of the mafic and felsic volcanics southwest of the "Mine Trend". Mapping completed within this sequence of rocks indicated again a majority are mafic in composition, that they have been intruded by felsic and also gabbroic rocks and contain a fragmental unit(s) which persists over a strike length of at least 500 m. This particular unit contains angular to rounded fragments varying in size from 5 to over 20 cm in size, is poorly sorted, fractured and infilled by quartz, carbonate and probably feldspar. No or very little rusting was noted and the unit is relatively massive to poorly foliated. It is interpreted to be a primary volcanic breccia possibly a flow top or debris flow fragmental. Bedded within this unit is a banded felsic unit of probable volcanic or exhalative origin which contains fine grained, rounded lithic fragments of more mafic composition near and at its stratigraphic base.

Pillowed flows consistently had a medium to dark green colour, fine grained and being massive to weakly foliated. Selvages were variable with some being thick (2-3 cm) while others being quite thin (1 cm) but in both cases were well formed but not necessarily continuous making their recognition difficult on some exposures.

Compositionally these rocks consisted primarily of amphibole and feldspar with lesser concentrations of biotite, quartz and/or carbonate veining and disseminated fine grained pyrite or pyrrhotite. Rust from the weathering of the sulphides or iron bearing minerals was spotty throughout when present but also in some exposures, notably in the Julian Lake area, the selvages are well rusted.

The permeable nature of the selvages also made them amenable to feldspathic(?) alteration especially when the flow is intruded by a felsic intrusion. Such is the case in the area NW of the camp where the flows have distinctive white rims and in some cases the entire pillow has become essentially feldspathized.

Rocks within these cycles have been intruded by a number of dykes/sills of felsic/granodioritic composition which are in many cases sub-parallel to the mafic volcanic stratigraphy. Although fine grained some are medium to coarse grained and have a granitic texture. All are grey to whitish grey in colour, weather a white or grey and in some exposures contained a low percentage of iron sulphides, primarily pyrite. Oxidation produces a spotty rusting in some exposures and some of the sulphides have been altered to magnetite or hematite. Although located throughout the volcanic pile they seem to be most common stratigraphically below the "Mine Trend" host rocks. Evident in outcrop exposures this is however most notable in the drill logs from the "A" and "B" zones.

One such intrusive outcropping within the camp has similar characteristics but also has been altered by pervasive potassic feldspar and which has imparted a pinkish colouration to both the fresh and weathered surfaces.

In addition to these intrusives, are several feldspar porphyries which contain euhedral to subhedral feldspar crystals or masses within a fine grained grey matrix of intermediate composition which constitutes up to 80% of the rock by volume.

Many of the mafic flows also have a porphyritic texture with medium to coarse grained amphiboles being prominent and forming up to 50% of the rock. These are dark coloured rocks, typically having a fine grained to very fine grained matrix of amphibole and feldspar. Weathered surfaces are distinctive by being again dark in colour, darker than other flows and displaying the porphyritic texture. These rocks would also include similar rocks intersected in drilling and described as having varying concentrations of coarse grained amphibole generally massive, a medium dark green colouration, cross cut by quartz and/or carbonate micro to macro veins as well as being mineralized with either disseminated pyrite or pyrrhotite. These could represent flows but may also be coarser grained portions of thicker flows or even altered by some of the felsic intrusions.

Quartz porphyries were rare but when present were also fine grained, whitish in colour, siliceous and contained a low percentage of rounded, clear quartz "eyes", 2-3 mm in size.

Intrusives of mafic composition and termed gabbros, are best exposed in the Placer Lake area but fine grained varieties occur throughout the volcanic pile. Some certainly due to metamorphism are basalts which now have a fine to medium grained salt and pepper like gabbroic texture. Some of these have been observed to cross cut the stratigraphy while others seem to grade into the finer grained basalts. These have been interpreted to be sub-volcanic in nature and are probably sill-like or have gentle cross-cutting relationships with the host stratigraphy.

Other than the gabbros several dykes of diabasic texture have been noted again in the Placer Lake area. These are generally narrow, have sharp contacts with the hosts, well defined chill margins and are definitely intruded late in the geological history. Several dykes of gabbroic composition were also noted south of the Julian Lake area in rocks that form the footwall to the "Mine Trend" hosts and were cross-cutting or intruding into a felsic intrusive.

12.1.2 Alteration

Both styles and intensity of alteration was noted during the mapping program. Chloritization and biotization were the most widespread with the latter becoming most recognizable from the marker porphyry in Cycle 3 and continuing SW to the zone.

There could be up to four different phases of silicification. Currently all are assumed with the first being represented by a pervasive phase resulting in a massive grey rock with diffuse contacts. Later fractures in-filled by quartz bleach these units while the third is represented by quartz veining with the last being an emplacement of silica crystallizing in vugs as crystals and as chalcedony-like layers. A white or grayish bleaching of some mafic flows is attributed to silicification or could be due to extensive and pervasive albitization.

Feldspathization(?) in pillows immediately next to and in contact with "felsic intrusives" was evident in the field on rocky ridges near the zone. This alteration type may be due to the intrusion or it may be a broader albitization of the host rocks and is syn-volcanism. In addition to this and most recognizable on the mine dump is the widespread development of pink potassic feldspar. This alteration style occurred primarily as veins and generally in close association with epidote. Past drilling has indicated that these veins or at least the

occurrence of potassic feldspar begins in the volcanic pile 50 m or more beneath the mineralized horizon and seems to essentially terminate at the upper contact of the mineralized hosts.

Epidote as masses and stringers sometimes associated with potassic feldspar occurred throughout the area but again more widespread as the zone rocks were approached. Pervasive epidotization was also evident in some exposures and may represent an earlier phase of alteration while that in veins and as vug linings is interpreted to be a later alteration event.

Sericite is not common and was difficult to distinguish in the field. Certainly the sheared mineralized zones on the former "G" grid have sericite. Muscovite and phlogopite on the other hand were present in the felsic intrusives with the latter being more common in the altered mafic rocks. Mentioned within the historic logging on the mineralized horizon it probably was more common than noted especially in sheared intervals.

More host rock dependent alteration would be the development of talc and asbestos-like fibres in an altered gabbro or pyroxenite or along shear/faults within these rocks. The best example of the former would be in a medium grained altered gabbro(?) along the "Mine Trend" south of Julian Lake and other locations and for the latter in the muck pile.

Not strongly represented either in the field or the mine muck was the occurrence of garnets. These were noted to be closely associated with biotite and in one rock exposure were a centimeter in size. From the drilling the increase in the concentration of garnets was progressive from the marker porphyry down hole to the zone. They are most prevalent within the zone and are concentrated within the "chert" or the altered basalts.

The variety of the alteration types and their intensity was not readily evident in the field and in comparison to that noted on the muck pile would be considered weak to occasionally moderate or better in strength.

Direct relationship(s) between the mineralization and alteration style/type has not been established. Certainly if the gold is syngenetic then it would be coeval with biotization and chloritization and possibly at least with the first phase of silicification and feldspathization.

12.1.3 Mineralization

The mafic volcanics and the gabbros tended to contain small amounts of fine grained disseminated sulphides. Pyrrhotite being most common followed by pyrite and rarely chalcopyrite. Concentrations of any of these minerals was always in the <1% to 1% range.

The rocks from the muck pile, on the other hand, are well mineralized when coming from the zone. Otherwise the sulphide concentration is low similar to those in the field.

Certainly the zone mineralization is dominated by pyrrhotite followed by pyrite and again lesser chalcopyrite. Sphalerite, mentioned in the drill logs was not observed. The sulphides occurred as irregular masses, crude bands and stringers while pyrite also occurred as euhedral to subhedral disseminated crystals.

The "chert" is commonly mineralized with narrow sulphide stringers. Certainly some or perhaps all of the sulphides are syngenetic in origin however recrystallization has occurred as has probable remobilization.

Visible gold mentioned in the drill logs was not noted in either the geological mapping or when rocks in the muck pile were examined. High gold assays from rock sampling in the field however tends to suggest that coarse gold is present.

12.1.4 Structure

Within the property or in close proximity there are two major structural elements. The first is the Eastmain Deformation Zone (EDZ) which is characterized by a system of NW trending shears/faults parallel or sub-parallel to the local stratigraphy. It is along and within this system that the gold bearing zones of the Eastmain Mine occur. Descriptions from historic drill logs and from photographs from the underground workings describe a transition from a sequence of essentially massive mafic flows within the hanging to a marked increase in deformation intensity as the mineralized zone is approached and then to the SW or the footwall side of the mineralization, there is a return to massive, relatively undeformed, mafic flows.

Determination of this structural element and complimentary structures was the focus of the 1990 field program by MSV Resources (Desrosier, 1990). That study did outline and define the EDZ as well as marking the location of a set of E-W trending shears at over two kilometres distance from the known A Zone. It was postulated at that time that the junction between these "New Shears" and the main mineralized structure formed the loci of the gold mineralization. Further, and in support of this hypothesis, MSV-Burmex used the current periodicity of the zones to predict the locations of these structural junctions and probable zones of gold mineralization.

The second major structural element would be the overturned synclinal axis which has been interpreted to occur just SW of the property boundary. The geological mapping in 2009 has confirmed that pillow tops are to the SW and that the volcanic sequence dips to the north or northeast at relatively shallow angles.

The relationship between the EDZ and this period of folding has not been determined.

Mapping has confirmed that bedding is northwest trending with contacts, where observed, being sharp and irregular although some, as along felsic intrusives, being hazy and diffuse.

The primary foliation was found to be sub-parallel to bedding but was not always well developed. It was best developed in the sericitized shears on the "G" grid near Placer Lake.

Shearing occurs throughout the mapped area but again most prominently from the marker porphyritic basalt(?) SW to the zone. Most are narrow, have a general E-W, NW or northerly trends and are sometimes accompanied by sulphide mineralization. Of the three sets the NW trending or perhaps the northerly set have the greatest width with some being mineralized.

The E-W trending set are those described by MSV-Burmex as the "New Shears" as mentioned above. This designation has been retained and in the area SE of Julian Lake these shears are rusty, mineralized, generally narrow and spaced between several metres to 10's of metres apart.

The NW shear set is most probably directly related to the Eastmain Deformation Zone as could the northerly set.

Flexuring of the "Mine Trend" is one of the most recognizable mega-structures in the area. The airborne magnetic data clearly shows these with the best being south and east of the Michel Lake Showing, north and west of camp while those directly associated with the known zones being more subtle.

On the NW grid, the VTEM conductors can be interpreted as defining another flexure and like all they have a common sense of movement with the north side moving to the NW relative to the south block. It is also hypothesized that there is some rotational movement.

In the "G" grid area shears are not well represented but when present seem to have NW trends, are narrow and in some cases rusty due to sulphides. E-W trending shears are not common but one narrow, poorly developed but clearly defined, unmineralized shear at about 698845.5 mE, 5800555.9 mN may intersect a NW trending siliceous unit mineralized with sulphides.

12.2 Prospecting / Rock Sampling

This portion of the program primarily centred on the "Mine Trend" but also investigated the mineralization in the south Placer Lake area and just off the trend at Julian Lake. Also included would be the VTEM anomaly on the NW soil grid and the known mineralization south of Michel Lake.

For each area the prospector was given a guide map which included both the magnetometer and VTEM airborne geophysical results, soil sample sites, waterways and a UTM grid. Each prospector in turn would return with rock samples and a downloadable version of their tracks for the day. This was done in order to make sure the appropriate targets were adequately covered. In some cases however gaps do occur as some targets were beneath swamp and therefore inaccessible. Figure 5 illustrates the prospecting tracks in relation to the various targets or target areas.

Although many of these areas had been previously worked by other operators others such as on the NW soil sampling grid had not. Here pyrite mineralization was located in gabbroic textured rocks in close association with altered, fine grained basalts and minor granitic intrusives. Massive to semi-massive pyrite was also found in conjunction with narrow quartz veining immediately west of the VTEM target area which was not explained due to heavy overburden and boulder fields.

A total of 339 rock samples were collected by prospectors and by the mapping geologists and represent mineralized and/or altered rock of interest (Map 2 Sheets A to E, Tables 2 and 3). All of these were subjected to a multi-element ICP analysis package while 113 samples were also analyzed for major oxides.

On the NW grid prospecting rock samples revealed four samples that had greater than 0.5 gpt Au and of these three were greater than one gram Au. From the descriptions gabbro with quartz stringers/veins and pyrite returned values of 2.2 gpt Au and 1.36 gpt Au (samples G0775901 and G0779010 respectively). Both had elevated P ranging from 810 ppm P and 1000 ppm P while sample G0775901 also had 938 ppm Cu.

Two other samples, G07759006 and G0775911 were both boulders of what has been described as quartzite with high concentrations of quartz and mineralized with pyrite. The quartzite could be similar to the "chert" from the main mineralized zones. The former

sample came from a 25 cm boulder in the area SE of the conductive zone whereas the latter, a 1 m boulder was found about one kilometre NW of the conductor adjacent to what has been interpreted to be a shear zone or structural break.

In the immediate area of the Michel Lake Showing eight samples were collected of which one from the actual showing returned 3.26 gpt Au while three others showed gold values greater than 100 ppb Au and are considered anomalous.

Southwest of Julian Lake and possibly SW of the "Mine Trend" outcrops of gabbro/basalt intruded by felsic intrusions and porphyries were sampled. Pyrite was noted as was the iron oxidation. A total of eight samples were collected of which two (G0775922 and G0775919) had gold values greater than 100 ppb Au; 148 ppb Au and 164 ppb Au respectively. Sample G0775922 also returned 867 ppm Cu.

About 200 m north of this location is a VTEM conductive zone that occurs on the flank of a high magnetic trend which marks the NW extension of the "Mine Trend". Here nine samples were collected of which one (G0779027) assayed 945 ppb Au from an outcrop of basalt that is rusty, quartz veined, sheared and mineralized with pyrite and chalcopyrite. It was noted at the time of sampling that blasting may have occurred here as well as channel sampling. This same sample also returned 669 ppm Cu and 975 ppm Mn. Two other samples from the same outcrop, G0779026 and G0779028 also showed anomalous values for Cu and Mn; 294 ppm Cu and 1070 ppm Mn for the former and 1310 ppm Cu and 900 ppm Mn for the latter. All other samples in the area including these two had low gold but were taken from gabbroic/basaltic outcrops that were quartz veined, sheared and mineralized with sulphides. Some had elevated Mn in the 700 ppm range while one, sample G0775933, had 734 ppm Cu. Of interest are values for these two elements.

From this group of samples and a further 250 m to the NE is a single sample (G0775931) at the centre of the high magnetic "Mine Trend". With only 1 ppb Au it is not of direct economic interest however it did assay with 2040 ppm Cr, 14.1% Mg, 1560 ppm Mn and 1030 ppm Ni. Described as a gabbro by the prospector these numbers indicate perhaps a rock of a more ultramafic composition.

The next group of samples were collected from a large area directly south of Julian Lake and to the SE. Immediately south of the lake, sample G0779070, registered 1.04 gpt Au from an outcrop of mafic volcanics described as being very rusty and mineralized with pyrite and pyrrhotite.

To the SE are a group of samples from an area known to contain a set of E-W and NE trending shears; the New Shears. These were located by previous operators (MSV Resources) and although found to be gold bearing were narrow in comparison with the mineralized hosts at the main zones. Samples G0779064, G0779065 and G0779066 come from an outcrop which contains several shears and a massive carbonate vein hosted by a fine grained to medium grained basalt or gabbro. Gold from these samples assayed 4.83 gpt Au, 12.9 gpt Au and 4.88 gpt Au respectively with copper being 895 ppm Cu, 1345 ppm Cu and 1275 ppm Cu.

A short distance to the NE is a well exposed "New Shear", at 697344.9 mE, 5800218.6 mN, which upon sampling returned 5.07 gpt Au, 9.22 gpt Au and 24.7 gpt Au from samples G0779067, G0779068 and G0779069 respectively.

The next area includes a large number of samples and the largest collection of outcrops NW of the mineralized zones. From this area are two samples, G0779046 and G0779049 that

returned gold values greater than one gram (2.61 gpt Au and 1.4 gpt Au respectively). The first of these samples comes from a rusty quartz vein about 25 cm in width and the second from a very rusty outcrop of mafic volcanic with a quartz vein. Other samples in the area contained anomalous copper values.

To the SE there are few outcrops however there was discovered several mineralized boulders of gabbro mineralized with sulphides as well as mineralized boulders of granite and "quartzite". Two samples, G077979 and G0779120, have anomalous gold or better at 1.66 gpt Au and 353 gpt Au respectively in addition to anomalous copper which returned 1250 ppm Cu for the former and 1865 ppm Cu for the latter. Sample G0779120 is a large rusty boulder of "quartzite" mineralized with pyrite, pyrrhotite, malachite and chalcopyrite. The second, sample G0779079 is briefly described as a gabbro boulder mineralized with disseminated pyrite. However this sample in addition to having over a gram of gold also contains 60 ppb Pd, and 3160 ppm P.

East of the camp one sample from a boulder described as a magmatic rock, possibly rhyolite was mineralized with chalcopyrite in association with a contact with a quartz vein. This sample, G0779080, assayed 536 ppb Au and 1885 ppm Cu.

Numerous samples were also taken during the course of geological mapping. Nine returned gold grades greater than one gram with the best being 43.6 gpt Au from sample G0779264 which tested a shear zone in a rusty outcrop of basalt. Samples from the Julian Lake area confirmed those taken by the prospecting team but the others were new occurrences or from past workings/trenches.

12.3 Soil Sampling Survey

Sampling of "B" horizon soils was undertaken over three grids; "S", "NW" and "I" (Figure 4). All lines and stations had been pre-determined using UTM coordinates with lines being at an azimuth of N 216 E for the "S" and "NW" grids and N 192 E for the "I" grid. Lines were spaced at 100 m intervals with stations established at 50 m intervals along each line. These were ideal grids and as such no allowance was made for river, lakes or swamps which did alter the initial sample density.

Contouring of the gold and copper data was based on visual determinations instead of a statistical approach. This method although basic did outline obvious anomalous stations as well as defined weak elevated trends. For gold contouring started at 3 ppb Au with others at 10 ppb Au, 20 ppb Au, 50 ppb Au and finally 100 ppb Au. Certainly the 3 ppb Au contour outlined broad zones of elevated gold while the remainder targeted higher gold enriched trends. For copper contouring began at 5 ppm Cu followed by 10 ppm Cu, 20 ppm Cu and 30 ppm Cu.

From the three grids it is estimated that 1796 samples were planned of which 1378 samples were collected or about 76.7%. In addition to no samples being obtained from the various waterways or swamps other no sample sites included boulder fields and excessive vegetation depth beyond the length of the soil auger. Also realized were "no sample" designations for those samples collected but having duplicate sample numbers or incomplete sample numbers. Both of these "no samples" types were discarded. Any duplicate samples detected by the laboratory were also discarded.

The "B" horizon was generally well developed on all three grids and was characterized by a distinctive brown to orange-brown colouration, firm, composed of silt and clay with rare

sand or rock fragments. When encountered the rock fragments were removed from the sample. Few samples were collected from the grey "C" horizon and none from the humus layer.

12.3.1 Soil Sampling "S" Grid

Located as an extension to the original Placer "F" grid, this area was chosen based on a moderate to high magnetic trend that parallels that of the main "Mine Trend". Included would be a possible cross cutting structure which causes the flexuring of the magnetic data similar once again to the "Mine Trend".

Although portions of the grid have gentle slopes, some of the lines crossed extensive swamp and a river resulting in poor sampling density in some areas.

From the results there are clusters of elevated Au values with the best being 57 ppb Au but no definition of well developed trends (Figure 6 and Table 4). No statistics has been performed on the data but visually any values of 3 ppb Au or greater was considered interesting and was contoured to define trends or areas of possible interest.

With the exception of two occurrences of multi-line "anomalies" and two multi-station "anomalies" on a single line; the anomalous values only defined single spot highs.

However a magnetic feature centred on L2000E/1200S does exhibit a collection of anomalous values (S-Au1A and S-Au1B), 4-57 ppb, around its periphery.

Along the SW edge of the grid are eleven anomalous samples (S-Au2) which occur in conjunction with a sinuous and somewhat narrow and discontinuous magnetic low.

There is no outcrop in this area and only one drill hole (94-11) which may not have fully explained the low magnetics. Its exact location must still be determined but the rock units and structural intensity can be explained and it appears the hole was stopped short of this magnetic trend.

Contoured copper values outline several broad anomalous areas/trends all of which are either weakly associated with gold or are offset from the gold anomalies (Figure 7).

S-Cu1, a 600 m long trend between lines L100E and L1600E is narrow but is marked by a 73 ppm station on L1400E and a parallel arm has a value of 11 ppm Cu on this same line. This anomaly parallels stratigraphy, corresponds to an area of low magnetic readings and is in part coincident with S-Au1.

S-Cu2 and an adjacent value of 15 ppm Cu define an oval shaped area that corresponds to a magnetic high. The 15 ppm Cu station on line L1000E also matches this magnetic trend as does S-Cu3. Gold values along this magnetic feature are low but as mentioned above a number of anomalous stations do occur around the periphery of the central magnetic high.

In the southern corner of the grid is a broad anomalous area designated S-Cu4. This zone is the continuation of the low magnetic trend associated with S-Cu1.

12.3.2 Soil Sampling "NW" Grid

This grid is a northwest extension of the original "F" grid of previous operators.

Within the gridded area (Figure 8) and using the determination of anomalous gold zones previously defined, the zones appear to be more prolific in the northwest portion of the grid while relatively few occur in the southern quarter. This may be due to thicker overburden, swampy ground or possibly due to the effects of a mafic intrusion in the area which may have remobilized elements in the host rock sequence. However the highly anomalous value of 308 ppb Au on L3200W/250N occurs immediately adjacent to this intrusion (NW-Au6). Elsewhere anomalous trends broadly tend to be in either NW-SE or E-W directions (Table 5).

Between L4800W and L5600W and from 200S to 800S there is a broad anomalous zone defined by the 3 ppb contour. Within this boundary are two NW trending zones with gold values ranging from 8 ppb Au to a high of 130 ppb Au (NW-Au2). Both zones are narrow but represent multi-line anomalies. Their origin is unknown however drill hole 83-10 collared a short distance to the west intersected granite, altered granite and several interpreted fault zones. It is possible that the southern-most soil anomaly may also represent a similar fault/altered zone within granitic rocks. Although discontinuous along strike to the SE it may be represented by the 56 ppb Au anomaly on L4300W/650S (NW-Au-8) and perhaps even further to the SE by the linear anomalous zone defined by 22 ppb Au and 33 ppb Au on L3900W/700S and L3400W/600S respectively with the latter being in an area underlain by quartz veined and in part sheared gabbro mineralized with sulphides (NW-Au7).

The magnetic data indicates a lower magnetic intensity to the NW while there are offsets as the "fault" trends to the SE.

Values of 80 ppb Au on L4700W/100S and 330 ppb Au on L4400W/200S (NW-Au3) lie peripheral to a linear magnetic low which also separates two broader anomalous zones to the NW (NW-Au2 and NW-Au4) and NW-Au9 to the SE. This also has been interpreted to be a fault/shear zone and these samples may indicate elevated gold within this system.

In the middle of the grid is a pronounced magnetic low which also embraces a complex of weak to moderate strength VTEM conductors. Immediately to the E-SE of these conductors are outcrops of gabbro/diorite with minor granite and altered fine grained basalt. The soil geochemistry has outlined a "V" shaped anomalous zone directly over the VTEM conductors (NW-Au5).

Anomalous copper values unlike gold define broad dispersal patterns throughout the gridded area and these have outlined several trends (Figure 9). Many of these are NW trends paralleling lithology while others are more E-W trending and therefore similar to the "New Shears". A branch of NW-Cu2 and NW-Cu3 would be a good example of the latter variety.

The linearity of the south branch of NW-Cu2 is similar to that of NW-Au2 however offset to the NE by 200 m. Other patterns suggest periods of multiple folding should they actually reflect bedrock sources. The intersections of the "New Shears" and lithological units could also explain this particular pattern. An example of this would be anomaly NW-Cu5 which seems to define a zigzag pattern crossing the grid which eventually forms a broad anomaly termed NW-Cu6. Within this combination of NW-Cu5 and NW-Cu6 are numerous multiple station responses in the 10-19 ppm Cu while seven areas have readings in excess of 20 ppm Cu. These are small well defined zones which occur in the appendages of NW-Cu 5 and 6 or at the apexes of the arms.

Comparison with the magnetic data does not show any direct correspondence other than NW-Cu6 is totally within a strong magnetic response and south of gabbroic exposures to the north. Along strike to the SE are outcrops of mafic volcanics however in their position the magnetics has a much lower response.

Some of NW-Cu5 lies within a magnetic low which contains the VTEM conductors in this area and the branched gold anomaly NW-Au5. In part this copper anomaly is coincident with the gold zone. This can also be stated for the southern extent of NW-Cu6 and NW-Au7, the SE portion of NW-Cu6 and NW-Au9 as well as portions of NW-Au1 and NW-Cu1 and NW-Au2 and NW-Cu2.

12.3.3 Soil Sampling "I" Grid

Sampling on this grid concentrated on an east-west trending magnetic anomaly which displayed similar characteristics to that of the main mine trend including a flexure structure. Sample collection was extensively inhibited by the large expanses of boggy ground but sufficient samples were collected to assess this area.

Gold values (Figure 10 and Table 6) were generally low being in the range of <1 to 2 ppb Au. The results however do show several highs (I-Au1, I-Au2, I-Au3 and I-Au4) and although not defining continuous trends do outline several clusters of anomalous values greater than 3 ppb Au. The largest of these (I-Au3) starts at L400W and continues easterly to L400E where three samples fall within a break in the magnetic data. This break in turn defines an east-west trending structure that parallels that of the "New Shears" but also marks a flexure in magnetic lows and highs further to the SW. The highest value in this cluster is 59 ppb Au.

Further to the north (about 650 m) a small cluster that marks a magnetic low and is highlighted by a value of 30 ppb Au (I-Au2) but is also accompanied by stations that returned values in the range of 4 ppb Au to 7 ppb Au. No cause can be assessed for this anomalous zone but it does occur in the flexure of the magnetic low which in turn parallels a flexure in the magnetic high immediately to the south and similar to flexures on the mine trend.

On lines L1000W to L1200W in the area of 200S to 400S is a discontinuous cluster of anomalous stations (I-Au1) of which one of 13 ppb Au is in close proximity to a isolated VTEM conductor. The other three form a continuous band that parallels stratigraphy and occurs in the vicinity of a possible NE trending structure.

Elsewhere on the grid the anomalous stations parallel the main magnetic high and lie in all cases on its periphery or along the periphery of a sub-parallel feature to the south. With the exception of one station that returned 19 ppb Au (I-Au4) all of the remaining stations have values in the 3-4 ppb Au range.

In contrast to the gold values, copper results define numerous anomalous zones (Figure 11) of which I-Cu5 is the most extensive being from line L1300E to line L400E. Although being irregular in shape it is coincident with a magnetic high however the best values of 144 ppm Cu and 114 ppm Cu occur on the shoulders of the magnetic trend. Also one of the internal trends in this anomaly cross cut the suspected lithological stratigraphy in this area and is consistent with the trend of the "New Shears" and closely associated with gold anomaly I-Au4.

I-Cu2 has a similar trend direction and marks the break in the magnetic data at this location. I-Cu3 which lies to the NE is irregular in shape and appears to be terminated by the continuation of the trend defined by I-Cu2. There is no known cause for this anomaly which occurs in an area of low magnetic response. The adjacent river however forms a linear feature in this area and supports the interpretation that a NE trending structure may be its cause.

I-Cu1 lies entirely within an area of low magnetic response and consists of several spot highs of which 33 ppm Cu is the best value. Its cause is unknown at this time. Similarly for I-Cu4 which occurs near the southern boundary of the grid. Part of this zone has a NW trend paralleling that of lithology while there is also an E-W portion which may be the extension of I-Cu5.

At the SE end of the grid is the irregularly shaped I-Cu6. Most of its anomalous values correspond to the high magnetic trend which cuts through the entire grid and is also marked by I-Cu5 and by numerous single station values of 5 ppm Cu or greater.

12.4 LITHOGEOCHEMISTRY

The following discussion is based on the analysis of 113 samples for major oxides followed by a multi-element ICP scan. Table 7 presents the data while Figure 12 is a Jensen cation plot.

The results show a continuous progression from ultramafic komatiite through to calc-alkaline rhyolite with most samples falling within the High-Iron or High-Magnesian tholeiitic fields.

For illustrative purposes the data from the komatiitic rocks have been discussed in more detail although their relative populations and sub-populations are small in number and only represent about one tenth of the total number of samples.

Although a small number of samples are within the ultramafic komatiite field there appears to be two sub-populations when using Ni as a discriminator. Samples G077903, G0779207, G0775716 and G0775965 all have Ni contents greater than 1000 ppm Ni. Whereas samples G077519, G0775761, G0775754 and G0775855 have Ni values less than 1000 ppm Ni. Sample G0775802 has been placed in the former group with a Ni value of 984 ppm Ni. This is a crude differentiation at best but may define two distinct populations.

On the map these rocks were all collected along a strong magnetic trend. It can be noted that the higher Ni bearing rocks seem to be from outcrops closer to the "A" Zone and certainly sample G0775965 comes from the mine dump. However there is some overlap and therefore this may just signify some local chemical variations possibly due to alteration. The mine dump sample has been described as a fine grained, grey, massive to banded rock having a distinct talcy texture not unlike some of the samples from the Julian Lake area.

In the basaltic komatiitic field there are fewer samples but two sub-populations. Again using Ni as a discriminator samples G0775769 and G0775810 have low Ni contents of 203 ppm Ni and 162 ppm Ni respectively. In contrast those for samples G0779210, G0775797 and G0775713 are in the 350-375 ppm Ni range.

These sub-populations are distinct from one another but also have considerably lower Ni contents than that of the ultramafic komatiites.

Other elemental values are generally similar between these two sub-populations but it is noted that In varies by a factor of two with those samples having lower Ni having a corresponding higher In value. Rocks in the ultramafic komatiitic field again have less contained In than the low In/high Ni rocks of the basaltic komatiitic field.

Locations for these samples vary widely. Samples G0775769 and G0775810 occur NE of the ultramafic komatiitic rocks while the remaining samples come from an area SW. What this means is not certain. The above two mentioned samples were collected relatively close to each other and may represent a single lithological unit perhaps even the beginnings of a volcanic cycle. The others come from an area interpreted to be stratigraphically above the mineralized horizon but which also contains elevated and anomalous gold mineralization in what may be a second mineralized horizon. However if the ultramafic komatiites are intrusive then this mineralization may be in part equivalent to the main mineralized horizon?

This is but a brief discussion based on only a small sampling of the data. More detailed study is required to deduce any further sub-populations and their relationships to the mineralization and the associated alteration pattern.

13.0 DRILLING

This section is not applicable to this report.

14.0 SAMPLING METHOD AND APPROACH

14.1 Rocks

Rocks were collected from rock exposures and all received a multi-element ICP scan in addition to gold while others also received a litho-geochemical XRF determination for major oxides. Sample collection points were not determined on a pre-set interval but were, at least for the litho-geochemical work based on rock type and variation in alteration styles.

Other rock samples were "grabs" and were collected from zones of mineralization or rusting. Again no set pattern or sample interval was used. There were few chip or channel samples collected.

All samples were collected in clear plastic sample bags labeled with the sample number at the collection site. Five to six such bags were then placed within a white pre-addressed fiber rice shipping bag and sealed with a cable tie.

These samples were then flown out of camp internally on a helicopter to Placer Lake or driven by truck to the Icon base camp. From either site the samples were picked up by float plane and flown to Temiscamie, Quebec. From Temiscamie a local expeditor or the air service transported the samples to the bus terminal in Chibougamau, Quebec. They were then shipped by bus to ALS Chemex Labs, Sudbury, Ontario, for crushing, and sample preparation. Pulps were then forwarded by the prep lab to the ALS Chemex facility in Vancouver, B. C. for analysis.

14.2 Soils

Unlike the rock sampling the soil samples were collected from pre-determined sites over GPS grid lines with a sample interval of 50 m along each of those lines. All grids were designed similarly with 100 m spaced lines. Three grids were used to test the strike extension of the interpreted "Mine Trend" host rocks and subsidiary rock trends displaying similar structural or magnetic features.

The three grids (see Figure 4) had a total of 1796 sample sites from which a total of 1378 samples were collected or 76.7%.

All paper kraft sample bags were labeled with the sample number at the collection site, dried on site and pre-packed 10 at a time in a clear plastic sample bag which were taped closed with fiber tape. These bags were labeled with the sample sequence contained within and five such bags were then placed within a white pre-addressed fiber rice shipping bag and sealed with a cable tie.

These samples were then flown out of camp internally on a helicopter to Placer Lake or driven by truck to the Icon base camp. From either site the samples were picked up by float plane and flown to Temiscamie, Quebec. From Temiscamie a local expediter or the air service transported the samples to the bus terminal in Chibougamau, Quebec. They were then shipped by bus to ALS Chemex Labs, Sudbury, Ontario, for crushing, and sample preparation. As with the rock samples these pulp samples were then sent to the ALS Chemex laboratory in Vancouver, B. C.

15.0 SAMPLE PREPARATION, ANALYSIS AND SECURITY

At ALS Chemex rock sample preparation involved the entire sample being passed through a primary crusher to yield a crushed product in which 70% of the sample passes through a 2 mm (-10 mesh) screen. Some large samples require division of one or more size fraction into representative splits. The entire sample is transferred to a tray and then repeatedly passed through a riffle splitter until a split size of up to 1,000 g has been obtained. Sample reject is returned to its original package or, if necessary, to a more suitable container. The crushed sample split is ground using a ring mill pulverizer having a chrome steel ring set. All samples are pulverized to at least 95% of the ground material passing through a 75 micron screen. Grinding with chrome steel may impart trace amounts of iron and chromium into the sample.

15.1 Analytical Procedures

15.1.1 Fire Assay Fusion with Atomic Absorption Finish Procedures

All of the rock analysis was conducted by ALS Chemex at their laboratory in Vancouver, British Columbia. All samples were analyzed for gold, platinum and palladium. Thirty gram (rock) samples were analyzed using Fire Assay with an Atomic Absorption finish (PGM-ICP23), giving a lower limit of detection of 1 ppb and an upper limit of detection of 10,000 ppb gold and palladium and a lower limit detection of 5 ppb and an upper limit of detection of 10,000 ppb for platinum.

15.1.2 Inductively Coupled Plasma Multi-Element Assay Procedures

All samples were analyzed for a suite of 33 trace elements using Inductively Coupled Plasma (ME-ICP61) methods with various detection limits. A prepared sample (0.25 g) is digested with perchloric, nitric, hydrofluoric and hydrochloric acids. The resulting solution is analyzed by Inductively Coupled Plasma-Atomic Emission Spectrometry. The analytical results are corrected for inter element spectral interferences.

15.2 Assay Results and Certificates

Results were received from ALS as computer text files (.CSV) for analytical data and Adobe Acrobat files (.PDF) for Certificates of Authenticity and Quality Control. Copies of the certificates are included in Appendices 1 and 2 and for quality control Appendices 3 and 4. Sample data was then transferred into appropriate Excel spreadsheets, compiled, and then imported into MapInfo for plotting.

15.3 Security

All samples were carefully packaged in camp, sample numbers recorded on appropriate sample dispatch sheets. From camp the samples were flown or driven by company personnel to the float plane landing site. Upon arrival at the float plane base at Temiscamie they were transported by contract personnel to Chibougamau where they were loaded upon a bus for Sudbury, the location of the ALS Chemex preparation facility. Once prepared the pulps were transported to ALS Chemex's Vancouver Laboratory for analysis.

16.0 DATA VERIFICATION

16.1 Internal ALS-Chemex Quality Control Procedures

Internal Quality Control ("QC") samples were used by ALS Chemex Labs to detect and measure the magnitude of laboratory errors associated with the measurement of contained gold and other elements in a sample. Tracking of QC data allows an acceptable degree of confidence in the assay values to be maintained by monitoring the performance of the lab on their reference samples. Completed laboratory quality control results were reported by ALS Chemex as separate certificates which form Appendices 3 and 4 (rock and soil) as well as digitally with the sample assay results.

The laboratory routinely randomly inserts a series of blind blanks and standard samples into the sample stream to monitor equipment calibration and accuracy. In addition they also routinely complete duplicate analysis of random samples.

16.2 Internal Eastmain Quality Control Procedure

There was no internal quality control sampling for either rock or soil samples completed by Eastmain Resources Inc. during the 2009 exploration program.

17.0 ADJACENT PROPERTIES

No adjacent properties held by other companies have a significant impact on Eastmain Mine

claim block. However Eastmain Resources Inc. does hold the immediately adjacent claim block known as the Ruby Hill East Property. This property underwent a drill program in the early fall of 2008 and results are reported by Leblanc and Kendle, 2009.

18.0 MINERAL PROCESSING AND METALLURGICAL TESTING

This section is not applicable to this report.

19.0 MINERAL RESOURCE AND MINERAL RESERVE ESTIMATES

No new resource estimate was undertaken in 2009. All old estimates were completed by previous operators, are historical in nature and are not 43-101 compliant.

20.0 OTHER RELEVANT DATA AND INFORMATION

This section is not applicable to this report

21.0 INTERPRETATION AND CONCLUSIONS

The following are conclusions derived from the 2009 exploration program:

1. The volcanic stratigraphy suggests four periods or cycles of volcanism extending from the Placer Lake area to the syncline's core.
2. The first two cycles appear to contain more sub-volcanic mafic intrusives which may be part of the feeder system to later flows.
3. Alteration types are numerous with some being syn-volcanism while others are post.
4. Styles of alteration include silicification, albitization, epidotization and potassium feldspar. Some occurred as pervasive alteration while others were more stringer, fracture or vein controlled.
5. Sulphide mineralization is widespread with po>py>cpy>sph>gal. Mo is rare and no VG was noted either during the mapping or in the muck pile. However numerous occurrences have been noted in the historical drill core logging.
6. Sulphides are generally disseminated and in concentrations of <1% to 2%, fine grained and commonly occur as small masses or euhedral/subhedral crystals. Syngenetic sulphides are massive layers or perhaps remobilized into narrow stringers/fractures commonly with chlorite. In reference to the drill core logs, sulphides are common with most occurring in or closely associated with the gold bearing zones. Concentrations are variable with between 2% to 15% total sulphides being most common. However some intervals had sulphide levels in excess of 30%.
7. Structurally the property is complexly deformed and several phases of deformation are evident.

8. Flexures occur along the "Mine Trend" sometimes having associated VTEM conductors on their flanks. The NW VTEM conductor appears to form a flexure having the identical sense of movement as all the others.
9. Soil sampling defined a number of anomalous stations but also anomalous zones which may be directly related to structural features and VTEM conductors.
10. The mineralized outcrops located S of the Michel Lake showing and SW of the Julian Lake area have the same characteristics/mineralogy as the main zone but they seem to occur stratigraphically above the main mine trend. One difference would be an extensive occurrence of an altered and fractured primary mafic fragmental.
11. Rock sampling has confirmed the known mineralized areas but has also outlined several new areas.
12. Litho-geochemistry tends to indicate two populations within the suite of ultramafic rocks with most samples lying within the tholeiitic basalt fields.

22.0 RECOMMENDATIONS

Recommendations based on the in-field exploration program include the following proposals:

1. All data must be re-evaluated as the soil, rock assay and rock geochemistry results become available.
2. Rock collection for litho-geochemistry should continue in subsequent field seasons.
3. Basic mapping has been completed in some areas and should be continued in the next field season along with more detailed mapping in some areas specifically the Julian Lake area and the Michel Lake showing.
4. A re-evaluation of the mineralized outcrops S of Michel Lake and SW of the Julian Lake areas to determine their placement in the stratigraphy.
5. Follow-up rock sampling especially those samples that had gold values greater than 1 gpt Au. Also the gabbro boulder NNW of camp that had gold but also copper and Pd.
6. Channel sampling should be done on some of the known mineralized zones and also from rusty or rusted outcrops such as the gabbros on the "G" grid.
7. Old drill core should be re-boxed, re-evaluated, sampled and moved to a central storage area.
8. Due to the mineralized zones on the G grid this grid should be tested by soil sampling.
9. Backhoe trenching in the Julian Lake area to expose the "New Shears".
10. Drilling of 10,000 m with initial targets as per Table 8 and Maps 3A and 3B but to form a multi-phase program with suggested targets listed below:

- a) a series of deep holes in the "A" and "B" zones collared to intersect the zones at about 400 m vertical
- b) extended drilling on "C" and "I" zones
- c) drill testing of the VTEM conductors/flexure immediately NW of camp
- d) drilling for geology SW of the zone for stratigraphic purposes
- e) drilling the felsic units SW of the zone known to be mineralized.
- f) exploratory holes to intersect the actual flexures at right angles to stratigraphy
- g) in conjunction with drilling a downhole PEM survey should be conducted on select holes

23.0 PROPOSED BUDGET

It is premature to present a detailed budget at this time. However based on the recommendations it is envisaged that a minimum budget would be \$2,600,000 (Table 9) based on the above recommendations. Although presented as a single set of estimates the future program is envisaged to extend over a number of months and would have a multi-phase approach.


Respectfully submitted by:

Peter Dadson (P.Geol)

Calgary, January 21, 2010

Under the supervision of:

Dr. Donald J. Robinson (P.Geol)



130 4170

24.0 BIBLIOGRAPHY AND REFERENCES

Derosier, C., 1990. Report on 1990 Exploration Work on the Eastmain Gold Deposit, Mistassini Territory, Québec. Burmex (MSV Resources Inc.), Examine document GM 50338, 30 pp.

Campbell Resources Inc., Propriété Eastmain. Fiche Technique, 17 pp.

Couture, J.F., 1987. Géologie de la partie occidentale de la bande volcanosédimentaire de la rivière Eastmain Supérieure. Ministère de l'Énergie et des Ressources du Québec, DP-87-05, 4 maps.

Couture, J.F., 1993. Géologie et gîtologie du gisement de la rivière Eastmain, Ungava, Québec. UQAC, Chicoutimi, Master thesis, 234 pp.

Couture, J.F. and Guha, J., 1990. Relative Timing of Emplacement of an Archean Lode-gold Deposit in an Amphibolite Terrane: the Eastmain River Deposit, Northern Quebec. Canadian Journal of Earth Sciences, vol. 27, 1990, pp 1621-1636.

Davidson, D.D., 1983. Petrographic Study Eastmain Venture, Quebec. Internal report, Placer Development Ltd.

De Chavigny, P., 1999. Ressources MSV Inc., Rapport d'évaluation du potentiel minéral, propriété Eastmain, Cantons 2334, 2434 et 2335, Ungava, P.Q. (Canada), SNRC 23/D5, 33/A8. Ministère des Ressources Naturelles et de la Faune, Examine document GM 57199, 34 pp.

Drouin, M. and Thiboutot, H., 1983. Drilling and Geological Report F Grid and its Extensions, Eastmain River Project, Quebec, Venture 116, Placer Development Limited. Examine document GM 41013, 165 pp.

Drouin, M. and Thiboutot, H. 1983. Drilling and Geological Report on I Grid, Eastmain River Project, Quebec, Placer Development Limited. Examine document GM 41116

Eade, K.E., 1966. Fort George River, Kaniapiscaw River (west half) Map Areas. New Quebec, Geological Survey of Canada, Memoir 339.

Francour, G., 1995. Project Eastmain (4001) Rapport des Sondages 1995, Soquem. Examine document GM53601, 51 pp.

Gaucher, E and Pineault, R., 1982. Placer Development Limited, Geophysical Survey in the Mistassini Area, Winter 1982 Grid F. Examine document GM 39460, 13 pp.

Hocq, M., 1994. La province du Supérieure. Géologie du Québec. Les Publications du Québec, pp. 7-19.

Jourdain, V., 1990. Structural Mapping of the part « F » and « G » grids. Burmex (MSV Resources Inc.), Eastmain project, Examine document GM 50339, 35 pp.

Knowles, R.J. and Thiboutot, H., 1988. Geological Report Summer 1988 Mapping, F Grid Extensions 1, 2, 3 - 87, Eastmain River Project, Quebec, Venture 332, Placer Dome Inc./MSV Resources Joint Venture. Examine document GM 47887, 38 pp.

Lavigne, B., 1984. Report on Survey of Diamond Drill Holes, Eastmain, Quebec, for Placer Development Limited, Examine document GM 41699, 13 pp.

Leblanc, G and Kendle, F., 2009. Technical Report Ruby Hill Project, Report on Exploration Activities in 2008. Eastmain Resources Inc. 33 pp.

Thiboutot, H., 1984. Summary Report 1984 Winter Program Placer/Eldor Joint Venture, Eastmain, Quebec, Venture 116. Placer Development Limited. Examine document GM 41699, 252 pp.

Thiboutot, H., 1985. Drilling and Geological Report 1985 Summer Program, Placer/Eldor Joint Venture, Eastmain, Quebec, Venture 116. Placer Development Limited. Examine document GM 42585, 98 pp.

Thiboutot, H. and Keech, C., 1988. Placer Dome Inc./MSV Resources (Joint Venture) Project 332, Geology Report Underground Exploration for 1987, A-Zone, Eastmain, Quebec. Examine document 49132, 267 pp.

Thiboutot, H. and Knowles, U., 1988. Diamond Drilling Report, 1988 Winter and Summer Programs, Eastmain, Quebec, Venture 332, Placer Dome/MSV Resources Joint Venture, Placer Dome Inc. Examine document GM 48841, 637 pp.

Tourigny, G., 1989. Reconnaissance Structural Analysis of the Eastmain River Gold Deposit, Mistassini Territory, Québec. Mineral Exploration Research Institute, Internal Report presented to Placer Dome Inc. and MSV Resources Inc.

Tremblay, A., 1995. GéoNova Explorations Inc., Projet Eastmain, Campagne de sondages, Hiver 1995. Ministère des Ressources Naturelles et de la Faune, Examine document GM 53606, 94 pp.

25.0 CERTIFICATE OF AUTHOR



I, **Donald J. Robinson, Ph.D., P.Geo.**, of 834572, 4th Line EHS, Mono Township, Orangeville, Ontario, L9W 2Y8, do hereby certify that:

1. I am a practicing geologist.
2. I graduated with a Doctor of Philosophy (Geology), from the University of Western Ontario, in 1982.
3. I am a member of the Association of Professional Geoscientists of Ontario (APGO No. 0473).
4. I am a **member of the Ordre des Géologues du Québec (OGQ No.0814)**.
5. I have worked as a geologist for a total of 28 years since my graduation from university.
6. I am responsible for the supervision of the technical report titled "Eastmain Mine Project, Report on Exploration Activities in 2009 for Eastmain Resources Inc.", relating to the Project. I reviewed the geological and geochemical data completed on the project in 2009.
7. I have had prior involvement with the Property that is the subject of the Technical Report.
8. I am not aware of any material fact or material change with respect to the subject matter of the Technical Report that is not reflected in the Technical Report, the omission to disclose which makes the Technical Report misleading.
9. I am President, CEO and Director of Eastmain Resources Inc, since 1994.
10. I consent to the filing of the Technical Report with any stock exchange and other regulatory authority and any publication by them for regulatory purposes, including electronic publication in the public company files on their websites accessible by the public, of the Technical Report.

Dated this 21st day of January, 2010.

Signed


"Donald J. Robinson"




1304170

I, **Peter Dadson, B.Sc., P.Geol** of 5954 Signal Ridge Heights SW, Calgary, Alberta, hereby certify that:


1. I am a graduate of Carleton University, Ottawa (1974) with a Bachelor of Science degree in geology
2. I am a self-employed geologist retained by Eastmain Resources Inc. of Orangeville, Ontario.
3. I have been working in the profession of geology since 1974 in Canada, the United States of America, Albania and West Africa
4. I am a member in good standing in the following professional associations: Association of Professional Engineers and Geoscientists of Alberta (Member No. M63980); Geological Association of Canada; Fellow, Society of Economic Geologists; Prospectors and Developers Association of Canada; Society for Geology Applied to Mineral Deposits
5. I am the author of this report, utilizing my personal experience as field manager of the 2009 exploration program on the Eastmain Mine Property and data summarized in the Reference section of this report.
6. I was field manager on this project and on the property continuously from July 30, 2009 to September 25, 2009.
7. To the best of my knowledge, information and belief, this report contains all the scientific and technical information that is required to make this report not misleading.
8. I have had no direct involvement with *Eastmain Resources Inc.* other than in the role of independent consultant.



Peter Dadson, B.Sc., P.Geol.




Dated at Calgary, Alberta, this 21st day of January, 2010



1304170

**26.0 ADDITIONAL REQUIREMENTS FOR TECHNICAL REPORTS ON DEVELOPMENT
PROPERTIES AND PRODUCTION PROPERTIES**

This section is not applicable to this report.



27.0 ILLUSTRATIONS and TABLES

REÇU AU MERNF
13 MAI 2012
DIRECTION DES TITRES MINIERES




Figure 1: Eastmain Mine Property: Location Map





Figure 2: Eastmain Mine Property: Claims Map



- Erasmie Lake Granite
 - Cadieux Lake Granite
 - Meta-sediments (Schierzo)
 - Felsic Volcanics
 - Mafic Volcanics
- = Placer Lake*
Reve group
- Anticline
 - Overturned Anticline
 - Overturned Anticline
 - Faults
- Syncline*

Eastmain Resources Inc.	
General Regional Geology	
NAD 83 Zone 18	Figure 3

NUMÉRIQUE

Page(s) de dimension(s) hors standard numérisée(s) et positionnée(s) à la suite des présentes pages standard

DIGITAL FORMAT

Non-standard size page(s) scanned and placed after these standard pages

Table 1: Claims/Mining Lease: Eastmain Mine Property

Title Number	Size (ha)	NTS	Recording Date	Expiry Date
817	132.11	33-A-08	January 10, 1995	January 9, 2015
104458	52.73	33-A-08	November 24, 2005	November 23, 2011
1133433	52.77	33-A-08	October 28, 2005	June 28, 2011
1133434	52.77	33-A-08	October 28, 2005	June 28, 2011
1133435	52.77	33-A-08	October 28, 2005	June 28, 2011
1133436	52.77	33-A-08	October 28, 2005	June 28, 2011
1133437	52.77	33-A-08	October 28, 2005	June 28, 2011
1133438	52.77	33-A-08	October 28, 2005	June 28, 2011
1133439	52.77	33-A-08	October 28, 2005	June 28, 2011
1133440	52.77	33-A-08	October 28, 2005	June 28, 2011
1133441	52.77	33-A-08	October 28, 2005	June 28, 2011
1133442	52.77	33-A-08	October 28, 2005	June 28, 2011
1133443	52.77	33-A-08	October 28, 2005	June 28, 2011
1133444	52.77	33-A-08	October 28, 2005	June 28, 2011
1133445	52.77	33-A-08	October 28, 2005	June 28, 2011
1133446	52.76	33-A-08	October 28, 2005	June 28, 2011
1133447	52.76	33-A-08	October 28, 2005	June 28, 2011
1133448	52.76	33-A-08	October 28, 2005	June 28, 2011
1133449	52.76	33-A-08	October 28, 2005	June 28, 2011
1133450	52.76	33-A-08	October 28, 2005	June 28, 2011
1133451	52.76	33-A-08	October 28, 2005	June 28, 2011
1133452	52.76	33-A-08	October 28, 2005	June 28, 2011
1133453	52.76	33-A-08	October 28, 2005	June 28, 2011
1133454	52.76	33-A-08	October 28, 2005	June 28, 2011
1133455	52.76	33-A-08	October 28, 2005	June 28, 2011
1133456	52.76	33-A-08	October 28, 2005	June 28, 2011
1133457	52.76	33-A-08	October 28, 2005	June 28, 2011
1133458	52.76	33-A-08	October 28, 2005	June 28, 2011
1133459	52.76	33-A-08	October 28, 2005	June 28, 2011
1133460	52.75	33-A-08	October 28, 2005	June 28, 2011
1133461	52.75	33-A-08	October 28, 2005	June 28, 2011
1133462	52.75	33-A-08	October 28, 2005	June 28, 2011
1133463	52.75	33-A-08	October 28, 2005	June 28, 2011
1133464	52.75	33-A-08	October 28, 2005	June 28, 2011
1133465	52.75	33-A-08	October 28, 2005	June 28, 2011
1133466	52.75	33-A-08	October 28, 2005	June 28, 2011
1133467	52.75	33-A-08	October 28, 2005	June 28, 2011
1133468	52.75	33-A-08	October 28, 2005	June 28, 2011
1133469	52.75	33-A-08	October 28, 2005	June 28, 2011

Table 1: Claims/Mining Lease: Eastmain Mine Property

Title Number	Size (ha)	NTS	Recording Date	Expiry Date
1133470	52.75	33-A-08	October 28, 2005	June 28, 2011
1133471	52.75	33-A-08	October 28, 2005	June 28, 2011
1133472	52.75	33-A-08	October 28, 2005	June 28, 2011
1133473	52.75	33-A-08	October 28, 2005	June 28, 2011
1133474	52.75	33-A-08	October 28, 2005	June 28, 2011
1133475	52.75	33-A-08	October 28, 2005	June 28, 2011
1133476	52.75	33-A-08	October 28, 2005	June 28, 2011
1133477	52.74	33-A-08	October 28, 2005	June 28, 2011
1133478	52.74	33-A-08	October 28, 2005	June 28, 2011
1133479	52.74	33-A-08	October 28, 2005	June 28, 2011
1133480	52.74	33-A-08	October 28, 2005	June 28, 2011
1133481	52.74	33-A-08	October 28, 2005	June 28, 2011
1133482	52.74	33-A-08	October 28, 2005	June 28, 2011
1133483	52.74	33-A-08	October 28, 2005	June 28, 2011
1133484	52.74	33-A-08	October 28, 2005	June 28, 2011
1133485	52.74	33-A-08	October 28, 2005	June 28, 2011
1133486	52.74	33-A-08	October 28, 2005	June 28, 2011
1133487	52.74	33-A-08	October 28, 2005	June 28, 2011
1133488	52.74	33-A-08	October 28, 2005	June 28, 2011
1133489	52.74	33-A-08	October 28, 2005	June 28, 2011
1133490	52.74	33-A-08	October 28, 2005	June 28, 2011
1133491	52.74	33-A-08	October 28, 2005	June 28, 2011
1133492	52.74	33-A-08	October 28, 2005	June 28, 2011
1133493	52.74	33-A-08	October 28, 2005	June 28, 2011
1133494	52.74	33-A-08	October 28, 2005	June 28, 2011
1133495	52.74	33-A-08	October 28, 2005	June 28, 2011
1133496	52.73	33-A-08	October 28, 2005	June 28, 2011
1133497	52.73	33-A-08	October 28, 2005	June 28, 2011
1133498	52.73	33-A-08	October 28, 2005	June 28, 2011
1133499	52.73	33-A-08	October 28, 2005	June 28, 2011
1133500	52.73	33-A-08	October 28, 2005	June 28, 2011
1133501	52.73	33-A-08	October 28, 2005	June 28, 2011
1133502	52.73	33-A-08	October 28, 2005	June 28, 2011
1133503	52.73	33-A-08	October 28, 2005	June 28, 2011
1133504	52.73	33-A-08	October 28, 2005	June 28, 2011
1133505	33.04	33-A-08	October 28, 2005	June 28, 2011
1133506	8.59	33-A-08	October 28, 2005	June 28, 2011
1133507	29.58	33-A-08	October 28, 2005	June 28, 2011
1133508	52.73	33-A-08	October 28, 2005	June 28, 2011

Table 1: Claims/Mining Lease: Eastmain Mine Property

Title Number	Size (ha)	NTS	Recording Date	Expiry Date
1133509	52.73	33-A-08	October 28, 2005	June 28, 2011
1133510	52.73	33-A-08	October 28, 2005	June 28, 2011
1133511	52.73	33-A-08	October 28, 2005	June 28, 2011
1133512	52.73	33-A-08	October 28, 2005	June 28, 2011
1133513	52.73	33-A-08	October 28, 2005	June 28, 2011
1133514	52.72	33-A-08	October 28, 2005	June 28, 2011
1133515	52.72	33-A-08	October 28, 2005	June 28, 2011
1133516	52.72	33-A-08	October 28, 2005	June 28, 2011
1133517	52.72	33-A-08	October 28, 2005	June 28, 2011
1133518	52.72	33-A-08	October 28, 2005	June 28, 2011
1133519	52.72	33-A-08	October 28, 2005	June 28, 2011
1133520	52.72	33-A-08	October 28, 2005	June 28, 2011
1133521	52.72	33-A-08	October 28, 2005	June 28, 2011
1133522	52.72	33-A-08	October 28, 2005	June 28, 2011
1133523	31.70	33-A-08	October 28, 2005	June 28, 2011
1133524	37.93	33-A-08	October 28, 2005	June 28, 2011
1133525	43.38	33-A-08	October 28, 2005	June 28, 2011
1133526	52.72	33-A-08	October 28, 2005	June 28, 2011
1133527	52.72	33-A-08	October 28, 2005	June 28, 2011
1133528	52.72	33-A-08	October 28, 2005	June 28, 2011
1133529	52.71	33-A-08	October 28, 2005	June 28, 2011
1133530	52.71	33-A-08	October 28, 2005	June 28, 2011
1133531	52.71	33-A-08	October 28, 2005	June 28, 2011
1133532	52.71	33-A-08	October 28, 2005	June 28, 2011
1133533	52.71	33-A-08	October 28, 2005	June 28, 2011
1133534	52.71	33-A-08	October 28, 2005	June 28, 2011
1133535	52.71	33-A-08	October 28, 2005	June 28, 2011
1133536	52.71	33-A-08	October 28, 2005	June 28, 2011
1133537	52.71	33-A-08	October 28, 2005	June 28, 2011
1133538	52.71	33-A-08	October 28, 2005	June 28, 2011
1133539	52.71	33-A-08	October 28, 2005	June 28, 2011
1133540	52.71	33-A-08	October 28, 2005	June 28, 2011
1133541	52.71	33-A-08	October 28, 2005	June 28, 2011
1133542	52.71	33-A-08	October 28, 2005	June 28, 2011
1133543	52.71	33-A-08	October 28, 2005	June 28, 2011
1133544	52.70	33-A-08	October 28, 2005	June 28, 2011
1133545	52.70	33-A-08	October 28, 2005	June 28, 2011
1133546	52.70	33-A-08	October 28, 2005	June 28, 2011
1133547	52.70	33-A-08	October 28, 2005	June 28, 2011

Table 1: Claims/Mining Lease: Eastmain Mine Property

Title Number	Size (ha)	NTS	Recording Date	Expiry Date
1133548	52.70	33-A-08	October 28, 2005	June 28, 2011
1133549	52.70	33-A-08	October 28, 2005	June 28, 2011
1133550	52.70	33-A-08	October 28, 2005	June 28, 2011
1133551	52.70	33-A-08	October 28, 2005	June 28, 2011
1133552	52.70	33-A-08	October 28, 2005	June 28, 2011
1133553	52.70	33-A-08	October 28, 2005	June 28, 2011
1133554	52.70	33-A-08	October 28, 2005	June 28, 2011
1133555	52.70	33-A-08	October 28, 2005	June 28, 2011
1133556	52.70	33-A-08	October 28, 2005	June 28, 2011
1133557	52.70	33-A-08	October 28, 2005	June 28, 2011
1133558	52.70	33-A-08	October 28, 2005	June 28, 2011
1133559	52.69	33-A-08	October 28, 2005	June 28, 2011
1133560	52.69	33-A-08	October 28, 2005	June 28, 2011
1133561	52.69	33-A-08	October 28, 2005	June 28, 2011
1133562	52.69	33-A-08	October 28, 2005	June 28, 2011
1133563	52.69	33-A-08	October 28, 2005	June 28, 2011
1133564	52.69	33-A-08	October 28, 2005	June 28, 2011
1133565	52.69	33-A-08	October 28, 2005	June 28, 2011
1133566	52.69	33-A-08	October 28, 2005	June 28, 2011
1133567	52.69	33-A-08	October 28, 2005	June 28, 2011
1133568	52.69	33-A-08	October 28, 2005	June 28, 2011
1133569	52.69	33-A-08	October 28, 2005	June 28, 2011
1133570	52.68	33-A-08	October 28, 2005	June 28, 2011
1133571	52.68	33-A-08	October 28, 2005	June 28, 2011
1133572	52.68	33-A-08	October 28, 2005	June 28, 2011
1133573	52.68	33-A-08	October 28, 2005	June 28, 2011
1133574	52.68	33-A-08	October 28, 2005	June 28, 2011
1133575	52.68	33-A-08	October 28, 2005	June 28, 2011
1133576	52.68	33-A-08	October 28, 2005	June 28, 2011
1133577	52.68	33-A-08	October 28, 2005	June 28, 2011
1133578	52.68	33-A-08	October 28, 2005	June 28, 2011
1133579	52.68	33-A-08	October 28, 2005	June 28, 2011
1133580	52.68	33-A-08	October 28, 2005	June 28, 2011
1133581	52.67	33-A-08	October 28, 2005	June 28, 2011
1133582	52.67	33-A-08	October 28, 2005	June 28, 2011
1133583	52.67	33-A-08	October 28, 2005	June 28, 2011

Total ha 8014.34

Table 2: Eastmain Mine Property: Prospecting Rock Samples

Property	UTM Easting	UTM Northing	Altitude	Sample No	Description
Eastmain Mine	694858.9076	5801388.888	496	G0779001	Quartz vein 1.5 inch in outcrop 12m x 10m Az 360 Dip 10 E
Eastmain Mine	694871.07	5801317.482	497	G0779002	Outcrop - Gabbro with pyrite quartz vein 1 inch Az 30 Dip 60 W
Eastmain Mine	694876.4939	5801312.804	496	G0779003	Outcrop - Gabbro with sulphide AZ 90
Eastmain Mine	694854.2674	5801312.981	497	G0779004	Outcrop - Gabbro with sulphide
Eastmain Mine	694840.9823	5801324.544	497	G0779005	Boulder 1 foot Granite with a bit of Bournite, Pyrite another granite in the area 4' x 2' x 3'
Eastmain Mine	694802.387	5801331.531	494	G0779006	Boulder 10 inch Quartzite with pyrite and more
Eastmain Mine	694765.0859	5801329.946	495	G0779007	Boulder 7' x 8' x 10' Subrounded quartz-biotite-garnet-pyrite
Eastmain Mine	694697.4423	5801277.024	494	G0779008	Boulder 8' x 1' x 1' Gabbro includes quartz vein - pyrite on boulder field sub rounded
Eastmain Mine	694711.1392	5801246.341	491	G0779009	Rusty boulder 1m x 1m subangular. Big reaction with 10% Hcl
Eastmain Mine	694725.5908	5801058.181	502	G0779010	Group of boulders - Blast possibility - Sample for 2' boulder 50% gabbro 50% quartz angular with mineralization - pyrite
Eastmain Mine	694727.3293	5801187.462	492	G0779011	Outcrop 5m x 3m Gabbro with quartz and pyrite Az 320
Eastmain Mine	694390.5804	5801475.8	505	G0779012	Outcrop 1' x ? Gabbro with 0.5 inch quartz vein (rusty) Az 320 Dip 30 W
Eastmain Mine	694268.1253	5801221.026	499	G0779013	Very ruty boulder 2' x 2' on boulder field 25m x 10m Granite 15% Gabbro 10% 50% white quartz some special basalt - pegmatite - conglomerate and more
Eastmain Mine	694224.9518	5801533.427	501	G0779014	Boulder 1' x 2' sub angular Quartzite with pyrite on boulder field
Eastmain Mine	694257.1761	5801597.015	494	G0779015	Boulder Pyroxenite Rusty quartz vein 0.5' nice reaction with 10% Hcl On boulder field
Eastmain Mine	696276.1148	5800862.572	485	G0779016	Outcrop 5m x 7m gabbro and quartz some little vein Az 350 and spot of 2-3 inches. Sample from Gabbro.
Eastmain Mine	696276.11	5800862.57	485	G0779017	Outcrop 5m x 7m gabbro and quartz some little vein Az 350 and spot of 2-3 inches. Sample from quartz
Eastmain Mine	696343.5604	5800714.471	494	G0779018	Outcrop 40m x 7m Very rusty a lot of quartz 2-3-4-5 inches. Az 080 Dip 40 N. Somebody cut channel - Possibility to extend the outcrop - Good for "Boulder Buster" - Gold?
Eastmain Mine	696343.56	5800714.47	494	G0779019	Same as sample G0779018
Eastmain Mine	696343.56	5800714.47	494	G0779020	Same as sample G0779018
Eastmain Mine	696354.9816	5800712.227	490	G0779021	Same as sample G0779018
Eastmain Mine	696354.98	5800712.23	490	G0779022	Same as sample G0779018
Eastmain Mine	696364.4717	5800705.185	488	G0779023	Same as sample G0779018
Eastmain Mine	696129.7548	5800742.188	0	G0779024	Quartz vein 2' Pyrite - chalcopyrite Az 110 Dip 30 W
Eastmain Mine	696110.5586	5800725.928	495	G0779025	Quartz vein 4' Pyrite - chalcopyrite Az 150 Dip 30
Eastmain Mine	696515.8806	5800451.716	492	G0779026	Rusty outcrop 35m x 30m Az 290 Dip 40 E alot of quartz vein all directions very little to 4 inches. Channel cutting and old blast. Quartz 2inches Az 070 Dip 20 E Gabbro some sulphide chalcopyrite bornite pyrite.
Eastmain Mine	696524.1132	5800448.535	494	G0779027	Rusty outcrop 35m x 30m Az 290 Dip 40 E alot of quartz vein all directions very little to 4 inches. Channel cutting and old blast. Gabbro - Quartz pyrite - chalcopyrite AZ 060 Dip 10 E
Eastmain Mine	696530.4397	5800442.084	494	G0779028	Rusty outcrop 35m x 30m Az 290 Dip 40 E alot of quartz vein all directions very little to 4 inches. Channel cutting and old blast. Gabbro with quartz very rusty - pyrite chalcopyrite bornite.
Eastmain Mine	696534.9043	5800575.033	493	G0779029	Outcrop 5m x 7m Gabbro + quartz vein 2-3 inches AZ 080 Dip 28 E - Pyrite.
Eastmain Mine	696695.8195	5800688.373	494	G0779030	
Eastmain Mine	697086.887	5800513.429	495	G0779031	
Eastmain Mine	697130.8379	5800448.469	493	G0779032	
Eastmain Mine	697601.7779	5799819.106	525	G0779033	Outcrop 2m x 1m Gabbro + pyrite + bournite. Very little quartz vein 1cm. Az 320 dip 50 E.
Eastmain Mine	697640.2368	5799758.149	533	G0779034	Outcrop Area Gabbro - sulphide - quartz vein 5cm. Good reaction to HCl. Az 310 Dip 40 E.
Eastmain Mine	697593.4841	5799695.841	521	G0779035	Outcrop Rusty quartz vein 1 ft in a gabbro - pyrite , chalcopyrite, malachite Az 340 Dip 0
Eastmain Mine	697592.7591	5799704.652	530	G0779036	Old Trench 40m x 2m. Quartz vein 3 inch sulphide. Az 100 Dip 10 E. Reaction to HCl at contact.
Eastmain Mine	697593.7173	5799738.997	522	G0779037	Old Trench 40m x 2m (Gabbro with quartz) . Sample is gabbro with a bit of sulphide. Moderate reaction to HCl. Quartz around but hard to take sample. Trench Az 020.
Eastmain Mine	697667.4672	5799547.849	524	G0779038	Angular Rusty Boulder 3m x 2m . Gabbro - sulphides
Eastmain Mine	697703.9233	5799787.223	539	G0779039	Outcrop 3 inch quartz vein with some sulphide - pyrite - chalcopyrite - bournite. Az 340 Dip 20 W. Locally nice reaction with HCl. Very close to sample G0775812 (EM09-RFT012).
Eastmain Mine	697752.4428	5800095.863	536	G0779040	Gabbro from trench (35m x 2m) Az 10 N. No visible sulphides.
Eastmain Mine	697695.4548	5799923.801	534	G0779041	Rusty trench 15m x 1m (Channel cutting) Az 70. Gabbro with sulphides Py.
Eastmain Mine	697753.5164	5799845.708	549	G0779042	Outcrop 3m x 1m. With sulphide Pyrite - Chalcopyrite and more.
Eastmain Mine	697786.2543	5799823.45	554	G0779043	Outcrop 10m x 3m Gabbro - Pyrite - Chalcopyrite.
Eastmain Mine	697811.251	5799832.574	554	G0779044	Outcrop 2m x 0.5m Gabbro with sulphide, same for G0779045. But some quartz and more sulphide. Dip 30 E.
Eastmain Mine	697811.25	5799832.57	554	G0779045	Outcrop 2m x 0.5m Gabbro with sulphide.
Eastmain Mine	697806.9818	5799885.361	559	G0779046	Rusty quartz vein 8-10 inches Az 050 Dip 40 E.
Eastmain Mine	697769.8393	5799754.701	544	G0779047	Outcrop Gabbro with a lot of sulphide. Pyrite and more.
Eastmain Mine	697733.0388	5799636.715	526	G0779048	Outcrop Gabbro with quartz vein all directions. But the more big (3 inches) Az 075 Dip 36 E.
Eastmain Mine	697750.776	5799618.868	522	G0779049	Outcrop very rusty zone 1m x ? Quartz - contact - sulphide Az 090
Eastmain Mine	697830.9607	5799416.554	492	G0779050	Boulder area - a lot of rusty samples on 2' x 1' x 1' rusty boulder with some quartz and sulphide (pyrite - chalcopyrite - bornite probably more) localised reaction with acid. Nice rock angular.
Eastmain Mine	695287.7212	5801279.215	493	G0779051	In boulder field 100m x 15m. Iron oxidation
Eastmain Mine	696207.3258	5800962.741	484	G0779052	Outcrop Brown sedimentary rock + sulphides
Eastmain Mine	696234.1264	5801011.08	476	G0779053	Outcrop Grey gabbro + Sulphides
Eastmain Mine	696067.4997	5800662.036	489	G0779054	Showing Outcrop Brown magmatic rock + py +pn
Eastmain Mine	696067.3839	5800661.929	493	G0779055	Showing Outcrop Brown magmatic rock + py +pn
Eastmain Mine	696055.0477	5800717.532	490	G0779056	Showing Outcrop Brown magmatic rock + py +pn
Eastmain Mine	696081.45	5800702.908	491	G0779057	Showing Outcrop Brown magmatic rock + py +pn
Eastmain Mine	697056.5464	5800085.476	500	G0779058	Outcrop Sedimentary rock disseminated sulphides py + pn
Eastmain Mine	697120.3585	5800139.258	506	G0779059	Outcrop Sedimentary rock disseminated sulphides py
Eastmain Mine	697108.9919	5800122.504	502	G0779060	Outcrop Sedimentary rock disseminated sulphides py
Eastmain Mine	697226.0581	5800337.607	495	G0779061	Outcrop Gabbro with py very rusty
Eastmain Mine	697241.2808	5800345.468	488	G0779062	Boulder Isolated boulder. Gabbro with py (very rusty)
Eastmain Mine	697386.3075	5800375.432	493	G0779063	Boulder from a boulder field. Gabbro with py (very rusty)

Table 2: Eastmain Mine Property: Prospecting Rock Samples

Property	UTM Easting	UTM Northing	Altitude	Sample No	Description
Eastmain Mine	697312.9113	5800154.727	501	G0779064	Outcrop Sedimentary rock disseminated sulphides py + pn
Eastmain Mine	697313.0241	5800156.206	502	G0779065	Outcrop Sedimentary rock disseminated sulphides py + pn
Eastmain Mine	697313.4151	5800155.578	501	G0779066	Outcrop Sedimentary rock disseminated sulphides py + pn
Eastmain Mine	697345.012	5800218.024	496	G0779067	Outcrop Gabbro disseminated sulphides py + pn
Eastmain Mine	697344.6537	5800215.414	496	G0779068	Outcrop Gabbro / quartz contact
Eastmain Mine	697344.8375	5800218.241	497	G0779069	Outcrop Quartz + PR (Qz veins)
Eastmain Mine	697078.1673	5800456.23	491	G0779070	Outcrop Mixed rocks / very rusty and contains sulphides Py + Pn.
Eastmain Mine	697460.035	5800205.611	504	G0779071	Boulder Gabbro disseminated sulphides Py
Eastmain Mine	697416.0026	5800252.008	0	G0779072	Outcrop Diabase disseminated sulphides Py
Eastmain Mine	697374.107	5800543.992	498	G0779073	Outcrop Gabbro disseminated sulphides Py
Eastmain Mine	697370.8837	5800550.061	495	G0779074	Outcrop Gabbro disseminated sulphides py + pn
Eastmain Mine	698653.039	5800564.912	504	G0779075	Outcrop Gabbro + Quartz Disseminated sulphides Py + Pr
Eastmain Mine	698652.0377	5800563.07	502	G0779076	Outcrop Gabbro + Quartz Disseminated sulphides Py + Pr
Eastmain Mine	699306.8891	5800221.468	481	G0779077	Boulder Gabbro disseminated sulphides Py.
Eastmain Mine	698677.7742	5799312.717	483	G0779078	Boulder Granite disseminated sulphides Py.
Eastmain Mine	698642.861	5799133.503	487	G0779079	Boulder Gabbro disseminated sulphides Py. Marshy area.
Eastmain Mine	699025.4161	5798201.796	491	G0779080	Boulder. Magmatic rock. Rhyolite? Chalcopyrite in a contact zone with quartz.
Eastmain Mine	694756.8609	5801234.014	493	G0779101	Outcrop Gabbro with sulphides, feldspar, epidote. 2m x 4.5m. Reactin to Hcl.
Eastmain Mine	694772.6243	5800910.936	498	G0779102	Outcrop gabbro with sulphides, epidote intrusion, trace oxidation. 8m x 5.5m. No reaction to HCl, non magnetic.
Eastmain Mine	694780.6458	5800938.221	495	G0779103	Outcrop 15m x 15m Gabbro with quartz vein, epidote with sulphides. No reaction to HCl. Slightly magnetic. trace oxidation.
Eastmain Mine	694781.4801	5800963.44	499	G0779104	Outcrop 10m x 15m. Gabbro with vein albite, epidote, pyrite sulphure, no reaction to HCl. Strongly magnetic. Oxidation
Eastmain Mine	694803.8293	5800941.947	497	G0779105	Outcrop 4m x 9m Granitic with gabbro. Magnetic, no reaction to HCl. within the bedrock sulphides (4 quartz veins) some little trace of oxidation. Az 160 Dip 52 W.
Eastmain Mine	694867.8261	5800895.535	493	G0779106	Outcrop 2m x 3m Gabbro with quartz vein, little trace of oxidation, some little sulphides. No reaction to HCl, weak magnetic reaction.
Eastmain Mine	694770.3157	5800956.184	497	G0779107	Outcrop 1m x 5m Gabbro with quartz vein. epidote and biotite associated with quartz vein. Slightly magnetic. Trace oxidation.
Eastmain Mine	694824.9156	5800874.721	502	G0779108	Outcrop 8m x 6m Granite intrusion quartz. No reaction HCl, non magnetic.
Eastmain Mine	694881.0688	5800823.453	497	G0779109	Outcrop 27m x 7m Gabbro, magnetic, no reaction to HCl. Trace mineralization fg. Presence of biotite shear, quartz and sulphide.
Eastmain Mine	694158.7965	5801207.925	494	G0779110	Boulder 36cm x 24cm x 18cm Gabbro, non magnetic. Presence of Biotite with sulphide. No reaction to HCl all oxidation.
Eastmain Mine	694171.5003	5800784.809	506	G0779111	Outcrop 20m x 15m Granite intrusion quartz small proportion of sulphide. At 253 other part of this outcrop. No reaction HCl, non magnetic.
Eastmain Mine	694180.8317	5800758.61	502	G0779112	Outcrop 8m x 3m Multiple quartz intrusions, small proportion of sulphides. No reaction to HCl, non magnetic.
Eastmain Mine	694213.255	5801209.39	492	G0779113	Boulder 0.40m x 0.60m Cher with sulphides. No reaction to HCl, non magnetic.
Eastmain Mine	694213.5112	5801212.619	496	G0779114	Boulder 0.3m x 0.3m sedimentary, sulphide smell. No reaction to HCl, non magnetic.
Eastmain Mine	697848.0395	5799532.667	500	G0779115	Outcrop Quartz vein 4 inches with a lot of mineralization (pyrite - chalcopyrite - malachite). Az 060 Dip 20W
Eastmain Mine	697737.5142	5799606.714	523	G0779116	Outcrop Rusty 2" quartz vein with sulphides. Az 160 Dip 31W.
Eastmain Mine	697738.1385	5799616.681	522	G0779117	Outcrop Ruasty 1m band with quartz and sulphide in gabbro. Az 120 Dip 34 W.
Eastmain Mine	698056.6895	5799412.778	482	G0779118	Boulder 1 x 1' Very rusty.
Eastmain Mine	698156.6047	5798295.452	503	G0779119	Rusty boulder with sulphide.
Eastmain Mine	698005.4918	5798465.266	506	G0779120	Rusty boulder 2m x 1m. Quartzite with sulphide - pyrite - pyrrhotite - malachite - chalcopyrite.
Eastmain Mine	698286.6758	5798995.294	491	G0779121	Rusty boulder 1m x 1.5m Gabbro - quartz.
Eastmain Mine	698202.5415	5799216.683	493	G0779122	Rusty boulder 1m x 1m
Eastmain Mine	698108.0337	5799186.673	493	G0779123	Rusty boulder 3m x 2m
Eastmain Mine	698085.8006	5799237.029	491	G0779124	Big rusty boulder 5m x 4m. Gabbro with sulphide.
Eastmain Mine	698088.5856	5799202.023	491	G0779125	Boulder 2m x 1m. Gabbro with quartz and sulphide.
Eastmain Mine	698353.2129	5798746.34	0	G0779126	Outcrop 5m x 5m. Gabbro and quartz vein 2 inch. Az 340 20 E
				G0779127	
Eastmain Mine	694887.2744	5801328.587	503	G0775901	Gabbro
Eastmain Mine	694757.8757	5801219.763	493	G0775902	Outcrop Quartz vein
Eastmain Mine	694762.5536	5801214.71	491	G0775903	Quartz vein + pink feldspar intrusions 0-7cm wide
Eastmain Mine	694744.9389	5801217.282	498	G0775904	Granite + minerals + Calcite
Eastmain Mine	694870.2399	5801379.563	490	G0775905	Pink feldspar vein 0.1 to 6cm wide. Epidote.
Eastmain Mine	694881.116	5801142.964	490	G0775906	Boulder sub angular 2.1m x 4m x 1.34m Granite
Eastmain Mine	694215.8911	5800841.875	493	G0775907	Boulder 40cm x 30cm x 16cm - Gabbro + Quartz intrusion + oxidation (smells sulphides)
Eastmain Mine	694210.6256	5801190.924	492	G0775908	Boulder 1m x 1m x 60cm sub angular. Gabbro + quartz + sulphides + oxidation with little shears.
Eastmain Mine	694216.7208	5801209.974	491	G0775909	Boulder 30cm x 40cm x 20cm Granite + quartz stripe + sulphides +oxidation
Eastmain Mine	694219.5753	5801208.789	494	G0775910	Boulder 50cm x 60cm x 25cm Granite + sulphide stripes + oxidation
Eastmain Mine	693535.9942	5801920.639	483	G0775911	Boulder 1.2m x 80cm x 70cm. Quartzite + oxidation + 80% quartz + sulphides (smells)
Eastmain Mine	693535.99	5801920.64	483	G0775912	Gabbro + sulphides + oxidation + quartz. 1.1m x 65cm x 60cm.
Eastmain Mine	695906.6009	5800985.057	0	G0775913	Outcrop Gabbro + granite + quartz + sulphides + oxidation +++ I've seen 5m long of a very oxidized shear 10-15cm wide.
Eastmain Mine	695800.7304	5800856.416	0	G0775914	Outcrop Granite + quartz + sulphides + oxidation. Some small shear on this one.
Eastmain Mine	696017.2829	5800590.812	0	G0775915	Boulder 1.5m x 80cm + 1m Granite + quartz + oxidation + sulphides?
Eastmain Mine	696048.8623	5800725.78	0	G0775916	Outcrop 14m x 10m Blasted site. Granite + quartz + oxidation + sulphides.
Eastmain Mine	696059.2811	5800725.708	0	G0775917	Outcrop Granite + quartz shear+ sulphides + oxidation. 3 quartz shears fom 5 to 25cm wide.
Eastmain Mine	696072.4797	5800724.208	0	G0775918	Outcrop Gabbro + Sulphides + calcite Shear 5 to 10cm large. Strong reaction to 10% HCl Az 060 Dip 20 W

Table 2: Eastmain Mine Property: Prospecting Rock Samples

Property	UTM Easting	UTM Northing	Altitude	Sample No	Description
Eastmain Mine	696456.7909	5800271.923	491	G0775919	Outcrop Gabbro + Sulphides + oxidation + quartz. Shear from 6cm to 40cm large hounded of intrusions Az 005 Dip 21 W
Eastmain Mine	696468.1648	5800260.689	491	G0775920	Gabbro + Calcite + quartz + Sulphides + oxidation. Maybe the same shear as G0775919. More than 1m large. AZ 348 Dip 40.5 E
Eastmain Mine	696506.0241	5800269.452	493	G0775921	Outcrop Gabbro + Quartz + oxidation + Sulphides (smells) Many Shear around here 5 to 15cm large. Az 087 Dip 9 W
Eastmain Mine	696505.9097	5800252.803	487	G0775922	Outcrop Gabbro + Quartz + oxidation + sulphides (smells) 2 too 10 cm large. Az 146.6 Dip 10 W
Eastmain Mine	696499.313	5800216.078	490	G0775923	Outcrop Calcite + Quartz + oxidation + sulphides (smells) Shear 1.5 m large. Az 118 Dip 20 W.
Eastmain Mine	696500.1629	5800210.679	492	G0775924	Outcrop Gabbro + Calcite + Sulphides + oxidation. Shear a lot of shear from 0 - 3cm Az 085 Dip 5
Eastmain Mine	696552.7399	5800298.423	493	G0775925	Outcrop Gabbro + quartz + sulphide stringers + oxidation. Vein 3m wide SiO2 ++ Az 225 Dip 2E Vein
Eastmain Mine	696507.7691	5800421.008	483	G0775926	Outcrop Gabbro + Sulphides + oxidation + Quartz intrusion Shear. 3m large
Eastmain Mine	696566.5336	5800400.107	490	G0775927	Outcrop Quartzite + sulphides + oxidation. 3m large.
Eastmain Mine	696569.9932	5800389.818	493	G0775928	Outcrop Quartz + Sulphides smells 5cm large, no reaction to HCl. Az 096 Dip 8 E.
Eastmain Mine	696621.8782	5800338.182	497	G0775929	Possible outcrop. quartz + Sulhides + Gabbro. Reaction to HCl. Az 169 Dip 32 E
Eastmain Mine	696577.0976	5800530.274	495	G0775930	Outcrop Quartz + gabbro + oxidation + micro sulphides. No reaction to HCl. AZ 326 Dip 30 E
Eastmain Mine	696726.0037	5800614.012	493	G0775931	Outcrop Gabbro + oxidation. No reaction to HCl. Az 245 Dip 30 / Az 163 Dip 31
Eastmain Mine	696923.0253	5800662.915	493	G0775932	Outcrop Gabbro + oxidation + sulphides. No reaction to HCl. Az 076 Dip 5 W
Eastmain Mine	696539.5875	5800465.609	489	G0775933	Outcrop Gabbro + sulphides + oxidtion + quartz. No reaction to HCl.
Eastmain Mine	697577.4455	5799814.808	504	G0775934	Possible Outcrop Gabbro + sulphides + oxidation + something yellow. No reaction to HCl. AZ 161 Dip 32.
Eastmain Mine	697590.2062	5799795.053	518	G0775935	Outcrop Gabbro + sulphides + quartz + oxidation. Reaction to HCl. AZ 242 Dip 5 W.
Eastmain Mine	697602.1916	5799783.949	520	G0775936	Outcrop Gabbro + sulphides + quartz + oxidation. No reaction to HCl. AZ 165 Dip 45 W.
Eastmain Mine	697568.0421	5799734.794	515	G0775937	Outcrop Gabbro + quartz + sulphides + oxidation. No reaction to HCl. AZ 046 Dip 2 E.
Eastmain Mine	697763.6269	5799763.367	539	G0775938	Outcrop Gabbro + sulphides + oxidation. No reaction to HCl. AZ 173 Dip 30 E.
Eastmain Mine	697766.7086	5799795.231	540	G0775939	Outcrop Gabbro + sulphides + oxidation. No reaction to HCl. AZ 190 Dip 25 E.
Eastmain Mine	697766.538	5799803.196	548	G0775940	Outcrop Gabbro + sulphides + oxidation. No reaction to HCl. AZ 139 Dip 0.
Eastmain Mine	697880.772	5799898.684	559	G0775941	Outcrop Gabbro + sulphides + oxidation. No reaction to HCl.

Table 4: Eastmain Mine Property: Soil Geochemistry S Grid

Line No.	Station No.	UTMx	UTMy	Depth cm	Depth in	Horizon	Structure: G=Gritty, S=sugary, M=massive	Colour	Consistency: L= loose F=Friable FM=Firm	Texture: G= Gravel S=Sand, Slt=silt C=Clay	Vegetation: C=Coniferous D=Deciduous M=Mixed Scrub=S, G=Grass, B=Bog, Other (describe)	Slope (gentle, moderate, steep, flat) /degrees	Slope Drainage W=well drained, M=moderately drained, P=poorly drained	Comment
1000 E	1000 S	698053	5798065											swamp, n/s
1000 E	1050 S	698021	5798025											swamp, n/s
1000 E	1100 S	697994	5797984											swamp, n/s
1000 E	1150 S	697964	5797943											
1000 E	1200 S	697935	5797903											n/s
1000 E	1250 S	697906	5797862											
1000 E	1300 S	697876	5797822											
1000 E	1350 S	697846	5797782											n/s
1000 E	1400 S	697818	5797742											swamp n/s
1000 E	1450 S	697788	5797701											swamp n/s
1000 E	1500 S	697759	5797660											border of swamp
1000 E	1550 S	697730	5797620											
1000 E	1600 S	697700	5797580											n/s
1000 E	1650 S	697671	5797539											
1000 E	1700 S	697642	5797498											swamp
1000 E	1750 S	697612	5797458											
1000 E	1800 S	697583	5797418											
1000 E	1850 S	697552	5797377											
1000 E	1900 S	697523	5797337											mixed vegetation
1000 E	1950 S	697493	5797296											
1000 E	2000 S	697465	5797256											
1100 E	1000 S	698135	5798006											n/s too deep
1100 E	1050 S	698104	5797967											n/s too deep
1100 E	1100 S	698074	5797924			B		brn						
1100 E	1150 S	698045	5797884											n/s too deep
1100 E	1200 S	698015	5797843			B		brn						
1100 E	1250 S	697986	5797804											
1100 E	1300 S	697957	5797763											n/s too deep
1100 E	1350 S	697928	5797723											n/s too deep
1100 E	1400 S	697898	5797682											n/s lake
1100 E	1450 S	697869	5797643											n/s lake
1100 E	1500 S	697841	5797600											n/s too deep
1100 E	1550 S	697811	5797561											n/s too deep
1100 E	1600 S	697780	5797522											n/s too deep
1100 E	1650 S	697752	5797481											
1100 E	1700 S	697721	5797440			B or C		gry						
1100 E	1750 S													
1100 E	1800 S													
1100 E	1850 S													
1100 E	1900 S													
1100 E	1950 S													
1100 E	2000 S													
1200 E	1000 S	698214	5797946											n/s too deep
1200 E	1050 S	698184	5797906			B		brn						
1200 E	1100 S	698155	5797865			B		brn						
1200 E	1150 S	698125	5797826			B		brn						
1200 E	1200 S	698096	5797786			B		brn						

Table 4: Eastmain Mine Property: Soil Geochemistry S Grid

Line No.	Station No.	UTMx	UTMy	Depth cm	Depth in	Horizon	Structure: G=Gritty, S=sugary, M=massive	Colour	Consistency: L= loose F=Friable FM=Firm	Texture: G= Gravel S= Sand, Slt=silt C=Clay	Vegetation: C=Coniferous D=Deciduous M=Mixed Scrub=S, G=Grass, B=Bog, Other (describe)	Slope (gentle, moderate, steep, flat) /degrees	Slope Drainage W=well drained, M=moderately drained, P=poorly drained	Comment
2300 E	1450 S	698840	5796937											
2300 E	1500 S													
2300 E	1550 S	698804	5796899											
2300 E	1600 S	698751	5796843											
2300 E	1650 S	698717	5796802											
2300 E	1700 S	698684	5796764											
2300 E	1750 S	698654	5796721											
2300 E	1800 S	698625	5796682											
2300 E	1850 S	698593	5796641											
2300 E	1900 S	698559	5796597											
2300 E	1950 S	698530	5796550											
2300 E	2000 S	698496	5796510											n/s
2400 E	1000 S	699185	5797241											
2400 E	1050 S	699152	5797201											
2400 E	1100 S	699124	5797161											
2400 E	1150 S	699093	5797119											
2400 E	1200 S	699063	5797074											
2400 E	1250 S	699033	5797033											
2400 E	1300 S	698998	5796994											
2400 E	1350 S	698967	5796953											
2400 E	1400 S	698939	5796912											
2400 E	1450 S	698907	5796872											
2400 E	1500 S	698881	5796833											
2400 E	1550 S	698853	5796788											
2400 E	1600 S	698826	5796738											
2400 E	1650 S	698794	5796695											
2400 E	1700 S	698765	5796655											
2400 E	1750 S	698730	5796616											
2400 E	1800 S	698700	5796576											
2400 E	1850 S	698669	5796540											
2400 E	1900 S	698645	5796512											
2400 E	1950 S													n/s
2400 E	2000 S	698582	5796428											
2500 E	1000 S	699266	5797183	15		B	S	O	F					
2500 E	1050 S	699238	5797145	15		B	S	O	F					
2500 E	1100 S	699211	5797103	15		B	S	O	F					
2500 E	1150 S	699180	5797062	12		B	S	O	L/F					
2500 E	1200 S													n/s
2500 E	1250 S	699119	5796983	15		B	S	O	F					
2500 E	1300 S	699088	5796939	40		B	G/S	B/O	FM/F					
2500 E	1350 S	699060	5796900	40		B	G/S	O/B	FM/F					
2500 E	1400 S	699032	5796857	60		B	G/S	O/B	F					
2500 E	1450 S	699002	5796819	10		B	G	O	F/FM					
2500 E	1500 S	698973	5796778	10		B	G	O	F/FM					
2500 E	1550 S	698950	5796740	15		B	G/S	O/B	F/FM					
2500 E	1600 S	698918	5796693	40		B	S/G	O	F					
2500 E	1650 S	698885	5796657	70		B	S	O	L					

Table 5: Eastmain Mine Property: Soil Geochemistry NW Grid

Line No.	Station No.	UTMx	UTMy	Depth cm	Depth in	Horizon	Structure: G=Gritty, S=sugary, M=massive	Colour	Consistency: L= loose F=Friable FM=Firm	Texture: G= Gravel S=Sand, Slt=silt C=Clay	Vegetation: C=Coniferous D=Deciduous M=Mixed Scrub=S, G=Grass, B=Bog, Other (describe)	Slope (gentle, moderate, steep, flat) /degrees	Slope Drainage: W=well drained, M=moderately drained, P=poorly drained	Comment
4400 W	100 S	694170	5801941											
4400 W	150 S	694140	5801898											
4400 W	200 S	694109	5801857											
4400 W	250 S	694078	5801826											
4400 W	300 S	694047	5801786											
4400 W	350 S	694018	5801745											
4400 W	400 S	693988	5801700											
4400 W	450 S	693961	5801656											
4400 W	500 S	693929	5801621											
4400 W	550 S	693904	5801578											
4400 W	600 S	693882	5801539											
4400 W	650 S	693846	5801487											
4400 W	700 S	693818	5801458											
4400 W	750 S	693787	5801416											
4400 W	800 S	693759	5801375											
4500 W	400 N	694383	5802405											
4500 W	350 N	694354	5802364											
4500 W	300 N	694325	5802324											
4500 W	250 N	694295	5802283											
4500 W	200 N	694266	5802243											
4500 W	150 N	694236	5802202											
4500 W	100 N	694207	5802162											
4500 W	50 N	694178	5802122											
4500 W	0 N	694140	5802079											
4500 W	50 S	694113	5802047											
4500 W	100 S	694084	5802006											
4500 W	150 S	694058	5801963											
4500 W	200 S	694031	5801919			C								
4500 W	250 S	693996	5801886											
4500 W	300 S	693971	5801838											
4500 W	350 S	693945	5801798											
4500 W	400 S	693908	5801761											
4500 W	450 S	693883	5801720											
4500 W	500 S	693854	5801676											
4500 W	550 S	693824	5801634											
4500 W	600 S	693801	5801599											
4500 W	650 S	693762	5801565											
4500 W	700 S	693739	5801517											
4500 W	750 S	693706	5801477											
4500 W	800 S	693678	5801434											
4600 W	400 N	694303	5802464											
4600 W	350 N	694269	5802424											
4600 W	300 N	694250	5802387											
4600 W	250 N	694210	5802347											
4600 W	200 N	694178	5802298											
4600 W	150 N	694149	5802253											

Table 5: Eastmain Mine Property: Soil Geochemistry NW Grid

Line No.	Station No.	UTMx	UTMy	Depth cm	Depth in	Horizon	Structure: G=Gritty, S=sugary, M=massive	Colour	Consistency: L= loose F=Friable FM=Firm	Texture: G= Gravel S=Sand, Slt=silt C=Clay	Vegetation: C=Coniferous D=Deciduous M=Mixed Scrub=S, G=Grass, B=Bog, Other (describe)	Slope (gentle, moderate, steep, flat) /degrees	Slope Drainage: W=well drained, M=moderately drained, P=poorly drained	Comment
4900 W	750 S	693386	5801709											n/s
4900 W	800 S	693354	5801670											n/s
5000 W	400 N	693979	5802692											
5000 W	350 N	693950	5802659											
5000 W	300 N	693920	5802619											
5000 W	250 N	693891	5802578											
5000 W	200 N	693860	5802536											
5000 W	150 N	693832	5802494											
5000 W	100 N	693802	5802455											
5000 W	50 N	693774	5802415											
5000 W	0 N	693744	5802375											n/s
5000 W	50 S	693714	5802335											n/s
5000 W	100 S	693685	5802294											n/s
5000 W	150 S	693656	5802254											n/s
5000 W	200 S	693626	5802213											n/s
5000 W	250 S	693597	5802173											n/s
5000 W	300 S	693567	5802130											
5000 W	350 S	693537	5802090											
5000 W	400 S	693508	5802051											
5000 W	450 S	693479	5802013											
5000 W	500 S	693450	5801969											n/s
5000 W	550 S	693419	5801930											
5000 W	600 S	693391	5801889											n/s
5000 W	650 S	693362	5801849											n/s
5000 W	700 S	693332	5801809											n/s
5000 W	750 S	693303	5801768											n/s
5000 W	800 S	693274	5801728											n/s
5100 W	400 N	693898	5802757											
5100 W	350 N	693869	5802717											n/s
5100 W	300 N	693839	5802678											
5100 W	250 N	693810	5802635											n/s
5100 W	200 N	693780	5802597											
5100 W	150 N	693751	5802556											
5100 W	100 N	693721	5802516											
5100 W	50 N	693692	5802474											
5100 W	0 N	693663	5802434											
5100 W	50 S	693632	5802393											
5100 W	100 S	693604	5802353											
5100 W	150 S	693574	5802311											
5100 W	200 S	693545	5802272											
5100 W	250 S	693517	5802232											
5100 W	300 S	693486	5802194											
5100 W	350 S	693458	5802153											
5100 W	400 S	693428	5802113											
5100 W	450 S	693398	5802070											
5100 W	500 S	693368	5802032											

Table 7: Eastmain Mine Property: Lithochemical Sampling

Sample No.	Type	UTM X	UTM Y	SiO2	Al2O3	Fe2O3	MgO	CaO	Na2O	K2O	TiO2	P2O5	MnO	Cr2O3	SrO	BaO	LOI	Total	Certificate
G0775811	WR	697739	5799830	53.86	15.82	11.97	3.49	8.96	2.37	0.52	1.53	0.263	0.15	<0.01	0.06	0.02	0.56	99.57	SD09112531, SD09141472
G0775812	WR	697703	5799799	51.54	14.2	11.04	7.36	8.17	2.55	0.96	1.07	0.456	0.16	0.07	0.02	0.04	1.68	99.32	SD09112531, SD09141472
G0775813	WR	697661	5799846	48.45	14.75	13.23	6.86	11.54	2.13	0.23	0.96	0.061	0.19	0.04	0.02	<0.01	0.8	99.26	SD09112531, SD09141472
G0775814	WR	697862	5800014	49.4	15.31	12.92	6.64	10.99	2.1	0.32	0.97	0.064	0.15	0.04	0.02	<0.01	1.09	100	SD09112531, SD09141472
G0775815	WR	698018	5800137	49.21	15.12	12.19	7.98	10.96	2.2	0.36	0.88	0.063	0.17	0.04	0.02	<0.01	0.97	100.15	SD09112531, SD09141472
G0775816	WR	698123	5800113	49.01	14.39	12.26	7.8	10.82	2.47	0.44	0.87	0.061	0.16	0.04	0.01	<0.01	1.03	99.37	SD09112531, SD09141472
G0775817	WR	698351	5800205	50.1	13.47	13.68	6.99	10.54	2.38	0.28	0.93	0.063	0.21	0.01	0.01	<0.01	0.73	99.38	SD09112531, SD09141472
G0775818	WR	698342	5801115	50.09	13.5	14.66	7.13	9.98	2.36	0.24	1.25	0.077	0.21	0.02	0.01	<0.01	0.49	100	SD09112531, SD09141472
G0775819	WR	698341	5801116	51.01	14.78	13.31	4.23	8.35	2.99	0.42	3.22	0.338	0.17	<0.01	0.02	0.01	0.54	99.4	SD09112531, SD09141472
G0775820	WR	698337	5801250	53.61	17.42	8.44	5.47	9.44	3.44	0.18	0.81	0.133	0.12	0.02	0.03	<0.01	0.69	99.8	SD09112531, SD09141472
G0775821	WR	698260	5801139	47	15.2	12.38	11.04	9.37	2.08	0.22	0.94	0.061	0.17	0.04	0.01	<0.01	1.52	100.05	SD09112531, SD09141472
G0775822	WR	698242	5801195	48.23	15.34	12.98	8.03	10.72	2.2	0.25	0.96	0.063	0.2	0.04	0.02	<0.01	0.73	99.76	SD09112531, SD09141472
G0775823	WR	698228	5801219	46.04	13.57	14.48	10.55	9.69	1.51	0.31	0.86	0.061	0.21	0.03	0.01	<0.01	1.79	99.1	SD09112531, SD09141472
G0775824	WR	696777	5800787	49.47	15.11	12.57	6.87	9	2.9	0.84	0.93	0.065	0.18	0.04	0.01	0.01	1.06	99.07	SD09112531, SD09141472
G0775825	WR	698400	5801093	49.82	14.94	11.99	7.53	10.46	2.63	0.24	0.91	0.053	0.19	0.05	0.02	<0.01	0.73	99.56	SD09112531, SD09141472
G0775826	WR	698366	5801035	49.13	13.09	15.57	6.92	9.74	2.49	0.42	1.36	0.091	0.23	0.01	0.01	<0.01	0.72	99.79	SD09112531, SD09141472
G0775828	WR	698337	5800970	68.26	15.53	3.47	0.77	1.56	5.41	2.96	0.31	0.091	0.02	<0.01	0.02	0.02	1.3	99.73	SD09112531, SD09141472
G0775829	WR	698335	5800970	48	16.16	14.38	4.84	10.98	0.97	1.75	0.91	0.071	0.18	0.05	0.01	0.02	1.75	100.05	SD09112531, SD09141472
G0775855	WR	697323	5799952	48.71	5.87	9.7	23.51	5.51	0.18	0.04	0.33	0.031	0.13	0.51	0.01	<0.01	5.31	99.83	SD09112531, SD09141472
G0775856	WR	697380	5799983	46.47	13.94	13.59	10.95	8.32	2.25	0.46	1.03	0.065	0.22	0.03	0.01	0.01	2.61	99.95	SD09112531, SD09141472
G0775858	WR	696054	5800721	67.16	14.07	5.48	1.54	1.72	5.25	1.17	0.81	0.142	0.07	<0.01	0.02	0.01	1.99	99.43	SD09112531, SD09141472
G0775859	WR	696054	5800721	67.1	14.09	6.21	1.77	1.51	4.84	1.04	0.83	0.155	0.07	<0.01	0.02	0.01	1.86	99.51	SD09112531, SD09141472
G0775860	WR	696054	5800721	53.31	16.05	9.68	5.57	7.15	4.51	0.96	1.17	0.235	0.16	0.02	0.03	0.02	1.29	100.15	SD09112531, SD09141472
G0775862	WR	696072	5800665	67.22	14.61	6.25	1.43	3.48	3.63	1.44	0.83	0.158	0.08	<0.01	0.02	0.02	1.01	100.2	SD09112531, SD09141472
G0775863	WR	696130	5800745	49.66	14.25	15.05	6.1	8.33	1.54	1.27	0.92	0.064	0.25	0.13	0.02	0.02	1.25	98.85	SD09112531, SD09141472
G0775864	WR	696130	5800745	50.46	13.52	15.46	6.15	8.44	1.26	1.22	0.96	0.061	0.25	0.16	0.01	0.02	1.14	99.11	SD09112531, SD09141472
G0775865	WR	696112	5800722	47.92	16.6	13.19	6.68	9.05	2.17	1.36	0.86	0.104	0.17	0.01	0.03	0.02	1.18	99.34	SD09112531, SD09141472
G0775866	WR	696097	5800757	77.41	12.33	2.01	0.24	1.33	4.44	1	0.14	0.025	0.02	<0.01	0.01	0.02	0.86	99.84	SD09112531, SD09141472
G0775868	WR	694850	5801327	47.37	15.29	14.62	5.43	6.95	4.12	0.96	2.7	0.289	0.22	0.01	0.02	0.01	1.95	99.94	SD09112531, SD09141472
G0775869	WR	694392	5801481	65.65	14.82	6.44	3.05	2.77	2.98	2.47	0.57	0.142	0.07	0.03	0.06	0.06	1.03	100.15	SD09112531, SD09141472
G0775870	WR	694736	5801214	51.4	14.98	10.79	5.79	7.6	4.09	1.13	1.13	0.092	0.2	0.02	0.03	0.01	1.75	99.01	SD09112531, SD09141472
G0775871	WR	694736	5801214	51.16	15.61	10.61	5.55	8.23	3.99	1	1.32	0.15	0.15	0.02	0.03	0.01	1.88	99.7	SD09112531, SD09141472
G0775872	WR	693507	5798614	48.03	15.13	13.2	7.22	10.83	2.64	0.48	0.94	0.074	0.19	0.05	0.02	0.01	0.97	99.79	SD09112531, SD09141472
G0775873	WR	698726	5798640	46.71	10.61	19.09	6.12	10.71	2.31	0.41	1.82	0.153	0.27	0.02	0.02	0.01	0.45	98.7	SD09112531, SD09141472
G0775951	WR	696640	5800150	58.93	16.58	7.97	3.18	6.86	1.24	1.98	1.03	0.162	0.17	0.01	0.03	0.02	1.08	99.24	SD09112531, SD09141472
G0775954	WR	696527	5800203	76.32	12.1	1.91	0.31	1.61	3.28	1.44	0.13	0.024	0.02	<0.01	0.01	0.03	1.09	98.27	SD09112531, SD09141472
G0775955	WR	696540	5800192	62.07	18.23	5.72	1.54	4.32	4.48	1.23	1.15	0.257	0.1	<0.01	0.03	0.02	0.87	100	SD09112531, SD09141472
G0775956	WR	698545	5801001	58.01	15.27	6.89	5.68	7.52	3.2	0.64	0.64	0.125	0.11	0.03	0.03	<0.01	1.38	99.52	SD09112531, SD09141472
G0775958	WR	698599	5801132	65.36	17.95	2.37	0.84	2.97	4.01	3.08	0.36	0.104	0.05	<0.01	0.03	0.07	1.69	98.88	SD09112531, SD09141472
G0775961	WR	698575	5801174	73.84	15.21	1.71	0.28	0.64	2.33	2.69	0.35	0.041	0.005	<0.01	0.03	0.03	2	99.15	SD09112531, SD09141472
G0775962	WR	698420	5800789	48.27	14.66	12.98	8.87	9.28	1.74	0.81	0.94	0.061	0.19	0.04	0.01	<0.01	1.52	99.37	SD09112531, SD09141472
G0775963	WR	697320	5800197	49	14.86	11.77	8.46	11.16	2.19	0.26	0.93	0.063	0.19	0.04	0.01	<0.01	0.88	99.82	SD09112531, SD09141472
G0775964	WR	698510	5798690	75	13.5	1.53	0.84	1.81	4.61	1.49	0.05	0.016	0.02	<0.01	0.02	0.04	1.01	99.93	SD09112531, SD09141472
G0775965	WR	698510	5798690	39.23	7.41	11.32	19.1	11.76	0.07	0.02	0.42	0.042	0.16	0.46	<0.01	<0.01	8.27	98.25	SD09112531, SD09141472
G0779201	WR	697883	5799536	48.9	14.49	12.48	6.9	11.82	2.02	0.24	0.93	0.063	0.19	0.05	0.02	<0.01	0.56	98.66	SD09112532, SD09141473
G0779202	WR	697775	5799646	50	14.95	11.95	8.84	8.65	2.95	0.25	0.96	0.066	0.17	0.05	0.02	<0.01	1.14	99.99	SD09112532, SD09141473
G0779203	WR	697254	5800134	42.3	6.23	12.63	27.36	2.86	0.03	0.02	0.35	0.028	0.17	0.66	<0.01	<0.01	7.33	99.96	SD09112532, SD09141473
G0779204	WR	697309	5800283	47.65	14.82	14.84	7.75	6.8	3.33	0.25	1	0.067	0.18	0.06	0.01	<0.01	3.21	99.97	SD09112532, SD09141473
G0779205	WR	697594	5799692	49.3	13.96	13.04	7.76	9.47	2.56	0.75	1.03	0.068	0.17	0.02	0.02	0.01	1.76	99.92	SD09112532, SD09141473
G0779206	WR	697598	5799820	48.81	15.22	13.01	6.08	11.85	2.04	0.23	0.97	0.066	0.18	0.05	0.02	<0.01	0.51	99.03	SD09112532, SD09141473
G0779207	WR	697419	5799914	41.29	6.33	12.53	26.65	2.98	0.02	0.02	0.39	0.033	0.15	0.64	0.01	<0.01	8.18	99.22	SD09112532, SD09141473
G0779208	WR	697450	5799801	49.2	14.09	12.9	7.54	10.05	2.28	0.58	0.9	0.054	0.2	0.03	0.02	<0.01	0.99	98.83	SD09112532, SD09141473
G0779209	WR	697410	5799616	47.83	13.92	14.23	8.48	8.16	1.67	1.18	1.61	0.121	0.22	0.04	0.01	0.02	1.82	99.3	SD09112532, SD09141473
G0779210	WR	697199	5799564	50.8	11.72	11.73	11.82	9.68	1.56	0.15	0.81	0.266	0.18	0.1	0.06	<0.01	1.06	99.93	SD09112532, SD09141473
G0779211	WR	697119	5799482	55.32	16.38	10.82	3.39	6.53	2.32	1.14	0.94	0.097	0.2	0.11	0.02	0.02	1.94	99.23	SD09112532, SD09141473
G0779212	WR	697197	5799394	69.82	15.9	2.84	0.46	1.95	5.41	1.12	0.28	0.12	0.04	<0.01	0.02	0.07	1.34	99.37	SD09112532, SD09141473

Table 8: Eastmain Mine Property: Phase 1 Proposed Diamond Drilling

Hole	UTMx	UTMy	Azimuth	Dip	Length (m)	Core Length to Target 1 (m)	Core Length to Target 2 (m)	Vert. Target 1 (m)	Vert. Target 2 (m)	Priority	Comments
G-1	698617.26	5801185.83	210	-45	100	49	64	35	45	3	Intersect surface mineralization, VTEM conductor
G-2	698617.26	5801185.83	210	-60	125	63	82	55	72	3	Second test of G-1
G-3	698982.03	5801016.21	210	-45	200	36	152	26	108	3	Coincident VTEM and mag along strike of known mineralization in G-1 and G-2
G-4	698982.03	5801016.21	210	-60	225	46	190	40	165	3	Second test of G-3
G-5	698889.43	5800477.91	210	-45	150	76		53		4	Test of strong VTEM and mag 250 m SE of mineralized outcrop
G-6	698889.43	5800477.91	210	-65	150	108		98		4	Second test of G-5
NW-1	694710.04	5801427.34	210	-45	125	65		45		2	Test VTEM and weak geochem
NW-2	694710.04	5801427.34	210	-60	175	93		81		2	Second test of NW-1
NW-3	694438.22	5801362.98	210	-45	200	81		57		2	Test of VTEM, weak geochem and possible contact zone?
NW-4	694438.22	5801362.98	30	-45	200	70		50		2	Test of VTEM
I-1	702007.04	5796877.8	210	-45	200	77		55		4	Test of VTEM and I grid drilling 83-22
F-1	696622.43	5800199.22	210	-45	150	33		23		3	Test of altered basalts with py, 3.52 gpt Au, 2.55 gpt Au
F-2	696622.43	5800199.22	210	-85	125	40		40		3	Second test of F1
F-3	698442.86	5798529.42	215	-50	100	38		30		2	NW test of A-Zone, beneath workings close to surface, 40 m NE of 94-01
F-4	698442.86	5798529.42	215	-80	125	43		42		2	Second test of F-3
F-5	698417.99	5798571.9	215	-50	100	38		30		3	Up dip test of A Zone to the NW, same section as A9-8
F-6	698417.99	5798571.9	215	-80	125	43		42		3	Second test of F-5
F-7	698976.82	5798295.48	215	-78	150	111		109		1	Test of intersection in 332016; B Zone
F-8	698976.82	5798295.48	215	-90	175	120		120		1	Second test of zone in 332016, 25 m down dip; B Zone
F-9	699259.49	5798141.65	215	-77	225	180		175		1	Confirmation hole of intersection in 89-03; B Zone
F-10	699861.61	5797597.5	215	-70	160	132		124		2	Up dip test of 89-29 intersection
F-11	699861.61	5797597.5	215	-82	160	135		133		3	Second test of F-10
F-12	699844.35	5797572.82	215	-68	160	132		124		3	Continued updip test of 89-29, C Zone(?)
F-13	699844.35	5797572.82	215	-55	170	122		113		3	Second test of F-12
F-14	699947.62	5797715.55	215	-70	225	183		171		2	Down dip test of 89-29
F-15	699870.44	5797650.76	215	-75	225	148		144		2	NW strike extension of 89-29
F-16	699911.89	5797621.97	215	-75	225	148		144		2	SE strike extension of 89-29

Total 4450 m

Pages(s) retirée(s) - Information non pertinente
Irrelevant page(s) have been withdrawn

APPENDIX 1
ROCK ASSAY CERTIFICATES

06 FEB 2018³ DE
Direction du développement minier

1304170



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 10-NOV-2009
Account: MVR

CERTIFICATE SD09111798

Project: EASTMAIN MINE

P.O. No.:

This report is for 90 Rock samples submitted to our lab in Sudbury, ON, Canada on 16-OCT-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	Cu-OG62	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Au Check ppb	Pt ppb	Pt Check ppb	Pd ppb	Pd Check ppb	Au ppb	Cu %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm
G0779001		1.66	38		<5		1		50	0.001	0.01	0.01	0.2	110	1.15	0.04
G0779002		1.98	6		<5		1				0.05	8.44	0.4	140	0.60	0.04
G0779003		1.72	13		<5		<1				0.15	8.28	4.6	360	0.48	0.07
G0779004		1.42	21		<5		1				0.10	7.83	0.4	290	0.87	0.09
G0779005		1.70	3		<5		1				0.01	5.78	0.7	320	1.41	<0.01
G0779006		1.70	3950		<5		<1				0.28	5.37	8.3	720	0.78	0.04
G0779007		1.60	1		<5		1				0.10	9.59	0.3	400	1.28	<0.01
G0779008		1.76	85		<5		2				0.68	8.03	1.0	270	0.48	0.18
G0779009		2.56	29		<5		1				0.12	7.86	1.1	160	0.66	0.12
G0779010		2.56	1360		<5		1				0.30	5.92	1.7	150	0.64	0.14
G0779011		2.08	6		<5		1				0.12	8.45	0.2	170	0.53	0.02
G0779012		1.80	13		<5		1				0.17	6.76	1.2	530	1.03	0.27
G0779013		2.32	24		<5		<1				2.13	5.47	1.2	10	0.15	0.48
G0779014		2.26	10		<5		<1				0.08	8.05	2.9	290	0.66	0.10
G0779015		2.78	2		<5		7				0.64	3.93	0.4	40	0.54	0.26
G0779016		2.00	4		<5		<1				0.12	7.96	0.6	310	0.78	0.13
G0779017		1.32	11		<5		1				0.04	3.52	0.7	100	0.41	0.03
G0779018		2.26	56		<5		1				0.30	8.29	1.0	430	0.67	0.21
G0779019		1.44	660		<5		4			1.080	3.61	8.51	1.7	150	0.30	0.43
G0779020		2.10	50		<5		3				0.18	9.07	0.7	450	0.28	0.30
G0779021		1.48	19		<5		1				0.18	6.22	2.2	290	0.72	0.77
G0779022		1.92	129		<5		4				0.61	8.78	0.8	220	0.50	0.52
G0779023		1.76	21		9		12				0.09	8.01	0.9	630	0.67	0.07
G0779024		2.02	7	14	7	8	6	5			0.03	6.54	2.8	130	0.62	0.02
G0779025		1.44	250	539	<5	5	2	2			3.23	4.89	1.9	600	0.36	0.33
G0779026		2.38	28	22	<5	<5	1	<1			0.68	6.36	2.5	90	0.39	0.33
G0779027		1.84	945	742	<5	<5	1	<1			0.31	6.18	1.1	260	0.26	0.18
G0779028		1.66	74		<5		2				0.45	8.74	0.2	250	0.38	0.08
G0779029		1.72	4		<5		1				0.03	6.52	0.2	220	0.27	0.01
G0779030		1.62	1		<5		1				0.02	7.59	0.7	120	0.76	<0.01
G0779031		2.98	10		<5		1				0.13	8.01	2.3	240	0.57	0.02
G0779032		2.06	28		<5		<1				0.37	7.74	0.3	50	0.27	0.09
G0779033		1.92	<1		<5		1				0.04	8.40	0.3	160	0.39	0.01
G0779034		1.44	<1		<5		<1				0.03	9.16	<0.2	60	0.33	0.01
G0779035		1.70	220		<5		<1				0.62	3.87	1.5	40	0.19	0.03
G0779036		2.10	1		<5		<1				0.04	2.38	1.3	80	0.19	<0.01
G0779037		2.04	<1		<5		1				0.04	8.95	0.2	430	0.42	0.01
G0779038		2.22	3		<5		<1				0.10	8.81	1.1	510	1.72	0.03
G0779039		2.00	36		<5		3				0.38	7.65	0.3	250	0.22	0.04
G0779040		1.82	<1		<5		1				0.05	8.25	<0.2	30	0.26	0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm
G0779001		4.47	0.06	20.6	16.8	36	0.26	47.8	3.77	15.40	0.09	0.3	0.032	0.68	9.7	8.3
G0779002		5.03	0.13	21.3	44.6	5	1.12	77.6	8.90	23.7	0.20	0.8	0.073	1.00	9.3	10.5
G0779003		1.73	0.07	16.50	54.0	18	0.83	113.5	8.18	25.7	0.15	1.0	0.049	2.16	6.3	22.0
G0779004		3.14	0.06	35.7	17.9	49	1.26	91.2	4.93	21.1	0.14	2.1	0.058	1.05	16.0	20.0
G0779005		0.45	<0.02	97.5	1.3	7	0.79	4.5	1.38	17.65	0.12	5.7	0.006	1.35	44.5	3.1
G0779006		0.64	0.61	9.65	1.1	16	1.17	20.5	1.23	16.20	0.07	5.4	0.018	1.49	4.5	5.0
G0779007		1.92	0.10	142.0	11.4	86	3.15	11.5	3.69	26.0	0.24	1.8	0.035	3.23	61.0	22.2
G0779008		1.32	<0.02	25.5	24.4	87	2.42	914	8.58	26.6	0.19	1.6	0.026	0.84	10.2	44.2
G0779009		3.37	0.02	20.7	34.4	218	0.51	166.5	8.23	23.7	0.18	0.9	0.064	1.23	8.6	47.4
G0779010		2.17	0.05	22.4	9.7	8	0.90	54.5	3.33	14.85	0.12	0.4	0.025	0.61	9.3	8.0
G0779011		4.96	0.08	21.0	33.8	53	0.87	30.2	7.28	19.65	0.19	0.8	0.075	1.16	9.2	16.1
G0779012		1.77	0.06	14.80	8.2	161	4.20	46.2	4.03	16.75	0.12	4.2	0.035	1.81	7.4	37.4
G0779013		0.11	<0.02	11.00	1.8	10	1.74	55.0	7.82	17.35	0.15	2.1	0.040	0.40	4.9	51.9
G0779014		1.17	0.05	32.2	7.3	8	2.34	10.0	2.58	22.8	0.13	2.3	0.027	1.80	15.0	23.1
G0779015		4.07	1.17	30.8	97.6	1480	1.93	262	19.10	13.35	0.37	2.3	0.158	0.50	13.7	4.4
G0779016		3.06	0.09	25.4	25.7	51	3.54	154.5	5.88	21.2	0.14	1.3	0.036	0.90	10.7	14.3
G0779017		1.60	0.03	8.61	7.0	32	0.99	43.4	2.65	9.11	0.08	0.6	0.025	0.37	3.3	4.9
G0779018		3.32	0.05	17.05	43.9	72	2.67	1130	7.39	21.6	0.18	3.1	0.020	1.21	7.3	17.7
G0779019		5.51	0.65	10.95	78.8	220	1.16	>10000	9.00	22.8	0.22	1.0	0.139	0.35	3.9	8.6
G0779020		4.83	0.07	11.05	38.5	198	1.91	664	6.04	18.50	0.12	1.0	0.031	1.13	4.6	6.9
G0779021		3.37	0.05	20.3	34.9	21	2.18	776	7.40	22.7	0.16	3.6	0.009	1.01	9.5	12.7
G0779022		4.45	0.05	3.84	45.0	305	1.09	1610	6.66	21.3	0.16	0.6	0.054	1.04	1.4	14.8
G0779023		2.75	0.03	13.90	26.8	328	3.87	127.0	3.65	20.5	0.12	1.2	0.024	1.17	5.9	12.8
G0779024		3.41	0.03	10.85	48.1	599	2.15	21.6	6.40	20.2	0.16	0.6	0.038	1.20	6.3	21.6
G0779025		2.74	0.19	7.68	10.9	56	4.43	2440	6.14	11.85	0.14	0.5	0.070	1.40	3.5	6.2
G0779026		7.71	0.30	22.0	46.7	36	0.31	294	7.69	21.1	0.17	1.4	0.037	0.33	9.2	4.9
G0779027		5.06	0.14	8.71	46.3	251	0.81	669	6.64	16.75	0.14	0.9	0.046	0.84	3.5	7.3
G0779028		4.61	0.22	10.95	117.5	414	1.17	1310	8.37	21.4	0.15	1.6	0.053	0.63	4.4	14.3
G0779029		2.36	0.02	8.25	12.8	274	1.02	70.3	2.29	13.55	0.07	1.4	0.012	0.57	3.6	11.5
G0779030		2.02	0.02	10.95	9.6	68	1.51	9.7	2.59	20.9	0.09	2.3	0.008	0.35	4.8	6.3
G0779031		3.78	0.05	5.85	28.1	145	1.22	455	5.24	22.5	0.12	1.2	0.032	0.74	2.6	14.5
G0779032		6.12	0.24	7.27	165.0	196	0.42	1630	13.55	19.80	0.25	0.6	0.069	0.22	2.6	9.7
G0779033		7.16	0.04	21.1	42.8	198	0.68	14.1	7.31	19.40	0.17	1.3	0.056	0.57	9.2	7.5
G0779034		7.89	0.02	5.50	49.2	228	0.27	7.1	8.55	21.3	0.16	0.7	0.058	0.25	1.9	3.6
G0779035		3.99	0.03	2.44	21.4	64	0.40	822	4.90	9.36	0.12	0.3	0.084	0.22	0.8	4.3
G0779036		2.97	0.03	2.53	24.1	41	0.36	52.9	2.44	6.03	0.07	0.3	0.016	0.22	0.9	3.6
G0779037		7.49	0.05	22.2	44.0	98	1.03	9.3	6.83	23.5	0.17	1.1	0.064	1.08	8.7	13.8
G0779038		5.60	0.03	38.4	36.4	3	0.92	155.0	10.35	28.5	0.20	3.6	0.069	0.64	17.3	10.6
G0779039		4.53	0.07	6.27	55.5	231	1.85	656	9.18	21.0	0.16	0.4	0.060	0.75	2.5	37.6
G0779040		8.30	0.03	7.17	45.3	175	0.18	9.0	8.34	19.65	0.17	0.6	0.043	0.10	2.5	4.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - C

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 10-NOV-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD0911798

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm
		0.01	5	0.05	0.01	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2
G0779001		1.09	730	1.51	0.83	1.5	24.6	660	9.5	16.7	<0.002	0.15	0.18	10.2	2	0.5
G0779002		2.64	1560	1.13	2.62	4.1	92.0	1100	3.8	50.7	0.002	0.04	0.17	31.5	2	1.7
G0779003		2.52	1070	0.24	3.20	5.5	76.6	1390	6.0	46.9	<0.002	0.44	0.12	24.8	2	0.9
G0779004		1.55	717	3.17	2.64	6.1	34.7	700	3.9	40.8	<0.002	0.02	0.10	14.9	2	1.5
G0779005		0.07	57	0.52	2.92	8.5	0.9	40	1.7	42.3	<0.002	<0.01	0.08	3.4	2	0.6
G0779006		0.11	91	1.24	1.92	4.7	0.7	50	36.6	59.3	<0.002	0.10	0.12	3.7	3	1.0
G0779007		1.27	704	1.11	3.40	9.2	40.0	460	37.2	103.0	<0.002	0.05	<0.05	14.7	2	2.2
G0779008		2.19	512	4.78	2.19	5.9	41.3	730	4.6	30.9	<0.002	1.38	0.06	16.9	3	0.8
G0779009		4.73	1020	0.40	2.04	4.0	166.0 _{alt}	1060	2.6	26.6	<0.002	0.39	0.20	25.7	2	1.6
G0779010		0.61	559	4.69	2.29	6.2	3.6	810	9.3	26.0	<0.002	0.58	0.20	9.5	2	0.7
G0779011		3.29	1470	1.02	2.59	3.2	75.2	450	5.6	57.7	<0.002	0.04	0.19	23.9	2	1.0
G0779012		1.54	497	1.90	1.70	5.1	19.5	680	14.6	73.7	<0.002	0.11	0.55	12.3	1	1.0
G0779013		1.76	1200	1.13	0.20	1.2	3.6	150	1.2	23.9	<0.002	0.20	0.21	5.7	1	0.8
G0779014		0.70	438	1.35	3.16	3.1	4.6	390	4.1	69.6	<0.002	0.46	0.51	5.4	1	0.7
G0779015		4.21	6480	0.76	0.24	11.3	842	470	3.3	17.9	0.002	1.66	0.10	26.1	4	1.3
G0779016		1.87	722	1.16	2.92	7.8	37.8	620	3.3	29.6	<0.002	0.39	0.12	16.0	2	0.9
G0779017		0.69	385	0.76	1.19	2.9	12.0	150	1.5	16.2	<0.002	0.05	0.10	8.9	2	0.7
G0779018		1.70	585	0.97	1.97	5.8	31.7	590	2.7	53.5	<0.002	1.30	0.20	28.6	3	0.6
G0779019		2.00	1040	1.17	1.77	3.5	99.2	330	2.8	22.8	0.007	2.07	0.51	59.3	15	0.7
G0779020		1.13	518	10.15	1.83	3.4	33.7	420	2.2	49.8	0.006	0.65	0.22	37.5	3	0.5
G0779021		1.64	665	1.03	2.32	6.9	19.1	650	2.7	34.4	<0.002	0.88	0.32	20.1	3	0.8
G0779022		2.17	862	1.34	2.27	2.9	59.6	370	2.1	34.6	0.002	0.41	0.70	50.3	3	0.7
G0779023		1.02	430	3.03	2.72	3.8	34.7	280	3.1	41.8	0.002	0.31	0.15	31.3	2	0.6
G0779024		2.85	688	1.18	2.37	2.0	175.0	290	4.5	42.5	0.007	0.60	0.47	51.5	2	0.4
G0779025		1.21	606	1.00	0.81	3.0	13.1	310	2.6	54.8	<0.002	0.50	0.14	28.1	4	0.9
G0779026		2.28	1070	3.72	0.39	6.6	32.4	900	3.0	13.2	0.003	0.54	0.52	26.0	2	1.0
G0779027		1.31	975	1.67	0.43	2.2	51.0	210	3.3	33.9	0.002	0.77	0.32	34.0	3	0.9
G0779028		1.60	900	0.68	2.04	2.8	135.0	290	5.1	20.9	0.002	2.33	0.32	52.4	2	1.8
G0779029		0.77	271	0.31	1.86	2.2	26.7	270	2.5	24.6	<0.002	0.06	0.06	46.1	2	0.3
G0779030		1.03	370	0.28	3.94	1.3	28.7	250	1.5	15.4	<0.002	0.01	0.12	7.8	1	0.4
G0779031		1.94	620	1.06	2.85	2.0	47.9	240	1.7	20.1	<0.002	0.37	0.21	29.0	2	0.4
G0779032		2.89	1000	0.42	1.67	2.2	281	250	2.5	10.6	0.003	5.34	0.26	45.0	5	0.7
G0779033		3.56	1300	0.28	2.29	5.5	142.5	1040	1.7	20.0	<0.002	0.04	0.18	36.3	2	0.8
G0779034		3.52	1410	0.24	2.28	2.8	143.5	270	0.6	2.9	<0.002	0.02	0.22	46.1	2	0.7
G0779035		1.74	690	0.32	0.86	1.1	27.8	160	3.4	11.2	0.026	0.08	0.74	23.0	6	0.4
G0779036		0.88	466	0.18	0.55	1.2	28.7	60	0.8	12.8	<0.002	0.01	0.16	11.8	2	0.4
G0779037		3.47	977	0.36	1.42	6.4	121.5	740	1.4	24.0	<0.002	<0.01	0.21	36.0	2	0.9
G0779038		1.84	1420	0.36	2.53	19.1	11.9	780	1.8	24.3	<0.002	0.24	0.22	21.0	3	1.8
G0779039		4.24	1040	0.21	0.48	2.3	146.0	300	1.4	33.7	<0.002	0.30	0.41	37.6	2	0.3
G0779040		4.20	1140	0.29	1.37	2.4	137.0	250	0.5	1.9	<0.002	0.01	0.33	48.8	2	0.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111798

Sample Description	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1	0.1	0.1	2	0.5
G0779001	514	0.10	0.25	0.6	0.260	0.10	0.5	95	0.4	7.2	47	7.8
G0779002	254	0.28	<0.05	0.9	1.040	0.21	0.2	397	0.5	18.3	106	19.0
G0779003	74.0	0.45	0.15	0.9	1.270	0.32	0.3	321	0.9	14.6	130	24.4
G0779004	207	0.50	0.05	2.4	0.373	0.17	0.4	110	0.4	22.6	62	55.1
G0779005	62.8	0.73	<0.05	5.7	0.061	0.12	1.2	2	1.7	22.3	4	161.0
G0779006	120.0	0.49	0.19	4.9	0.044	0.20	0.9	2	1.5	9.1	37	130.5
G0779007	375	1.07	<0.05	49.4	0.249	0.66	4.3	46	0.2	58.3	55	49.9
G0779008	143.0	0.43	0.55	2.6	0.453	0.25	0.5	144	2.6	13.2	68	39.0
G0779009	134.5	0.28	0.22	0.7	0.650	0.24	0.2	216	1.0	18.5	126	21.9
G0779010	194.5	0.43	0.72	0.7	0.389	0.12	0.2	35	5.7	25.0	29	9.0
G0779011	248	0.27	0.10	1.6	0.542	0.25	0.3	184	0.4	14.7	98	16.3
G0779012	401	0.47	0.07	9.6	0.293	0.44	2.9	89	5.2	6.6	51	138.0
G0779013	22.0	0.14	1.08	1.6	0.069	0.18	0.5	43	0.9	2.6	69	67.6
G0779014	216	0.29	<0.05	2.1	0.212	0.37	0.5	44	0.6	6.9	50	70.2
G0779015	27.4	0.79	0.45	1.2	0.804	0.09	0.3	207	0.2	12.8	1020	78.9
G0779016	197.0	0.57	0.09	1.8	0.527	0.17	0.4	112	0.6	12.8	67	30.7
G0779017	97.1	0.22	<0.05	0.9	0.225	0.05	0.2	67	0.2	9.1	24	13.2
G0779018	146.0	0.47	0.55	1.7	0.561	0.33	0.5	198	1.1	17.4	29	104.5
G0779019	203	0.25	1.94	<0.2	0.640	0.18	0.3	313	19.1	20.8	65	25.7
G0779020	195.5	0.24	0.33	0.7	0.617	0.23	0.2	262	1.8	15.8	27	33.6
G0779021	117.0	0.54	0.88	1.7	0.482	0.21	0.5	137	5.1	19.3	27	142.5
G0779022	199.5	0.19	0.61	<0.2	0.629	0.24	0.2	315	1.2	15.7	33	15.1
G0779023	149.5	0.25	0.28	0.7	0.450	0.25	0.3	170	5.2	12.6	18	44.7
G0779024	31.3	0.15	<0.05	<0.2	0.501	0.27	0.2	291	2.5	16.7	56	15.2
G0779025	67.7	0.19	0.78	0.3	0.350	0.21	0.1	130	20.9	8.4	23	17.0
G0779026	129.0	0.40	0.19	0.9	0.604	0.07	0.3	169	2.3	18.5	47	49.4
G0779027	95.6	0.15	0.25	0.5	0.405	0.15	0.2	205	2.0	12.8	44	32.3
G0779028	210	0.21	0.10	0.5	0.555	0.17	0.2	327	1.2	15.6	76	56.9
G0779029	221	0.17	0.05	0.6	0.371	0.13	0.2	173	0.2	9.7	15	47.8
G0779030	253	0.10	<0.05	0.9	0.159	0.09	0.3	41	0.1	5.1	13	78.2
G0779031	352	0.12	0.15	<0.2	0.351	0.18	0.1	162	0.8	12.6	27	41.1
G0779032	139.0	0.14	0.35	<0.2	0.458	0.06	0.1	255	0.4	22.2	44	15.5
G0779033	235	0.32	<0.05	0.8	0.619	0.10	0.2	222	0.6	21.4	62	51.1
G0779034	215	0.17	<0.05	<0.2	0.627	0.03	0.1	308	0.4	22.3	53	16.4
G0779035	84.9	0.07	0.61	<0.2	0.306	0.06	<0.1	131	0.4	8.9	20	7.8
G0779036	61.5	0.07	<0.05	<0.2	0.271	0.05	<0.1	101	0.3	7.0	15	11.0
G0779037	181.0	0.40	<0.05	0.5	0.915	0.22	0.2	277	1.8	29.3	41	38.9
G0779038	662	1.34	0.08	1.8	1.205	0.11	0.5	230	0.7	30.9	44	130.0
G0779039	193.5	0.13	0.15	<0.2	0.450	0.14	0.1	210	1.5	11.4	61	11.8
G0779040	108.0	0.15	<0.05	<0.2	0.545	<0.02	0.1	283	1.0	21.1	31	15.2





ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
 834572 4TH LINE, MONO TWP.
 RR #1
 ORANGEVILLE ON L9W 2Y8

Page: 3 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-NOV-2009
 Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	Cu-OG62	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Au Check ppb	Pt ppb	Pt Check ppb	Pd ppb	Pd Check ppb	Au ppb	Cu %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm
		0.02	1	1	5	5	1	1	50	0.001	0.01	0.01	0.2	10	0.05	0.01
G0779041		1.98	2		<5		<1				0.21	8.09	0.7	220	1.86	0.03
G0779042		2.12	482		<5		7				1.39	6.39	0.3	60	1.01	0.13
G0779043		1.50	45		<5		6				3.28	5.12	1.5	30	0.90	0.11
G0779044		2.56	7		<5		<1				0.13	7.78	0.4	130	1.10	0.05
G0779045		1.92	2		<5		<1				0.03	7.64	0.7	170	0.71	0.01
G0779046		1.90	2610		<5		1				1.24	0.09	5.6	<10	<0.05	2.42
G0779047		2.00	29		<5		1				0.47	6.55	0.4	100	0.99	0.27
G0779048		1.88	4		<5		1				0.08	8.15	0.2	1110	1.68	0.04
G0779049		1.66	1400		<5		<1				0.90	2.92	1.9	200	0.12	1.88
G0779050		2.30	69		<5		1				0.78	8.11	2.8	200	1.57	0.07
G0779051		0.84	6		<5		1				0.16	7.62	0.8	150	0.34	0.05
G0779052		1.78	42		10		10				0.10	8.74	0.4	240	0.65	0.16
G0779053		1.66	4		<5		1				0.11	7.73	<0.2	150	1.12	0.19
G0779054		1.72	85		<5		<1				0.22	1.79	0.4	180	0.20	0.06
G0779055		1.42	57		<5		<1				0.32	7.15	1.7	650	0.90	0.20
G0779056		1.72	324		<5		<1				0.43	6.16	5.9	810	0.95	0.14
G0779057		1.32	3260		<5		<1				0.88	7.05	6.5	700	1.13	0.20
G0779058		1.12	4		<5		<1				0.04	7.54	1.5	860	1.78	0.01
G0779059		1.80	9		<5		<1				0.42	7.78	4.2	670	0.74	0.02
G0779060		1.52	174		8		9				1.26	7.14	3.6	310	0.24	0.04
G0779061		1.36	25		<5		<1				0.36	5.98	3.4	490	1.00	0.06
G0779062		1.52	251		<5		1				0.60	4.28	18.7	820	0.33	0.25
G0779063		1.54	21		<5		3				0.37	5.16	0.8	40	1.04	0.07
G0779064		1.54	4830		<5		1				12.00	1.53	15.4	40	<0.05	2.15
G0779065		1.34	>10000		<5		2		12900		19.25	2.70	57.5	80	<0.05	7.91
G0779066		1.76	4880		<5		1				11.20	2.03	31.9	40	<0.05	4.60
G0779067		1.04	5070		<5		4				3.31	1.08	12.6	10	0.10	0.72
G0779068		0.96	9220		<5		2				5.77	1.92	27.1	10	0.28	2.30
G0779069		0.88	>10000		<5		<1		24700		5.18	1.27	9.5	10	0.28	0.39
G0779070		1.74	1040		<5		2				5.85	3.09	5.8	140	0.18	3.68
G0779071		1.04	32		<5		<1				0.15	7.27	2.3	320	0.31	0.05
G0779072		0.84	84		<5		<1				0.55	8.10	1.1	120	0.27	0.11
G0779073		1.28	44		<5		7				0.53	6.44	2.0	20	0.56	0.75
G0779074		1.18	32		<5		6				0.46	6.26	1.2	110	0.87	0.25
G0779075		1.28	24		<5		<1				0.49	4.72	0.5	100	0.29	1.38
G0779076		1.24	14		17		3				0.56	3.53	1.8	50	0.28	1.17
G0779077		1.12	<1		8		<1				0.10	7.76	1.7	180	0.77	0.20
G0779078		1.44	61		<5		1				1.33	7.28	0.6	280	1.21	0.44
G0779079		1.08	1660		30		60				1.02	3.53	6.5	10	0.94	1.83
G0779080		1.80	536		<5		1				1.35	6.25	0.9	380	1.32	0.13



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm
G0779041		5.28	0.10	49.3	47.5	5	0.42	257	9.68	25.9	0.22	3.7	0.067	0.54	21.3	9.8
G0779042		5.39	0.16	34.3	160.5	43	0.41	7500	11.45	19.65	0.24	2.1	0.182	0.21	14.3	3.4
G0779043		7.13	0.35	14.50	101.0	103	0.20	1880	17.20	23.1	0.29	2.0	0.131	0.20	6.9	4.8
G0779044		6.10	0.07	41.3	82.3	4	0.17	457	12.05	26.8	0.24	3.5	0.081	0.34	17.6	6.1
G0779045		2.64	0.03	10.20	10.7	15	0.91	16.7	2.71	21.8	0.08	1.4	0.014	0.70	4.6	8.1
G0779046		0.08	0.06	0.48	3.1	13	<0.05	375	2.53	0.48	0.07	0.1	0.041	<0.01	<0.5	0.6
G0779047		4.94	0.06	17.60	96.2	3	0.36	761	10.80	20.7	0.19	2.1	0.081	0.35	9.0	5.4
G0779048		5.39	0.05	6.70	46.3	237	4.71	83.8	7.77	18.50	0.15	1.0	0.059	1.78	2.6	32.7
G0779049		1.03	0.25	1.43	11.4	111	0.99	355	4.87	7.60	0.09	0.4	0.066	0.39	0.6	10.1
G0779050		3.91	2.41	56.2	80.2	6	0.98	2120	9.34	23.6	0.24	3.2	0.079	0.45	24.9	6.2
G0779051		3.06	8.13	14.85	21.0	23	0.87	85.2	1.98	20.6	0.08	1.1	0.346	0.80	6.7	11.5
G0779052		2.56	0.10	4.95	88.4	816	1.93	243	4.46	21.6	0.11	1.7	0.016	1.25	2.3	25.1
G0779053		5.54	0.10	31.1	61.0	8	0.72	554	11.90	25.3	0.24	1.2	0.091	0.44	13.8	5.8
G0779054		1.13	0.08	5.23	5.8	18	0.82	331	2.77	4.30	0.07	0.2	0.035	0.67	2.3	1.5
G0779055		1.72	0.05	27.5	12.5	23	2.98	328	6.39	21.5	0.16	2.6	0.093	1.61	12.8	11.5
G0779056		1.24	0.08	29.0	9.4	22	1.91	309	3.77	17.75	0.17	2.0	0.064	2.10	14.2	10.4
G0779057		1.29	0.24	36.9	11.2	22	6.74	737	4.60	19.90	0.21	2.3	0.064	2.01	17.2	14.2
G0779058		2.55	0.06	40.0	8.3	8	1.68	61.8	2.05	19.05	0.17	4.9	0.019	1.52	17.8	11.5
G0779059		2.41	0.22	41.7	53.3	4	1.63	330	5.68	20.4	0.23	5.1	0.025	1.56	18.2	11.7
G0779060		5.10	0.46	15.50	110.0	712	1.48	627	12.10	19.00	0.23	1.7	0.148	0.91	6.4	13.0
G0779061		0.90	1.51	55.9	7.0	12	0.71	197.5	2.00	16.40	0.15	7.2	0.010	1.21	24.0	9.0
G0779062		0.08	0.06	35.1	6.8	7	0.57	88.0	1.92	14.10	0.16	4.5	0.035	2.67	16.2	11.3
G0779063		6.33	0.06	21.9	141.5	144	0.15	2110	14.35	18.40	0.25	2.1	0.093	0.18	9.3	4.3
G0779064		0.27	4.50	1.08	32.2	50	0.17	895	5.54	5.26	0.10	0.2	0.111	0.16	0.5	2.5
G0779065		0.33	0.33	4.52	367	54	0.58	1345	21.7	12.55	0.34	0.4	0.047	0.57	1.9	4.5
G0779066		0.53	1.08	3.15	160.5	30	0.33	1275	12.85	8.77	0.21	0.3	0.036	0.25	1.2	4.4
G0779067		1.47	0.26	1.60	74.1	51	0.21	506	10.20	4.45	0.17	0.1	0.055	0.06	0.7	1.4
G0779068		1.43	0.54	0.86	367	52	0.24	1450	20.0	4.67	0.29	0.1	0.037	0.04	<0.5	2.0
G0779069		1.96	0.38	2.99	54.6	59	0.10	651	10.50	4.67	0.14	0.1	0.064	0.05	1.3	2.1
G0779070		3.25	1.35	5.16	260	95	0.61	831	24.5	7.35	0.41	0.3	0.084	0.29	2.1	6.8
G0779071		3.58	0.10	7.42	50.1	230	2.57	129.0	8.02	17.15	0.16	0.8	0.046	1.01	2.7	17.5
G0779072		6.99	0.09	7.63	46.3	239	1.32	4540	8.63	18.10	0.17	0.7	0.050	0.58	2.8	9.7
G0779073		2.35	0.08	25.3	138.5	59	1.00	781	13.10	19.70	0.27	1.7	0.023	0.09	9.9	6.9
G0779074		2.61	0.13	38.0	83.0	59	1.41	1005	9.66	18.70	0.22	1.7	0.026	0.37	16.7	7.2
G0779075		2.48	0.04	11.40	237	19	3.83	1220	15.25	12.15	0.23	1.1	<0.005	0.59	5.2	4.8
G0779076		1.35	0.05	8.44	207	24	3.89	2670	25.1	8.40	0.27	0.9	0.007	0.27	3.6	6.1
G0779077		3.98	0.10	37.9	21.5	26	3.79	55.7	5.61	22.3	0.12	0.9	0.049	0.60	15.9	15.7
G0779078		1.61	0.05	16.70	51.2	87	2.20	962	5.35	22.1	0.13	2.4	0.012	0.94	8.5	17.4
G0779079		9.25	0.15	50.2	65.2	305	0.38	1250	10.75	15.90	0.19	0.2	0.137	0.23	27.3	4.2
G0779080		2.02	0.85	38.3	13.3	31	2.09	1885	2.34	15.35	0.12	2.9	0.048	1.08	18.9	8.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn
Units		%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		0.01	5	0.05	0.01	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2
G0779041		1.83	1360	0.94	2.38	21.5	13.2	1010	2.3	18.0	0.002	0.42	0.17	11.4	3	1.8
G0779042		2.14	1140	1.37	2.17	17.5	273	730	1.1	6.0	0.002	3.36	0.18	26.5	5	1.8
G0779043		4.20	1800	0.69	0.92	14.2	106.5	650	5.6	2.3	0.002	2.12	0.25	36.5	5	2.2
G0779044		2.17	1430	1.45	2.56	24.8	46.9	1030	1.6	2.6	0.003	0.91	0.12	16.9	4	1.2
G0779045		0.56	280	0.27	2.97	1.5	13.7	210	1.8	17.3	<0.002	0.01	0.10	3.4	1	0.3
G0779046		0.04	55	0.71	0.03	0.4	2.7	30	1.1	0.3	<0.002	0.08	<0.05	0.5	8	0.3
G0779047		1.91	1060	0.55	1.83	14.1	39.3	690	2.7	9.1	<0.002	1.58	0.26	14.0	5	1.6
G0779048		3.90	1220	0.26	2.10	2.8	116.0	320	3.8	43.1	<0.002	0.18	0.17	40.8	2	1.0
G0779049		1.02	317	0.30	0.74	0.9	19.3	110	1.5	13.4	<0.002	0.25	0.12	16.7	2	0.6
G0779050		1.18	1460	1.37	3.41	22.1	18.3	1100	2.2	18.8	0.002	2.43	0.14	11.4	5	1.9
G0779051		0.40	1020	0.38	2.84	1.3	18.8	170	4.4	18.4	<0.002	0.64	0.08	5.8	1	0.4
G0779052		1.33	257	0.60	2.44	0.5	106.0	360	6.2	37.6	<0.002	0.93	0.10	50.2	2	0.4
G0779053		2.36	1320	0.70	2.67	14.8	47.3	890	1.4	16.7	0.002	1.02	0.17	19.5	4	1.2
G0779054		0.23	407	0.43	0.47	1.2	6.2	90	0.9	19.3	<0.002	0.21	0.05	2.0	2	0.3
G0779055		0.73	467	0.94	2.18	13.9	11.0	710	5.0	63.7	<0.002	0.78	0.18	11.3	2	1.5
G0779056		0.54	343	1.20	1.88	8.8	4.8	600	4.6	60.4	<0.002	0.66	0.19	10.2	2	2.3
G0779057		0.73	437	1.33	2.33	11.2	8.1	650	4.5	86.3	<0.002	0.64	0.30	11.9	2	2.0
G0779058		0.47	302	0.19	3.89	16.2	14.1	610	3.3	45.5	<0.002	0.27	0.18	10.2	2	1.0
G0779059		1.45	677	0.71	2.85	7.8	2.7	1710	29.1	54.4	0.018	0.64	0.60	16.1	4	0.5
G0779060		3.44	1600	0.62	1.20	2.0	397	230	15.3	36.4	0.003	1.56	1.00	59.7	5	0.8
G0779061		0.25	92	4.80	2.40	7.5	8.4	60	7.7	38.2	<0.002	0.90	0.06	4.9	2	0.8
G0779062		0.12	46	1.25	0.47	6.0	11.9	40	34.7	67.9	<0.002	0.91	0.07	3.4	2	1.1
G0779063		3.87	1420	0.43	1.31	13.3	142.0	530	1.2	3.1	<0.002	2.40	0.16	31.6	6	1.4
G0779064		0.26	70	17.15	0.83	0.7	36.6	70	143.5	6.3	<0.002	3.57	1.68	7.1	6	0.8
G0779065		1.15	190	19.80	0.70	1.4	117.0	160	269	20.3	0.002	>10.0	3.45	12.0	17	0.6
G0779066		0.97	192	4.67	0.67	1.0	99.1	100	257	9.6	<0.002	>10.0	1.59	10.7	10	0.5
G0779067		0.84	486	1.33	0.24	0.4	96.0	30	9.8	2.3	0.002	9.10	0.70	6.9	7	0.3
G0779068		0.54	1280	1.11	0.72	0.7	141.0	30	23.0	2.0	0.003	>10.0	3.88	7.4	15	0.3
G0779069		1.18	889	0.85	0.10	0.5	106.0	40	2.8	1.9	0.002	6.21	0.40	8.4	6	0.3
G0779070		2.10	653	1.99	0.82	1.4	342	140	30.6	16.9	<0.002	>10.0	0.21	18.1	24	0.4
G0779071		2.75	823	3.64	1.87	2.1	112.5	250	4.5	52.2	<0.002	0.82	0.32	37.9	2	1.3
G0779072		3.05	923	0.31	1.00	2.3	64.8	260	1.3	43.3	<0.002	1.05	0.43	40.1	3	0.8
G0779073		2.01	859	1.55	3.08	17.6	53.6	760	3.8	3.5	0.004	6.40	0.38	24.1	16	1.5
G0779074		1.78	861	1.23	2.50	17.3	57.7	770	2.3	20.4	0.003	3.39	0.23	23.5	9	1.3
G0779075		1.66	204	1.73	1.47	2.0	48.2	200	2.8	33.8	0.003	>10.0	0.05	3.5	9	0.7
G0779076		0.91	87	1.48	1.33	0.9	126.0	150	3.3	14.2	0.002	>10.0	<0.05	3.3	9	0.5
G0779077		1.63	861	0.15	2.73	5.3	46.8	370	4.5	23.0	<0.002	0.27	0.18	18.7	2	1.3
G0779078		0.93	109	1.88	3.66	4.7	57.4	410	3.1	40.7	<0.002	2.66	0.07	8.2	3	1.4
G0779079		7.65	1900	3.35	0.33	14.2	334	3160	4.1	3.0	0.006	0.20	0.40	4.8	4	1.7
G0779080		0.65	276	0.35	2.23	4.0	17.9	160	3.1	50.2	<0.002	0.29	0.09	6.1	2	0.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111798

Sample Description	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1	0.1	0.1	2	0.5
G0779041	567	1.42	0.07	2.2	0.879	0.07	0.5	67	0.7	37.7	44	148.0
G0779042	492	1.15	0.82	1.7	1.065	0.05	0.3	232	0.9	27.8	51	71.4
G0779043	83.8	0.93	0.33	1.2	0.889	0.03	0.4	291	0.8	28.4	85	78.5
G0779044	659	1.55	0.12	1.7	1.195	0.04	0.4	226	0.8	42.9	36	137.0
G0779045	502	0.10	<0.05	0.3	0.114	0.08	0.1	25	0.2	5.9	14	47.0
G0779046	5.6	<0.05	2.13	<0.2	0.023	<0.02	<0.1	5	0.5	0.4	4	2.0
G0779047	504	0.95	0.38	1.3	0.865	0.07	0.2	164	0.8	22.8	36	81.9
G0779048	400	0.17	<0.05	<0.2	0.583	0.41	0.1	282	0.5	17.4	88	32.3
G0779049	45.3	0.06	1.56	<0.2	0.213	0.08	<0.1	106	32.2	5.4	45	15.6
G0779050	479	1.47	0.38	2.4	0.894	0.06	0.5	60	10.8	34.8	393	126.5
G0779051	256	0.10	<0.05	0.6	0.132	0.11	0.3	55	0.2	1.6	602	39.7
G0779052	198.5	<0.05	0.14	0.4	0.293	0.28	0.2	272	0.7	8.8	33	62.2
G0779053	400	0.97	0.19	0.8	1.125	0.06	0.2	236	0.7	25.9	43	32.5
G0779054	24.6	0.08	0.19	<0.2	0.064	0.07	0.1	10	2.3	3.7	12	9.2
G0779055	141.0	0.89	0.38	2.7	0.453	0.29	0.5	51	16.5	21.7	42	92.0
G0779056	116.5	0.62	0.35	2.4	0.370	0.24	0.5	53	14.4	16.3	31	58.5
G0779057	173.0	0.79	0.48	2.8	0.452	0.37	0.6	59	4.5	26.0	44	70.4
G0779058	204	0.76	0.06	2.7	0.303	0.29	0.5	63	1.3	37.5	8	164.5
G0779059	201	0.55	0.13	2.5	0.755	0.34	0.5	43	2.4	27.0	55	179.0
G0779060	90.0	0.14	0.33	0.5	0.393	0.47	0.1	414	0.3	28.2	98	50.7
G0779061	73.8	0.57	0.15	5.8	0.067	0.14	1.0	3	1.2	16.7	54	212
G0779062	24.6	0.56	0.31	4.4	0.037	0.26	0.7	3	2.6	12.0	6	114.5
G0779063	197.0	0.92	0.32	1.4	0.945	0.02	0.3	277	1.1	22.6	46	62.7
G0779064	13.4	0.05	3.48	<0.2	0.158	0.15	<0.1	61	1.3	1.5	269	5.7
G0779065	6.8	0.08	9.33	0.2	0.264	2.75	0.1	138	1.1	5.5	85	10.0
G0779066	4.9	0.06	5.14	<0.2	0.206	2.32	<0.1	101	0.8	6.1	139	6.8
G0779067	27.2	<0.05	2.18	<0.2	0.076	0.72	<0.1	52	2.2	3.6	45	3.0
G0779068	20.2	<0.05	3.95	<0.2	0.100	1.23	<0.1	45	0.9	2.4	51	3.3
G0779069	28.1	<0.05	1.41	<0.2	0.102	0.32	<0.1	64	3.4	5.5	67	1.6
G0779070	44.4	0.07	8.39	<0.2	0.234	0.12	0.1	114	5.3	11.4	68	7.3
G0779071	140.5	0.15	0.09	0.2	0.480	0.46	0.1	243	1.2	18.4	34	17.0
G0779072	167.0	0.15	0.33	0.2	0.533	0.18	0.1	277	0.6	20.2	45	12.5
G0779073	66.5	1.27	0.85	2.1	1.165	0.26	0.4	272	43.1	20.1	34	54.0
G0779074	200	1.21	0.36	2.0	1.095	0.17	0.4	255	58.7	26.5	36	56.8
G0779075	118.5	0.17	0.43	1.2	0.116	0.13	0.3	34	0.3	3.8	11	34.9
G0779076	83.7	0.07	0.47	0.9	0.061	0.06	0.3	24	0.2	2.7	10	32.4
G0779077	230	0.36	<0.05	1.9	0.353	0.11	0.3	110	0.4	20.6	82	24.3
G0779078	364	0.39	0.31	1.7	0.286	0.17	0.6	74	0.9	7.5	23	78.9
G0779079	133.0	0.84	1.05	2.0	0.469	0.06	0.4	285	0.8	15.2	83	10.7
G0779080	202	0.42	0.42	7.5	0.116	0.18	1.2	34	0.2	19.2	40	66.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - A

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 10-NOV-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	Cu-OG62	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Au Check ppb	Pt ppb	Pt Check ppb	Pd ppb	Pd Check ppb	Au ppb	Cu %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm
		0.02	1	1	5	5	1	1	50	0.001	0.01	0.01	0.2	10	0.05	0.01
G0779081		0.78	24		<5		1				4.97	4.85	19.3	20	0.39	0.03
G0779082		1.02	22		6		11				0.43	6.86	0.6	360	0.83	0.07
G0779101		1.46	5		<5		1				0.13	7.32	0.8	180	0.74	0.05
G0779102		0.92	<1		<5		<1				0.04	7.92	1.0	80	1.02	0.07
G0779103		2.22	14		<5		<1				0.22	7.87	0.9	240	1.06	0.12
G0779104		2.66	99		<5		1				0.84	1.29	4.1	10	0.18	0.34
G0779105		2.66	20		<5		<1				0.09	7.85	0.8	190	0.86	0.05
G0779106		1.58	34		<5		1				0.05	8.20	0.5	250	1.28	0.11
G0779107		1.24	3		<5		2				0.02	7.13	0.7	220	1.03	0.04
G0779108		1.34	13		<5		1				0.12	7.10	1.6	350	1.32	0.08



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm
G0779081		5.40	1.05	3.91	34.5	256	0.26	460	8.32	15.55	0.15	0.8	0.110	0.14	1.9	10.3
G0779082		4.55	0.26	25.2	73.3	286	1.11	1620	11.75	19.30	0.22	1.2	0.108	1.28	10.7	13.7
G0779101		2.27	0.04	29.1	32.2	76	0.62	215	7.08	18.45	0.17	1.0	0.055	0.84	13.5	33.7
G0779102		9.66	0.10	22.0	36.9	69	0.31	12.5	7.25	25.1	0.15	1.0	0.101	0.36	9.5	4.3
G0779103		4.48	0.05	41.4	33.4	4	1.96	780	7.62	22.5	0.19	0.8	0.055	1.13	18.4	22.7
G0779104		1.23	0.04	3.42	179.5	16	0.08	3640	6.75	6.21	0.11	0.1	0.039	0.10	1.5	2.0
G0779105		4.81	0.05	29.1	25.2	6	1.42	95.7	7.79	18.35	0.15	0.8	0.064	1.14	12.3	12.9
G0779106		3.92	0.05	27.8	10.3	4	0.90	58.2	5.26	23.8	0.16	0.5	0.090	1.34	10.7	17.5
G0779107		3.80	0.07	26.0	18.2	24	1.07	24.9	5.60	21.6	0.17	0.8	0.052	0.98	10.6	13.8
G0779108		2.36	0.02	19.40	10.9	8	1.40	52.9	4.67	22.9	0.17	1.2	0.021	1.02	6.2	22.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm
		0.01	5	0.05	0.01	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2
G0779081		2.56	1140	2.77	0.81	1.6	50.2	210	20.3	4.9	0.012	0.24	1.39	34.0	5	0.5
G0779082		2.58	1630	1.66	1.84	4.5	333	240	2.3	46.2	0.002	1.33	0.08	44.7	4	2.4
G0779101		2.41	900	0.67	2.96	4.2	59.4	1660	2.6	34.8	<0.002	0.14	0.08	23.3	2	1.1
G0779102		2.73	1520	0.81	1.40	4.2	110.0	650	14.5	16.2	<0.002	0.33	0.15	21.1	2	1.3
G0779103		1.97	981	1.62	2.27	9.5	8.2	2680	5.6	67.0	0.079	1.11	0.20	19.2	3	1.5
G0779104		0.26	167	0.33	0.30	0.9	17.6	90	2.1	3.5	0.006	3.31	0.10	2.9	3	0.4
G0779105		2.01	1300	0.72	2.26	6.1	9.4	930	3.6	57.5	<0.002	0.15	0.16	22.0	2	1.3
G0779106		0.99	811	2.22	2.95	9.5	5.8	1150	5.5	47.6	<0.002	0.17	0.16	15.1	2	1.5
G0779107		1.50	825	2.23	2.33	6.6	5.9	880	3.7	49.1	<0.002	0.07	0.09	19.1	2	1.1
G0779108		0.82	413	6.29	2.56	15.4	5.0	1500	2.9	53.4	0.003	0.30	0.18	15.3	3	1.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 10-NOV-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Sr	Ta	Ta	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Units		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.2	0.05	0.05	0.2	0.005	0.02	0.1	1	0.1	0.1	2	0.5
G0779081		109.0	0.11	0.17	0.4	0.266	0.14	0.1	178	0.3	15.3	100	27.0
G0779082		179.0	0.37	0.31	1.3	0.450	0.34	0.4	231	0.2	25.5	106	28.2
G0779101		175.5	0.32	0.07	1.3	0.668	0.18	0.3	165	0.7	18.5	99	26.8
G0779102		604	0.24	<0.05	0.8	0.431	0.08	0.3	152	0.7	18.5	128	23.2
G0779103		301	0.69	0.14	2.3	1.030	0.51	0.7	140	0.9	22.5	81	16.1
G0779104		177.5	0.06	0.47	0.3	0.104	0.02	0.1	59	0.3	3.5	9	3.1
G0779105		300	0.43	<0.05	1.8	0.896	0.32	0.4	256	0.6	23.9	89	15.7
G0779106		307	0.63	0.06	1.0	0.608	0.30	0.3	56	0.6	29.8	52	10.9
G0779107		364	0.47	0.05	1.4	0.695	0.26	0.5	126	0.8	20.9	57	18.5
G0779108		266	1.11	0.11	3.1	0.533	0.30	0.7	54	0.9	56.1	41	24.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 30-OCT-2009
Account: MVR

CERTIFICATE SD09111799

Project: EASTMAIN MINE

P.O. No.:

This report is for 90 Rock samples submitted to our lab in Sudbury, ON, Canada on 16-OCT-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm
G0779109		2.92	38	<5	<1	0.24	8.15	0.8	330	0.95	0.06	2.76	0.05	26.9	14.2	
G0779110		2.06	5	<5	<1	0.27	7.55	0.3	150	0.27	0.37	3.92	0.16	7.46	62.3	
G0779111		2.62	2	<5	<1	0.07	6.35	1.6	380	1.19	0.16	1.05	0.04	51.1	4.2	
G0779112		1.40	1	<5	<1	<0.01	5.87	0.7	1260	0.92	0.08	0.65	<0.02	51.7	1.1	
G0779113		1.46	1	<5	<1	0.23	6.77	0.7	370	0.72	0.09	1.71	0.03	19.70	5.2	
G0779114		3.30	<1	<5	3	0.05	7.22	0.2	220	1.25	0.02	2.15	0.07	58.2	13.8	
G0779115		2.32	277	<5	<1	5.32	3.08	2.5	10	0.21	1.35	8.64	25.5	3.07	55.8	
G0779116		2.36	237	<5	<1	1.41	6.34	1.1	800	0.99	0.43	3.17	0.32	5.64	17.6	
G0779117		1.80	499	<5	<1	3.09	4.68	1.9	400	0.23	0.37	1.00	0.32	3.58	17.4	
G0779118		2.06	6	<5	<1	0.12	7.58	0.6	90	0.92	0.03	3.79	0.04	8.69	66.9	
G0779119		1.60	5	<5	<1	0.13	6.04	0.6	150	0.59	0.29	5.74	0.18	20.6	42.0	
G0779120		1.84	353	<5	15	7.88	5.48	2.8	100	0.99	0.67	0.54	0.79	33.6	9.8	
G0779121		2.04	15	<5	<1	0.17	5.20	0.4	130	0.43	0.57	2.56	0.03	6.71	15.0	
G0779122		2.10	2	<5	<1	0.08	6.45	0.5	200	0.98	0.13	2.95	0.02	10.50	9.5	
G0779123		1.80	5	<5	<1	0.26	7.11	0.4	130	0.48	1.06	4.01	0.03	2.54	5.0	
G0779124		2.12	8	6	10	0.16	5.99	1.2	60	1.03	0.34	5.57	0.13	30.7	72.1	
G0779125		2.28	3	<5	<1	0.21	8.28	1.1	90	0.33	0.30	6.05	0.11	6.60	35.2	
G0779126		1.92	<1	<5	<1	0.02	4.62	0.6	10	0.23	0.02	5.34	0.03	5.62	20.3	
G0779127		2.12	28	<5	<1	0.26	8.47	0.9	220	1.45	0.20	1.26	0.02	16.40	7.8	
G0775901		4.58	2220	<5	<1	0.86	6.79	5.1	140	0.63	0.13	1.90	0.08	27.2	51.2	
G0775902		0.74	1	<5	<1	0.02	2.47	0.5	50	0.25	0.01	1.05	0.03	6.29	9.8	
G0775903		0.88	9	<5	<1	0.03	6.25	0.8	150	0.52	0.04	3.20	0.08	15.00	25.8	
G0775904		0.66	42	<5	<1	0.34	7.30	1.1	150	0.68	0.25	4.80	0.11	30.5	29.9	
G0775905		1.56	1	<5	<1	0.04	7.56	1.2	90	0.32	0.04	7.43	0.10	46.5	27.2	
G0775906		1.52	1	<5	<1	0.04	7.67	0.8	200	0.84	0.04	4.21	0.07	26.4	22.6	
G0775907		2.28	93	<5	<1	0.33	4.93	0.7	90	0.99	0.35	5.70	0.53	17.05	24.2	
G0775908		2.12	4	<5	<1	0.07	6.73	0.5	630	1.91	0.20	1.95	0.05	13.85	9.1	
G0775909		2.22	13	6	1	0.15	6.82	2.2	440	1.33	0.33	0.83	<0.02	38.1	3.5	
G0775910		2.12	120	<5	<1	0.40	7.38	1.5	160	0.59	0.26	1.71	0.03	21.1	43.8	
G0775911		2.62	664	<5	<1	0.59	5.57	1.4	850	0.77	0.47	0.07	<0.02	5.19	9.2	
G0775912		3.00	1	<5	<1	0.05	7.30	0.2	70	0.61	0.03	6.55	0.10	15.20	39.1	
G0775913		2.86	255	<5	<1	0.49	7.29	3.3	160	0.47	0.59	3.10	0.19	34.4	63.3	
G0775914		3.62	4	<5	<1	0.13	7.35	2.0	260	0.74	0.15	2.68	0.14	34.1	18.8	
G0775915		2.14	22	8	14	0.29	8.07	3.6	90	0.85	0.07	5.62	0.21	7.93	30.7	
G0775916		2.52	7	<5	<1	0.11	6.51	0.2	80	0.52	0.01	6.18	0.11	12.60	44.6	
G0775917		2.78	129	<5	<1	0.18	6.06	1.4	280	0.67	0.08	1.72	0.05	31.7	8.9	
G0775918		1.36	16	<5	<1	0.11	8.04	7.5	420	0.34	0.15	1.40	0.11	16.40	34.2	
G0775919		2.08	164	<5	2	0.03	6.13	1.9	230	1.10	0.12	1.34	0.04	12.25	5.6	
G0775920		2.26	82	7	16	0.21	8.33	1.8	90	0.41	0.08	7.55	0.11	11.70	52.9	
G0775921		1.64	34	9	22	0.42	8.20	0.8	90	1.24	0.04	4.95	0.24	6.08	29.6	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - B

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 30-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
Units		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
LOR		1	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
G0779109		4	2.76	41.3	5.68	22.8	0.11	0.6	0.052	1.20	10.8	27.3	1.11	695	2.10	2.84
G0779110		220	1.79	351	11.75	23.0	0.17	1.0	0.097	0.60	2.7	25.1	3.98	1500	0.39	1.52
G0779111		11	1.08	35.5	2.86	19.95	0.08	4.8	0.028	1.25	25.5	9.6	0.30	246	2.10	3.13
G0779112		7	1.26	6.1	1.13	14.35	0.07	5.2	0.107	3.98	22.0	7.4	0.14	395	1.11	1.43
G0779113		7	1.46	8.0	4.27	20.3	0.08	2.4	0.027	2.71	10.1	16.9	0.50	1050	0.84	0.72
G0779114		161	1.54	28.0	4.51	22.2	0.10	3.1	0.050	1.19	28.4	14.3	1.75	461	2.61	2.59
G0779115		108	0.14	1655	6.89	10.80	0.10	0.3	0.102	0.05	1.3	3.1	1.53	1200	17.85	0.27
G0779116		217	1.89	634	6.71	15.80	0.09	1.1	0.117	0.50	2.3	9.1	2.11	812	0.42	2.31
G0779117		182	1.73	1310	7.40	13.85	0.11	0.8	0.113	1.89	1.3	12.3	1.56	388	0.49	0.76
G0779118		61	1.24	1180	4.94	16.60	0.08	1.4	0.020	0.31	3.7	7.0	0.88	403	0.76	2.98
G0779119		4	1.22	257	9.31	18.15	0.13	1.9	0.065	0.47	8.6	6.5	2.38	1560	0.65	1.90
G0779120		14	2.56	1865	2.19	12.80	0.06	7.3	0.184	0.45	16.8	2.2	0.07	112	0.64	3.49
G0779121		53	14.60	131.0	3.83	11.45	0.05	2.2	0.022	0.46	2.9	6.5	1.88	657	0.99	1.39
G0779122		57	9.72	58.4	3.09	17.85	0.05	4.0	0.015	0.31	6.3	4.6	0.85	322	0.60	2.42
G0779123		205	5.59	205	5.66	18.00	0.09	1.1	0.029	0.49	1.0	6.4	0.83	352	0.51	1.90
G0779124		98	5.43	463	10.75	17.95	0.14	1.1	0.089	0.23	13.2	5.1	4.16	1340	0.36	2.73
G0779125		145	8.21	120.0	6.58	19.05	0.10	0.4	0.071	0.98	2.7	13.1	3.29	1080	0.12	1.55
G0779126		138	0.22	16.1	4.80	15.85	0.07	0.6	0.046	0.05	2.4	6.4	1.82	681	0.14	0.38
G0779127		5	1.08	127.0	5.06	25.6	0.08	6.6	0.032	0.81	7.3	28.0	0.52	619	0.92	4.61
G0775901		13	1.80	938	9.66	21.3	0.14	1.0	0.038	0.78	11.0	29.7	2.57	978	1.01	2.48
G0775902		16	0.29	5.6	2.72	7.41	<0.05	0.5	0.019	0.35	2.4	9.7	0.76	439	1.27	0.74
G0775903		53	0.86	29.1	5.97	18.20	0.10	1.3	0.050	1.04	6.2	16.2	2.17	1100	0.75	1.69
G0775904		48	1.53	16.5	8.12	22.8	0.12	1.3	0.077	0.86	12.0	11.3	2.58	1460	1.31	2.44
G0775905		71	0.31	315	6.48	23.8	0.12	2.1	0.080	1.01	23.2	4.0	2.32	1240	0.26	2.53
G0775906		74	1.46	14.8	5.61	22.2	0.10	1.1	0.056	0.90	11.2	24.8	1.97	1050	0.44	2.61
G0775907		22	0.60	111.0	12.90	17.55	0.18	1.3	0.273	0.35	6.8	13.2	1.21	2700	0.73	0.61
G0775908		107	9.96	14.6	4.22	16.05	0.07	2.5	0.023	1.51	6.5	90.7	0.81	323	1.94	1.87
G0775909		8	2.04	22.2	2.57	22.5	0.07	4.5	0.033	2.33	19.0	14.1	0.38	242	37.3	3.20
G0775910		73	2.44	2490	7.86	23.7	0.13	1.3	0.017	0.67	9.4	42.2	2.05	661	3.02	2.76
G0775911		9	1.02	1175	3.03	20.3	0.10	4.5	0.031	2.92	2.4	8.2	0.11	77	1.26	0.75
G0775912		86	0.63	48.5	9.84	22.7	0.20	1.0	0.077	0.59	5.5	18.1	2.55	2310	0.38	1.40
G0775913		72	2.41	881	7.89	27.6	0.21	0.9	0.117	1.11	14.9	5.4	1.44	571	7.27	3.35
G0775914		46	2.20	77.2	5.35	20.3	0.16	1.3	0.038	1.12	14.6	9.5	1.51	678	1.87	3.17
G0775915		283	0.51	116.5	7.18	18.80	0.14	1.2	0.058	0.52	3.2	15.1	2.84	3280	0.84	2.32
G0775916		83	0.23	359	11.15	22.5	0.19	1.2	0.087	0.25	4.5	10.4	3.55	1850	0.40	1.67
G0775917		19	2.94	182.5	3.64	16.70	0.14	1.4	0.023	0.92	13.7	10.1	0.62	456	0.69	2.24
G0775918		18	2.54	84.5	5.96	19.00	0.18	0.9	0.021	4.84	6.2	10.3	1.47	420	22.4	2.18
G0775919		37	0.21	59.2	1.43	16.05	0.08	5.1	0.018	0.34	5.1	2.6	0.24	177	1.59	3.54
G0775920		398	0.28	360	7.29	20.9	0.15	0.6	0.086	0.35	5.1	12.0	3.09	1580	1.96	1.63
G0775921		264	0.50	938	7.23	23.5	0.14	1.7	0.054	0.39	2.3	17.7	2.05	1300	0.48	2.14



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
Units		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2
G0779109		10.5	5.0	1100	5.4	68.6	<0.002	0.47	0.07	16.2	3	1.8	261	0.67	0.17	1.6
G0779110		2.4	72.4	250	3.9	28.8	0.003	3.00	0.28	51.1	7	1.1	88.9	0.16	0.47	0.3
G0779111		10.6	4.4	310	5.3	56.9	<0.002	0.15	0.14	7.2	2	3.1	106.0	0.83	0.07	5.6
G0779112		8.5	1.1	60	6.5	123.5	<0.002	0.02	0.07	3.9	2	7.4	74.6	0.70	<0.05	6.0
G0779113		3.2	2.2	230	3.5	87.8	<0.002	1.35	0.08	3.3	2	0.6	122.0	0.34	<0.05	2.1
G0779114		9.9	42.9	400	15.4	90.3	<0.002	0.05	<0.05	14.5	2	1.2	283	0.71	<0.05	9.4
G0779115		1.0	54.7	130	713	1.0	0.039	2.31	1.16	18.4	5	0.5	238	0.07	2.34	<0.2
G0779116		2.0	29.0	270	4.4	22.3	<0.002	0.40	0.12	34.0	3	1.4	247	0.12	0.48	0.3
G0779117		1.5	15.9	190	12.6	77.1	<0.002	1.79	0.34	24.0	5	1.1	139.0	0.09	0.51	<0.2
G0779118		1.7	51.9	250	1.6	15.3	<0.002	1.17	0.08	18.9	5	0.4	244	0.09	0.23	0.5
G0779119		10.1	43.0	410	7.2	13.0	<0.002	0.63	0.09	16.2	3	0.8	215	0.66	0.12	0.9
G0779120		8.3	5.9	30	9.3	20.1	<0.002	0.52	0.08	0.6	3	0.4	202	2.05	0.42	28.4
G0779121		2.6	42.0	390	2.2	26.0	0.002	0.23	<0.05	10.7	2	0.3	130.5	0.17	0.22	1.1
G0779122		4.0	7.8	110	3.8	14.3	<0.002	0.11	0.08	11.5	2	0.6	138.5	0.60	0.06	11.3
G0779123		2.8	3.1	210	2.4	21.5	<0.002	0.16	0.08	34.4	9	1.2	216	0.23	0.27	0.5
G0779124		10.6	105.0	450	1.8	10.5	<0.002	1.62	0.29	35.9	3	1.3	188.0	0.70	0.08	1.1
G0779125		1.6	74.4	740	6.9	37.1	<0.002	0.44	0.11	34.2	3	0.5	133.0	0.10	0.05	<0.2
G0779126		1.7	59.7	160	1.1	1.3	<0.002	0.01	0.11	21.5	2	0.6	117.5	0.11	<0.05	0.3
G0779127		12.5	2.9	450	5.5	42.0	<0.002	1.31	<0.05	8.5	3	1.0	518	0.61	0.11	4.4
G0775901		3.6	83.9	1000	3.3	37.7	0.058	1.58	0.11	25.1	3	0.6	127.0	0.25	0.43	1.2
G0775902		2.5	26.2	180	1.3	17.5	<0.002	0.01	<0.05	6.3	2	0.5	77.4	0.21	<0.05	0.8
G0775903		3.7	55.1	430	3.5	63.4	<0.002	0.04	0.14	21.8	2	1.1	196.0	0.27	0.05	1.5
G0775904		7.8	25.5	1930	4.9	51.2	<0.002	0.05	0.20	31.4	2	1.4	263	0.59	0.74	1.1
G0775905		3.6	68.8	220	12.2	32.2	<0.002	0.27	0.35	21.8	2	1.1	530	0.31	<0.05	2.7
G0775906		4.7	58.1	500	6.2	21.3	<0.002	0.02	0.14	18.2	2	1.2	236	0.35	<0.05	1.1
G0775907		5.3	19.7	1020	2.8	8.3	0.002	0.51	0.06	26.4	4	4.1	39.4	0.34	0.28	0.6
G0775908		4.0	32.8	370	16.0	92.0	<0.002	0.17	<0.05	7.6	2	0.8	533	0.31	<0.05	5.2
G0775909		6.8	2.2	440	7.4	97.8	0.018	0.67	0.16	5.5	2	1.7	142.5	0.62	0.07	5.7
G0775910		5.5	50.3	630	4.6	25.2	0.006	2.14	0.07	16.5	4	0.4	206	0.39	0.27	1.9
G0775911		11.7	0.6	20	3.0	82.5	<0.002	1.81	0.11	4.0	2	3.2	7.0	0.81	0.16	3.3
G0775912		4.9	70.9	820	2.7	22.4	0.002	0.13	0.13	43.2	2	0.7	172.0	0.28	<0.05	0.4
G0775913		6.0	43.9	530	7.3	31.9	<0.002	2.24	0.49	21.3	5	1.3	149.5	0.37	1.07	2.2
G0775914		8.4	31.9	830	6.0	39.8	<0.002	0.33	0.16	18.1	2	1.0	178.5	0.52	0.08	2.2
G0775915		2.9	68.8	350	19.0	15.1	0.002	0.50	0.45	48.8	2	0.9	122.5	0.16	0.11	0.6
G0775916		4.3	74.8	380	1.5	3.3	<0.002	0.34	0.09	34.7	2	0.8	165.5	0.22	0.06	0.6
G0775917		10.7	8.5	550	3.4	39.5	<0.002	0.22	0.17	9.2	2	0.9	163.5	0.57	0.13	2.0
G0775918		3.6	33.0	500	24.9	95.7	0.010	1.74	1.04	22.0	2	0.7	35.4	0.21	0.10	0.9
G0775919		6.9	9.3	70	2.9	11.4	<0.002	0.03	0.19	7.8	2	0.5	81.7	0.49	0.09	4.7
G0775920		2.5	104.0	320	3.9	16.5	<0.002	0.36	1.10	48.7	3	1.1	163.5	0.15	0.16	0.5
G0775921		5.0	77.9	380	4.4	8.1	<0.002	0.18	0.59	36.0	2	1.3	181.0	0.25	0.20	0.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ti % 0.005	Ti ppm 0.02	U ppm 0.1	V ppm 1	W ppm 0.1	Y ppm 0.1	Zn ppm 2	Zr ppm 0.5
G0779109		0.594	0.37	0.5	42	0.6	38.5	78	15.9
G0779110		0.560	0.32	0.1	288	0.1	22.8	132	31.2
G0779111		0.228	0.20	1.3	21	1.1	29.6	23	138.5
G0779112		0.055	0.42	1.1	2	0.5	23.1	7	141.0
G0779113		0.133	0.29	0.9	23	0.2	6.3	18	77.1
G0779114		0.280	0.48	1.0	86	0.2	5.8	75	98.9
G0779115		0.223	0.20	0.1	123	0.9	7.8	1060	7.4
G0779116		0.433	0.09	0.1	212	6.9	15.2	50	34.5
G0779117		0.339	0.31	0.1	164	2.9	11.4	42	24.1
G0779118		0.190	0.09	0.2	96	0.3	10.0	15	43.1
G0779119		0.771	0.04	0.5	281	1.5	19.6	97	61.1
G0779120		0.027	0.06	3.0	4	0.4	12.4	19	131.5
G0779121		0.118	0.08	0.2	51	4.9	11.3	36	79.4
G0779122		0.172	0.06	0.8	63	0.4	9.2	12	93.7
G0779123		0.707	0.12	0.4	348	2.9	12.0	11	28.0
G0779124		0.819	0.06	0.2	252	0.8	24.2	56	27.9
G0779125		0.335	0.45	0.1	202	0.3	18.8	54	9.5
G0779126		0.298	<0.02	0.1	140	0.5	12.7	29	17.1
G0779127		0.358	0.22	1.0	7	0.3	15.2	54	277
G0775901		0.915	0.21	0.2	346	1.9	18.8	123	23.3
G0775902		0.333	0.06	0.2	76	0.1	5.2	27	13.5
G0775903		0.524	0.21	0.3	248	0.3	14.9	68	39.3
G0775904		1.270	0.17	0.4	236	0.9	28.1	114	29.4
G0775905		0.371	0.14	0.7	159	0.3	23.3	74	55.9
G0775906		0.381	0.15	0.3	147	0.3	18.5	97	26.4
G0775907		0.753	0.04	0.3	118	0.8	45.1	411	37.3
G0775908		0.199	0.46	1.2	54	0.6	5.1	35	86.7
G0775909		0.206	0.38	1.0	32	0.8	15.9	27	143.5
G0775910		0.410	0.24	0.4	135	1.4	12.2	99	30.6
G0775911		0.044	0.21	0.9	1	6.5	8.8	5	120.0
G0775912		1.020	0.06	0.1	301	0.2	29.8	153	35.0
G0775913		0.414	0.23	0.5	155	1.1	16.9	57	26.8
G0775914		0.533	0.18	0.4	120	0.6	21.3	59	34.2
G0775915		0.562	0.13	0.1	267	1.2	19.4	200	41.1
G0775916		0.313	0.02	0.1	148	0.1	20.9	120	36.8
G0775917		0.389	0.16	0.4	45	0.8	19.4	24	48.7
G0775918		0.499	0.72	0.2	154	2.1	16.1	49	26.4
G0775919		0.121	0.03	0.7	26	0.4	7.1	8	167.5
G0775920		0.521	0.08	0.2	272	0.9	20.5	58	17.3
G0775921		0.616	0.09	0.2	242	0.6	16.2	88	62.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm
		0.02	1	5	1	50	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1
G0775922		2.58	148	8	21		0.44	8.58	0.7	90	1.28	0.04	5.02	0.23	6.69	29.2
G0775923		2.30	70	<5	5		0.14	3.64	2.2	190	0.35	0.03	0.96	0.07	5.91	11.0
G0775924		1.80	70	<5	<1		0.46	7.63	4.3	370	0.81	0.12	2.65	0.20	23.6	45.7
G0775925		2.58	35	<5	<1		0.11	6.03	1.1	330	1.09	0.04	0.94	0.02	72.6	49.4
G0775926		2.48	16	11	5		0.07	7.62	0.2	120	0.40	0.03	4.55	0.04	6.74	48.8
G0775927		2.08	18	<5	<1		0.03	5.56	0.9	400	1.58	<0.01	1.02	0.04	71.7	2.9
G0775928		1.78	76	<5	<1		0.03	4.39	0.9	230	1.11	0.01	1.07	0.04	55.1	5.6
G0775929		2.62	39	<5	2		0.10	8.20	6.8	1010	0.55	0.02	2.91	0.04	10.45	64.9
G0775930		2.18	16	<5	<1		0.10	7.40	0.5	160	0.36	0.01	5.31	0.06	8.35	29.4
G0775931		2.78	1	12	9		0.03	3.73	2.8	10	0.12	0.02	4.38	0.05	3.85	98.1
G0775932		2.96	<1	<5	<1		0.04	8.18	<0.2	40	0.33	<0.01	7.92	0.03	6.54	44.2
G0775933		4.06	27	<5	2		0.57	7.34	1.3	120	0.31	0.07	3.29	0.28	8.20	157.5
G0775934		2.92	1	<5	1		0.12	7.66	0.3	70	0.35	0.03	6.84	0.04	8.44	112.0
G0775935		2.72	19	<5	1		0.25	8.41	2.2	380	0.53	0.11	2.88	0.09	10.45	46.0
G0775936		3.68	18	<5	1		0.11	8.07	<0.2	130	0.41	0.03	5.80	0.07	10.15	73.2
G0775937		2.22	14	<5	<1		0.27	6.16	0.5	130	0.20	0.10	5.89	0.08	14.80	45.9
G0775938		2.26	14	<5	<1		0.17	7.64	<0.2	290	1.10	0.05	5.71	0.06	41.8	74.8
G0775939		2.26	7	<5	<1		0.19	8.35	0.3	160	2.06	0.02	5.25	0.04	30.5	39.1
G0775940		1.44	7	<5	<1		0.21	7.78	0.5	230	0.79	0.04	5.51	0.06	38.0	56.2
G0775941		1.62	1	<5	<1		0.07	7.30	<0.2	50	0.27	0.01	6.59	0.02	6.50	40.1
G0775951		1.32	106	<5	<1		0.43	7.84	0.4	110	1.91	0.07	5.41	0.11	51.8	64.2
G0775952		2.28	111	<5	<1		0.24	7.81	3.4	310	1.04	0.04	4.68	0.31	77.3	26.0
G0775953		1.36	281	<5	<1		0.27	7.43	0.8	640	1.09	0.11	3.01	0.25	49.5	18.7
G0775954		1.54	10	<5	<1		0.23	6.29	19.5	1330	1.19	0.04	1.37	0.25	33.2	4.1
G0775955		1.48	4	<5	<1		0.24	5.91	0.5	1210	1.07	0.03	0.60	<0.02	31.6	0.7
G0775956		2.66	686	<5	<1		0.55	7.29	0.3	1050	0.58	0.97	2.47	0.04	13.95	26.9
G0775957		1.44	1480	<5	<1		0.55	4.48	1.6	260	0.22	0.67	2.24	0.04	22.5	134.5
G0775958		1.30	11	<5	<1		0.14	6.29	0.3	190	0.51	0.05	1.82	0.20	22.4	7.8
G0775959		1.86	1810	<5	<1		1.24	4.96	3.1	90	0.16	0.32	2.56	0.09	4.85	23.1
G0775960		1.58	72	5	<1		0.31	4.52	0.4	200	0.15	0.23	2.94	0.08	10.65	25.0
G0775961		1.34	35	<5	<1		0.18	6.86	0.2	570	1.03	0.12	2.11	0.03	28.1	5.9
G0775962		2.26	24	<5	<1		0.20	6.04	0.4	770	0.96	0.05	1.02	0.04	41.7	10.6
G0775963		1.78	19	<5	<1		0.24	4.27	0.2	990	0.43	0.08	0.61	0.08	23.4	10.8
G0775964		1.34	>10000	<5	<1	43600	4.15	6.49	0.8	270	0.13	2.81	3.43	1.11	3.90	35.0
G0775965		1.20	78	<5	<1		0.32	7.31	1.2	230	0.90	0.12	4.12	0.18	14.30	114.5
G0775966		2.02	136	9	12		1.11	7.54	3.1	270	0.35	0.07	5.11	0.57	10.20	48.3
G0775967		1.88	198	7	6		1.07	7.77	0.9	180	0.35	0.07	4.57	0.40	9.58	60.9
G0775702		1.46	5	<5	1		0.15	7.28	<0.2	80	0.40	0.30	3.56	0.03	8.78	17.5
G0775703		2.24	5	<5	<1		0.15	7.34	<0.2	190	0.35	0.35	5.37	0.06	8.90	37.0
G0775704		2.04	6	<5	<1		0.05	8.02	<0.2	50	0.29	0.02	6.29	0.02	8.49	68.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 3 - B

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 30-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cr	Ca	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		1	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
G0775922		265	0.52	867	7.24	23.8	0.14	1.8	0.053	0.40	2.6	18.1	2.10	1320	0.32	2.18
G0775923		91	0.47	123.5	2.34	8.67	0.08	1.3	0.023	0.64	2.4	6.7	0.48	296	0.58	1.11
G0775924		60	2.29	241	9.14	22.8	0.20	2.9	0.042	1.69	9.4	30.6	2.02	965	0.59	1.83
G0775925		6	0.51	332	2.15	16.00	0.19	8.0	0.006	1.31	31.4	6.4	0.17	103	1.30	2.89
G0775926		458	0.32	150.5	4.85	17.50	0.13	1.2	0.021	0.32	2.4	4.7	0.83	703	0.43	2.15
G0775927		9	0.65	8.8	1.03	18.25	0.15	6.4	0.017	1.29	30.9	6.4	0.13	156	1.67	2.19
G0775928		10	1.02	27.6	1.94	16.10	0.15	4.4	0.015	0.72	24.4	8.2	0.25	232	0.84	1.59
G0775929		378	2.72	192.0	7.05	19.45	0.20	1.8	0.044	2.82	4.1	43.5	1.69	749	0.35	0.67
G0775930		213	1.00	72.8	5.45	18.30	0.13	1.7	0.033	0.34	3.6	4.9	1.55	716	0.38	1.68
G0775931		2040	0.20	62.2	6.30	8.97	0.20	0.2	0.029	0.03	1.4	1.0	14.10	1560	0.17	0.05
G0775932		253	0.07	58.3	8.17	19.50	0.16	0.8	0.055	0.13	2.2	3.6	3.46	1260	0.21	1.44
G0775933		705	1.02	734	6.06	24.9	0.15	2.1	0.014	0.71	3.2	29.3	1.58	353	3.39	2.05
G0775934		225	0.24	584	10.20	19.30	0.21	0.8	0.068	0.28	3.0	5.7	2.81	1480	0.46	1.81
G0775935		207	1.99	169.5	9.57	22.6	0.20	1.4	0.027	1.04	4.1	37.1	3.98	1410	0.32	2.24
G0775936		235	0.26	434	7.40	19.35	0.17	1.3	0.052	0.25	3.7	3.5	1.91	1160	0.45	2.21
G0775937		3	0.69	517	12.90	28.0	0.25	1.7	0.097	0.55	5.2	7.4	2.52	1720	0.47	1.21
G0775938		2	0.70	745	9.99	23.3	0.23	2.2	0.065	0.53	18.1	8.1	1.78	1080	0.87	1.87
G0775939		2	0.37	402	9.27	27.7	0.20	3.3	0.055	0.34	13.9	6.6	1.62	1160	0.55	3.05
G0775940		3	1.12	378	10.30	28.0	0.23	3.0	0.060	0.72	18.7	7.9	2.33	1180	0.91	1.88
G0775941		188	0.30	297	9.15	18.75	0.18	0.7	0.047	0.18	2.5	3.8	3.39	1070	0.40	1.95
G0775951		5	0.52	1730	9.06	23.4	0.22	2.7	0.090	0.31	22.5	4.7	1.72	1070	0.48	2.82
G0775952		25	1.17	84.8	7.79	23.4	0.25	3.8	0.044	0.64	32.2	13.7	2.05	1780	0.79	2.69
G0775953		3	2.18	183.5	5.68	23.5	0.20	3.4	0.037	1.15	20.4	12.1	1.05	1000	0.57	2.81
G0775954		8	0.65	103.5	2.67	21.4	0.13	8.5	0.014	1.41	16.5	4.4	0.27	266	1.20	2.64
G0775955		5	0.53	107.5	1.36	22.2	0.11	5.1	0.024	2.15	15.5	7.5	0.15	68	0.40	2.12
G0775956		8	1.24	551	5.84	21.5	0.13	4.3	0.039	0.66	6.0	7.5	0.58	385	0.63	2.70
G0775957		6	1.48	384	10.60	15.00	0.21	1.5	0.056	0.66	10.4	10.3	0.94	350	0.61	0.82
G0775958		7	0.88	99.5	2.66	14.55	0.12	3.1	0.025	0.63	10.3	15.3	0.71	325	0.39	2.97
G0775959		158	1.25	690	10.35	17.15	0.15	1.3	0.102	0.35	2.4	9.5	2.30	818	4.48	1.15
G0775960		128	0.86	606	6.65	13.60	0.12	1.1	0.109	0.55	4.7	10.8	2.15	724	0.84	0.99
G0775961		13	1.41	147.0	3.54	20.7	0.12	5.2	0.033	0.77	18.1	8.6	0.70	225	0.84	2.29
G0775962		6	0.73	353	2.05	23.6	0.13	8.1	0.021	0.55	21.6	5.4	0.35	116	1.55	3.30
G0775963		45	1.34	120.5	2.55	13.30	0.12	3.2	0.070	1.59	12.3	14.7	0.67	201	1.62	0.77
G0775964		208	2.09	3650	12.00	18.65	0.20	0.9	0.581	1.19	1.5	25.1	3.85	1100	5.44	0.79
G0775965		153	1.66	1180	7.09	19.80	0.16	3.0	0.048	1.07	7.6	18.4	1.97	609	0.81	1.30
G0775966		419	0.99	519	8.46	18.45	0.16	1.3	0.067	1.66	4.4	25.0	4.55	1420	0.32	0.96
G0775967		389	1.04	666	7.87	17.85	0.14	1.8	0.060	0.93	4.1	22.0	3.07	1140	0.38	1.68
G0775702		96	6.40	525	6.61	17.65	0.15	1.8	0.006	0.50	3.9	9.8	2.32	317	0.98	2.82
G0775703		149	3.16	159.5	6.94	18.10	0.15	1.4	0.055	1.03	3.9	15.6	3.96	1100	0.81	1.53
G0775704		188	0.32	671	8.37	18.20	0.14	0.8	0.050	0.12	3.5	3.8	2.84	935	3.26	2.39



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
		0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2
G0775922		5.1	74.9	390	4.5	10.0	<0.002	0.18	0.58	37.1	2	1.3	185.0	0.25	0.19	0.4
G0775923		3.1	24.2	130	64.0	27.0	<0.002	0.07	0.17	9.8	2	0.8	71.6	0.14	0.11	1.1
G0775924		6.9	45.4	940	8.6	61.9	<0.002	1.19	0.32	22.0	2	1.0	150.0	0.40	0.10	1.3
G0775925		10.1	2.8	100	2.7	33.8	<0.002	0.68	0.09	8.7	2	0.5	96.5	0.64	0.09	4.6
G0775926		2.6	116.5	250	2.1	8.2	<0.002	0.58	0.18	40.5	2	0.6	200	0.17	0.12	0.7
G0775927		8.8	1.8	40	3.4	44.3	<0.002	0.02	0.08	5.3	2	1.0	85.3	0.68	<0.05	5.1
G0775928		12.9	1.9	60	2.7	38.6	<0.002	0.05	0.09	6.6	2	1.0	85.9	0.84	<0.05	4.0
G0775929		3.2	102.5	320	1.8	86.3	<0.002	0.51	0.06	50.3	3	1.0	42.7	0.23	0.05	0.9
G0775930		3.0	43.5	290	10.2	15.1	<0.002	0.08	0.19	43.5	2	0.6	198.5	0.24	<0.05	0.9
G0775931		1.0	1030	120	1.1	1.2	<0.002	0.10	0.50	28.4	2	0.3	33.9	0.06	<0.05	<0.2
G0775932		2.5	122.5	270	1.2	2.0	0.002	0.14	0.20	52.2	2	0.7	127.5	0.15	<0.05	0.2
G0775933		2.7	240	300	22.2	26.5	0.003	2.03	0.12	57.7	3	0.4	151.0	0.20	0.16	0.8
G0775934		2.6	250	250	1.4	8.2	0.005	1.25	0.24	64.6	6	0.8	155.5	0.17	0.14	0.4
G0775935		3.6	162.5	440	6.2	25.1	<0.002	0.95	0.18	24.2	3	0.9	186.0	0.22	0.13	0.5
G0775936		3.1	125.0	270	1.5	4.7	0.004	0.93	0.13	52.0	4	0.6	176.0	0.20	0.11	0.5
G0775937		5.9	16.0	630	1.6	22.7	0.004	1.10	0.24	69.1	4	1.5	83.6	0.36	0.17	0.5
G0775938		18.5	16.5	850	2.7	23.1	0.002	1.05	0.32	18.7	4	1.6	424	1.20	0.16	2.2
G0775939		24.6	4.4	1140	2.8	6.7	<0.002	0.48	0.17	12.4	3	1.9	707	1.57	0.12	2.7
G0775940		24.5	9.9	1000	3.8	30.1	0.002	0.71	0.21	12.8	4	1.6	720	1.52	0.15	2.6
G0775941		2.5	115.0	240	1.1	6.0	0.002	0.25	0.11	39.5	4	0.5	158.5	0.15	0.18	0.3
G0775951		22.2	21.0	1050	2.1	12.1	<0.002	0.87	0.18	11.4	4	2.0	709	1.45	0.42	2.7
G0775952		18.3	37.6	1380	5.7	30.9	<0.002	0.63	0.14	14.5	2	1.3	297	1.17	<0.05	3.7
G0775953		8.7	3.7	1260	2.5	39.3	<0.002	0.51	0.06	21.8	3	1.3	284	0.54	0.08	2.3
G0775954		8.7	1.4	280	2.8	32.6	<0.002	0.26	0.07	9.5	2	0.9	174.5	0.59	0.05	4.4
G0775955		8.9	0.5	50	2.7	42.5	<0.002	0.07	<0.05	2.3	2	2.9	111.0	0.83	0.06	8.2
G0775956		8.0	33.7	1280	1.8	26.0	<0.002	1.67	0.08	18.4	5	0.8	168.0	0.49	0.94	2.0
G0775957		5.6	81.6	760	2.1	28.3	0.002	5.91	0.36	11.5	14	1.3	109.0	0.28	1.08	1.1
G0775958		3.5	7.4	440	3.8	24.5	<0.002	0.04	0.17	9.0	2	0.7	172.0	0.27	<0.05	2.3
G0775959		2.8	28.5	370	2.3	12.0	0.003	0.43	0.25	28.5	4	1.3	47.6	0.17	0.78	0.5
G0775960		2.1	26.3	300	1.1	22.2	<0.002	0.39	0.16	24.3	3	1.0	78.5	0.13	0.36	0.4
G0775961		6.6	5.9	270	2.4	33.9	<0.002	0.21	0.14	9.0	2	1.2	149.0	0.55	0.22	4.2
G0775962		9.3	11.7	40	2.8	21.3	<0.002	0.46	0.16	2.6	2	3.0	185.0	0.80	0.13	8.0
G0775963		4.0	21.8	70	1.9	51.9	0.002	0.14	0.08	9.4	2	1.3	35.9	0.41	0.15	4.0
G0775964		2.1	71.3	220	5.1	55.8	0.010	2.98	0.28	34.8	8	2.5	80.9	0.13	2.59	0.2
G0775965		5.3	76.5	170	3.3	49.3	0.002	1.09	0.27	27.9	8	2.1	179.5	0.42	0.23	3.2
G0775966		2.4	149.0	280	7.2	67.4	<0.002	0.11	0.66	42.2	2	0.8	68.4	0.15	0.09	0.5
G0775967		2.8	126.0	330	4.9	28.1	<0.002	0.31	0.49	42.9	2	0.6	130.0	0.17	0.11	0.7
G0775702		1.0	31.6	350	1.9	16.2	0.002	4.16	0.05	21.4	5	0.7	168.5	0.07	0.12	1.3
G0775703		2.1	93.4	240	1.9	43.4	0.002	1.30	0.07	34.1	4	1.2	128.5	0.14	0.11	0.5
G0775704		2.6	81.8	280	<0.5	2.3	0.002	0.67	0.07	35.4	4	0.6	227	0.14	0.15	0.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.1	1	0.1	0.1	2	0.5
G0775922		0.627	0.09	0.2	241	0.6	16.7	87	64.9
G0775923		0.206	0.11	0.2	57	0.5	6.8	19	38.6
G0775924		0.645	0.28	0.3	158	0.7	21.2	112	119.0
G0775925		0.115	0.13	1.0	2	0.7	21.4	4	320
G0775926		0.504	0.04	0.2	248	0.3	10.9	48	41.0
G0775927		0.061	0.16	0.9	1	0.5	25.5	7	161.0
G0775928		0.090	0.15	0.6	2	0.3	24.0	15	121.0
G0775929		0.552	0.37	0.2	262	1.1	14.0	52	59.5
G0775930		0.500	0.12	0.2	230	0.6	14.2	34	56.1
G0775931		0.233	<0.02	<0.1	140	0.2	8.6	114	3.8
G0775932		0.543	0.02	0.1	271	0.2	21.8	49	14.3
G0775933		0.491	0.20	0.3	363	1.0	11.1	58	64.9
G0775934		0.501	0.05	0.1	287	0.3	28.3	52	17.2
G0775935		0.544	0.27	0.1	179	2.6	13.0	77	49.4
G0775936		0.539	0.04	0.1	268	0.4	21.1	44	37.5
G0775937		1.600	0.09	0.1	623	1.3	47.9	57	43.3
G0775938		1.015	0.10	0.4	190	3.4	28.7	41	77.5
G0775939		0.940	0.04	0.3	71	0.9	36.0	34	117.5
G0775940		0.875	0.16	0.6	69	0.9	38.5	51	108.5
G0775941		0.471	0.05	0.1	247	0.6	18.1	31	16.3
G0775951		0.878	0.07	0.4	60	1.1	32.3	37	94.1
G0775952		0.791	0.16	0.7	105	5.3	33.9	115	143.0
G0775953		0.715	0.14	0.5	107	1.8	30.3	98	120.5
G0775954		0.170	0.09	0.8	4	4.6	13.5	66	302
G0775955		0.048	0.09	0.7	1	2.5	10.3	12	120.0
G0775956		0.673	0.13	0.4	82	19.8	17.8	15	160.5
G0775957		0.448	0.24	0.2	77	76.2	16.7	22	47.4
G0775958		0.239	0.13	0.4	47	1.2	14.1	18	101.5
G0775959		0.423	0.11	0.2	188	5.1	14.1	53	37.3
G0775960		0.331	0.10	0.2	142	3.0	16.0	35	34.8
G0775961		0.224	0.13	0.9	54	2.5	10.4	16	150.0
G0775962		0.050	0.09	2.3	4	0.8	22.9	9	193.0
G0775963		0.099	0.22	0.7	46	2.1	9.7	22	81.1
G0775964		0.420	0.42	0.1	228	4.1	14.9	118	21.7
G0775965		0.326	0.25	0.6	161	0.8	19.3	38	71.0
G0775966		0.474	0.30	0.1	257	0.8	19.8	104	35.6
G0775967		0.490	0.20	0.2	253	0.7	18.0	74	47.3
G0775702		0.114	0.09	0.3	110	0.2	11.2	17	58.1
G0775703		0.331	0.22	0.2	203	0.2	16.9	72	40.5
G0775704		0.507	0.02	0.1	229	1.2	15.2	24	21.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm
		0.02	1	5	1	50	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1
G0775705		3.06	4	<5	3		0.10	6.32	<0.2	40	0.60	0.02	5.93	<0.02	15.75	154.5
G0775706		2.62	13	<5	<1		0.13	7.09	<0.2	90	1.18	0.02	6.13	0.03	43.7	74.8
G0775707		2.18	4	<5	3		0.11	6.70	<0.2	60	1.17	0.01	5.90	0.04	31.8	51.5
G0775709		1.10	10	<5	<1		0.09	7.88	0.5	200	0.37	0.02	1.86	0.05	4.64	18.8
G0775712		1.30	588	8	2		1.04	7.48	9.0	440	0.48	0.05	2.50	0.57	9.85	30.8
G0775720		2.12	16	<5	<1		0.18	8.06	2.2	60	0.51	0.05	6.16	0.29	31.0	38.5
G0775721		2.38	<1	<5	<1		0.12	8.04	<0.2	110	0.71	0.02	5.34	0.04	31.2	30.8
G0775757		0.94	1470	<5	1		0.41	8.25	1.2	270	0.37	0.13	5.34	0.35	6.76	24.2
G0775759		1.06	3480	<5	<1		0.40	5.54	2.8	220	0.23	0.22	3.72	0.15	5.07	7.1
G0775760		0.46	476	<5	<1		0.41	4.54	2.9	170	0.22	0.09	3.18	0.10	18.70	16.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		1	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
G0775705		180	0.36	1255	11.40	17.30	0.19	2.0	0.067	0.13	7.4	3.8	3.43	1230	2.24	2.03
G0775706		81	0.35	738	10.55	22.0	0.21	2.4	0.082	0.30	20.9	4.6	2.54	1200	1.45	2.09
G0775707		39	0.54	253	10.70	18.95	0.19	3.1	0.088	0.26	15.1	6.1	3.60	1260	0.37	2.24
G0775709		304	1.00	45.7	1.70	20.4	0.07	2.4	<0.005	1.11	2.0	13.3	0.31	181	0.58	3.80
G0775712		565	1.76	254	5.71	17.20	0.15	1.5	0.036	2.86	4.5	12.8	0.94	712	0.51	1.50
G0775720		151	0.82	33.6	7.64	22.1	0.19	1.3	0.064	0.59	13.3	13.6	3.04	1080	0.41	0.80
G0775721		10	0.18	117.5	6.07	23.0	0.16	2.3	0.041	0.38	13.8	4.2	1.53	803	0.54	2.94
G0775757		346	1.51	112.5	10.80	21.6	0.22	0.8	0.083	0.96	2.6	21.3	4.45	1540	0.26	1.38
G0775759		212	1.62	132.5	10.20	15.55	0.18	0.7	0.048	0.74	2.1	5.4	1.86	810	0.43	0.99
G0775760		23	1.09	365	10.35	11.60	0.17	1.2	0.034	0.49	8.5	4.6	1.73	814	0.74	1.21



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2
G0775705		12.6	173.5	490	0.5	3.5	0.007	1.68	0.08	34.3	5	1.1	240	0.78	0.23	1.2
G0775706		18.4	50.7	810	0.8	7.7	0.003	0.82	0.11	20.9	4	1.7	399	1.13	0.16	2.0
G0775707		15.4	55.2	550	0.7	10.4	<0.002	0.44	0.15	27.3	3	2.0	251	0.95	0.08	1.5
G0775709		2.6	43.0	320	7.7	43.8	<0.002	0.18	0.20	47.4	2	0.2	203	0.16	0.05	0.9
G0775712		1.7	42.2	310	16.4	92.6	<0.002	1.26	0.27	44.0	2	0.6	91.4	0.12	0.20	0.8
G0775720		5.2	109.0	960	4.2	18.3	<0.002	0.15	0.17	24.0	2	0.6	335	0.27	<0.05	0.8
G0775721		6.8	13.5	790	2.6	7.2	<0.002	0.14	0.11	24.5	3	1.4	262	0.42	0.06	1.6
G0775757		2.6	71.9	270	3.0	33.7	<0.002	0.40	0.30	52.8	3	1.1	83.7	0.15	0.32	0.2
G0775759		2.1	11.4	200	1.9	47.4	<0.002	0.11	0.21	36.7	5	0.9	85.6	0.12	1.14	0.3
G0775760		2.5	15.7	330	4.3	25.2	<0.002	1.67	0.35	18.2	4	0.7	85.0	0.15	0.61	0.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 30-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.1	1	0.1	0.1	2	0.5
G0775705		0.821	0.03	0.2	241	5.2	25.2	30	61.1
G0775706		0.825	0.04	0.4	143	2.6	34.3	35	70.3
G0775707		0.843	0.04	0.3	247	1.2	28.7	36	97.4
G0775709		0.520	0.31	0.2	149	3.1	4.6	18	71.1
G0775712		0.351	0.48	0.3	220	14.1	14.0	77	44.4
G0775720		0.769	0.12	0.2	179	0.6	21.6	122	39.2
G0775721		0.792	0.04	0.3	212	0.7	25.1	32	68.3
G0775757		0.561	0.27	0.1	302	0.8	21.3	93	20.1
G0775759		0.399	0.18	0.1	217	20.8	12.7	42	18.4
G0775760		0.276	0.15	0.3	116	8.9	14.2	44	36.9

Alt



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 5-NOV-2009
Account: MVR

CERTIFICATE SD09112530

Project: Eastmain Mine

P.O. No.:

This report is for 24 Rock samples submitted to our lab in Sudbury, ON, Canada on 16-OCT-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: Eastmain Mine

CERTIFICATE OF ANALYSIS SD09112530

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	Cu-OG62	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Cu %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm
		0.02	1	5	1	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1
G0775795		0.80	315	9	12		0.70	0.10	18.2	10	<0.05	0.25	0.03	0.07	0.79	47.4
G0775796		1.56	61	<5	<1		4.26	2.94	2.5	120	0.92	0.19	0.69	0.05	6.41	0.9
G0775801		0.54	<1	<5	<1		0.08	0.03	1.2	<10	<0.05	0.01	0.02	<0.02	0.16	0.2
G0775827		0.94	<1	<5	<1		0.30	9.10	<0.2	210	0.98	0.02	2.01	0.24	31.1	8.6
G0775851		0.96	18	<5	<1		0.32	7.94	1.5	50	0.43	0.12	5.71	0.09	7.36	87.2
G0775852		0.90	27	<5	<1		0.16	5.72	1.0	70	0.18	0.04	5.19	0.07	5.01	25.4
G0775853		1.80	2590	<5	1	2.33	24.8	0.35	15.8	<10	0.08	1.03	0.41	12.25	1.27	60.0
G0775953		0.88	2550	<5	<1		1.71	4.14	410	160	0.48	0.11	0.92	56.5	18.40	6.9
G0775854		0.66	1760	<5	<1		2.12	6.31	257	370	0.42	0.06	0.62	67.8	21.2	44.4
G0775952		1.68	3520	6	4		9.36	5.64	17.9	280	0.37	3.51	4.18	4.28	13.80	17.8
G0775957		1.32	32	<5	<1		2.73	3.93	3.2	130	0.35	1.47	1.09	0.76	10.55	233
G0775959		1.44	36	<5	<1		4.38	5.52	4.8	150	0.47	0.32	1.57	4.42	10.95	42.5
G0775960		0.94	6	<5	<1		0.76	8.24	1.2	100	0.20	0.16	0.72	0.56	36.2	4.2
G0775765		1.42	311	7	<1		0.27	8.69	5.4	330	2.19	0.10	4.27	0.90	32.1	13.5
G0775771		0.94	11	<5	<1		0.04	8.26	1.6	290	0.47	0.05	0.60	0.04	17.25	3.2
G0775778		0.70	<1	<5	<1		0.03	7.23	0.3	40	0.35	0.01	0.88	0.06	12.70	21.8
G0775780		1.04	19	<5	4		0.26	6.81	1.3	80	0.36	0.94	3.88	0.04	4.20	345
G0775785		0.76	18	<5	<1		0.61	7.09	2.0	440	0.78	0.55	1.79	0.14	6.05	32.3
G0775786		0.58	21	<5	<1		3.57	6.13	2.4	340	0.37	0.53	0.41	1.24	11.85	12.3
G0775787		0.82	40	<5	<1		6.24	5.69	1.0	200	0.48	0.43	1.43	0.97	11.20	65.8
G0775788		0.68	<1	<5	<1		0.11	7.61	1.8	280	0.92	0.04	4.22	0.06	10.30	44.4
G0775861		1.50	257	<5	<1		0.21	7.22	0.8	550	0.75	0.11	1.98	0.08	32.0	14.1
G0775867		0.66	133	19	4		0.37	8.60	8.5	270	0.59	0.23	2.98	0.21	11.35	62.1
G0775966		1.54	7610	<5	<1		5.50	0.27	66.4	<10	<0.05	0.68	2.92	2.22	1.09	28.0

Comments: ***Corrected copy of data for sample G0775953, G0775854, and G0775952. All tags have been physically verified for this workorder correction***

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 5-NOV-2009

Account: MVR

Project: Eastmain Mine

CERTIFICATE OF ANALYSIS SD09112530

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
		1	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
G0775795		15	0.06	3060	8.66	0.81	<0.05	0.1	0.006	0.02	<0.5	0.9	0.01	52	1.88	0.02
G0775796		13	0.45	659	1.57	10.10	<0.05	2.3	0.023	0.45	3.3	4.2	0.12	202	50.0	1.06
G0775801		15	<0.05	12.0	0.36	0.24	<0.05	<0.1	<0.005	0.01	<0.5	<0.2	<0.01	30	0.94	0.01
G0775827		12	3.33	138.5	2.22	29.6	0.24	3.8	0.018	0.90	14.2	20.8	1.22	155	1.14	4.62
G0775851		219	0.24	1510	11.05	17.00	0.18	0.7	0.056	0.17	2.7	6.3	2.44	949	0.38	2.28
G0775852		181	0.57	894	7.76	14.75	0.13	0.5	0.059	0.33	1.9	4.6	2.29	795	0.35	0.83
G0775853		28	<0.05	>10000	6.08	1.48	<0.05	<0.1	1.355	0.01	0.7	0.8	0.28	156	3.75	0.07
G0775953		41	0.78	95.3	7.86	11.15	0.15	1.4	0.128	1.27	8.8	11.3	0.81	839	1.72	0.48
G0775854		72	0.90	103.0	4.94	17.50	0.13	1.0	0.187	2.35	10.5	28.1	0.33	220	1.04	0.75
G0775952		480	1.10	725	13.55	12.95	0.18	0.8	0.462	1.39	5.7	13.4	4.05	990	24.7	1.50
G0775957		9	4.96	3350	27.7	13.30	0.20	1.1	0.030	1.18	6.0	9.7	0.26	132	1.13	0.22
G0775959		9	5.07	840	13.00	17.05	0.09	2.0	0.296	0.79	6.7	12.0	0.45	152	1.15	1.76
G0775960		11	7.90	270	7.33	32.2	0.25	2.9	0.145	0.91	19.1	55.2	2.24	162	0.91	2.75
G0775765		3	1.17	54.3	9.88	25.0	0.24	3.5	0.087	0.56	17.1	6.0	1.73	2840	0.52	2.82
G0775771		15	1.65	14.1	1.36	20.6	0.23	2.0	0.016	2.08	9.4	8.6	0.54	166	0.15	5.37
G0775778		36	1.75	16.2	4.43	16.80	0.28	2.6	0.010	0.19	5.4	12.6	3.41	512	1.32	4.00
G0775780		97	3.26	509	10.70	15.40	0.23	1.6	0.016	0.39	1.8	3.9	2.90	401	1.59	2.55
G0775785		15	4.45	684	5.38	23.2	0.26	2.3	0.040	1.84	3.9	11.3	0.37	389	0.44	1.28
G0775786		29	3.74	1335	6.47	19.75	0.27	2.5	0.734	1.78	6.5	15.2	0.33	110	1.33	1.16
G0775787		9	4.43	1145	7.37	16.25	0.20	1.6	0.033	1.03	5.3	10.7	0.30	155	2.32	1.76
G0775788		208	2.50	15.3	10.00	20.9	0.27	0.9	0.078	1.57	4.0	28.3	4.94	1500	0.27	2.24
G0775861		37	2.86	194.5	5.81	20.5	0.33	2.7	0.062	1.49	14.6	14.3	1.03	726	1.03	2.23
G0775867		502	2.84	296	8.53	19.00	0.33	1.0	0.055	1.15	4.4	19.1	2.58	1020	0.72	3.26
G0775966		38	0.07	1895	8.69	1.17	0.11	<0.1	0.010	0.02	0.6	0.7	1.65	1080	0.21	0.04

Comments: ***Corrected copy of data for sample G0775953, G0775854, and G0775952. All tags have been physically verified for this workorder correction***

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: Eastmain Mine

CERTIFICATE OF ANALYSIS SD09112530

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
		0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2
G0775795		0.2	59.9	30	3.2	0.7	<0.002	1.13	0.27	0.1	6	<0.2	2.6	<0.05	2.55	<0.2
G0775796		3.4	2.0	50	18.7	25.9	0.008	0.08	0.53	1.8	2	0.8	67.1	0.21	0.55	1.9
G0775801		0.1	1.4	10	0.6	0.3	<0.002	<0.01	<0.05	<0.1	2	<0.2	1.2	<0.05	<0.05	<0.2
G0775827		4.5	14.1	460	26.6	28.1	<0.002	0.16	0.23	4.7	2	0.4	371	0.38	<0.05	3.0
G0775851		2.4	136.0	270	2.5	5.5	0.003	3.26	0.23	43.9	5	0.7	162.0	0.15	0.35	0.3
G0775852		1.5	40.5	190	1.2	17.5	<0.002	0.57	0.32	40.0	4	0.6	88.5	0.09	0.14	0.2
G0775853		0.2	12.5	10	73.2	0.6	<0.002	3.40	0.20	2.7	7	0.5	7.8	<0.05	2.27	<0.2
G0775953		1.8	16.6	220	178.0	59.0	<0.002	5.07	1.86	5.2	2	1.1	47.9	0.14	<0.05	1.4
G0775854		2.8	81.1	270	158.5	69.5	<0.002	3.30	1.41	9.2	2	2.5	71.0	0.14	<0.05	1.6
G0775952		2.2	13.3	250	270	52.9	0.048	1.16	0.66	28.4	12	2.4	81.9	0.15	6.31	0.5
G0775957		0.8	173.5	180	9.1	60.4	0.003	>10.0	0.08	1.7	11	0.8	121.5	0.05	0.92	0.7
G0775959		2.3	20.7	250	160.0	45.4	<0.002	3.40	0.67	2.5	2	8.3	209	0.17	0.06	1.8
G0775960		5.0	2.7	360	72.4	43.7	<0.002	0.47	0.07	4.1	15	2.5	217	0.37	0.20	2.9
G0775765		18.5	5.3	940	3.5	26.9	<0.002	0.40	0.12	18.0	3	1.5	535	1.19	<0.05	2.2
G0775771		1.5	8.8	130	2.0	67.7	<0.002	0.02	0.05	4.3	2	0.4	180.0	0.11	<0.05	0.7
G0775778		2.9	27.8	340	1.9	4.9	0.003	0.02	<0.05	6.9	2	0.2	70.7	0.21	<0.05	1.2
G0775780		1.1	4.2	180	3.2	17.3	0.002	>10.0	0.05	21.5	12	0.7	153.5	0.08	0.28	0.6
G0775785		2.6	13.9	210	7.3	75.2	0.003	2.17	0.11	4.0	5	1.3	168.0	0.21	0.23	1.4
G0775786		1.7	3.3	170	16.6	56.1	<0.002	1.06	0.13	6.7	17	4.2	85.5	0.12	0.50	1.3
G0775787		2.2	53.8	250	12.0	55.9	<0.002	5.48	0.16	2.9	7	2.4	122.0	0.17	0.90	1.5
G0775788		2.3	142.0	300	1.6	49.6	0.003	0.25	0.13	46.4	2	1.0	53.1	0.14	<0.05	0.3
G0775861		10.7	14.1	640	3.1	65.3	<0.002	0.32	0.12	15.4	3	1.5	137.0	0.67	0.12	2.6
G0775867		4.2	99.8	460	5.4	44.9	0.002	1.20	0.39	54.7	3	1.0	147.5	0.28	0.37	0.6
G0775966		0.2	111.0	10	2.6	0.6	<0.002	4.22	0.15	3.2	5	0.3	13.1	<0.05	0.60	<0.2

Comments: ***Corrected copy of data for sample G0775953, G0775854, and G0775952. All tags have been physically verified for this workorder correction***

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: Eastmain Mine

CERTIFICATE OF ANALYSIS SD09112530

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.1	1	0.1	0.1	2	0.5
G0775795		0.005	0.02	<0.1	3	0.2	0.4	8	3.9
G0775796		0.022	0.08	0.3	9	0.3	5.1	7	66.9
G0775801		<0.005	<0.02	<0.1	1	0.1	0.1	<2	1.8
G0775827		0.202	0.20	0.7	45	0.4	5.2	157	116.5
G0775851		0.524	0.04	<0.1	254	0.3	17.8	39	16.7
G0775852		0.354	0.08	<0.1	241	0.3	16.9	35	10.1
G0775853		0.025	0.52	<0.1	23	0.2	1.2	364	2.4
G0775953		0.112	0.23	0.2	50	0.9	11.1	2620	41.8
G0775854		0.213	0.20	0.2	63	8.1	8.0	3450	32.4
G0775952		0.456	0.38	0.1	150	5.3	18.2	338	24.5
G0775957		0.056	0.54	0.2	18	0.1	2.5	127	39.4
G0775959		0.124	0.31	0.4	28	0.1	2.2	364	65.5
G0775960		0.204	0.26	0.7	50	0.1	3.7	252	96.5
G0775765		1.140	0.09	0.2	222	38.2	28.0	202	113.5
G0775771		0.159	0.28	0.1	35	0.4	3.7	18	64.6
G0775778		0.185	0.04	0.3	59	0.6	5.2	44	89.3
G0775780		0.089	0.07	<0.1	116	0.2	8.5	22	52.8
G0775785		0.114	0.81	0.4	26	0.7	3.0	64	76.0
G0775786		0.113	0.44	0.5	40	1.3	2.9	286	81.6
G0775787		0.104	0.32	0.3	22	0.4	3.0	131	52.7
G0775788		0.526	0.36	<0.1	282	3.1	21.7	118	22.3
G0775861		0.468	0.25	0.4	88	7.0	28.7	51	79.8
G0775867		0.685	0.27	0.2	276	2.7	18.9	75	27.2
G0775966		0.013	<0.02	<0.1	9	0.2	2.5	255	2.4

Comments: ***Corrected copy of data for sample G0775953, G0775854, and G0775952. All tags have been physically verified for this workorder correction***

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5-NOV-2009
Account: MVR

Project: Eastmain Mine

CERTIFICATE OF ANALYSIS SD09112530

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 8-DEC-2009
Account: MVR

CERTIFICATE SD09112531

Project: EASTMAIN MINE

P.O. No.:

This report is for 101 Rock samples submitted to our lab in Sudbury, ON, Canada on 26-NOV-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 4 (A - B)
Finalized Date: 8-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09112531

Sample Description	Method Analyte Units LOR	WEI-21	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
		Recvd Wt. kg	SiO2 %	Al2O3 %	Fe2O3 %	CaO %	MgO %	Na2O %	K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %
		0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01
G0775701		1.12	47.99	10.40	19.13	10.78	6.59	2.08	0.36	0.02	1.78	0.27	0.139	0.03	<0.01	0.41
G0775708		1.16	53.02	16.12	11.54	9.33	4.71	2.61	0.35	0.05	0.90	0.14	0.073	0.02	0.01	0.74
G0775710		1.28	56.02	17.23	10.23	6.83	2.73	3.25	1.03	<0.01	1.10	0.14	0.246	0.02	0.03	0.89
G0775711		1.44	54.23	14.55	12.48	8.22	4.78	1.80	1.18	0.07	0.82	0.18	0.069	0.02	0.01	1.23
G0775713		1.00	47.82	11.61	11.18	9.36	14.85	1.17	0.34	0.19	0.45	0.20	0.040	0.01	<0.01	1.81
G0775714		1.02	50.93	14.28	12.63	9.21	6.87	2.53	0.54	0.06	1.06	0.19	0.118	0.02	<0.01	0.82
G0775715		1.12	55.48	15.25	11.27	6.95	3.87	3.08	0.76	0.06	0.84	0.15	0.079	0.02	0.02	1.50
G0775716		1.80	40.84	6.34	12.61	3.69	25.78	0.04	0.04	0.57	0.40	0.22	0.034	0.01	<0.01	8.39
G0775717		1.18	48.03	13.79	13.27	7.70	9.29	1.51	2.06	0.03	1.10	0.19	0.074	<0.01	0.07	2.72
G0775718		1.08	49.36	15.65	11.17	11.10	6.75	2.04	0.49	0.05	0.97	0.17	0.066	0.02	0.01	1.10
G0775719		1.28	42.50	7.31	11.98	5.08	24.24	0.13	0.04	0.54	0.42	0.20	0.037	<0.01	<0.01	6.64
G0775722		1.98	52.90	14.46	10.54	10.00	6.88	2.70	0.25	0.05	0.79	0.17	0.069	0.03	<0.01	0.69
G0775751		0.44	77.36	12.40	1.63	1.77	0.51	4.56	0.57	<0.01	0.07	0.02	0.019	0.01	0.01	0.39
G0775752		1.10	49.32	14.43	16.53	8.63	4.12	2.57	0.73	<0.01	1.41	0.19	0.251	0.04	0.04	0.81
G0775753		0.64	52.00	16.36	11.61	10.43	4.90	2.08	0.41	0.05	1.03	0.18	0.064	0.04	0.01	0.85
G0775754		0.90	44.03	6.57	10.80	5.85	25.21	0.06	0.02	0.42	0.42	0.15	0.035	<0.01	<0.01	5.85
G0775755		1.14	55.47	16.49	8.01	7.25	5.10	3.74	1.08	0.10	0.93	0.11	0.043	0.04	0.02	1.29
G0775756		1.12	44.48	15.71	15.10	10.93	8.28	1.47	1.09	0.05	1.08	0.20	0.068	0.01	0.04	1.54
G0775758		1.38	49.98	15.69	12.53	10.64	5.66	2.38	0.33	0.05	1.02	0.16	0.081	0.02	0.01	0.99
G0775761		1.12	44.56	6.73	11.42	7.22	23.04	0.14	0.06	0.42	0.34	0.18	0.026	0.01	<0.01	5.21
G0775762		1.10	48.08	14.58	13.95	10.79	6.55	2.39	0.47	0.04	0.93	0.21	0.059	0.02	0.01	1.06
G0775763		1.42	49.21	14.80	12.33	11.49	7.03	2.12	0.20	0.05	0.97	0.17	0.057	0.03	<0.01	0.60
G0775764		1.40	49.84	14.71	10.79	9.78	8.91	2.28	0.59	0.04	0.94	0.15	0.057	0.01	0.01	1.09
G0775766		1.38	50.62	15.15	15.87	8.08	3.47	3.92	0.42	<0.01	1.44	0.27	0.219	0.06	0.02	0.44
G0775767		1.26	68.03	18.44	1.28	2.04	0.35	7.12	0.96	<0.01	0.22	0.02	0.042	0.06	0.03	0.77
G0775768		1.76	53.25	17.17	10.48	7.75	3.66	4.80	0.24	0.01	1.17	0.14	0.489	0.08	<0.01	0.56
G0775769		1.52	47.63	7.30	18.43	11.02	10.68	1.11	0.22	0.06	1.36	0.23	0.085	<0.01	<0.01	1.00
G0775770		1.78	50.27	14.86	14.31	7.17	5.09	4.21	0.67	<0.01	1.60	0.18	0.156	0.03	0.01	0.93
G0775772		1.18	45.79	16.39	10.40	9.22	12.02	1.27	1.19	0.02	0.50	0.18	0.039	0.01	0.01	2.88
G0775773		1.44	49.96	12.46	16.40	8.75	6.07	2.30	0.52	<0.01	1.39	0.26	0.061	0.01	0.01	1.16
G0775774		1.22	71.79	13.89	3.58	1.76	0.97	4.94	0.86	<0.01	0.47	0.05	0.085	0.03	0.01	1.05
G0775775		1.36	46.75	15.46	13.93	7.08	9.99	1.44	1.46	0.04	0.93	0.18	0.064	0.02	0.03	2.06
G0775776		1.10	49.31	14.66	12.47	9.96	8.15	2.55	0.28	0.04	0.87	0.23	0.065	0.02	<0.01	0.75
G0775777		0.86	52.13	12.21	19.78	7.55	5.06	0.98	0.22	<0.01	0.29	0.09	0.091	<0.01	<0.01	0.70
G0775779		0.64	56.70	17.20	4.39	6.00	6.07	4.74	0.76	0.03	0.73	0.06	0.032	0.02	0.01	3.06
G0775781		2.16	49.24	12.24	17.85	9.68	5.21	2.15	0.29	<0.01	1.56	0.26	0.100	0.02	<0.01	0.52
G0775782		1.36	48.38	14.44	13.15	10.75	8.16	2.06	0.26	0.04	0.87	0.19	0.065	0.01	<0.01	0.73
G0775783		1.26	65.08	16.65	3.65	2.73	3.81	3.95	0.76	<0.01	0.35	0.03	0.101	0.04	<0.01	2.17
G0775784		1.24	48.13	14.50	12.85	7.89	11.03	1.47	1.03	0.05	0.78	0.20	0.057	0.01	0.01	1.80
G0775789		1.34	50.26	14.49	12.98	5.90	7.73	3.04	2.13	0.04	0.89	0.19	0.068	<0.01	0.05	1.91



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - B

Total # Pages: 4 (A - B)

Finalized Date: 8-DEC-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09112531

Sample Description	Method Analyte Units LOR	ME-XRF06
		Total % 0.01
G0775701		99.99
G0775708		99.62
G0775710		99.75
G0775711		99.64
G0775713		99.13
G0775714		99.26
G0775715		99.32
G0775716		98.95
G0775717		99.84
G0775718		98.94
G0775719		99.12
G0775722		99.54
G0775751		99.33
G0775752		99.06
G0775753		100.00
G0775754		99.41
G0775755		99.68
G0775756		100.05
G0775758		99.52
G0775761		99.35
G0775762		99.14
G0775763		99.06
G0775764		99.20
G0775766		99.97
G0775767		99.37
G0775768		99.80
G0775769		99.13
G0775770		99.48
G0775772		99.91
G0775773		99.35
G0775774		99.48
G0775775		99.44
G0775776		99.36
G0775777		99.09
G0775779		99.80
G0775781		99.12
G0775782		99.10
G0775783		99.32
G0775784		99.80
G0775789		99.67



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 4 (A - B)
Finalized Date: 8-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09112531

Sample Description	Method Analyte Units LOR	WEI-21	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
		Recvd Wt. kg	SiO2 %	Al2O3 %	Fe2O3 %	CaO %	MgO %	Na2O %	K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	
		0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
G0775790		1.52	46.05	15.61	12.42	8.87	11.22	1.66	0.80	0.05	0.90	0.14	0.062	0.02	0.01	1.98	
G0775791		1.50	49.78	14.06	12.24	9.51	8.26	2.15	0.63	0.04	0.99	0.19	0.066	0.02	<0.01	1.25	
G0775792		0.70	69.40	14.82	2.46	2.18	3.92	3.87	0.45	0.01	0.42	0.02	0.119	0.03	<0.01	2.08	
G0775793		1.32	50.35	13.43	14.44	9.44	6.85	2.21	0.75	0.01	1.08	0.22	0.067	0.01	0.01	1.04	
G0775794		1.28	55.68	15.58	10.55	7.44	3.72	3.62	0.48	0.01	1.21	0.18	0.142	0.03	0.01	0.66	
G0775797		1.34	47.50	12.10	11.88	9.55	14.85	0.90	0.33	0.19	0.46	0.20	0.036	0.01	<0.01	1.78	
G0775798		1.18	60.40	16.36	7.87	5.51	2.93	3.47	0.97	0.01	1.06	0.10	0.152	0.04	0.02	0.91	
G0775799		2.04	52.25	14.02	11.96	6.20	10.75	2.24	0.23	0.10	0.82	0.20	0.110	0.02	<0.01	1.24	
G0775800		1.46	50.03	14.15	12.63	10.30	7.42	1.82	0.34	0.03	1.08	0.20	0.070	0.01	<0.01	0.70	
G0775802		1.12	42.72	6.48	12.47	3.97	24.88	0.07	0.02	0.63	0.39	0.19	0.036	<0.01	<0.01	6.93	
G0775803		1.00	61.00	15.71	8.13	6.32	2.82	2.94	0.76	0.01	1.03	0.12	0.167	0.02	0.02	0.71	
G0775804		1.14	75.00	13.14	1.80	3.50	0.44	1.70	2.95	<0.01	0.10	0.03	0.020	0.02	0.02	1.01	
G0775805		1.38	71.00	15.97	1.97	3.56	0.65	3.08	1.67	<0.01	0.20	0.02	0.053	0.04	0.05	1.71	
G0775806		0.96	49.28	15.40	11.90	10.69	5.86	2.41	0.48	0.04	0.96	0.15	0.068	0.03	<0.01	2.08	
G0775808		1.22	48.99	15.25	13.45	10.24	6.20	2.69	0.20	0.04	0.99	0.14	0.067	0.01	<0.01	0.81	
G0775809		1.34	50.00	14.88	12.48	10.77	6.81	2.69	0.15	0.04	0.94	0.15	0.055	0.02	<0.01	0.72	
G0775810		1.24	48.00	6.85	17.32	12.00	11.80	0.99	0.24	0.07	1.35	0.20	0.088	0.01	<0.01	1.06	
G0775811		1.26	53.86	15.82	11.97	8.96	3.49	2.37	0.52	<0.01	1.53	0.15	0.263	0.06	0.02	0.56	
G0775812		1.50	51.54	14.20	11.04	8.17	7.36	2.55	0.96	0.07	1.07	0.16	0.456	0.02	0.04	1.68	
G0775813		1.16	48.45	14.75	13.23	11.54	6.86	2.13	0.23	0.04	0.96	0.19	0.061	0.02	<0.01	0.80	
G0775814		1.04	49.40	15.31	12.92	10.99	6.64	2.10	0.32	0.04	0.97	0.15	0.064	0.02	<0.01	1.09	
G0775815		1.32	49.21	15.12	12.19	10.86	7.98	2.20	0.36	0.04	0.88	0.17	0.063	0.02	<0.01	0.97	
G0775816		1.24	49.01	14.39	12.26	10.82	7.80	2.47	0.44	0.04	0.87	0.16	0.061	0.01	<0.01	1.03	
G0775817		1.36	50.10	13.47	13.68	10.54	6.99	2.38	0.28	0.01	0.93	0.21	0.063	0.01	<0.01	0.73	
G0775818		1.48	50.09	13.50	14.66	9.98	7.13	2.36	0.24	0.02	1.25	0.21	0.077	0.01	<0.01	0.49	
G0775819		1.02	51.01	14.78	13.31	8.35	4.23	2.99	0.42	<0.01	3.22	0.17	0.338	0.02	0.01	0.54	
G0775820		1.28	53.61	17.42	8.44	9.44	5.47	3.44	0.18	0.02	0.81	0.12	0.133	0.03	<0.01	0.69	
G0775821		1.24	47.00	15.20	12.38	9.37	11.04	2.08	0.22	0.04	0.94	0.17	0.061	0.01	<0.01	1.52	
G0775822		0.94	48.23	15.34	12.98	10.72	8.03	2.20	0.25	0.04	0.96	0.20	0.063	0.02	<0.01	0.73	
G0775823		1.32	46.04	13.57	14.48	9.69	10.55	1.51	0.31	0.03	0.86	0.21	0.061	0.01	<0.01	1.79	
G0775824		1.38	49.47	15.11	12.57	9.00	6.87	2.90	0.84	0.04	0.93	0.18	0.065	0.01	0.01	1.06	
G0775825		0.72	49.82	14.94	11.99	10.46	7.53	2.63	0.24	0.05	0.91	0.19	0.053	0.02	<0.01	0.73	
G0775826		1.04	49.13	13.09	15.57	9.74	6.92	2.49	0.42	0.01	1.36	0.23	0.091	0.01	<0.01	0.72	
G0775828		0.86	68.26	15.53	3.47	1.56	0.77	5.41	2.86	<0.01	0.31	0.02	0.091	0.02	0.02	1.30	
G0775829		1.20	48.00	16.16	14.38	10.98	4.84	0.97	1.75	0.05	0.91	0.18	0.071	0.01	0.02	1.75	
G0775855		1.08	48.71	5.87	9.70	5.51	23.51	0.18	0.04	0.51	0.33	0.13	0.031	0.01	<0.01	5.31	
G0775856		1.24	46.47	13.94	13.59	8.32	10.95	2.25	0.46	0.03	1.03	0.22	0.065	0.01	0.01	2.61	
G0775858		1.00	67.16	14.07	5.48	1.72	1.54	5.25	1.17	<0.01	0.81	0.07	0.142	0.02	0.01	1.99	
G0775859		1.48	67.10	14.09	6.21	1.51	1.77	4.84	1.04	<0.01	0.83	0.07	0.155	0.02	0.01	1.86	
G0775860		1.08	53.31	16.05	9.68	7.15	5.57	4.51	0.96	0.02	1.17	0.16	0.235	0.03	0.02	1.29	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 3 - B

Total # Pages: 4 (A - B)

Finalized Date: 8-DEC-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09112531

Sample Description	Method Analyte Units LOR	ME-XRF06
		Total -% 0.01
G0775790		99.80
G0775791		99.20
G0775792		99.75
G0775793		99.91
G0775794		99.28
G0775797		99.78
G0775798		99.81
G0775799		100.15
G0775800		98.78
G0775802		98.79
G0775803		99.76
G0775804		99.73
G0775805		99.97
G0775806		99.35
G0775808		99.08
G0775809		99.70
G0775810		99.98
G0775811		99.57
G0775812		99.32
G0775813		99.26
G0775814		100.00
G0775815		100.15
G0775816		99.37
G0775817		99.38
G0775818		100.00
G0775819		99.40
G0775820		99.80
G0775821		100.05
G0775822		99.76
G0775823		99.10
G0775824		99.07
G0775825		99.56
G0775826		99.79
G0775828		99.73
G0775829		100.05
G0775855		99.83
G0775856		99.95
G0775858		99.43
G0775859		99.51
G0775860		100.15



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - A

Total # Pages: 4 (A - B)

Finalized Date: 8-DEC-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09112531

Sample Description	Method Analyte Units LOR	WEI-21	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
		Recvd Wt.	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI
		kg	%	%	%	%	%	%	%	%	%	%	%	%	%	%
		0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	
G0775862		1.48	67.22	14.61	6.25	3.48	1.43	3.63	1.44	<0.01	0.83	0.08	0.158	0.02	0.02	1.01
G0775863		1.88	49.66	14.25	15.05	8.33	6.10	1.54	1.27	0.13	0.92	0.25	0.064	0.02	0.02	1.25
G0775864		1.04	50.46	13.52	15.46	8.44	6.15	1.26	1.22	0.16	0.96	0.25	0.061	0.01	0.02	1.14
G0775865		2.24	47.92	16.60	13.19	9.05	6.68	2.17	1.36	0.01	0.86	0.17	0.104	0.03	0.02	1.18
G0775866		2.28	77.41	12.33	2.01	1.33	0.24	4.44	1.00	<0.01	0.14	0.02	0.025	0.01	0.02	0.86
G0775868		1.62	47.37	15.29	14.62	6.95	5.43	4.12	0.96	0.01	2.70	0.22	0.289	0.02	0.01	1.95
G0775869		2.06	65.65	14.82	6.44	2.77	3.05	2.98	2.47	0.03	0.57	0.07	0.142	0.06	0.06	1.03
G0775870		1.74	51.40	14.98	10.79	7.60	5.79	4.09	1.13	0.02	1.13	0.20	0.092	0.03	0.01	1.75
G0775871		2.26	51.16	15.61	10.61	8.23	5.55	3.99	1.00	0.02	1.32	0.15	0.150	0.03	0.01	1.88
G0775872		1.74	48.03	15.13	13.20	10.83	7.22	2.64	0.48	0.05	0.94	0.19	0.074	0.02	0.01	0.97
G0775873		2.24	46.71	10.61	19.09	10.71	6.12	2.31	0.41	0.02	1.82	0.27	0.153	0.02	0.01	0.45
G0775951		1.38	58.93	16.58	7.97	6.86	3.18	1.24	1.98	0.01	1.03	0.17	0.162	0.03	0.02	1.08
G0775954		1.50	76.32	12.10	1.91	1.61	0.31	3.28	1.44	<0.01	0.13	0.02	0.024	0.01	0.03	1.09
G0775955		1.18	62.07	18.23	5.72	4.32	1.54	4.48	1.23	<0.01	1.15	0.10	0.257	0.03	0.02	0.87
G0775956		1.00	58.01	15.27	6.89	7.52	5.68	3.20	0.64	0.03	0.64	0.11	0.125	0.03	<0.01	1.38
G0775958		1.36	65.36	17.95	2.37	2.97	0.84	4.01	3.08	<0.01	0.36	0.05	0.104	0.03	0.07	1.69
G0775961		0.76	73.84	15.21	1.71	0.64	0.28	2.33	2.69	<0.01	0.35	<0.01	0.041	0.03	0.03	2.00
G0775962		1.88	48.27	14.66	12.98	9.28	8.87	1.74	0.81	0.04	0.94	0.19	0.061	0.01	<0.01	1.52
G0775963		1.96	49.00	14.86	11.77	11.16	8.46	2.19	0.26	0.04	0.93	0.19	0.063	0.01	<0.01	0.88
G0775964		1.50	75.00	13.50	1.53	1.81	0.84	4.81	1.49	<0.01	0.05	0.02	0.016	0.02	0.04	1.01
G0775965		1.32	39.23	7.41	11.32	11.76	19.10	0.07	0.02	0.46	0.42	0.16	0.042	<0.01	<0.01	8.27



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 4 (A - B)
Finalized Date: 8-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09112531

Sample Description	Method Analyte Units LOR	ME-XRF06 Total % 0.01
G0775862		100.20
G0775863		98.85
G0775864		99.11
G0775865		99.34
G0775866		99.84
G0775868		99.94
G0775869		100.15
G0775870		99.01
G0775871		99.70
G0775872		99.79
G0775873		98.70
G0775951		99.24
G0775954		98.27
G0775955		100.00
G0775956		99.52
G0775958		98.88
G0775961		99.15
G0775962		99.37
G0775963		99.82
G0775964		99.93
G0775965		98.25



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 6-DEC-2009
Account: MVR

CERTIFICATE SD09112532

Project: EASTMAIN MINE

P.O. No.:

This report is for 12 Rock samples submitted to our lab in Sudbury, ON, Canada on 26-NOV-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 2 (A - B)
Finalized Date: 6-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09112532

Sample Description	Method Analyte Units LOR	WEI-Z1	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	
		Recvd Wt. kg	SiO2 %	Al2O3 %	Fe2O3 %	CaO %	MgO %	Na2O %	K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %
		0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	
G0779201		1.24	48.90	14.49	12.48	11.82	6.90	2.02	0.24	0.05	0.93	0.19	0.063	0.02	<0.01	0.56
G0779202		1.30	50.00	14.95	11.95	8.65	8.84	2.95	0.25	0.05	0.96	0.17	0.066	0.02	<0.01	1.14
G0779203		1.76	42.30	6.23	12.63	2.86	27.36	0.03	0.02	0.66	0.35	0.17	0.028	<0.01	<0.01	7.33
G0779204		1.56	47.65	14.82	14.84	6.80	7.75	3.33	0.25	0.06	1.00	0.18	0.067	0.01	<0.01	3.21
G0779205		1.56	49.30	13.96	13.04	9.47	7.76	2.56	0.75	0.02	1.03	0.17	0.068	0.02	0.01	1.76
G0779206		2.64	48.81	15.22	13.01	11.85	6.08	2.04	0.23	0.05	0.97	0.18	0.066	0.02	<0.01	0.51
G0779207		1.46	41.29	6.33	12.53	2.98	26.65	0.02	0.02	0.64	0.39	0.15	0.033	0.01	<0.01	8.18
G0779208		1.64	49.20	14.09	12.90	10.05	7.54	2.28	0.58	0.03	0.90	0.20	0.054	0.02	<0.01	0.99
G0779209		1.48	47.83	13.92	14.23	8.16	8.48	1.67	1.18	0.04	1.61	0.22	0.121	0.01	0.02	1.82
G0779210		1.74	50.80	11.72	11.73	9.68	11.82	1.56	0.15	0.10	0.81	0.18	0.266	0.06	<0.01	1.06
G0779211		1.80	55.32	16.38	10.82	6.53	3.39	2.32	1.14	0.11	0.94	0.20	0.097	0.02	0.02	1.94
G0779212		1.52	69.82	15.90	2.84	1.95	0.46	5.41	1.12	<0.01	0.28	0.04	0.120	0.02	0.07	1.34



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 2 (A - B)
Finalized Date: 6-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09112532

Sample Description	Method Analyte Units LOR	ME-XRF06 Total %
G0779201		98.66
G0779202		99.99
G0779203		99.96
G0779204		99.97
G0779205		99.92
G0779206		99.03
G0779207		99.22
G0779208		98.83
G0779209		99.30
G0779210		99.93
G0779211		99.23
G0779212		99.37



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 22-DEC-2009
Account: MVR

CERTIFICATE SD09141472

Project: EASTMAIN MINE

P.O. No.:

This report is for 101 Rock samples submitted to our lab in Sudbury, ON, Canada on 16-DEC-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
B-MS61	B four-acid ICP-MS	ICP-MS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

A1

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141472

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
Sample Description	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
G0775701	1.12	0.05	5.69	1.2	80	0.99	0.07	7.42	0.04	34.2	53.8	123	0.28	6.5	12.70
G0775708	1.16	0.07	8.10	0.5	110	0.33	0.03	6.19	0.05	7.12	34.4	222	0.19	63.8	7.45
G0775710	1.28	0.04	8.70	0.8	260	1.01	0.02	4.82	0.08	42.3	27.7	7	0.75	8.7	7.07
G0775711	1.44	0.09	7.45	15.0	120	0.43	0.02	5.51	0.78	10.55	47.0	386	0.79	41.0	8.04
G0775713	1.00	0.03	5.82	1.2	40	0.12	0.15	6.23	0.14	4.01	61.5	775	0.67	29.1	7.34
G0775714	1.02	0.37	7.55	0.7	70	0.56	0.03	6.30	0.20	18.40	43.2	272	0.46	507	8.31
G0775715	1.12	0.10	7.98	0.7	210	0.50	0.06	4.89	0.05	10.15	37.8	319	0.92	44.3	7.82
G0775716	1.80	0.05	3.32	1.7	30	0.12	0.04	2.47	0.14	3.19	99.3	2580	0.51	35.0	8.16
G0775717	1.18	0.05	6.99	0.6	620	0.40	0.02	5.29	0.11	9.38	36.7	177	1.28	52.4	8.76
G0775718	1.08	0.06	8.70	1.6	160	0.35	0.02	7.91	0.14	7.79	43.6	228	1.11	73.4	7.68
G0775719	1.28	0.02	4.02	2.2	20	0.22	0.03	3.52	0.10	5.01	86.0	2530	0.09	23.7	8.24
G0775722	1.98	0.03	7.72	0.8	90	0.42	0.03	6.94	0.02	9.69	44.8	243	0.17	2.9	7.22
G0775751	0.44	0.04	6.31	3.2	220	1.35	0.02	1.30	<0.02	31.8	1.8	34	0.32	17.9	1.20
G0775752	1.10	0.07	7.62	0.2	360	1.65	0.01	6.00	0.02	62.2	41.3	4	0.50	87.6	11.00
G0775753	0.64	0.06	8.52	<0.2	160	0.34	0.02	7.07	0.06	7.39	46.3	240	0.36	43.7	7.61
G0775754	0.90	0.04	3.68	4.0	10	0.10	0.05	4.10	0.04	3.97	65.8	1760	0.07	31.3	7.29
G0775755	1.14	0.04	8.60	0.9	210	0.47	0.02	5.01	0.04	10.30	28.1	503	0.94	22.3	5.47
G0775756	1.12	0.15	8.12	1.2	340	0.22	0.06	7.30	0.34	6.92	34.3	220	1.13	85.8	8.74
G0775758	1.38	0.17	8.31	0.4	80	0.27	0.01	7.40	0.07	6.33	45.7	229	0.37	130.5	8.42
G0775761	1.12	0.05	3.53	2.7	10	0.14	0.04	4.76	0.05	3.97	48.9	1720	0.52	27.7	7.36
G0775762	1.10	0.07	7.85	0.7	100	0.27	0.01	7.51	0.08	7.29	46.2	206	0.93	8.3	9.27
G0775763	1.42	0.10	8.04	<0.2	50	0.31	0.04	8.05	0.03	7.27	33.5	208	0.15	2.8	8.31
G0775764	1.40	0.10	7.99	0.2	120	0.32	0.01	6.93	0.03	6.08	40.7	205	0.69	4.4	7.53
G0775766	1.38	0.16	7.77	<0.2	130	1.79	0.02	5.48	0.07	41.9	31.1	5	0.36	11.9	10.30
G0775767	1.26	0.05	8.11	0.9	360	1.06	0.02	1.36	0.06	8.43	2.6	19	0.60	13.6	0.88
G0775768	1.76	0.05	8.80	0.6	60	0.97	0.03	5.32	0.06	150.5	29.3	82	0.56	17.3	7.09
G0775769	1.52	0.09	4.03	0.5	20	0.68	0.07	7.56	0.12	15.25	66.9	345	0.64	38.6	12.20
G0775770	1.78	0.39	7.55	<0.2	100	1.29	0.01	4.82	0.06	27.0	36.0	2	1.31	34.3	9.28
G0775772	1.18	0.03	7.35	<0.2	120	0.29	0.04	6.01	0.09	4.06	52.6	103	6.70	3.1	6.66
G0775773	1.44	0.04	6.71	<0.2	110	0.19	0.01	6.02	0.06	4.22	37.4	11	1.22	17.6	10.80
G0775774	1.22	0.06	6.68	0.6	190	0.99	0.21	1.25	0.03	35.1	5.0	10	5.10	8.2	2.47
G0775775	1.36	0.04	7.72	<0.2	290	0.27	0.15	4.81	0.10	7.30	49.4	192	3.28	18.8	9.06
G0775776	1.10	0.04	7.66	0.2	40	0.24	0.08	6.70	0.07	5.85	42.0	165	0.96	32.9	8.08
G0775777	0.86	0.04	6.39	<0.2	10	0.50	0.09	5.12	0.05	17.90	24.7	19	2.20	16.3	12.90
G0775779	0.64	0.13	8.77	0.5	100	0.46	0.35	4.24	0.03	4.52	6.7	151	6.97	194.0	3.05
G0775781	2.16	0.10	6.42	0.2	50	0.37	0.02	6.61	0.10	8.58	44.0	16	0.50	13.3	11.70
G0775782	1.36	0.05	7.53	<0.2	30	0.22	0.04	7.31	0.06	6.48	47.9	167	0.43	63.5	8.54
G0775783	1.26	0.13	7.85	0.3	100	0.80	0.07	1.88	0.51	32.7	10.2	12	12.20	64.0	2.49
G0775784	1.24	0.02	7.04	<0.2	140	0.32	0.20	5.35	0.15	6.20	48.3	209	7.11	3.7	8.29
G0775789	1.34	0.05	7.61	0.2	450	0.88	0.03	4.22	0.07	11.15	33.7	206	2.97	18.2	8.98



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141472

Sample Description	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm
	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
G0775701	16.85	0.18	1.7	0.098	0.26	13.7	4.2	3.76	1990	0.94	1.59	13.4	101.5	600	4.0
G0775708	16.65	0.16	1.7	0.058	0.27	2.9	5.3	2.52	965	0.67	1.84	2.7	47.5	280	5.1
G0775710	25.2	0.21	4.4	0.044	0.83	18.0	10.8	1.50	1040	0.45	2.39	11.0	14.9	1120	1.9
G0775711	16.80	0.17	1.5	0.038	0.95	4.2	13.3	2.62	1250	0.69	1.27	2.4	103.5	270	4.7
G0775713	11.50	0.18	0.5	0.043	0.27	1.5	16.4	8.55	1420	0.30	0.89	0.9	374	140	1.4
G0775714	18.90	0.18	1.3	0.075	0.43	7.2	10.7	3.94	1360	0.58	1.91	3.3	120.5	500	3.2
G0775715	17.05	0.15	1.6	0.055	0.61	4.1	12.0	2.16	1090	0.41	2.28	2.5	74.2	320	2.1
G0775716	7.52	0.16	0.2	0.029	0.02	1.1	4.9	14.95	1560	0.25	0.03	0.8	1090	110	1.5
G0775717	18.40	0.18	0.7	0.073	1.69	3.7	23.3	5.38	1420	0.43	1.16	2.5	90.6	290	1.9
G0775718	18.25	0.12	0.7	0.056	0.43	2.6	7.9	4.02	1280	0.39	1.60	2.3	127.5	280	5.4
G0775719	7.93	0.15	0.2	0.031	0.02	2.3	1.1	14.55	1500	0.17	0.11	0.8	982	130	0.6
G0775722	17.80	0.12	1.3	0.044	0.20	3.6	8.1	4.02	1260	0.30	2.07	2.4	88.1	270	1.0
G0775751	19.20	0.10	8.1	0.040	0.44	13.6	6.8	0.27	130	3.13	3.20	8.7	8.3	30	3.1
G0775752	25.7	0.23	3.6	0.069	0.60	26.6	8.9	2.30	1360	0.86	1.94	20.8	9.8	1130	1.9
G0775753	18.35	0.15	0.6	0.073	0.35	2.5	6.2	2.70	1290	0.35	1.51	2.4	131.0	250	2.7
G0775754	8.83	0.17	0.4	0.031	0.01	1.3	0.4	15.30	1080	0.17	0.04	1.2	886	110	0.5
G0775755	18.80	0.12	1.0	0.037	0.90	3.8	8.2	2.89	807	0.15	2.78	1.7	115.5	150	5.5
G0775756	23.9	0.17	0.9	0.072	0.90	2.2	10.5	4.65	1440	0.29	1.10	2.4	85.5	270	2.2
G0775758	17.90	0.15	0.8	0.056	0.29	2.2	4.3	3.24	1180	0.25	1.80	2.4	90.0	240	4.3
G0775761	9.56	0.15	0.3	0.032	0.06	1.1	2.0	13.10	1260	0.11	0.11	0.9	536	70	0.7
G0775762	18.15	0.15	0.7	0.072	0.39	2.8	9.0	3.80	1550	0.18	1.84	2.2	131.5	240	1.1
G0775763	18.05	0.14	0.7	0.065	0.15	2.4	4.0	4.12	1290	0.44	1.66	2.3	122.0	230	0.9
G0775764	16.45	0.15	0.7	0.044	0.49	1.9	12.2	5.29	1140	0.20	1.77	2.2	134.0	220	0.9
G0775766	23.7	0.18	4.0	0.075	0.33	17.3	3.4	1.89	1880	0.39	2.88	21.0	11.9	970	2.3
G0775767	20.4	0.10	1.5	0.005	0.75	3.7	4.1	0.17	146	0.28	5.07	1.6	3.6	150	2.0
G0775768	19.90	0.25	4.2	0.051	0.18	64.5	4.8	1.99	1000	0.62	3.57	7.2	51.7	2240	2.8
G0775769	13.95	0.18	1.6	0.097	0.17	5.2	4.2	6.27	1650	0.19	0.88	10.3	203	370	1.4
G0775770	18.05	0.16	2.3	0.058	0.50	10.5	7.8	2.78	1300	0.23	3.09	14.9	38.0	670	2.5
G0775772	13.20	0.16	0.6	0.031	0.94	1.3	11.7	6.42	1240	0.15	0.91	1.8	369	130	1.1
G0775773	14.80	0.12	0.7	0.070	0.41	1.4	8.5	3.44	1860	0.20	1.72	2.1	27.3	240	1.2
G0775774	18.30	0.11	2.8	0.036	0.65	11.6	11.8	0.49	376	0.26	3.39	7.9	5.2	340	3.6
G0775775	17.90	0.18	0.5	0.045	1.22	2.6	18.7	5.65	1300	0.10	1.08	1.7	119.0	250	1.1
G0775776	17.15	0.14	0.6	0.072	0.22	1.8	8.5	4.61	1630	0.19	1.90	2.0	107.0	250	0.8
G0775777	20.9	0.17	1.6	0.016	0.16	8.3	27.6	2.80	623	1.53	0.72	2.2	26.7	370	0.5
G0775779	19.55	0.10	2.0	0.013	0.61	1.9	15.7	3.46	450	0.45	3.52	0.6	5.8	110	3.9
G0775781	21.4	0.14	1.3	0.098	0.22	2.9	6.0	2.91	1860	0.44	1.63	3.5	30.8	410	14.4
G0775782	17.60	0.15	0.7	0.063	0.21	2.1	7.9	4.67	1400	0.22	1.53	2.0	126.0	240	0.8
G0775783	26.8	0.12	3.1	0.031	0.58	14.0	50.2	2.10	203	0.50	2.85	1.3	11.4	440	12.0
G0775784	18.15	0.16	0.5	0.067	0.84	2.0	18.4	6.18	1380	0.09	1.12	2.0	142.5	210	0.8
G0775789	20.2	0.18	0.8	0.065	1.80	4.4	28.1	4.59	1420	0.20	2.35	2.0	131.0	280	1.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141472

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Ta ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
G0775701		5.4	0.002	<0.01	0.13	26.8	3	1.2	315	0.89	0.06	1.5	0.976	0.03	0.4	267
G0775708		6.2	<0.002	0.09	0.21	43.3	2	0.7	198.5	0.22	0.09	0.9	0.489	0.05	0.3	258
G0775710		35.1	<0.002	<0.01	0.19	19.9	3	1.0	206	0.70	0.10	1.9	0.626	0.15	0.4	55
G0775711		33.6	0.002	0.22	0.32	43.8	2	0.5	91.7	0.18	0.14	0.7	0.446	0.17	0.2	243
G0775713		15.4	<0.002	0.01	0.69	37.1	2	0.3	73.5	0.06	0.14	0.2	0.225	0.09	<0.1	178
G0775714		17.8	0.002	0.07	0.68	36.2	2	0.7	159.0	0.22	0.21	0.8	0.576	0.10	0.2	244
G0775715		26.0	<0.002	0.06	0.18	41.5	2	0.6	175.5	0.18	0.06	0.7	0.476	0.14	0.2	247
G0775716		1.6	<0.002	0.02	0.33	22.3	1	0.2	57.5	0.05	<0.05	<0.2	0.220	0.03	<0.1	136
G0775717		77.6	0.003	0.01	0.29	48.6	1	0.6	56.5	0.15	<0.05	0.2	0.560	0.31	0.1	311
G0775718		30.0	0.002	0.01	0.88	44.3	3	0.5	137.5	0.16	0.16	0.2	0.564	0.14	0.1	280
G0775719		0.7	<0.002	<0.01	0.20	23.2	1	0.2	35.5	0.05	0.07	<0.2	0.237	0.02	<0.1	150
G0775722		4.4	<0.002	<0.01	0.58	46.5	1	0.6	217	0.23	<0.05	0.8	0.449	0.02	0.2	231
G0775751		15.6	<0.002	<0.01	0.07	2.5	2	2.4	71.9	0.78	0.24	7.4	0.047	0.06	2.5	4
G0775752		17.3	<0.002	0.18	0.15	9.6	3	1.6	409	1.42	0.13	2.6	0.788	0.08	0.4	52
G0775753		9.7	0.004	<0.01	0.14	45.1	2	0.5	308	0.16	0.09	0.3	0.571	0.05	0.1	289
G0775754		0.3	<0.002	0.04	0.39	26.4	2	0.2	35.1	0.08	0.08	0.2	0.256	<0.02	0.1	137
G0775755		33.9	<0.002	<0.01	0.31	42.6	2	0.5	395	0.11	0.09	0.4	0.507	0.14	0.1	271
G0775756		44.3	0.002	0.08	0.32	52.9	2	0.8	92.5	0.16	0.08	0.2	0.584	0.18	0.1	384
G0775758		10.5	0.002	0.02	0.18	46.4	2	0.6	167.0	0.16	0.07	0.2	0.577	0.07	0.1	284
G0775761		3.3	<0.002	0.01	0.20	23.7	1	0.3	13.2	0.05	0.06	0.2	0.192	0.02	0.1	119
G0775762		14.5	<0.002	<0.01	0.27	44.7	2	0.7	232	0.14	<0.05	0.2	0.526	0.07	0.1	266
G0775763		2.3	0.002	<0.01	0.20	45.1	1	1.0	302	0.15	<0.05	0.2	0.556	0.02	0.1	280
G0775764		23.8	<0.002	<0.01	0.24	45.8	2	0.5	164.5	0.14	<0.05	0.2	0.524	0.09	0.1	277
G0775766		6.9	<0.002	<0.01	0.13	9.7	2	1.6	562	1.39	<0.05	2.4	0.798	0.03	0.5	52
G0775767		26.0	<0.002	<0.01	0.06	2.3	1	0.2	436	0.09	<0.05	0.4	0.122	0.09	0.2	19
G0775768		6.3	<0.002	<0.01	0.14	19.1	1	0.8	778	0.37	<0.05	7.3	0.653	0.03	1.1	183
G0775769		3.1	<0.002	<0.01	0.19	49.8	1	1.4	69.7	0.69	<0.05	1.2	0.761	0.02	0.2	263
G0775770		24.8	<0.002	0.03	0.13	12.8	2	0.7	258	0.98	<0.05	1.3	0.859	0.09	0.3	187
G0775772		37.3	<0.002	<0.01	<0.05	25.6	1	0.6	88.1	0.18	<0.05	<0.2	0.237	0.22	0.1	136
G0775773		14.9	<0.002	<0.01	0.05	42.5	1	0.6	81.0	0.14	<0.05	<0.2	0.744	0.07	0.1	400
G0775774		38.3	<0.002	0.03	0.07	7.7	2	1.0	167.5	0.70	0.08	4.1	0.258	0.17	0.7	25
G0775775		63.8	<0.002	0.01	0.06	43.8	1	0.4	97.8	0.12	<0.05	0.2	0.407	0.26	0.1	267
G0775776		7.6	<0.002	0.01	0.05	42.2	1	0.5	150.0	0.13	<0.05	0.2	0.468	0.06	0.1	247
G0775777		2.7	0.006	<0.01	<0.05	5.6	1	0.6	4.3	0.20	<0.05	1.8	0.158	0.03	0.4	50
G0775779		13.6	<0.002	1.28	0.07	34.9	3	0.7	201	0.05	0.08	0.4	0.154	0.12	0.2	176
G0775781		5.0	0.002	<0.01	0.12	52.6	1	0.9	164.5	0.24	<0.05	0.3	0.856	0.03	0.1	379
G0775782		5.1	0.002	0.07	0.08	44.1	1	0.6	107.0	0.14	<0.05	0.2	0.483	0.03	0.1	250
G0775783		22.4	<0.002	0.07	0.05	5.3	2	1.5	294	0.11	<0.05	2.1	0.142	0.15	0.5	42
G0775784		55.9	<0.002	<0.01	0.06	59.0	1	1.3	105.5	0.14	<0.05	0.2	0.386	0.21	0.1	282
G0775789		62.6	0.002	0.02	0.14	49.4	1	1.0	70.7	0.13	<0.05	0.2	0.513	0.45	0.1	267



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141472

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61	AU-GRA22
	Analyte	W	Y	Zn	Zr	B	Au
Units		ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.1	0.1	2	0.5	10	0.05
G0775701		0.7	25.0	85	50.9	<10	
G0775708		0.5	18.2	45	54.1	<10	
G0775710		0.4	39.0	36	152.5	<10	
G0775711		2.7	18.7	113	45.0	<10	
G0775713		0.3	12.7	75	10.7	<10	
G0775714		0.5	21.7	64	35.9	<10	
G0775715		0.5	17.9	47	50.5	<10	
G0775716		0.2	6.9	79	4.3	<10	
G0775717		1.3	24.7	67	18.5	<10	
G0775718		0.6	21.5	47	12.5	<10	
G0775719		0.4	8.1	99	6.4	50	
G0775722		0.5	16.9	42	36.1	40	
G0775751		0.2	21.3	11	218	80	
G0775752		0.6	39.0	46	123.0	60	
G0775753		0.6	22.4	63	12.3	40	
G0775754		0.1	9.6	80	10.2	50	
G0775755		0.5	17.9	34	26.8	60	
G0775756		0.4	25.8	83	20.3	70	
G0775758		0.3	22.6	56	14.5	110	
G0775761		0.2	14.0	67	6.2	140	
G0775762		0.6	21.3	55	14.4	120	
G0775763		0.6	22.4	55	13.4	120	
G0775764		0.6	20.7	47	17.4	190	
G0775766		0.6	36.1	61	128.5	170	
G0775767		0.6	3.2	8	43.7	160	
G0775768		0.6	20.1	38	153.5	150	
G0775769		0.7	19.4	71	44.4	170	
G0775770		1.2	26.6	43	77.2	180	
G0775772		0.4	12.4	77	17.1	140	
G0775773		0.4	20.0	100	16.5	220	
G0775774		0.3	26.0	26	78.6	230	
G0775775		0.2	19.3	100	8.7	190	
G0775776		0.3	19.8	94	11.0	160	
G0775777		<0.1	6.3	51	48.1	230	
G0775779		0.3	13.2	30	68.9	70	
G0775781		0.6	33.0	93	35.2	20	
G0775782		0.2	19.6	98	14.2	10	
G0775783		0.1	5.9	279	103.0	60	
G0775784		0.1	21.3	86	12.0	60	
G0775789		2.2	22.3	114	17.2	80	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141472

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
G0775790		1.52	0.04	7.27	0.2	130	0.66	0.34	6.01	0.17	8.13	46.1	244	8.20	7.5	8.25
G0775791		1.50	0.04	7.46	0.6	50	0.26	0.35	6.66	0.07	6.67	43.6	223	8.98	38.1	8.46
G0775792		0.70	0.02	6.97	0.3	90	0.60	0.03	1.54	<0.02	34.2	12.7	58	10.85	1.2	1.69
G0775793		1.32	0.08	7.39	1.8	120	0.33	0.07	6.69	0.10	7.69	48.1	48	4.22	40.2	9.84
G0775794		1.28	0.10	8.07	0.4	100	0.69	0.21	5.24	0.10	22.6	25.4	32	1.21	21.8	7.26
G0775797		1.34	0.10	6.21	1.1	30	0.12	0.02	6.55	0.10	3.21	65.6	789	0.28	110.5	8.07
G0775798		1.18	0.02	7.84	0.3	230	1.22	0.01	3.86	0.03	35.0	22.2	74	0.76	2.0	5.37
G0775799		2.04	0.03	7.30	<0.2	30	0.54	0.02	4.31	0.04	18.40	49.0	486	0.46	2.4	8.20
G0775800		1.46	0.06	7.52	0.6	80	0.38	0.01	7.17	0.04	7.50	46.2	161	0.25	163.5	8.42
G0775802		1.12	0.03	3.48	4.8	<10	0.10	0.13	2.78	0.14	2.20	90.2	3050	0.07	68.8	8.51
G0775803		1.00	0.04	7.78	0.5	230	1.23	0.04	4.48	0.07	44.8	25.7	85	0.47	4.5	5.66
G0775804		1.14	0.01	8.11	0.9	290	1.44	0.17	2.42	0.08	65.6	1.6	12	0.94	5.7	1.23
G0775805		1.38	0.24	7.11	14.4	420	0.97	0.01	2.44	0.09	12.65	6.4	13	0.98	103.0	1.32
G0775806		0.96	0.03	8.11	0.2	90	0.32	0.02	7.27	0.06	6.73	34.1	209	0.28	24.9	7.78
G0775808		1.22	0.05	8.07	<0.2	50	0.31	0.01	7.00	0.04	4.55	60.7	197	0.17	391	8.82
G0775809		1.34	0.02	7.97	<0.2	40	0.32	0.01	7.50	<0.02	5.28	38.3	189	0.30	49.2	8.33
G0775810		1.24	0.07	3.75	<0.2	40	0.77	0.02	8.14	0.03	23.6	65.0	323	0.14	180.5	11.30
G0775811		1.26	0.06	8.24	<0.2	180	2.19	0.03	6.13	0.04	69.8	28.5	8	0.43	21.2	7.87
G0775812		1.50	0.05	7.42	<0.2	350	0.81	0.06	5.54	0.05	119.5	34.1	313	0.95	22.1	7.25
G0775813		1.16	0.02	7.72	<0.2	40	0.32	0.01	7.77	0.02	7.38	45.4	210	0.36	2.5	8.63
G0775814		1.04	0.05	7.86	0.2	60	0.24	0.02	7.28	0.05	7.43	45.4	177	0.91	96.6	8.22
G0775815		1.32	0.03	7.80	0.2	50	0.26	0.01	7.29	0.03	6.74	44.2	173	0.84	63.1	7.82
G0775816		1.24	0.02	7.71	<0.2	70	0.20	<0.01	7.38	0.04	6.93	40.4	188	0.79	8.6	8.06
G0775817		1.36	0.02	7.08	0.2	40	0.23	0.04	7.08	0.03	6.33	47.0	18	1.54	2.8	8.84
G0775818		1.48	0.05	7.37	<0.2	30	0.37	0.04	6.96	0.11	8.06	48.0	106	0.73	34.4	9.87
G0775819		1.02	0.10	7.91	0.5	90	0.89	0.01	5.78	0.14	29.1	35.9	26	1.36	16.1	8.82
G0775820		1.28	0.03	9.12	<0.2	50	0.43	0.02	6.50	0.06	12.90	28.6	102	0.54	34.0	5.72
G0775821		1.24	0.03	7.21	<0.2	30	0.23	0.04	6.31	0.09	7.49	45.4	184	1.61	2.4	7.98
G0775822		0.94	0.11	7.88	<0.2	40	0.28	0.05	7.11	0.19	5.64	46.3	185	0.43	65.8	8.28
G0775823		1.32	0.03	6.75	<0.2	30	0.21	0.03	6.47	0.11	6.17	53.8	173	1.21	9.8	9.28
G0775824		1.38	0.02	7.82	0.7	180	0.28	0.01	6.04	0.04	6.32	37.4	221	0.60	5.1	8.13
G0775825		0.72	0.02	7.82	0.3	50	0.21	0.27	7.04	0.09	4.95	40.4	214	1.23	14.4	7.78
G0775826		1.04	0.15	6.73	0.3	60	0.44	0.35	6.44	0.46	6.74	39.2	48	1.74	32.5	9.91
G0775828		0.86	0.62	7.29	2.1	230	0.46	0.07	1.07	2.44	28.8	4.9	16	2.83	103.5	2.31
G0775829		1.20	0.11	8.67	0.5	230	0.29	0.04	7.75	0.19	8.49	26.4	278	3.25	16.0	9.69
G0775855		1.08	0.03	3.13	4.1	10	0.13	0.15	3.73	0.13	2.80	53.9	2390	0.07	72.7	6.50
G0775856		1.24	0.05	6.92	1.6	80	0.23	0.05	5.65	0.11	5.98	45.6	175	0.48	41.0	8.87
G0775858		1.00	0.02	7.03	0.9	140	0.55	0.05	1.26	0.05	38.8	10.7	25	1.79	47.2	3.78
G0775859		1.48	0.05	6.84	0.5	160	0.77	0.07	1.06	0.06	53.3	12.2	20	2.42	57.7	4.10
G0775860		1.08	0.01	8.45	0.3	220	0.70	0.08	4.97	0.10	31.7	30.5	110	1.62	2.6	6.66



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141472

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm
G0775790		19.20	0.21	0.7	0.063	0.64	2.9	30.2	6.18	989	0.33	1.23	1.9	149.5	230	1.1
G0775791		17.00	0.16	0.7	0.062	0.52	2.2	20.0	4.83	1440	0.56	1.62	2.1	95.2	270	0.9
G0775792		16.55	0.13	2.7	0.005	0.34	14.2	30.3	2.16	132	0.28	2.71	1.0	116.5	510	1.7
G0775793		19.95	0.13	1.0	0.076	0.63	2.6	19.5	4.01	1640	0.53	1.66	2.5	56.6	270	2.1
G0775794		22.8	0.14	1.8	0.072	0.39	8.6	15.0	2.07	1140	0.62	2.70	5.7	39.3	620	2.7
G0775797		12.75	0.15	0.5	0.043	0.26	1.2	13.7	8.68	1440	0.12	0.68	0.8	366	120	1.2
G0775798		22.5	0.14	4.8	0.026	0.76	13.8	13.6	1.58	742	0.18	2.51	11.9	36.8	670	1.4
G0775799		14.80	0.16	2.2	0.053	0.18	7.7	16.2	6.34	1480	0.06	1.66	4.1	243	490	1.4
G0775800		18.95	0.14	1.0	0.067	0.28	2.5	7.1	4.33	1440	0.28	1.37	2.6	79.5	280	1.5
G0775802		7.88	0.13	0.2	0.034	0.01	0.7	0.7	14.95	1400	0.09	0.06	0.8	984	120	0.5
G0775803		23.0	0.14	5.2	0.054	0.61	17.9	9.6	1.59	888	0.68	2.13	13.7	42.3	740	2.7
G0775804		24.3	0.18	5.7	0.055	2.29	27.4	9.0	0.20	228	0.50	1.17	12.9	3.1	50	4.1
G0775805		22.6	0.13	2.3	<0.005	1.29	5.6	10.2	0.30	156	0.15	2.11	1.2	8.2	190	20.1
G0775806		18.75	0.15	0.6	0.055	0.38	2.3	18.6	3.29	1080	0.17	1.79	2.4	115.0	270	1.9
G0775808		20.2	0.14	0.7	0.063	0.16	1.5	7.1	3.51	1020	0.21	2.04	2.2	99.4	270	0.5
G0775809		19.55	0.14	0.7	0.111	0.11	1.8	4.1	3.93	1120	0.35	2.06	2.2	85.2	200	<0.5
G0775810		13.65	0.16	1.0	0.096	0.18	8.7	3.9	6.87	1420	0.33	0.77	8.9	162.0	360	1.0
G0775811		24.6	0.18	2.3	0.067	0.42	29.0	7.5	1.90	1100	0.72	1.74	22.0	14.9	1180	1.8
G0775812		21.3	0.24	3.5	0.051	0.79	52.1	17.1	4.20	1140	0.93	1.90	6.4	149.5	2080	2.3
G0775813		18.75	0.14	0.7	0.069	0.17	2.5	6.7	3.86	1350	0.21	1.59	2.3	148.0	230	0.8
G0775814		19.60	0.14	0.7	0.051	0.24	2.8	8.6	3.64	1090	0.22	1.52	2.2	126.5	250	1.4
G0775815		17.45	0.13	0.6	0.046	0.28	2.4	7.1	4.44	1180	0.24	1.62	1.9	123.5	240	0.6
G0775816		17.90	0.14	0.6	0.059	0.35	2.5	9.3	4.50	1180	0.13	1.88	1.9	124.0	230	0.6
G0775817		17.55	0.13	0.7	0.042	0.22	2.3	5.2	3.92	1490	1.45	1.80	1.8	51.5	240	0.5
G0775818		20.0	0.15	0.9	0.089	0.19	2.6	6.7	4.16	1580	0.23	1.85	2.9	58.2	320	0.9
G0775819		24.1	0.16	1.5	0.072	0.34	10.8	8.2	2.38	1230	0.48	2.28	8.5	44.7	1520	1.8
G0775820		20.1	0.14	1.1	0.043	0.14	5.2	6.2	3.07	851	0.41	2.57	4.2	85.5	570	1.6
G0775821		18.85	0.17	0.7	0.068	0.17	2.3	14.2	6.10	1220	0.78	1.58	2.1	127.0	230	0.7
G0775822		18.15	0.14	0.6	0.067	0.19	1.8	7.7	4.46	1380	0.12	1.61	2.2	114.0	240	1.3
G0775823		17.50	0.15	0.6	0.060	0.24	2.0	20.3	5.90	1480	0.34	1.16	2.0	128.0	220	1.0
G0775824		18.00	0.13	0.6	0.052	0.68	2.0	9.2	3.81	1280	0.10	2.16	2.2	125.5	250	1.0
G0775825		17.70	0.13	0.6	0.061	0.19	1.5	6.3	4.26	1320	0.19	1.96	2.0	60.1	200	1.1
G0775826		21.0	0.15	1.4	0.081	0.33	1.9	6.5	3.81	1660	1.37	1.83	3.4	38.4	370	10.6
G0775828		17.50	0.10	2.2	0.019	2.27	12.8	8.3	0.39	155	50.7	3.71	4.0	10.5	370	82.1
G0775829		21.1	0.16	0.7	0.123	1.52	3.3	15.4	2.76	1340	0.47	0.73	2.6	49.1	290	3.6
G0775855		7.95	0.12	0.4	0.017	0.03	1.0	1.8	13.95	957	0.67	0.14	0.9	756	100	1.8
G0775856		18.75	0.14	0.7	0.056	0.38	2.1	18.4	6.22	1580	0.16	1.66	1.8	116.0	250	2.4
G0775858		15.35	0.10	1.9	0.025	0.92	16.2	6.7	0.83	489	0.81	3.72	10.6	12.7	600	3.7
G0775859		19.00	0.15	2.4	0.027	0.79	22.5	10.1	0.91	497	0.53	3.33	12.3	11.8	660	3.5
G0775860		20.4	0.12	2.2	0.055	0.79	12.9	11.2	3.16	1200	1.21	3.40	5.4	86.6	1060	2.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141472

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
Units		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
G0775790		38.5	<0.002	<0.01	0.08	67.9	1	0.5	167.5	0.13	0.05	0.2	0.443	0.15	0.1	276
G0775791		40.0	<0.002	0.01	0.29	52.2	1	0.5	123.0	0.14	<0.05	0.2	0.533	0.17	0.1	292
G0775792		19.3	<0.002	<0.01	0.16	9.3	1	<0.2	170.0	0.08	<0.05	2.0	0.115	0.10	0.3	57
G0775793		37.0	<0.002	<0.01	0.14	61.6	2	0.8	138.0	0.17	0.11	0.2	0.618	0.15	0.1	334
G0775794		10.5	<0.002	0.01	0.08	25.7	2	1.2	241	0.38	<0.05	1.1	0.681	0.04	0.3	183
G0775797		13.2	<0.002	0.05	0.50	43.4	1	0.3	68.2	0.06	0.06	<0.2	0.244	0.09	<0.1	197
G0775798		24.0	<0.002	<0.01	0.23	27.9	2	1.1	320	0.72	<0.05	1.7	0.590	0.15	0.3	172
G0775799		8.8	<0.002	<0.01	0.25	36.9	1	0.7	159.0	0.27	<0.05	0.8	0.446	0.04	0.2	172
G0775800		7.1	0.002	0.10	0.47	52.2	2	0.7	118.0	0.17	<0.05	0.2	0.608	0.04	0.1	297
G0775802		0.2	<0.002	0.20	0.39	23.8	1	0.3	29.6	0.05	0.16	<0.2	0.226	<0.02	<0.1	144
G0775803		21.4	<0.002	<0.01	0.25	24.8	2	1.5	225	0.87	<0.05	2.0	0.570	0.10	0.4	153
G0775804		70.3	<0.002	<0.01	0.16	5.5	2	2.2	140.5	0.88	<0.05	5.2	0.058	0.30	0.8	2
G0775805		41.9	<0.002	0.14	0.06	3.6	1	0.2	323	0.09	0.09	0.9	0.100	0.18	0.3	24
G0775806		13.8	<0.002	<0.01	0.32	48.3	1	0.8	242	0.15	<0.05	0.2	0.533	0.07	0.1	272
G0775808		3.3	<0.002	0.32	0.13	51.8	2	0.8	150.5	0.15	0.08	0.2	0.548	0.02	0.1	304
G0775809		2.0	<0.002	0.08	0.07	48.1	1	1.3	166.5	0.15	<0.05	0.2	0.527	0.02	0.1	288
G0775810		3.9	<0.002	0.15	0.12	53.5	2	1.4	78.4	0.61	<0.05	1.0	0.741	0.02	0.2	257
G0775811		9.5	0.002	0.01	0.16	11.7	2	1.6	568	1.47	<0.05	2.9	0.849	0.04	0.4	54
G0775812		34.7	<0.002	0.06	0.12	25.4	1	0.9	214	0.34	<0.05	7.0	0.561	0.12	1.1	199
G0775813		2.3	<0.002	<0.01	0.21	47.2	1	0.8	197.5	0.15	0.05	0.2	0.523	<0.02	0.1	273
G0775814		7.8	<0.002	0.06	0.24	49.4	1	0.5	138.5	0.14	0.05	0.3	0.523	0.06	0.1	275
G0775815		9.1	<0.002	0.06	0.16	44.3	2	0.5	114.5	0.12	0.08	0.2	0.460	0.04	0.1	251
G0775816		13.8	<0.002	<0.01	0.07	46.4	1	0.4	133.0	0.13	<0.05	0.2	0.474	0.06	0.1	255
G0775817		7.6	<0.002	<0.01	0.06	53.9	1	0.5	131.0	0.12	<0.05	0.2	0.494	0.04	<0.1	280
G0775818		3.9	0.002	<0.01	0.09	60.3	2	0.7	108.5	0.19	<0.05	0.3	0.707	0.02	0.1	351
G0775819		12.4	<0.002	0.02	0.11	32.4	2	0.9	198.5	0.53	<0.05	1.2	1.740	0.06	0.2	286
G0775820		2.8	<0.002	<0.01	0.06	25.6	1	0.6	336	0.26	<0.05	0.8	0.452	0.02	0.2	148
G0775821		5.9	0.004	<0.01	0.07	64.1	2	0.6	106.0	0.13	<0.05	0.3	0.495	0.04	<0.1	268
G0775822		5.0	<0.002	0.02	0.06	49.6	2	0.5	112.5	0.14	0.07	0.2	0.513	0.02	0.1	268
G0775823		9.8	<0.002	<0.01	0.08	45.5	1	0.6	59.2	0.13	<0.05	0.2	0.452	0.05	<0.1	242
G0775824		40.7	<0.002	<0.01	0.11	46.7	1	0.6	123.0	0.14	<0.05	0.2	0.510	0.22	0.1	271
G0775825		6.1	<0.002	<0.01	0.10	52.5	1	0.4	138.0	0.13	<0.05	0.2	0.495	0.03	0.1	290
G0775826		12.8	<0.002	0.02	0.09	56.2	2	0.5	98.7	0.22	<0.05	0.4	0.730	0.06	0.1	365
G0775828		52.6	0.007	0.09	0.31	4.3	1	0.6	67.0	0.33	0.07	2.5	0.174	0.49	0.7	29
G0775829		56.8	<0.002	0.03	0.06	49.1	2	3.3	104.0	0.16	<0.05	0.3	0.515	0.36	0.1	269
G0775855		0.8	<0.002	0.10	0.37	21.9	1	0.2	11.1	0.06	0.51	0.2	0.186	<0.02	0.1	111
G0775856		15.4	<0.002	0.03	0.30	41.9	1	0.6	94.0	0.11	<0.05	0.2	0.509	0.05	0.1	281
G0775858		29.2	<0.002	0.12	0.07	11.2	1	0.8	92.2	0.63	0.09	2.3	0.446	0.10	0.4	55
G0775859		36.1	0.003	0.15	0.07	12.8	1	0.8	138.0	0.78	0.09	3.0	0.454	0.13	0.5	52
G0775860		28.6	<0.002	<0.01	0.11	24.3	2	0.8	302	0.31	0.05	1.0	0.661	0.09	0.3	159



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141472

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61	Au-GR22
		W	Y	Zn	Zr	B	Au
		ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	2	0.5	10	0.05
G0775790		0.1	26.6	91	16.0	160	
G0775791		0.3	21.3	71	15.5	190	
G0775792		0.1	5.4	11	99.2	240	
G0775793		0.4	24.8	111	26.3	250	
G0775794		0.3	27.7	101	54.1	200	
G0775797		0.3	13.0	86	9.9	220	
G0775798		0.3	45.4	40	150.5	270	
G0775799		0.5	20.3	100	76.1	250	
G0775800		0.3	23.9	47	27.7	220	
G0775802		0.2	7.3	93	5.7	320	
G0775803		0.8	60.1	79	154.5	310	
G0775804		0.9	42.1	8	149.0	270	
G0775805		0.4	3.4	38	74.1	220	
G0775806		0.6	22.9	37	13.2	140	
G0775808		0.6	21.7	28	12.5	150	
G0775809		1.2	20.6	35	14.6	180	
G0775810		0.6	17.9	63	23.9	230	
G0775811		0.7	39.2	41	77.2	200	
G0775812		1.9	22.9	50	125.0	200	
G0775813		0.5	21.9	51	16.6	240	
G0775814		0.9	20.6	34	14.1	230	
G0775815		0.3	18.8	32	15.5	230	
G0775816		0.9	20.2	39	10.9	230	
G0775817		0.3	19.7	39	13.1	260	
G0775818		0.2	27.8	87	20.7	290	
G0775819		0.9	32.3	63	48.5	310	
G0775820		0.2	14.0	69	38.5	320	
G0775821		0.2	22.8	108	13.8	250	
G0775822		0.2	20.9	108	12.0	210	
G0775823		0.3	19.7	106	11.7	130	
G0775824		0.4	19.5	46	10.4	120	
G0775825		0.3	17.9	67	14.1	80	
G0775826		0.4	30.9	106	40.4	100	
G0775828		0.3	5.7	172	72.6	140	
G0775829		0.6	21.4	147	14.3	160	
G0775855		0.3	6.9	76	13.8	240	0.12
G0775856		0.8	17.0	89	16.6	180	
G0775858		0.9	18.2	39	61.3	220	
G0775859		1.1	24.3	43	75.6	200	
G0775860		0.6	18.7	87	77.2	230	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141472

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
G0775862		1.48	0.01	7.20	1.3	250	1.09	0.02	2.40	0.04	58.4	9.9	19	1.48	23.8	4.24
G0775863		1.88	0.12	7.58	<0.2	230	0.33	0.03	5.78	0.05	5.50	58.7	729	1.67	122.0	9.98
G0775864		1.04	0.06	6.95	0.4	230	0.32	0.03	5.64	0.05	4.69	57.5	816	1.72	51.5	9.95
G0775865		2.24	0.04	8.66	0.4	180	0.52	0.10	6.24	0.11	16.35	43.2	65	9.20	8.2	8.70
G0775866		2.28	0.03	6.11	0.7	210	1.27	0.01	0.99	0.02	78.3	3.4	14	0.66	72.2	1.43
G0775868		1.62	0.03	7.82	0.7	120	0.97	0.03	4.61	0.48	20.8	44.0	28	0.87	35.2	9.30
G0775869		2.06	0.11	7.25	2.1	580	1.28	0.29	1.91	0.08	54.4	18.2	173	4.68	52.4	4.33
G0775870		1.74	0.03	7.85	<0.2	140	0.71	0.02	5.26	0.07	16.05	32.7	121	0.50	18.5	7.33
G0775871		2.26	0.02	7.98	<0.2	120	1.72	0.04	5.54	0.09	21.6	30.4	53	0.41	4.4	7.02
G0775872		1.74	0.03	7.79	<0.2	150	0.35	0.03	7.26	0.05	8.10	47.8	191	0.36	26.9	8.52
G0775873		2.24	0.03	5.73	0.6	100	1.36	0.01	7.16	0.02	36.1	62.7	77	0.25	6.1	12.30
G0775951		1.38	0.05	8.51	28.0	220	1.37	0.03	4.73	0.15	43.7	27.1	50	1.26	23.4	5.43
G0775954		1.50	0.03	6.44	2.2	300	1.37	0.01	1.23	0.06	66.8	2.6	6	0.76	27.3	1.39
G0775955		1.18	0.05	8.33	1.1	190	1.19	0.01	2.89	0.06	32.2	12.1	7	0.95	21.0	3.77
G0775956		1.00	0.02	8.02	<0.2	110	0.65	0.12	5.24	0.06	11.55	22.0	174	2.26	16.4	4.76
G0775958		1.36	0.08	8.27	0.4	640	1.07	0.05	1.99	0.13	27.1	5.9	13	3.67	33.9	1.58
G0775961		0.76	0.13	7.07	0.2	290	0.34	0.19	0.46	0.10	25.7	0.4	10	5.81	15.9	1.17
G0775962		1.88	0.15	7.47	<0.2	90	0.29	0.20	6.33	0.10	6.54	47.2	197	3.17	87.1	8.50
G0775963		1.96	0.05	7.45	1.2	50	0.26	0.01	7.23	0.15	5.92	42.0	183	0.39	56.0	7.35
G0775964		1.50	<0.01	6.49	0.6	440	1.56	<0.01	1.28	0.09	31.4	6.9	10	0.78	6.8	1.06
G0775965		1.32	0.15	4.05	71.6	<10	0.19	0.04	7.93	0.03	2.57	81.0	2130	0.12	26.2	7.54



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141472

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
G0775862		21.3	0.18	2.0	0.058	1.12	24.2	20.1	0.75	560	1.01	2.54	12.8	13.3	680	2.7
G0775863		17.60	0.15	0.7	0.064	1.08	2.0	13.7	3.47	1800	0.36	1.19	1.8	209	250	2.1
G0775864		17.75	0.15	0.7	0.071	1.00	1.6	13.0	3.41	1770	0.31	0.93	1.7	185.5	230	1.7
G0775865		15.80	0.14	0.9	0.051	1.14	6.3	15.9	3.78	1240	0.20	1.62	3.9	133.0	430	3.1
G0775866		18.35	0.14	4.5	0.010	0.80	39.6	7.9	0.11	143	0.44	3.13	7.6	2.6	60	3.0
G0775868		22.8	0.18	1.0	0.063	0.78	8.1	12.6	2.95	1540	0.54	3.03	6.1	18.5	1240	3.0
G0775869		18.80	0.16	4.2	0.028	1.93	25.3	47.0	1.64	513	1.85	2.09	6.3	56.2	610	16.3
G0775870		18.75	0.15	0.6	0.054	0.91	6.6	11.5	3.25	1400	0.48	3.08	2.8	64.5	370	5.4
G0775871		21.9	0.16	0.5	0.055	0.80	8.9	13.5	3.03	1090	0.24	2.89	3.9	82.3	630	2.9
G0775872		18.30	0.17	0.7	0.047	0.38	3.1	5.8	4.00	1370	0.15	1.92	2.4	125.0	290	0.6
G0775873		19.75	0.20	2.0	0.110	0.33	14.2	3.3	3.40	1900	0.50	1.75	16.6	94.3	660	1.3
G0775951		23.1	0.15	3.5	0.059	1.58	17.2	17.0	1.75	1230	0.57	0.90	10.2	41.2	710	13.3
G0775954		20.4	0.16	7.4	0.020	1.18	29.1	7.6	0.15	131	0.29	2.35	9.0	1.3	50	4.3
G0775955		23.0	0.16	5.2	0.038	0.95	11.3	12.7	0.75	687	0.31	3.17	11.0	7.1	1120	7.1
G0775956		19.60	0.17	2.3	0.034	0.52	4.9	17.0	3.24	791	0.43	2.37	4.9	102.5	500	2.5
G0775958		26.3	0.16	2.7	0.035	2.43	11.6	13.4	0.41	334	0.45	2.80	3.5	12.5	450	5.0
G0775961		22.4	0.16	2.7	0.187	2.06	12.2	15.4	0.12	22	0.69	1.54	3.4	1.1	140	15.8
G0775962		17.90	0.19	0.6	0.062	0.67	2.2	11.6	5.04	1360	0.23	1.32	2.0	122.5	240	3.7
G0775963		17.35	0.17	0.7	0.049	0.19	1.9	3.8	4.61	1300	0.17	1.59	2.2	124.5	240	2.3
G0775964		21.2	0.15	5.5	<0.005	1.18	13.0	11.6	0.43	109	0.33	3.22	12.2	7.5	20	5.2
G0775965		9.88	0.16	0.3	0.019	0.01	0.7	16.5	11.30	1160	0.14	0.04	1.1	1240	150	<0.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141472

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Ta ppm	Th ppm	Ti %	Ti ppm	U ppm	V ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
G0775862		43.8	<0.002	0.03	0.09	14.1	2	1.2	171.5	0.77	0.06	2.9	0.450	0.15	0.5	54
G0775863		51.2	0.004	0.09	0.17	50.4	2	0.5	100.5	0.14	0.06	0.3	0.515	0.17	0.1	284
G0775864		42.7	<0.002	0.05	0.16	58.6	1	0.4	61.4	0.12	0.10	0.3	0.509	0.15	0.1	312
G0775865		44.1	<0.002	<0.01	0.18	38.2	1	1.0	279	0.25	<0.05	0.6	0.485	0.20	0.1	187
G0775866		30.2	<0.002	0.03	<0.05	6.1	1	0.5	84.2	0.59	0.05	5.9	0.085	0.09	0.8	5
G0775868		43.5	<0.002	0.09	0.13	35.1	2	0.9	211	0.43	<0.05	1.0	1.325	0.15	0.2	289
G0775869		91.6	<0.002	0.21	0.48	14.5	1	0.9	478	0.49	0.07	11.0	0.314	0.46	3.2	98
G0775870		33.7	<0.002	<0.01	0.08	26.4	1	0.7	226	0.19	<0.05	0.8	0.542	0.14	0.2	244
G0775871		30.7	<0.002	<0.01	0.10	31.4	2	0.7	294	0.24	0.07	0.4	0.687	0.13	0.1	207
G0775872		13.2	<0.002	0.03	0.13	47.6	1	0.6	171.0	0.15	<0.05	0.2	0.517	0.04	0.1	251
G0775873		9.0	<0.002	0.01	0.12	29.6	2	1.4	281	1.09	<0.05	1.9	0.992	0.02	0.4	257
G0775951		48.0	<0.002	0.35	0.23	26.8	2	1.5	263	0.60	0.05	1.6	0.569	0.20	0.4	154
G0775954		46.5	<0.002	0.01	0.17	5.3	2	1.4	109.5	0.67	<0.05	4.3	0.086	0.18	0.7	3
G0775955		27.7	<0.002	0.01	0.12	15.2	1	1.6	221	0.71	<0.05	1.8	0.619	0.16	0.4	43
G0775956		22.2	<0.002	<0.01	<0.05	22.4	1	0.7	226	0.32	<0.05	1.6	0.350	0.09	0.3	113
G0775958		66.9	<0.002	0.09	0.05	5.0	1	0.9	300	0.27	0.06	2.4	0.181	0.48	0.5	38
G0775961		73.0	<0.002	0.03	<0.05	4.2	8	12.2	185.0	0.27	0.13	1.7	0.159	0.35	0.5	33
G0775962		32.0	<0.002	0.11	<0.05	49.2	2	0.6	105.0	0.13	<0.05	0.2	0.464	0.12	0.1	270
G0775963		7.0	<0.002	<0.01	0.51	46.1	1	0.5	106.5	0.14	<0.05	0.2	0.494	0.04	0.1	252
G0775964		41.5	<0.002	0.01	0.10	1.9	1	0.5	106.5	1.06	<0.05	6.8	0.033	0.15	1.4	2
G0775965		0.3	<0.002	0.54	0.14	26.1	2	0.2	14.6	0.07	<0.05	0.2	0.222	0.03	<0.1	128



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141472

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	B-MS61 B ppm 10	Au-GRA22 Au ppm 0.05
G0775862		0.9	34.0	41	58.2	260	
G0775863		0.2	14.3	80	18.3	210	
G0775864		0.3	16.2	80	14.7	170	
G0775865		0.4	20.5	63	28.6	210	
G0775866		0.5	17.2	8	129.0	270	
G0775868		0.7	19.2	100	26.9	190	
G0775869		1.5	11.5	69	141.5	210	
G0775870		0.2	13.3	98	13.9	250	
G0775871		0.2	17.1	91	9.5	240	
G0775872		0.6	20.7	61	12.4	270	
G0775873		0.7	24.9	75	60.3	250	
G0775951		0.5	39.3	100	112.5	290	
G0775954		0.5	16.5	12	193.0	350	
G0775955		0.7	25.1	64	173.0	230	
G0775956		0.3	12.1	66	85.7	250	
G0775958		1.7	5.3	64	86.0	230	
G0775961		0.5	2.2	44	89.7	280	
G0775962		0.3	19.7	84	13.2	190	
G0775963		0.5	19.3	46	14.5	170	
G0775964		0.3	26.4	14	127.5	290	
G0775965		0.3	7.8	100	9.4	280	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141472

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 21-DEC-2009
Account: MVR

CERTIFICATE SD09141473

Project: EASTMAIN MINE

P.O. No.:

This report is for 12 Rock samples submitted to our lab in Sudbury, ON, Canada on 16-DEC-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
B-MS61	B four-acid ICP-MS ICP-MS

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 21-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141473

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
G0779201		1.24	0.09	7.63	<0.2	60	0.33	0.01	7.91	0.02	6.91	45.5	210	0.15	4.4	8.09
G0779202		1.30	0.14	7.55	<0.2	30	0.28	0.01	5.66	0.05	6.05	42.6	201	0.65	154.0	7.59
G0779203		1.76	0.04	3.27	3.7	10	0.05	0.01	1.90	0.04	1.74	91.5	3060	0.18	22.1	8.14
G0779204		1.56	0.03	7.66	0.5	40	0.27	0.01	4.61	0.05	7.04	43.5	250	0.15	2.1	9.65
G0779205		1.56	0.02	7.16	<0.2	170	0.22	0.05	6.27	0.02	6.94	48.1	102	0.63	2.8	8.33
G0779206		2.64	0.03	8.05	0.2	50	0.29	0.01	7.96	<0.02	8.00	52.0	213	0.11	6.2	8.42
G0779207		1.46	0.03	3.35	2.9	<10	0.07	0.02	1.99	0.04	3.18	94.5	2940	0.07	19.2	8.15
G0779208		1.64	0.04	7.63	1.4	60	0.21	0.06	6.94	0.11	6.24	48.5	132	0.46	21.4	8.53
G0779209		1.48	0.08	7.50	1.4	160	0.43	0.04	5.60	0.05	18.10	54.9	185	0.77	7.4	9.37
G0779210		1.74	0.05	6.20	0.6	40	0.66	0.02	6.45	0.04	82.5	44.5	407	0.22	2.9	7.54
G0779211		1.80	0.33	8.82	0.6	210	0.60	0.02	4.73	0.10	21.2	48.0	611	1.03	281	7.50
G0779212		1.52	0.07	7.59	1.2	620	1.17	0.01	1.37	0.05	62.0	1.6	7	0.80	13.3	1.94



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 21-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141473

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
G0779201		18.70	0.15	0.6	0.057	0.19	2.4	3.6	3.86	1350	0.21	1.50	2.3	123.5	240	0.9
G0779202		16.60	0.13	0.7	0.050	0.19	1.8	12.7	4.89	1180	0.22	2.15	2.2	121.5	250	1.1
G0779203		7.62	0.14	0.1	0.023	0.01	0.6	0.7	15.75	1180	0.08	0.03	0.7	1080	80	<0.5
G0779204		12.55	0.14	0.5	0.028	0.19	3.5	42.0	4.43	1300	0.11	2.48	2.3	142.5	270	0.7
G0779205		18.45	0.13	0.7	0.061	0.59	2.2	15.8	4.32	1230	0.15	1.90	2.4	71.5	260	1.0
G0779206		17.35	0.14	0.7	0.063	0.17	3.0	2.5	3.48	1330	0.27	1.48	2.3	143.5	260	0.5
G0779207		7.37	0.14	0.1	0.029	0.01	1.2	0.6	15.85	1100	0.12	0.02	0.8	1090	110	<0.5
G0779208		19.35	0.13	0.6	0.065	0.49	2.4	6.8	4.48	1480	0.14	1.68	1.8	94.6	210	1.8
G0779209		18.60	0.18	2.0	0.055	1.00	7.6	18.0	5.05	1620	0.89	1.21	4.3	214	520	1.1
G0779210		16.20	0.17	2.3	0.048	0.12	37.7	12.0	7.00	1310	0.87	1.17	3.4	350	1170	1.3
G0779211		17.20	0.14	2.5	0.072	0.97	9.4	27.3	1.98	1530	0.21	1.73	4.9	188.0	410	3.6
G0779212		21.9	0.12	4.5	0.043	0.90	28.1	8.0	0.23	320	0.38	3.76	7.1	3.8	520	2.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 21-DEC-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141473

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
G0779201		5.0	<0.002	<0.01	0.18	49.0	1	0.7	216	0.15	<0.05	0.2	0.507	0.02	0.1	259
G0779202		8.2	<0.002	0.04	0.20	45.2	1	0.5	165.0	0.14	<0.05	0.2	0.510	0.03	0.1	257
G0779203		0.4	<0.002	<0.01	0.36	23.7	1	0.2	24.9	<0.05	<0.05	<0.2	0.186	<0.02	<0.1	130
G0779204		6.1	<0.002	<0.01	0.16	48.2	1	0.5	72.7	0.15	<0.05	0.2	0.553	0.02	0.1	276
G0779205		27.0	<0.002	<0.01	0.12	54.0	1	0.7	152.0	0.15	<0.05	0.2	0.561	0.09	0.1	290
G0779206		2.2	<0.002	<0.01	0.21	43.2	1	0.7	169.5	0.16	<0.05	0.2	0.522	0.02	0.1	265
G0779207		0.2	<0.002	0.03	0.29	21.1	1	0.2	46.4	0.05	<0.05	<0.2	0.220	<0.02	<0.1	135
G0779208		19.1	<0.002	0.02	0.43	35.6	1	0.4	213	0.12	0.09	0.2	0.492	0.08	0.1	261
G0779209		45.6	0.003	<0.01	0.46	25.9	1	0.8	92.7	0.28	<0.05	0.8	0.886	0.19	0.2	311
G0779210		3.7	<0.002	<0.01	0.24	21.1	1	0.8	550	0.20	<0.05	3.9	0.431	0.02	0.7	169
G0779211		35.6	<0.002	0.03	0.56	35.6	1	1.0	155.5	0.35	<0.05	0.9	0.544	0.18	0.2	211
G0779212		23.4	<0.002	0.02	0.37	3.7	1	1.1	159.5	0.45	<0.05	2.4	0.160	0.10	0.4	2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 21-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141473

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		W ppm	Y ppm	Zn ppm	Zr ppm	B ppm
		0.1	0.1	2	0.5	10
G0779201		0.5	19.4	54	10.6	200
G0779202		0.5	19.2	60	15.0	160
G0779203		0.1	5.9	74	1.9	180
G0779204		0.6	19.6	63	11.4	110
G0779205		0.4	21.1	51	15.5	80
G0779206		0.2	21.3	48	15.2	<10
G0779207		0.1	7.3	86	3.2	<10
G0779208		0.3	16.6	78	15.5	<10
G0779209		0.6	21.3	52	70.6	<10
G0779210		0.2	14.5	80	85.4	<10
G0779211		1.0	20.7	91	87.3	<10
G0779212		0.3	13.2	17	164.5	<10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21-DEC-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09141473

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.

APPENDIX 2
ROCK QUALITY CONTROL DOCUMENTS

BRIDGE APPENDIX 2
06 FEV. 2018³ DE
Direction du développement

1304170



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 10-NOV-2009
Account: MVR

QC CERTIFICATE SD09111798

Project: EASTMAIN MINE

P.O. No.:

This report is for 90 Rock samples submitted to our lab in Sudbury, ON, Canada on 16-OCT-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - A

Total # Pages: 8 (A - D)

Plus Appendix Pages

Finalized Date: 10-NOV-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	Cu-OG62	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Au ppb	Au Check ppb	Pt ppb	Pt Check ppb	Pd ppb	Pd Check ppb	Au ppb	Cu %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %
		1	1	5	5	1	1	50	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01
STANDARDS																
GBM3961c										8.49	4.39	767	220	0.74	21.5	3.19
GBM3961c										8.08	4.43	749	220	0.54	19.90	3.12
GBM3961c										8.35	4.32	765	470	0.85	21.4	3.05
GBM3961c										8.11	4.22	737	210	0.92	20.4	3.01
GBM3961c										8.00	4.26	765	120	0.87	19.65	3.09
Target Range - Lower Bound										7.28	3.75	669	210	0.77	18.15	2.77
Upper Bound										8.92	4.60	818	300	1.05	22.2	3.40
GBM999-5										64.7	4.80	3.4	180	1.23	0.54	0.11
GBM999-5										59.2	4.76	3.4	180	1.30	0.51	0.11
Target Range - Lower Bound										53.5	4.28	3.0	140	1.12	0.50	0.08
Upper Bound										65.4	5.22	4.2	210	1.48	0.64	0.12
GEOMS-03										0.74	5.65	683	2630	1.63	0.38	0.42
GEOMS-03										0.80	5.29	641	2460	1.41	0.35	0.39
Target Range - Lower Bound										0.67	4.61	570	2060	1.34	0.31	0.33
Upper Bound										0.85	5.65	697	2810	1.74	0.41	0.43
GPP-01		946		937				712								
GPP-01		951		998				747								
GPP-01		946		949				726								
GPP-01		878	878	971	971		731	731								
GPP-01		870	870	911	911		690	690								
GPP-01		946	946	920	920		709	709								
GPP-01		911		929			708									
GPP-01		830		925			736									
Target Range - Lower Bound		841		892			682									
Upper Bound		989		1040			786									
MP-1b									3.05							
Target Range - Lower Bound									2.96							
Upper Bound									3.18							
MRGeo08										4.71	7.80	28.1	1050	3.68	0.67	2.57
MRGeo08										4.41	7.11	28.9	1070	3.12	0.57	2.53
MRGeo08										4.34	7.90	35.8	1070	3.22	0.73	2.58
MRGeo08										4.18	7.95	30.5	1070	3.44	0.64	2.62
MRGeo08										4.38	7.53	34.4	1070	3.39	0.64	2.61
Target Range - Lower Bound										4.16	7.00	29.7	920	2.80	0.83	2.35
Upper Bound										5.10	8.57	36.7	1270	3.54	0.79	2.80



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %
		0.02	0.01	0.1	1	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01
STANDARDS																
GBM3961c		23.2	49.5	158.0	644	5.12	3040	8.93	12.60	0.24	1.8	1.365	0.81	24.9	15.8	2.66
GBM3961c		20.8	45.6	155.0	641	5.30	2970	8.75	12.15	0.23	1.8	1.270	0.78	24.9	9.8	2.67
GBM3961c		22.8	47.5	159.5	680	5.09	2940	8.58	13.30	0.22	1.9	1.330	0.76	25.4	16.6	2.59
GBM3961c		21.2	48.6	156.5	637	5.09	2920	8.54	12.30	0.21	1.7	1.280	0.76	24.5	19.1	2.51
GBM3961c		21.5	47.4	159.0	651	5.32	2900	8.73	12.40	0.20	1.7	1.270	0.78	26.5	17.6	2.57
Target Range - Lower Bound		19.35	43.5	144.0	594	4.83	2590	8.00	11.75	0.17	1.5	1.250	0.68	22.9	16.8	2.32
Upper Bound		23.7	53.2	176.5	728	6.01	3160	9.80	14.45	0.32	2.1	1.540	0.85	29.1	21.0	2.85
GBM999-5		0.20	28.2	3.3	6	0.78	474	3.00	16.05	0.12	0.7	0.027	3.06	15.1	3.3	0.04
GBM999-5		0.21	27.0	3.3	4	0.83	476	3.01	16.05	0.12	0.9	0.033	2.82	14.1	3.5	0.05
Target Range - Lower Bound		0.17	23.6	2.9	4	0.69	429	2.67	14.70	0.07	0.6	0.022	3.10	11.8	2.8	0.03
Upper Bound		0.25	28.9	3.7	8	0.95	525	3.29	18.10	0.19	1.0	0.038	3.81	15.8	3.8	0.05
GEOMS-03		0.37	53.1	12.5	123	10.60	138.0	4.47	14.40	0.15	1.6	0.050	1.24	30.1	45.4	0.54
GEOMS-03		0.35	52.6	10.8	116	10.75	130.5	4.14	13.15	0.14	1.4	0.052	1.11	29.5	42.5	0.51
Target Range - Lower Bound		0.30	47.0	10.7	105	9.04	120.5	3.64	12.00	0.10	1.2	0.035	1.03	25.8	37.6	0.48
Upper Bound		0.42	57.4	13.3	131	11.15	147.5	4.48	14.75	0.24	1.8	0.053	1.29	32.4	46.4	0.60
GPP-01																
GPP-01																
GPP-01																
GPP-01																
GPP-01																
GPP-01																
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
MP-1b																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		2.47	83.4	20.6	92	13.00	624	3.95	20.4	0.21	3.6	0.182	2.98	39.0	35.6	1.32
MRGeo08		2.17	53.7	18.3	88	11.10	616	3.82	19.35	0.18	3.3	0.176	2.89	26.0	31.6	1.28
MRGeo08		2.38	84.6	22.4	89	13.25	636	3.91	21.4	0.19	3.6	0.181	3.01	42.0	35.6	1.35
MRGeo08		2.08	77.2	17.7	91	11.80	635	4.00	18.00	0.16	3.0	0.164	3.08	36.7	36.4	1.35
MRGeo08		2.31	73.2	21.1	89	13.25	628	3.96	20.5	0.17	3.5	0.173	3.03	36.6	37.0	1.33
Target Range - Lower Bound		2.01	72.9	18.4	82	11.00	568	3.61	17.50	0.09	2.8	0.161	2.79	36.3	30.4	1.24
Upper Bound		2.50	89.1	22.8	102	13.60	694	4.43	21.5	0.23	3.8	0.207	3.43	45.5	37.6	1.54



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	
Sample Description	5	0.05	0.01	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	
STANDARDS																
GBM3961c	892	11.00	0.69	3.3	2140	280	1940	67.1	0.004	3.78	30.8	12.9	7	6.4	94.9	
GBM3961c	895	10.40	0.66	3.3	2060	270	1905	60.6	0.004	3.73	27.0	13.3	6	6.0	92.6	
GBM3961c	899	10.65	0.64	3.2	2100	280	1880	70.8	0.004	3.72	32.7	13.5	7	6.7	93.0	
GBM3961c	844	10.80	0.66	3.1	1995	270	1880	65.1	0.003	3.69	28.3	13.4	7	5.9	91.4	
GBM3961c	864	11.05	0.66	3.4	2040	270	1875	63.6	0.005	3.75	29.6	13.5	6	6.1	89.8	
Target Range - Lower Bound	780	8.97	0.56	3.0	1925	250	1725	60.5	<0.002	3.33	25.3	11.9	6	5.7	83.7	
Upper Bound	964	11.10	0.71	3.9	2350	330	2110	74.1	0.007	4.10	34.4	14.8	9	7.4	102.5	
GBM999-5	65	4.29	0.95	5.3	3.9	50	518	404	0.006	0.30	5.56	1.9	3	1.6	16.7	
GBM999-5	69	4.60	0.95	6.1	4.0	50	539	404	0.006	0.30	6.29	1.8	3	1.8	18.0	
Target Range - Lower Bound	54	3.77	0.83	5.3	3.8	40	487	433	0.003	0.26	4.78	1.7	<1	1.3	14.5	
Upper Bound	78	4.71	1.03	6.7	5.0	70	597	529	0.008	0.34	6.58	2.3	3	2.1	18.2	
GEOMS-03	580	3.57	0.09	15.7	55.2	1170	7.6	65.1	0.002	0.04	19.65	13.9	4	2.6	186.5	
GEOMS-03	537	3.39	0.09	14.3	49.4	1100	7.1	65.1	<0.002	0.03	20.7	12.9	3	2.8	178.5	
Target Range - Lower Bound	483	3.05	0.06	13.1	48.1	970	7.2	55.7	<0.002	0.03	15.85	12.4	2	2.1	157.5	
Upper Bound	601	3.83	0.10	16.3	59.3	1210	9.9	68.3	0.004	0.05	21.5	15.4	4	3.0	192.5	
GPP-01																
GPP-01																
GPP-01																
GPP-01																
GPP-01																
GPP-01																
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
MP-1b																
Target Range - Lower Bound																
Upper Bound																
MRGeo08	541	16.25	1.91	21.8	671	1010	1020	212	0.007	0.34	4.83	12.2	3	4.3	304	
MRGeo08	552	15.10	1.89	20.6	657	1000	1000	154.5	0.008	0.30	4.00	11.8	2	4.0	296	
MRGeo08	571	15.95	1.92	22.1	680	1050	1040	204	0.008	0.31	5.05	13.4	3	4.5	313	
MRGeo08	551	13.90	1.99	19.3	666	1070	1050	195.5	0.007	0.32	4.31	11.7	2	3.7	320	
MRGeo08	553	16.30	1.97	22.1	668	1050	1035	188.5	0.008	0.32	4.78	12.9	2	4.2	313	
Target Range - Lower Bound	508	13.65	1.76	18.3	617	910	965	187.0	0.008	0.27	4.08	11.0	<1	3.5	272	
Upper Bound	630	16.75	2.18	22.5	755	1140	1180	229	0.014	0.35	5.64	13.6	2	4.7	332	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - D

Total # Pages: 8 (A - D)

Plus Appendix Pages

Finalized Date: 10-NOV-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.05	0.05	0.2	0.005	0.02	0.1	1	0.1	0.1	2	0.5
STANDARDS												
GBM3961c		0.87	3.37	6.7	0.251	1.02	1.7	108	17.7	11.4	6940	60.7
GBM3961c		0.74	3.20	6.2	0.242	0.86	1.6	106	16.4	10.8	6630	57.1
GBM3961c		0.86	3.50	6.7	0.242	1.02	1.6	107	18.2	11.2	6590	60.1
GBM3961c		0.76	3.03	6.4	0.234	0.96	1.6	105	16.1	10.9	6380	58.7
GBM3961c		0.85	3.09	6.2	0.245	0.95	1.6	106	17.6	11.1	6790	56.6
Target Range - Lower Bound		0.71	3.01	5.8	0.213	0.82	1.4	97	14.6	10.7	6280	52.8
Upper Bound		0.98	3.79	7.5	0.272	1.15	1.9	120	20.0	13.3	7680	72.4
GBM999-5		0.30	0.29	5.9	0.020	2.10	1.9	8	2.4	11.9	111	20.6
GBM999-5		0.35	0.34	5.1	0.019	2.13	2.0	7	2.8	11.9	117	21.8
Target Range - Lower Bound		0.26	0.21	4.4	0.013	1.75	1.8	5	2.1	10.3	102	16.4
Upper Bound		0.42	0.37	5.8	0.027	2.41	2.4	9	3.0	12.8	129	23.4
GEOMS-03		1.02	0.14	6.7	0.493	1.30	3.6	119	23.6	24.1	50	60.4
GEOMS-03		1.04	0.15	6.3	0.462	1.28	3.3	114	23.5	21.7	47	42.1
Target Range - Lower Bound		0.81	0.07	6.2	0.409	0.99	3.1	104	18.1	19.8	40	44.0
Upper Bound		1.10	0.19	8.0	0.511	1.39	4.0	130	24.7	24.4	54	60.8
GPP-01												
GPP-01												
GPP-01												
GPP-01												
GPP-01												
GPP-01												
GPP-01												
Target Range - Lower Bound												
Upper Bound												
MP-1b												
Target Range - Lower Bound												
Upper Bound												
MRGeo08		1.67	0.06	21.0	0.488	1.10	5.7	109	5.2	28.3	787	109.5
MRGeo08		1.49	<0.05	15.3	0.476	0.94	4.4	108	4.7	22.9	782	99.6
MRGeo08		1.67	<0.05	22.7	0.492	1.10	5.9	109	5.3	28.2	802	110.0
MRGeo08		1.38	<0.05	19.8	0.498	0.95	5.5	113	4.6	25.4	800	96.0
MRGeo08		1.60	<0.05	19.3	0.496	1.10	5.6	109	5.0	26.8	794	107.5
Target Range - Lower Bound		1.48	<0.05	19.2	0.454	0.87	5.6	99	4.3	24.3	712	92.2
Upper Bound		1.92	0.10	23.9	0.566	1.23	7.0	123	6.1	29.9	874	126.0



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 3 - A

Total # Pages: 8 (A - D)

Plus Appendix Pages

Finalized Date: 10-NOV-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	Cu-OG62	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au	Au Check	Pt	Pt Check	Pd	Pd Check	Au	Cu	Ag	Al	As	Ba	Be	Bi	Ca
		ppb	ppb	ppb	ppb	ppb	ppb	ppb	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		1	1	5	5	1	1	50	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01
STANDARDS																
OGGeo08									0.853							
Target Range - Lower Bound									0.823							
Upper Bound									0.885							
OxA71		77		<5		1										
OxA71		82		<5		1										
OxA71		79		<5		<1										
OxA71		79	79	<5	<5	<1	<1									
OxA71		79	79	<5	<5	<1	<1									
OxA71		76	76	<5	<5	<1	<1									
OxA71		78		<5		1										
OxA71		76		5		<1										
Target Range - Lower Bound		78														
Upper Bound		92														
OXD73		408		<5		1										
OXD73		415		<5		<1										
OXD73		434		<5		1										
OXD73		418	418	<5	<5	<1	<1									
OXD73		407	407	<5	<5	<1	<1									
OXD73		395	395	<5	<5	<1	<1									
OXD73		399		<5		1										
OXD73		395		<5		2										
Target Range - Lower Bound																
Upper Bound																
OxN62								7570								
Target Range - Lower Bound								7120								
Upper Bound								8300								
OxP50								15000								
Target Range - Lower Bound								13800								
Upper Bound								16000								
PGMS-16		1065		1250		4750										
PGMS-16		1155		1290		4670										
PGMS-16		1030		1210		4650										
PGMS-16		1010	1010	1160	1160	4580	4580									
PGMS-16		1220		1215		4680										
PGMS-16		1230		1180		4640										
Target Range - Lower Bound		1040		1140		4330										
Upper Bound		1200		1320		4990										



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	
Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	
LOR	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	
Sample Description	STANDARDS															
OGGeo08																
Target Range - Lower Bound																
Upper Bound																
OxA71																
OxA71																
OxA71																
OxA71																
OxA71																
OxA71																
OxA71																
OxA71																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
OXD73																
OXD73																
OXD73																
OXD73																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
OxN62																
Target Range - Lower Bound																
Upper Bound																
OxP50																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
PGMS-16																
PGMS-16																
PGMS-16																
PGMS-16																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Sample Description	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr
	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	5	0.05	0.01	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2

STANDARDS

OGGeo08
 Target Range - Lower Bound
 Upper Bound
 OxA71
 OxA71
 OxA71
 OxA71
 OxA71
 OxA71
 OxA71
 OxA71
 Target Range - Lower Bound
 Upper Bound
 OXD73
 OXD73
 OXD73
 OXD73
 OXD73
 OXD73
 OXD73
 OXD73
 Target Range - Lower Bound
 Upper Bound
 OxN62
 Target Range - Lower Bound
 Upper Bound
 OxP50
 Target Range - Lower Bound
 Upper Bound
 PGMS-16
 PGMS-16
 PGMS-16
 PGMS-16
 PGMS-16
 PGMS-16
 Target Range - Lower Bound
 Upper Bound

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Method	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn
Analyte										Zr
Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.05	0.05	0.2	0.005	0.02	0.1	1	0.1	0.1	2
Sample Description										
STANDARDS										
OGGeo08										
Target Range: Lower Bound										
Upper Bound										
OxA71										
OxA71										
OxA71										
OxA71										
OxA71										
OxA71										
OxA71										
Target Range: Lower Bound										
Upper Bound										
OXD73										
OXD73										
OXD73										
OXD73										
OXD73										
OXD73										
OXD73										
OXD73										
Target Range: Lower Bound										
Upper Bound										
OxN62										
Target Range: Lower Bound										
Upper Bound										
OxP50										
Target Range: Lower Bound										
Upper Bound										
PGMS-16										
PGMS-16										
PGMS-16										
PGMS-16										
PGMS-16										
PGMS-16										
Target Range: Lower Bound										
Upper Bound										



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	Cu-OG62	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Au ppb	Au Check ppb	Pt ppb	Pt Check ppb	Pd ppb	Pd Check ppb	Au ppb	Cu %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %
		1	1	5	5	1	1	50	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01
BLANKS																
BLANK		<1		<5		1										
BLANK		1		<5		<1										
BLANK		2		<5		<1										
BLANK		1	1	<5	<5	<1	<1									
BLANK		1	1	<5	<5	<1	<1									
BLANK		1	1	<5	<5	<1	<1	<50								
BLANK										<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01
BLANK										<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01
BLANK									<0.001							
BLANK										<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01
BLANK										<0.01	0.01	<0.2	<10	<0.05	0.01	<0.01
BLANK										<0.01	<0.01	<0.2	<10	<0.05	0.02	<0.01
BLANK		1		<5		1										
BLANK		1		<5		<1										
BLANK										<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01
BLANK										<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01
Target Range - Lower Bound										<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01
Upper Bound										0.02	0.02	0.4	20	0.10	0.02	0.02
DUPLICATES																
ORIGINAL								3990								
DUP								3900								
Target Range - Lower Bound								3700								
Upper Bound								4190								
ORIGINAL										2.01	7.61	292	1040	3.46	0.67	1.29
DUP										1.95	7.47	288	1000	3.19	0.66	1.26
Target Range - Lower Bound										1.87	7.15	275	930	3.11	0.62	1.20
Upper Bound										2.09	7.93	305	1110	3.54	0.71	1.35
ORIGINAL										0.09	2.15	7.0	330	1.38	0.10	0.24
DUP										0.10	2.05	5.7	320	1.52	0.10	0.23
Target Range - Lower Bound										0.08	1.99	5.8	290	1.33	0.09	0.21
Upper Bound										0.11	2.22	6.9	360	1.57	0.12	0.26



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - B

Total # Pages: 8 (A - D)

Plus Appendix Pages

Finalized Date: 10-NOV-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg
Units		ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%
LOR		0.02	0.01	0.1	1	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01
BLANK		<0.02	<0.01	<0.1	<1	<0.05	0.3	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01
BLANK																
BLANK		<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01	0.05	0.05	<0.1	0.007	<0.01	<0.5	<0.2	<0.01
BLANK		<0.02	0.01	<0.1	<1	<0.05	0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01
BLANK		<0.02	0.01	<0.1	<1	<0.05	0.2	<0.01	0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01
BLANK																
BLANK		<0.02	<0.01	<0.1	<1	<0.05	0.3	0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01
BLANK		<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01
Target Range - Lower Bound		<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01
Upper Bound		0.04	0.02	0.2	2	0.10	0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound		2.40	56.4	7.7	41	4.99	172.0	2.34	19.10	0.06	0.9	0.084	3.45	29.1	35.0	0.82
Upper Bound		2.70	62.4	8.8	47	5.62	190.5	2.60	21.2	0.17	1.3	0.104	3.84	33.3	39.1	0.93
ORIGINAL		0.13	34.7	3.0	3	2.77	3.6	0.50	7.17	0.10	1.1	0.031	1.47	17.9	39.1	0.03
DUP		0.12	33.4	3.0	3	2.76	3.5	0.49	7.18	0.10	1.1	0.032	1.41	17.1	43.6	0.02
Target Range - Lower Bound		0.10	32.3	2.8	2	2.58	3.2	0.46	6.77	<0.05	0.9	0.025	1.36	16.1	39.1	<0.01
Upper Bound		0.15	35.8	3.3	4	2.95	3.9	0.53	7.58	0.16	1.3	0.038	1.52	18.9	43.6	0.04



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte Units LOR	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm
		5	0.05	0.01	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2
BLANK		<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2
BLANK		<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2
BLANK		<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2
BLANK		<5	<0.05	<0.01	<0.1	0.3	<10	<0.5	0.1	<0.002	<0.01	<0.05	0.1	1	<0.2	0.2
BLANK		<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2
BLANK		<5	<0.05	<0.01	<0.1	0.3	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2
Target Range - Lower Bound		<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2
Upper Bound		10	0.10	0.02	0.2	0.4	20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound		1285	3.35	1.94	13.2	12.0	660	39.7	127.5	<0.002	0.10	4.01	6.9	<1	6.3	398
Upper Bound		1435	3.80	2.16	14.8	13.6	750	44.9	141.5	0.004	0.14	4.77	7.8	3	7.3	441
ORIGINAL		351	0.51	0.35	5.6	2.0	40	14.9	87.2	<0.002	0.01	0.69	1.9	2	2.0	23.4
DUP		342	0.53	0.34	5.6	2.0	40	14.4	85.4	<0.002	0.01	0.68	2.0	1	2.0	22.7
Target Range - Lower Bound		324	0.44	0.32	5.2	1.7	30	13.4	81.9	<0.002	<0.01	0.58	1.8	<1	1.7	21.7
Upper Bound		369	0.60	0.37	6.0	2.3	50	15.9	90.7	0.004	0.02	0.79	2.1	2	2.3	24.4

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.05	0.05	0.2	0.005	0.02	0.1	1	0.1	0.1	2	0.5
BLANKS												
BLANK												
BLANK												
BLANK												
BLANK												
BLANK												
BLANK												
BLANK		<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1	<0.1	<0.1	<2	<0.5
BLANK		<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1	<0.1	<0.1	<2	<0.5
BLANK												
BLANK		<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1	<0.1	<0.1	<2	<0.5
BLANK		<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1	<0.1	<0.1	<2	<0.5
BLANK												
BLANK		<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1	<0.1	<0.1	<2	<0.5
BLANK		<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1	<0.1	<0.1	<2	<0.5
Target Range - Lower Bound		<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1	<0.1	<0.1	<2	<0.5
Upper Bound		0.10	0.10	0.4	0.010	0.04	0.2	2	0.2	0.2	4	1.0
DUPPLICATES												
ORIGINAL												
DUP												
Target Range - Lower Bound												
Upper Bound												
ORIGINAL		1.19	0.14	15.1	0.219	0.87	6.0	51	4.5	13.2	234	30.2
DUP		1.14	0.15	14.5	0.217	0.83	6.0	49	4.5	12.6	226	29.6
Target Range - Lower Bound		1.06	0.09	13.9	0.202	0.77	5.6	47	4.1	12.2	217	27.9
Upper Bound		1.27	0.20	15.7	0.234	0.93	6.4	54	4.9	13.6	244	31.9
ORIGINAL		0.49	<0.05	5.6	0.028	0.80	1.5	4	0.6	18.7	15	26.4
DUP		0.51	<0.05	5.3	0.029	0.78	1.4	4	0.7	17.5	15	25.8
Target Range - Lower Bound		0.43	<0.05	5.0	0.022	0.71	1.3	3	0.5	17.1	12	24.3
Upper Bound		0.58	0.10	5.9	0.035	0.87	1.6	5	0.8	19.1	18	27.9

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	Cu-OG62	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Au ppb	Au Check ppb	Pt ppb	Pt Check ppb	Pd ppb	Pd Check ppb	Au ppb	Cu %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %
		1	1	5	5	1	1	50	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01
DUPLICATES																
G0779005		3		<5		1										
DUP		3		<5		<1										
Target Range - Lower Bound		2		<5		<1										
Upper Bound		4		10		2										
G0779012										0.17	6.76	1.2	530	1.03	0.27	1.77
DUP										0.16	6.38	2.6	500	0.99	0.26	1.66
Target Range - Lower Bound										0.15	6.23	1.6	470	0.91	0.24	1.62
Upper Bound										0.18	6.91	2.2	560	1.11	0.29	1.81
G0779025		250	539	<5	5	2	2									
DUP		315		<5		2										
Target Range - Lower Bound		267		<5		<1										
Upper Bound		298		10		3										
G0779028										0.45	8.74	0.2	250	0.36	0.08	4.61
DUP										0.45	8.45	0.3	250	0.37	0.08	4.70
Target Range - Lower Bound										0.42	8.16	<0.2	220	0.30	0.07	4.41
Upper Bound										0.48	9.03	0.4	280	0.43	0.09	4.90
G0779045		2		<5		<1										
DUP		2		<5		<1										
Target Range - Lower Bound		<1		<5		<1										
Upper Bound		3		10		2										
G0779064										12.00	1.53	15.4	40	<0.05	2.15	0.27
DUP										8.10	1.47	14.4	40	<0.05	1.99	0.24
Target Range - Lower Bound										9.54	1.42	14.0	30	<0.05	1.96	0.23
Upper Bound										10.55	1.59	15.8	50	0.10	2.18	0.28
G0775933		27		<5		2										
DUP		24	24	<5	<5	3	3									
Target Range - Lower Bound		23	22	<5	<5	<1	2									
Upper Bound		28	26	10	10	4	4									
H927505										0.12	7.66	2.2	550	2.11	0.32	1.80
DUP										0.11	7.40	2.1	520	2.24	0.31	1.71
Target Range - Lower Bound										0.10	7.14	1.8	480	2.02	0.29	1.68
Upper Bound										0.13	7.92	2.5	590	2.33	0.34	1.85



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Method Analyte Units LOR	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	
Sample Description	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	
DUPLICATES																
G0779005 DUP Target Range: Lower Bound Upper Bound:																
G0779012 DUP Target Range: Lower Bound Upper Bound:	0.06 0.06 0.04 0.08	14.80 14.40 13.85 15.35	8.2 8.0 7.6 8.6	161 153 148 166	4.20 4.17 3.93 4.44	46.2 44.4 42.8 47.8	4.03 3.80 3.71 4.12	16.75 16.05 15.55 17.25	0.12 0.11 0.06 0.17	4.2 4.3 3.9 4.6	0.035 0.032 0.027 0.040	1.81 1.71 1.66 1.86	7.4 7.0 6.3 8.1	37.4 34.4 33.9 37.9	1.54 1.45 1.41 1.58	
G0779025 DUP Target Range: Lower Bound Upper Bound:																
G0779028 DUP Target Range: Lower Bound Upper Bound:	0.22 0.22 0.19 0.25	10.95 9.22 9.57 10.60	117.5 120.5 113.0 125.0	414 412 391 435	1.17 0.98 0.97 1.18	1310 1360 1270 1400	8.37 8.52 8.01 8.88	21.4 21.4 20.3 22.5	0.15 0.15 0.09 0.21	1.6 1.6 1.4 1.8	0.053 0.054 0.046 0.061	0.63 0.62 0.58 0.67	4.4 3.6 3.3 4.7	14.3 14.4 13.4 15.3	1.60 1.56 1.49 1.67	
G0779045 DUP Target Range: Lower Bound Upper Bound:																
G0779064 DUP Target Range: Lower Bound Upper Bound:	4.50 4.29 4.16 4.63	1.08 1.04 1.00 1.12	32.2 31.9 30.3 33.8	50 50 47 54	0.17 0.17 0.11 0.23	895 859 833 921	5.54 5.34 5.16 5.72	5.26 5.26 4.95 5.57	0.10 0.11 <0.05 0.16	0.2 0.3 <0.1 0.4	0.111 0.107 0.099 0.119	0.16 0.16 0.14 0.18	0.5 0.5 0.5 1.0	2.5 3.2 2.5 3.2	0.26 0.24 0.23 0.27	
G0775933 DUP Target Range: Lower Bound Upper Bound:																
H927505 DUP Target Range: Lower Bound Upper Bound:	0.11 0.11 0.08 0.14	50.7 56.8 51.1 56.4	20.2 19.8 18.9 21.1	93 87 85 96	9.90 10.00 9.40 10.50	56.8 55.0 52.9 58.9	4.53 4.25 4.16 4.62	21.8 21.9 20.7 23.0	0.11 0.12 0.08 0.17	3.6 3.9 3.5 4.0	0.041 0.040 0.033 0.048	1.76 1.66 1.61 1.81	24.2 27.9 24.2 27.9	75.3 80.1 73.8 81.8	1.45 1.38 1.33 1.50	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm
		5	0.05	0.01	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2
DUPLICATES																
G0779005 DUP																
Target Range - Lower Bound																
Upper Bound																
G0779012 DUP		497	1.90	1.70	5.1	19.5	680	14.6	73.7	<0.002	0.11	0.55	12.3	1	1.0	401
Target Range - Lower Bound		453	1.72	1.56	4.7	18.1	620	13.1	68.8	<0.002	0.09	0.44	11.3	<1	0.8	370
Upper Bound		512	2.00	1.75	5.4	20.4	700	15.5	76.3	0.004	0.13	0.63	12.8	2	1.3	410
G0779025 DUP																
Target Range - Lower Bound																
Upper Bound																
G0779028 DUP		900	0.68	2.04	2.8	135.0	290	5.1	20.9	0.002	2.33	0.32	52.4	2	1.8	210
Target Range - Lower Bound		862	0.61	1.96	2.6	129.0	270	4.4	15.6	<0.002	2.24	0.25	48.3	<1	1.6	201
Upper Bound		963	0.78	2.19	3.0	143.0	320	6.0	17.5	0.004	2.50	0.39	53.6	3	2.1	223
G0779045 DUP																
Target Range - Lower Bound																
Upper Bound																
G0779064 DUP		70	17.15	0.83	0.7	36.6	70	143.5	6.3	<0.002	3.57	1.68	7.1	6	0.8	13.4
Target Range - Lower Bound		59	15.70	0.76	0.6	34.1	50	133.5	5.9	<0.002	3.32	1.48	6.7	4	0.6	12.6
Upper Bound		76	17.50	0.86	0.8	38.2	80	148.5	6.7	0.004	3.70	1.83	7.7	7	1.0	14.3
G0775933 DUP																
Target Range - Lower Bound																
Upper Bound																
H927505 DUP		686	1.46	2.90	7.5	47.7	720	12.9	70.2	0.002	0.28	0.10	14.5	1	1.8	397
Target Range - Lower Bound		626	1.76	2.66	7.0	44.8	660	11.9	70.0	<0.002	0.25	<0.05	13.8	<1	1.5	367
Upper Bound		703	2.05	2.97	8.0	50.0	750	14.2	77.5	0.004	0.29	0.10	15.5	2	2.1	407



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Units		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.05	0.05	0.2	0.005	0.02	0.1	1	0.1	0.1	2	0.5
G0779005 DUP Target Range - Lower Bound Upper Bound	DUPLICATES											
G0779012 DUP Target Range - Lower Bound Upper Bound	0.47 0.45 0.39 0.53	0.07 0.06 <0.05 0.10	9.6 9.2 8.7 10.1	0.293 0.270 0.262 0.301	0.44 0.43 0.38 0.49	2.9 2.8 2.6 3.1	89 85 82 92	5.2 5.1 4.7 5.6	6.6 6.4 6.1 6.9	51 48 45 54	138.0 139.5 131.5 146.0	
G0779025 DUP Target Range - Lower Bound Upper Bound	DUPLICATES											
G0779028 DUP Target Range - Lower Bound Upper Bound	0.21 0.22 0.15 0.28	0.10 0.11 <0.05 0.16	0.5 0.4 <0.2 0.7	0.555 0.573 0.531 0.597	0.17 0.17 0.14 0.20	0.2 0.2 <0.1 0.3	327 339 315 351	1.2 1.3 1.1 1.4	15.6 14.4 14.2 15.9	76 80 72 84	56.9 56.0 53.1 59.8	
G0779045 DUP Target Range - Lower Bound Upper Bound	DUPLICATES											
G0779064 DUP Target Range - Lower Bound Upper Bound	0.05 <0.05 <0.05 0.10	3.48 3.37 3.20 3.65	<0.2 <0.2 <0.2 0.4	0.158 0.152 0.142 0.168	0.15 0.13 0.11 0.17	<0.1 <0.1 <0.1 0.2	61 59 56 64	1.3 1.2 1.1 1.4	1.5 1.5 1.3 1.7	269 258 248 279	5.7 6.1 5.1 6.7	
G0775933 DUP Target Range - Lower Bound Upper Bound	DUPLICATES											
H927505 DUP Target Range - Lower Bound Upper Bound	1.67 1.68 1.54 1.81	<0.05 <0.05 <0.05 0.10	7.7 9.3 7.9 9.1	0.346 0.327 0.315 0.358	0.37 0.38 0.33 0.42	2.4 3.0 2.5 2.9	102 95 93 104	0.9 1.0 0.8 1.1	10.1 11.0 9.9 11.2	83 76 74 85	117.0 124.0 114.0 127.0	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	Cu-OG62	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Au ppb	Au Check ppb	Pt ppb	Pt Check ppb	Pd ppb	Pd Check ppb	Au ppb	Cu %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %
		1	1	5	5	1	1	50	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01
DUPLICATES																
ORIGINAL		1		<5		5										
DUP		1		<5		5										
Target Range - Lower Bound		<1		<5		4										
Upper Bound		2		10		6										
ORIGINAL		264		11		1										
DUP		271		<5		1										
Target Range - Lower Bound		253		<5		<1										
Upper Bound		282		10		2										
ORIGINAL		3		5		<1										
DUP		3		8		<1										
Target Range - Lower Bound		2		<5		<1										
Upper Bound		4		10		2										
ORIGINAL		32		9		15										
DUP		28		7		15										
Target Range - Lower Bound		28		<5		13										
Upper Bound		33		10		17										
ORIGINAL									1.165							
DUP									1.095							
Target Range - Lower Bound									1.100							
Upper Bound									1.160							
ORIGINAL		3		<5		<1										
DUP		4	4	<5	<5	<1	<1									
Target Range - Lower Bound		2	3	<5	<5	<1	<1									
Upper Bound		5	5	10	10	2	2									
ORIGINAL									<50							
DUP									<50							
Target Range - Lower Bound									<50							
Upper Bound									100							
ORIGINAL									<50							
DUP									<50							
Target Range - Lower Bound									<50							
Upper Bound									100							



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Method Analyte Units LOR	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Method Analyte Units LOR	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm
Sample Description	5	0.05	0.01	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.05	0.05	0.2	0.005	0.02	0.1	1	0.1	0.1	2	0.5
ORIGINAL DUP Target Range - Lower Bound Upper Bound		DUPLICATES										
ORIGINAL DUP Target Range - Lower Bound Upper Bound												
ORIGINAL DUP Target Range - Lower Bound Upper Bound												
ORIGINAL DUP Target Range - Lower Bound Upper Bound												
ORIGINAL DUP Target Range - Lower Bound Upper Bound												
ORIGINAL DUP Target Range - Lower Bound Upper Bound												
ORIGINAL DUP Target Range - Lower Bound Upper Bound												
ORIGINAL DUP Target Range - Lower Bound Upper Bound												



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	Cu-OG62	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Au	Au Check	Pt	Pt Check	Pd	Pd Check	Au	Cu	Ag	Al	As	Ba	Be	Bi	Ca
Units		ppb	ppb	ppb	ppb	ppb	ppb	ppb	%	ppm	%	ppm	ppm	ppm	ppm	%
LOR		1	1	5	5	1	1	50	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01
DUPLICATES																
ORIGINAL		7		<5		5										
DUP		8		7		4										
Target Range - Lower Bound		6		<5		3										
Upper Bound		9		10		8										
ORIGINAL		16		26		15										
DUP		11		50		17										
Target Range - Lower Bound		12		31		14										
Upper Bound		15		45		18										
ORIGINAL		1165		17		29										
DUP		1180	1180	16	16	28	28									
Target Range - Lower Bound		1115	1120	11	10	26	26									
Upper Bound		1230	1240	22	22	31	30									
ORIGINAL		11		<5		2										
DUP		13		<5		2										
Target Range - Lower Bound		10		<5		<1										
Upper Bound		14		10		3										
ORIGINAL		30		<5		<1										
DUP		28	28	<5	<5	<1	<1									
Target Range - Lower Bound		27	26	<5	<5	<1	<1									
Upper Bound		31	30	10	10	2	2									
ORIGINAL		3		<5		2										
DUP		4	4	<5	<5	2	2									
Target Range - Lower Bound		2	3	<5	<5	<1	<1									
Upper Bound		5	5	10	10	3	3									
ORIGINAL		4		<5		4										
DUP		3	3	<5	<5	5	5									
Target Range - Lower Bound		2	2	<5	<5	3	4									
Upper Bound		5	4	10	10	6	6									
ORIGINAL		48		<5		<1										
DUP		48		<5		<1										
Target Range - Lower Bound		45		<5		<1										
Upper Bound		51		10		2										



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 7 - B

Total # Pages: 8 (A - D)

Plus Appendix Pages

Finalized Date: 10-NOV-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Sample Description	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg
	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%
	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr
Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
LOR	5	0.05	0.01	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2
ORIGINAL DUP Target Range: Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range: Lower Bound Upper Bound															
ORIGINAL DUP Target Range: Lower Bound Upper Bound															
ORIGINAL DUP Target Range: Lower Bound Upper Bound															
ORIGINAL DUP Target Range: Lower Bound Upper Bound															
ORIGINAL DUP Target Range: Lower Bound Upper Bound															
ORIGINAL DUP Target Range: Lower Bound Upper Bound															
ORIGINAL DUP Target Range: Lower Bound Upper Bound															



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 7 - D

Total # Pages: 8 (A - D)

Plus Appendix Pages

Finalized Date: 10-NOV-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.05	0.05	0.2	0.005	0.02	0.1	1	0.1	0.1	2	0.5
ORIGINAL DUP Target Range - Lower Bound Upper Bound		DUPLICATES										
ORIGINAL DUP Target Range - Lower Bound Upper Bound												
ORIGINAL DUP Target Range - Lower Bound Upper Bound												
ORIGINAL DUP Target Range - Lower Bound Upper Bound												
ORIGINAL DUP Target Range - Lower Bound Upper Bound												
ORIGINAL DUP Target Range - Lower Bound Upper Bound												
ORIGINAL DUP Target Range - Lower Bound Upper Bound												
ORIGINAL DUP Target Range - Lower Bound Upper Bound												



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 8 - A

Total # Pages: 8 (A - D)

Plus Appendix Pages

Finalized Date: 10-NOV-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	Cu-OG62	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Au	Au Check	Pt	Pt Check	Pd	Pd Check	Au	Cu	Ag	Al	As	Ba	Be	Bi	Ca
		ppb	ppb	ppb	ppb	ppb	ppb	ppb	%	ppm	%	ppm	ppm	ppm	ppm	%
		1	1	5	5	1	1	50	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01
DUPLICATES																
ORIGINAL		5		<5		<1										
DUP		5	5	<5	<5	<1	<1									
Target Range - Lower Bound		4	4	<5	<5	<1	<1									
Upper Bound		6	6	10	10	2	2									
ORIGINAL									1.09	2.87	<0.2	20	0.17	1.71	1.56	
DUP									1.00	2.81	1.8	20	0.29	1.61	1.54	
Target Range - Lower Bound									0.98	2.69	0.8	<10	0.17	1.57	1.46	
Upper Bound									1.11	2.99	1.3	30	0.29	1.75	1.64	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 8 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Method Analyte Units LOR	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01
Sample Description	DUPLICATES														
ORIGINAL DUP	DUPLICATES														
Target Range - Lower Bound	DUPLICATES														
Upper Bound	DUPLICATES														
ORIGINAL DUP	<0.02	12.90	30.2	21	1.21	4180	25.9	15.15	0.53	1.7	0.117	0.21	6.1	11.2	1.55
Target Range - Lower Bound	<0.02	12.45	29.7	19	1.13	3930	24.5	14.50	0.53	1.5	0.104	0.19	5.3	11.2	1.46
Upper Bound	0.04	13.75	33.0	23	1.35	4350	27.2	16.10	0.70	1.8	0.126	0.23	7.0	12.9	1.64



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 8 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 10-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Method Analyte Units LOR	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm
Sample Description	5	0.05	0.01	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2
ORIGINAL DUP	DUPLICATES														
Target Range - Lower Bound															
Upper Bound															
ORIGINAL	431	2120	0.54	5.0	18.0	180	14.3	9.4	0.162	1.89	0.11	5.0	7	9.4	68.5
DUP	426	2100	0.53	4.9	18.0	190	6.1	9.2	0.166	1.85	0.75	5.4	7	9.9	67.0
Target Range - Lower Bound	402	2000	0.50	4.6	16.9	170	9.2	8.7	0.154	1.77	0.35	4.8	6	9.0	64.2
Upper Bound	455	2220	0.57	5.3	19.1	200	11.2	9.9	0.174	1.97	0.51	5.6	8	10.3	71.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 8 - D

Total # Pages: 8 (A - D)

Plus Appendix Pages

Finalized Date: 10-NOV-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Method Analyte Units LOR	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Tl % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
Sample Description	DUPLICATES										
ORIGINAL DUP Target Range - Lower Bound Upper Bound											
ORIGINAL DUP Target Range - Lower Bound Upper Bound	0.29 0.27 0.22 0.34	0.74 0.89 0.72 0.91	1.3 1.3 1.0 1.6	0.110 0.107 0.098 0.119	0.06 0.05 0.03 0.08	0.6 0.6 0.5 0.7	47 46 43 50	0.8 0.8 0.6 1.0	10.8 10.8 10.2 11.4	77 61 64 74	58.0 58.4 54.8 61.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 10-NOV-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111798

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.





ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 5-NOV-2009
Account: MVR

QC CERTIFICATE SD09111799

Project: EASTMAIN MINE

P.O. No.:

This report is for 90 Rock samples submitted to our lab in Sudbury, ON, Canada on 16-OCT-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	Au	Pt	Pd	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Units		ppb	ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
LOR		1	5	1	50	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
STANDARDS																
GBM3961c		7.45	4.02	694	280	0.89	20.5	2.95	20.5	44.0	148.5	617				
GBM3961c		8.45	4.06	685	330	0.79	20.8	2.95	21.2	46.1	150.0	599				
Target Range - Lower Bound		7.28	3.75	669	210	0.77	18.15	2.77	19.35	43.5	144.0	594				
Upper Bound		8.92	4.60	818	300	1.05	22.2	3.40	23.7	53.2	176.5	728				
GBM999-5		55.7	4.68	3.4	170	1.17	0.52	0.10	0.19	25.3	3.2	7				
Target Range - Lower Bound		53.5	4.26	3.0	140	1.12	0.50	0.08	0.17	23.6	2.9	4				
Upper Bound		65.4	5.22	4.2	210	1.48	0.64	0.12	0.25	28.9	3.7	8				
GEOMS-03		0.69	5.08	620	2400	1.44	0.33	0.39	0.31	48.0	10.5	121				
Target Range - Lower Bound		0.67	4.61	570	2060	1.34	0.31	0.33	0.30	47.0	10.7	105				
Upper Bound		0.85	5.65	697	2810	1.74	0.41	0.43	0.42	57.4	13.3	131				
GPP-01		953	999	737												
GPP-01		878	971	731												
Target Range - Lower Bound		841	892	682												
Upper Bound		969	1040	786												
MRGeo08		4.35	7.35	26.9	1010	3.41	0.65	2.50	2.29	78.5	18.9	91				
MRGeo08		4.51	7.48	29.5	1030	3.21	0.65	2.49	2.20	73.1	21.1	92				
Target Range - Lower Bound		4.16	7.00	29.7	920	2.80	0.63	2.35	2.01	72.9	18.4	82				
Upper Bound		5.10	8.57	36.7	1270	3.54	0.79	2.90	2.50	89.1	22.8	102				
OxA71		81	<5	<1												
OxA71		79	<5	<1												
Target Range - Lower Bound		78														
Upper Bound		92														
OXD73		421	<5	<1												
OXD73		418	<5	<1												
Target Range - Lower Bound																
Upper Bound																
OxN62					7630											
Target Range - Lower Bound					7120											
Upper Bound					8300											
OxP50					14850											
Target Range - Lower Bound					13800											
Upper Bound					16000											
PGMS-16		1225	1200	4690												
Target Range - Lower Bound		1040	1140	4330												
Upper Bound		1200	1320	4990												
PK2		4990	4830	6400												
Target Range - Lower Bound		4450	4410	5500												
Upper Bound		5120	5090	6330												
SL34		6270	<5	1												

Comments: ***Corrected copy for sample description from G0775951 - G0775967 to G0779251 - G0779267***

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111799

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	
Sample Description	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	
STANDARDS																
GBM3961c	4.86	2800	8.26	11.85	0.18	1.8	1.255	0.73	23.5	18.6	2.43	841	9.65	0.62	3.1	
GBM3961c	5.01	2760	8.21	12.35	0.25	1.8	1.270	0.76	26.5	17.7	2.44	831	10.85	0.63	3.4	
Target Range - Lower Bound	4.83	2590	8.00	11.75	0.17	1.5	1.250	0.68	22.9	16.8	2.32	780	8.97	0.56	3.0	
Upper Bound	6.01	3160	9.80	14.45	0.32	2.1	1.540	0.85	29.1	21.0	2.85	964	11.10	0.71	3.9	
GBM999-5	0.73	480	3.03	16.30	0.12	0.6	0.021	3.52	14.1	3.0	0.04	68	4.11	0.98	5.4	
Target Range - Lower Bound	0.69	429	2.67	14.70	0.07	0.6	0.022	3.10	11.8	2.8	0.03	54	3.77	0.83	5.3	
Upper Bound	0.95	525	3.29	18.10	0.19	1.0	0.038	3.81	15.6	3.8	0.05	78	4.71	1.03	6.7	
GEOMS-03	9.54	129.5	4.11	12.70	0.16	1.6	0.038	1.09	25.9	39.8	0.49	516	3.60	0.10	14.9	
Target Range - Lower Bound	9.04	120.5	3.64	12.00	0.10	1.2	0.035	1.03	25.6	37.6	0.48	483	3.05	0.06	13.1	
Upper Bound	11.15	147.5	4.48	14.75	0.24	1.6	0.053	1.29	32.4	46.4	0.60	601	3.83	0.10	16.3	
GPP-01																
Target Range - Lower Bound																
Upper Bound																
MRGeo08	12.90	614	3.79	20.1	0.13	3.4	0.183	2.94	38.5	37.1	1.27	539	15.60	1.88	21.6	
MRGeo08	12.20	611	3.78	21.2	0.21	3.4	0.172	2.98	36.7	36.5	1.27	533	15.85	1.90	22.3	
Target Range - Lower Bound	11.00	568	3.61	17.50	0.09	2.8	0.161	2.79	36.3	30.4	1.24	506	13.65	1.76	18.3	
Upper Bound	13.60	694	4.43	21.5	0.23	3.6	0.207	3.43	45.5	37.6	1.54	630	16.75	2.18	22.5	
OxA71																
Target Range - Lower Bound																
Upper Bound																
OXD73																
Target Range - Lower Bound																
Upper Bound																
OxN62																
Target Range - Lower Bound																
Upper Bound																
OxP50																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																
PK2																
Target Range - Lower Bound																
Upper Bound																
SL34																

Comments: ***Corrected copy for sample description from G0775951 - G0775967 to G0779251 - G0779267***

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111799

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	
	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	
STANDARDS																
GBM3961c	1955	260	1780	65.9	0.004	3.48	29.1	13.5	6	6.1	85.4	0.75	3.13	5.8	0.233	
GBM3961c	1945	260	1775	65.0	0.004	3.46	30.7	13.2	7	6.5	88.5	0.75	3.11	6.3	0.235	
Target Range - Lower Bound	1925	250	1725	60.5	<0.002	3.33	25.3	11.9	6	5.7	83.7	0.71	3.01	5.8	0.213	
Upper Bound	2350	330	2110	74.1	0.007	4.10	34.4	14.8	9	7.4	102.5	0.98	3.79	7.5	0.272	
GBM999-5	4.3	50	521	480	0.005	0.29	5.31	1.9	2	1.5	16.3	0.26	0.30	4.7	0.019	
Target Range - Lower Bound	3.8	40	487	433	0.003	0.26	4.78	1.7	<1	1.3	14.5	0.26	0.21	4.4	0.013	
Upper Bound	5.0	70	597	529	0.008	0.34	6.58	2.3	3	2.1	18.2	0.42	0.37	5.8	0.027	
GEOMS-03	50.7	1070	7.2	57.9	<0.002	0.03	17.00	13.7	3	2.3	168.5	0.85	0.11	6.2	0.455	
Target Range - Lower Bound	48.1	970	7.2	55.7	<0.002	0.03	15.85	12.4	2	2.1	157.5	0.81	0.07	6.2	0.409	
Upper Bound	59.3	1210	9.9	68.3	0.004	0.05	21.5	15.4	4	3.0	192.5	1.10	0.19	8.0	0.511	
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
MRGeo08	652	1000	976	187.0	0.008	0.30	4.79	12.7	3	4.2	295	1.58	<0.05	19.5	0.478	
MRGeo08	658	1000	998	182.0	0.008	0.29	4.71	12.8	3	4.2	295	1.61	<0.05	19.3	0.474	
Target Range - Lower Bound	617	910	965	187.0	0.008	0.27	4.08	11.0	<1	3.5	272	1.48	<0.05	19.2	0.454	
Upper Bound	755	1140	1180	229	0.014	0.35	5.64	13.6	2	4.7	332	1.92	0.10	23.9	0.566	
OxA71																
OxA71																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
OxN62																
Target Range - Lower Bound																
Upper Bound																
OxP50																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																
PK2																
Target Range - Lower Bound																
Upper Bound																
SL34																

Comments: ***Corrected copy for sample description from G0775951 - G0775967 to G0779251 - G0779267***

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5
STANDARDS								
GBM3961c		0.85	1.5	100	17.0	10.7	6370	57.4
GBM3961c		0.93	1.6	101	17.5	11.0	6340	54.9
Target Range - Lower Bound		0.82	1.4	97	14.6	10.7	6280	52.6
Upper Bound		1.15	1.9	120	20.0	13.3	7680	72.4
GBM999-5		1.82	1.8	7	2.2	11.0	120	17.4
Target Range - Lower Bound		1.75	1.8	5	2.1	10.3	102	16.4
Upper Bound		2.41	2.4	9	3.0	12.8	129	23.4
GEOMS-03		1.06	3.4	110	18.9	20.8	47	61.3
Target Range - Lower Bound		0.99	3.1	104	18.1	19.8	40	44.0
Upper Bound		1.39	4.0	130	24.7	24.4	54	60.8
GPP-01								
GPP-01								
Target Range - Lower Bound								
Upper Bound								
MRGeo08		0.95	5.6	107	5.1	28.0	799	106.0
MRGeo08		1.00	5.6	105	5.0	26.7	775	99.0
Target Range - Lower Bound		0.87	5.6	99	4.3	24.3	712	92.2
Upper Bound		1.23	7.0	123	6.1	29.9	874	126.0
OxA71								
OxA71								
Target Range - Lower Bound								
Upper Bound								
OXD73								
OXD73								
Target Range - Lower Bound								
Upper Bound								
OxN62								
Target Range - Lower Bound								
Upper Bound								
OxP50								
Target Range - Lower Bound								
Upper Bound								
PGMS-16								
Target Range - Lower Bound								
Upper Bound								
PK2								
Target Range - Lower Bound								
Upper Bound								
SL34								

Comments: ***Corrected copy for sample description from G0775951 - G0775967 to G0779251 - G0779267***

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Au ppb	Pt ppb	Pd ppb	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm
STANDARDS															
Target Range - Lower Bound		5480													
Upper Bound		6310													
ST-252		55	<5	<1											
Target Range - Lower Bound		54	<5	<1											
Upper Bound		64	10	2											
BLANKS															
BLANK		<1	<5	<1											
BLANK		1	<5	<1											
BLANK		1	<5	<1											
BLANK					<50										
BLANK						<0.01	<0.01	0.3	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1
BLANK						<0.01	0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1
BLANK						<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1
Target Range - Lower Bound						<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1
Upper Bound						0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2
DUPLICATES															
ORIGINAL		55	<5	<1											
DUP		47	<5	<1											
Target Range - Lower Bound		47	<5	<1											
Upper Bound		55	10	2											
ORIGINAL		17	46	55											
DUP		17	39	56											
Target Range - Lower Bound		15	35	52											
Upper Bound		19	50	59											
G0779111						0.07	6.35	1.6	380	1.19	0.16	1.05	0.04	51.1	4.2
DUP						0.06	6.37	1.3	380	1.23	0.15	1.06	0.03	54.7	4.0
Target Range - Lower Bound						0.05	6.03	1.2	340	1.10	0.14	0.99	<0.02	50.2	3.8
Upper Bound						0.08	6.69	1.7	420	1.32	0.17	1.12	0.04	55.6	4.4

Comments: ***Corrected copy for sample description from G0775951 - G0775967 to G0779251 - G0779267***

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111799

Method Analyte Units LOR	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm
Sample Description	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
STANDARDS															
Target Range - Lower Bound															
Upper Bound															
ST-252															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK	<0.05	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1
BLANK	<0.05	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1
BLANK	<0.05	0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1
Target Range - Lower Bound	<0.05	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1
Upper Bound	0.10	0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
G0779111	1.08	35.5	2.86	19.95	0.08	4.8	0.028	1.25	25.5	9.6	0.30	246	2.10	3.13	10.6
DUP	1.09	33.2	2.88	19.45	0.08	4.8	0.028	1.24	27.6	9.3	0.30	250	1.80	3.18	10.7
Target Range - Lower Bound	0.98	32.4	2.72	18.65	<0.05	4.5	0.022	1.17	24.7	8.8	0.28	231	1.80	2.99	10.0
Upper Bound	1.19	36.3	3.02	20.7	0.10	5.1	0.034	1.32	28.4	10.1	0.33	265	2.10	3.32	11.3

Comments: ***Corrected copy for sample description from G0775951 - G0775967 to G0779251 - G0779267***

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111799

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Sample Description	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	
	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	
STANDARDS																
Target Range - Lower Bound																
Upper Bound																
ST-252																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK	<0.2	<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	
BLANK	<0.2	<10	0.6	<0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	
BLANK	<0.2	<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	
Target Range - Lower Bound	<0.2	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	
Upper Bound	0.4	20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
G0779111	4.4	310	5.3	56.9	<0.002	0.15	0.14	7.2	2	3.1	106.0	0.83	0.07	5.6	0.228	
DUP	3.5	310	4.9	57.0	<0.002	0.15	0.14	6.8	2	3.1	108.5	0.84	0.06	5.8	0.232	
Target Range - Lower Bound	3.6	280	4.3	54.0	<0.002	0.13	0.08	6.6	<1	2.7	101.5	0.74	<0.05	5.2	0.214	
Upper Bound	4.3	340	5.9	59.9	0.004	0.17	0.20	7.5	3	3.5	113.0	0.93	0.10	6.2	0.247	

Comments: ***Corrected copy for sample description from G0775951 - G0775967 to G0779251 - G0779267***

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Tl	U	V	W	Y	Zn	Zr
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.02	0.1	1	0.1	0.1	2	0.5
STANDARDS								
Target Range - Lower Bound								
Upper Bound								
ST-252								
Target Range - Lower Bound								
Upper Bound								
BLANKS								
BLANK								
BLANK								
BLANK								
BLANK		<0.02	<0.1	<1	<0.1	<0.1	<2	<0.5
BLANK		<0.02	<0.1	<1	<0.1	<0.1	<2	<0.5
BLANK		<0.02	<0.1	<1	<0.1	<0.1	<2	<0.5
Target Range - Lower Bound		<0.02	<0.1	<1	<0.1	<0.1	<2	<0.5
Upper Bound		0.04	0.2	2	0.2	0.2	4	1.0
DUPLICATES								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
G0779111		0.20	1.3	21	1.1	29.6	23	138.5
DUP		0.19	1.3	21	1.1	30.0	22	140.5
Target Range - Lower Bound		0.16	1.1	19	0.9	28.2	19	132.0
Upper Bound		0.23	1.5	23	1.3	31.4	26	147.0

Comments: ***Corrected copy for sample description from G0775951 - G0775967 to G0779251 - G0779267***

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		1	5	1	50	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
DUPLICATES																
G0779118		6	<5	<1												
DUP		2	<5	<1												
Target Range - Lower Bound		3	<5	<1												
Upper Bound		5	10	2												
G0775911		664	<5	<1												
DUP		663	<5	<1												
Target Range - Lower Bound		629	<5	<1												
Upper Bound		698	10	2												
G0775920						0.21	8.33	1.8	90	0.41	0.08	7.55	0.11	11.70	52.9	398
DUP						0.23	7.88	1.6	80	0.42	0.09	7.34	0.11	12.85	56.6	382
Target Range - Lower Bound						0.20	7.69	1.4	70	0.34	0.07	7.06	0.08	11.65	51.9	370
Upper Bound						0.24	8.52	2.0	100	0.49	0.10	7.83	0.14	12.90	57.6	411
G0775931		1	12	9												
DUP		2	12	7												
Target Range - Lower Bound		<1	6	7												
Upper Bound		2	18	9												
G0775933		27	<5	2												
DUP		24	<5	3												
Target Range - Lower Bound		23	<5	<1												
Upper Bound		28	10	4												
G0779265						0.32	7.31	1.2	230	0.90	0.12	4.12	0.18	14.30	114.5	153
DUP						0.30	7.61	1.6	240	0.99	0.11	4.29	0.18	14.90	120.5	156
Target Range - Lower Bound						0.28	7.08	1.1	210	0.85	0.10	3.98	0.15	13.85	111.5	146
Upper Bound						0.34	7.84	1.7	260	1.04	0.13	4.43	0.21	15.35	123.5	163
G0775720		16	<5	<1												
DUP		14	<5	<1												
Target Range - Lower Bound		13	<5	<1												
Upper Bound		17	10	2												
ORIGINAL					20200											
DUP					18300											
Target Range - Lower Bound					18250											
Upper Bound					20300											

Comments: ***Corrected copy for sample description from G0775951 - G0775967 to G0779251 - G0779267***

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - B

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 5-NOV-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111799

Method Analyte Units LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	
DUPLICATES																
G0779118 DUP Target Range - Lower Bound Upper Bound																
G0775911 DUP Target Range - Lower Bound Upper Bound																
G0775920 DUP Target Range - Lower Bound Upper Bound	0.28 0.28 0.22 0.34	360 355 339 376	7.29 7.08 6.82 7.55	20.9 22.3 20.5 22.7	0.15 0.15 0.09 0.21	0.6 0.7 0.5 0.8	0.086 0.091 0.079 0.098	0.35 0.34 0.32 0.37	5.1 5.7 4.6 6.2	12.0 13.5 11.9 13.6	3.09 2.96 2.86 3.19	1580 1540 1475 1645	1.96 1.97 1.82 2.11	1.63 1.60 1.52 1.71	2.5 2.6 2.3 2.8	
G0775931 DUP Target Range - Lower Bound Upper Bound																
G0775933 DUP Target Range - Lower Bound Upper Bound																
G0779265 DUP Target Range - Lower Bound Upper Bound	1.66 1.69 1.54 1.81	1180 1220 1140 1260	7.09 7.55 6.94 7.70	19.80 21.1 19.40 21.5	0.16 0.17 0.11 0.22	3.0 2.9 2.7 3.2	0.048 0.046 0.040 0.054	1.07 1.11 1.03 1.15	7.6 7.8 6.8 8.6	18.4 18.9 17.5 19.8	1.97 2.05 1.90 2.12	609 633 585 657	0.81 0.82 0.72 0.91	1.30 1.35 1.25 1.40	5.3 5.5 5.0 5.8	
G0775720 DUP Target Range - Lower Bound Upper Bound																
ORIGINAL DUP Target Range - Lower Bound Upper Bound																

Comments: ***Corrected copy for sample description from G0775951 - G0775967 to G0779251 - G0779267***

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
G0779118 DUP Target Range - Lower Bound Upper Bound		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
DUPLICATES																
G0775911 DUP Target Range - Lower Bound Upper Bound																
G0775920 DUP Target Range - Lower Bound Upper Bound		104.0 108.0 100.5 111.5	320 310 290 340	3.9 4.4 3.4 4.9	16.5 11.9 13.4 15.0	<0.002 0.002 <0.002 0.004	0.36 0.36 0.33 0.39	1.10 1.17 1.00 1.27	48.7 53.7 48.5 53.9	3 3 2 4	1.1 1.2 0.9 1.4	163.5 164.0 155.5 172.0	0.15 0.17 0.10 0.22	0.16 0.17 0.11 0.22	0.5 0.6 0.3 0.8	0.521 0.508 0.484 0.545
G0775931 DUP Target Range - Lower Bound Upper Bound																
G0775933 DUP Target Range - Lower Bound Upper Bound																
G0779265 DUP Target Range - Lower Bound Upper Bound		76.5 78.7 73.5 81.7	170 180 160 190	3.3 3.1 2.5 3.9	49.3 49.7 46.9 52.1	0.002 0.003 <0.002 0.004	1.09 1.12 1.04 1.17	0.27 0.26 0.20 0.33	27.9 29.5 27.2 30.2	8 8 7 9	2.1 2.1 1.8 2.4	179.5 185.0 173.0 191.5	0.42 0.52 0.40 0.54	0.23 0.22 0.16 0.29	3.2 3.4 2.9 3.7	0.326 0.339 0.311 0.354
G0775720 DUP Target Range - Lower Bound Upper Bound																
ORIGINAL DUP Target Range - Lower Bound Upper Bound																

Comments: ***Corrected copy for sample description from G0775951 - G0775967 to G0779251 - G0779267***

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
G0779118 DUP Target Range - Lower Bound Upper Bound		0.02	0.1	1	0.1	0.1	2	0.5
DUPLICATES								
G0775911 DUP Target Range - Lower Bound Upper Bound								
G0775920 DUP Target Range - Lower Bound Upper Bound		0.08 0.10 0.06 0.12	0.2 0.2 <0.1 0.3	272 266 255 283	0.9 1.0 0.8 1.1	20.5 21.9 20.0 22.4	58 58 53 63	17.3 17.1 15.8 18.6
G0775931 DUP Target Range - Lower Bound Upper Bound								
G0775933 DUP Target Range - Lower Bound Upper Bound								
G0779265 DUP Target Range - Lower Bound Upper Bound		0.25 0.24 0.21 0.28	0.6 0.6 0.5 0.7	161 168 155 174	0.8 0.8 0.6 1.0	19.3 19.9 18.5 20.7	38 39 35 42	71.0 71.1 67.0 75.1
G0775720 DUP Target Range - Lower Bound Upper Bound								
ORIGINAL DUP Target Range - Lower Bound Upper Bound								

Comments: ***Corrected copy for sample description from G0775951 - G0775967 to G0779251 - G0779267***

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		1	5	1	50	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	
DUPLICATES																
ORIGINAL		3	<5	<1												
DUP		4	<5	<1												
Target Range - Lower Bound		2	<5	<1												
Upper Bound		5	10	2												
ORIGINAL		1165	17	29												
DUP		1180	16	28												
Target Range - Lower Bound		1115	11	26												
Upper Bound		1230	22	31												

Comments: ***Corrected copy for sample description from G0775951 - G0775967 to G0779251 - G0779267***

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111799

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
LOR	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound															

Comments: ***Corrected copy for sample description from G0775951 - G0775967 to G0779251 - G0779267***

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111799

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
Sample Description	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															

Comments: ***Corrected copy for sample description from G0775951 - G0775967 to G0779251 - G0779267***

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111799

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Tl	U	V	W	Y	Zn
Units		ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.02	0.1	1	0.1	0.1	2
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES						
ORIGINAL DUP Target Range - Lower Bound Upper Bound							

Comments: ***Corrected copy for sample description from G0775951 - G0775967 to G0779251 - G0779267***

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5-NOV-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09111799

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 27-OCT-2009
Account: MVR

QC CERTIFICATE SD09112530

Project: Eastmain Mine

P.O. No.:

This report is for 24 Rock samples submitted to our lab in Sudbury, ON, Canada on 16-OCT-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - A

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 27-OCT-2009

Account: MVR

Project: Eastmain Mine

QC CERTIFICATE OF ANALYSIS SD09112530

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	Cu-OG62	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Au ppb	Pt ppb	Pd ppb	Cu %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		1	5	1	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
STANDARDS																
GBM3961c						8.37	4.60	805	110	1.02	22.1	3.27	22.9	50.6	164.5	667
Target Range - Lower Bound						7.28	3.75	669	210	0.77	18.15	2.77	19.35	43.5	144.0	594
Upper Bound						8.92	4.60	818	300	1.05	22.2	3.40	23.7	53.2	176.5	728
GPP-01		935	950	726												
GPP-01		931	995	782												
GPP-01		900	979	784												
GPP-01		996	972	705												
Target Range - Lower Bound		841	892	682												
Upper Bound		969	1040	786												
MP-1b					3.10											
Target Range - Lower Bound					2.96											
Upper Bound					3.18											
MRGeo08						4.38	7.37	35.5	1040	2.96	0.64	2.54	2.36	66.3	19.1	92
Target Range - Lower Bound						4.16	7.00	29.7	920	2.80	0.63	2.35	2.01	72.9	18.4	82
Upper Bound						5.10	8.57	36.7	1270	3.54	0.79	2.90	2.50	89.1	22.8	102
OGGeo08					0.853											
Target Range - Lower Bound					0.823											
Upper Bound					0.885											
OxA71		80	<5	<1												
OxA71		82	<5	<1												
OxA71		82	<5	<1												
OxA71		80	<5	<1												
Target Range - Lower Bound		78														
Upper Bound		92														
OXD73		423	<5	<1												
OXD73		415	7	1												
OXD73		418	<5	1												
OXD73		406	<5	<1												
Target Range - Lower Bound																
Upper Bound																
PGMS-16		1130	1200	5030												
PGMS-16		1045	1160	4480												
PGMS-16		1065	1270	4800												
PGMS-16		1145	1210	4680												
Target Range - Lower Bound		1040	1140	4330												
Upper Bound		1200	1320	4990												



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: Eastmain Mine

QC CERTIFICATE OF ANALYSIS SD09112530

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	
STANDARDS																
GBM3961c		5.35	3060	9.23	13.20	0.17	2.0	1.410	0.82	27.9	20.0	2.74	916	10.70	0.70	3.4
Target Range - Lower Bound		4.83	2590	8.00	11.75	0.17	1.5	1.250	0.68	22.9	16.8	2.32	780	8.97	0.56	3.0
Upper Bound		6.01	3160	9.80	14.45	0.32	2.1	1.540	0.85	29.1	21.0	2.85	964	11.10	0.71	3.9
GPP-01																
GPP-01																
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
MP-1b																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		11.85	630	3.88	18.75	0.23	3.5	0.181	2.95	32.9	31.1	1.27	541	14.75	1.92	22.0
Target Range - Lower Bound		11.00	568	3.61	17.50	0.09	2.8	0.161	2.79	36.3	30.4	1.24	506	13.65	1.76	18.3
Upper Bound		13.60	694	4.43	21.5	0.23	3.6	0.207	3.43	45.5	37.6	1.54	630	16.75	2.18	22.5
OGGeo08																
Target Range - Lower Bound																
Upper Bound																
OxA71																
OxA71																
OxA71																
OxA71																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
PGMS-16																
PGMS-16																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: Eastmain Mine

QC CERTIFICATE OF ANALYSIS SD09112530

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	
STANDARDS																
GBM3961c	2250	300	1965	73.9	0.005	3.93	29.8	14.5	8	6.7	98.4	0.96	3.73	7.5	0.250	
Target Range - Lower Bound	1925	250	1725	60.5	<0.002	3.33	25.3	11.9	6	5.7	83.7	0.71	3.01	5.8	0.213	
Upper Bound	2350	330	2110	74.1	0.007	4.10	34.4	14.8	9	7.4	102.5	0.98	3.79	7.5	0.272	
GPP-01																
GPP-01																
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
MP-1b																
Target Range - Lower Bound																
Upper Bound																
MRGeo08	682	1020	1005	167.5	0.008	0.32	4.42	11.7	3	4.1	301	1.49	<0.05	18.4	0.486	
Target Range - Lower Bound	617	910	965	187.0	0.008	0.27	4.08	11.0	<1	3.5	272	1.48	<0.05	19.2	0.454	
Upper Bound	755	1140	1180	229	0.014	0.35	5.64	13.6	2	4.7	332	1.92	0.10	23.9	0.566	
OGGeo08																
Target Range - Lower Bound																
Upper Bound																
OxA71																
OxA71																
OxA71																
OxA71																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
PGMS-16																
PGMS-16																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 27-OCT-2009

Account: MVR

Project: Eastmain Mine

QC CERTIFICATE OF ANALYSIS SD09112530

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	Ti	U	V	W	Y	Zn	Zr
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Sample Description	LOR						
STANDARDS							
GBM3961c	1.04	1.8	112	18.5	11.5	6990	64.5
Target Range - Lower Bound	0.82	1.4	97	14.6	10.7	6280	52.6
Upper Bound	1.15	1.9	120	20.0	13.3	7680	72.4
GPP-01							
GPP-01							
GPP-01							
GPP-01							
Target Range - Lower Bound							
Upper Bound							
MP-1b							
Target Range - Lower Bound							
Upper Bound							
MRGeo08	0.98	5.6	110	5.0	25.0	790	105.5
Target Range - Lower Bound		5.6	99	4.3	24.3	712	92.2
Upper Bound		7.0	123	6.1	29.9	874	126.0
OGGeo08							
Target Range - Lower Bound							
Upper Bound							
OxA71							
OxA71							
OxA71							
OxA71							
Target Range - Lower Bound							
Upper Bound							
OXD73							
OXD73							
OXD73							
OXD73							
Target Range - Lower Bound							
Upper Bound							
PGMS-16							
PGMS-16							
PGMS-16							
PGMS-16							
Target Range - Lower Bound							
Upper Bound							



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: Eastmain Mine

QC CERTIFICATE OF ANALYSIS SD09112530

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	Cu-OG62	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Au ppb	Pt ppb	Pd ppb	Cu %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		1	5	1	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
BLANKS																
BLANK		<1	<5	<1												
BLANK						<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1
BLANK					<0.001											
BLANK		1	6	<1												
BLANK		2	<5	1												
BLANK		1	<5	<1												
Target Range - Lower Bound		<1	<5	<1	<0.001	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1
Upper Bound		2	10	2	0.002	0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2
DUPLICATES																
ORIGINAL		30	<5	<1												
DUP		32	<5	<1												
Target Range - Lower Bound		28	<5	<1												
Upper Bound		34	10	2												
ORIGINAL		36	<5	<1												
DUP		14	<5	<1												
Target Range - Lower Bound		23	<5	<1												
Upper Bound		27	10	2												
ORIGINAL		224	<5	<1												
DUP		207	<5	<1												
Target Range - Lower Bound		204	<5	<1												
Upper Bound		227	10	2												
G0775953						1.71	4.14	410	160	0.48	0.11	0.92	56.5	18.40	6.9	41
DUP						1.39	3.95	408	150	0.42	0.10	0.87	53.9	18.40	6.7	37
Target Range - Lower Bound						1.46	3.83	388	130	0.38	0.09	0.84	52.4	17.45	6.4	38
Upper Bound						1.64	4.26	430	180	0.52	0.12	0.95	58.0	19.35	7.2	42
G0775778		<1	<5	<1												
DUP		<1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: Eastmain Mine

QC CERTIFICATE OF ANALYSIS SD09112530

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
LOR	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
BLANKS															
BLANK	<0.05	0.3	<0.01	0.11	0.13	<0.1	<0.005	<0.01	<0.5	0.4	<0.01	<5	<0.05	<0.01	<0.1
BLANK	<0.05	0.3	<0.01	0.11	0.13	<0.1	<0.005	<0.01	<0.5	0.4	<0.01	<5	<0.05	<0.01	<0.1
BLANK	<0.05	0.3	<0.01	0.11	0.13	<0.1	<0.005	<0.01	<0.5	0.4	<0.01	<5	<0.05	<0.01	<0.1
BLANK	<0.05	0.3	<0.01	0.11	0.13	<0.1	<0.005	<0.01	<0.5	0.4	<0.01	<5	<0.05	<0.01	<0.1
BLANK	<0.05	0.3	<0.01	0.11	0.13	<0.1	<0.005	<0.01	<0.5	0.4	<0.01	<5	<0.05	<0.01	<0.1
BLANK	<0.05	0.3	<0.01	0.11	0.13	<0.1	<0.005	<0.01	<0.5	0.4	<0.01	<5	<0.05	<0.01	<0.1
Target Range - Lower Bound	<0.05	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1
Upper Bound	0.10	0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
G0775953	0.78	95.3	7.86	11.15	0.15	1.4	0.128	1.27	8.8	11.3	0.81	839	1.72	0.48	1.8
DUP	0.77	88.3	7.47	11.00	0.12	1.3	0.126	1.20	8.5	10.7	0.76	793	1.87	0.46	1.7
Target Range - Lower Bound	0.69	87.0	7.27	10.45	0.08	1.2	0.116	1.16	7.7	10.3	0.74	770	1.66	0.44	1.6
Upper Bound	0.86	96.6	8.06	11.70	0.19	1.5	0.138	1.31	9.6	11.8	0.83	862	1.93	0.50	1.9
G0775778															
DUP															
Target Range - Lower Bound															
Upper Bound															



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: Eastmain Mine

QC CERTIFICATE OF ANALYSIS SD09112530

Method Analyte Units LOR	ME-MS61 Ni ppm	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %
Sample Description	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
BLANKS															
BLANK	<0.2	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005
BLANK	<0.2	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005
BLANK	<0.2	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005
BLANK	<0.2	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005
BLANK	<0.2	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005
Target Range - Lower Bound	<0.2	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005
Upper Bound	0.4	20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
G0775953	16.6	220	178.0	59.0	<0.002	5.07	1.86	5.2	2	1.1	47.9	0.14	<0.05	1.4	0.112
DUP	16.6	220	171.5	54.7	<0.002	4.85	1.80	5.2	3	1.0	45.4	0.12	<0.05	1.4	0.104
Target Range - Lower Bound	15.6	200	165.5	53.9	<0.002	4.70	1.64	4.8	<1	0.8	44.1	0.07	<0.05	1.1	0.098
Upper Bound	17.6	240	184.0	59.8	0.004	5.22	2.02	5.6	4	1.3	49.2	0.19	0.10	1.7	0.118
G0775778															
DUP															
Target Range - Lower Bound															
Upper Bound															



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: Eastmain Mine

QC CERTIFICATE OF ANALYSIS SD09112530

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	Ti	U	V	W	Y	Zn	Zr
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.02	0.1	1	0.1	0.1	2	0.5
BLANK	BLANKS						
BLANK	<0.02	<0.1	<1	<0.1	<0.1	<2	0.6
BLANK							
BLANK							
BLANK							
BLANK							
Target Range - Lower Bound	<0.02	<0.1	<1	<0.1	<0.1	<2	<0.5
Upper Bound	0.04	0.2	2	0.2	0.2	4	1.0
	DUPLICATES						
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
G0775953	0.23	0.2	30	0.9	11.1	2620	41.8
DUP	0.21	0.2	29	0.9	10.5	2470	39.9
Target Range - Lower Bound	0.18	<0.1	27	0.7	10.2	2420	38.3
Upper Bound	0.26	0.3	32	1.1	11.4	2670	43.4
G0775778							
DUP							
Target Range - Lower Bound							
Upper Bound							



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: Eastmain Mine

QC CERTIFICATE OF ANALYSIS SD09112530

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	Cu-OG62	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Cu %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		1	5	1	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
DUPLICATES																
ORIGINAL		2	<5	9												
DUP		2	<5	6												
Target Range - Lower Bound		<1	<5	6												
Upper Bound		3	10	9												
ORIGINAL		6	<5	<1												
DUP		5	<5	<1												
Target Range - Lower Bound		4	<5	<1												
Upper Bound		7	10	2												
ORIGINAL		4	<5	1												
DUP		2	<5	<1												
Target Range - Lower Bound		2	<5	<1												
Upper Bound		4	10	2												
ORIGINAL		3	<5	<1												
DUP		3	<5	<1												
Target Range - Lower Bound		2	<5	<1												
Upper Bound		4	10	2												
ORIGINAL		3	<5	<1												
DUP		3	<5	<1												
Target Range - Lower Bound		2	<5	<1												
Upper Bound		4	10	2												
ORIGINAL		2	<5	<1												
DUP		1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
ORIGINAL					0.130											
DUP					0.133											
Target Range - Lower Bound					0.127											
Upper Bound					0.136											



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: Eastmain Mine

QC CERTIFICATE OF ANALYSIS SD09112530

Method Analyte Units LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: Eastmain Mine

QC CERTIFICATE OF ANALYSIS SD09112530

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	Tl	U	V	W	Y	Zn	Zr
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Sample Description	LOR	LOR	LOR	LOR	LOR	LOR	LOR
ORIGINAL DUP Target Range - Lower Bound Upper Bound	0.02	0.1	1	0.1	0.1	2	0.5
DURLICATES							
ORIGINAL DUP Target Range - Lower Bound Upper Bound							
ORIGINAL DUP Target Range - Lower Bound Upper Bound							
ORIGINAL DUP Target Range - Lower Bound Upper Bound							
ORIGINAL DUP Target Range - Lower Bound Upper Bound							
ORIGINAL DUP Target Range - Lower Bound Upper Bound							
ORIGINAL DUP Target Range - Lower Bound Upper Bound							
ORIGINAL DUP Target Range - Lower Bound Upper Bound							



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 8-DEC-2009
Account: MVR

QC CERTIFICATE SD09112531

Project: EASTMAIN MINE

P.O. No.:

This report is for 101 Rock samples submitted to our lab in Sudbury, ON, Canada on 26-NOV-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 8-DEC-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09112531

Method Analyte Units LOR	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total		
Sample Description	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.01
STANDARDS																	
STSD-4	58.55	12.04	5.72	3.99	2.12	2.72	1.59	0.01	0.76	0.19	0.222	0.04	0.22	11.30	99.48		
STSD-4	58.57	12.06	5.73	3.99	2.13	2.72	1.62	0.01	0.76	0.19	0.222	0.04	0.22	11.25	99.52		
STSD-4	58.61	12.02	5.72	3.99	2.10	2.73	1.58	0.01	0.76	0.19	0.222	0.04	0.22	11.40	99.59		
STSD-4	58.63	12.06	5.72	3.99	2.14	2.73	1.62	0.01	0.76	0.19	0.221	0.04	0.22	11.50	99.84		
STSD-4	58.49	12.02	5.74	4.00	2.15	2.74	1.62	0.01	0.76	0.19	0.222	0.04	0.22	11.55	99.75		
STSD-4	58.30	12.02	5.71	3.98	2.12	2.71	1.59	0.01	0.76	0.19	0.222	0.04	0.22	11.80	99.67		
Target Range - Lower Bound	55.95	11.49	5.41	3.79	2.01	2.56	1.51	<0.01	0.71	0.17	0.208	0.03	0.20	10.82	94.99		
Upper Bound	61.86	12.72	6.00	4.21	2.25	2.85	1.69	0.02	0.81	0.21	0.232	0.05	0.24	11.98	101.00		
BLANKS																	
BLANK	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.001	<0.01	<0.01	0.00	0.01		
BLANK	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.001	<0.01	<0.01	0.00	0.01		
BLANK	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.001	<0.01	<0.01	0.00	0.01		
Target Range - Lower Bound	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.001	<0.01	<0.01				
Upper Bound	0.02	0.04	0.02	0.03	0.02	0.02	0.04	0.02	0.02	0.02	0.003	0.02	0.02				
DUPLICATES																	
G0775718	49.36	15.65	11.17	11.10	6.75	2.04	0.49	0.05	0.97	0.17	0.066	0.02	0.01	1.10	98.94		
DUP	49.44	15.74	11.15	11.09	6.74	2.03	0.50	0.05	0.98	0.17	0.067	0.01	0.01	1.03	99.00		
Target Range - Lower Bound	48.16	15.29	10.87	10.81	6.57	1.97	0.47	0.04	0.94	0.16	0.064	<0.01	<0.01	1.03	96.49		
Upper Bound	50.65	16.10	11.45	11.38	6.92	2.10	0.52	0.06	1.01	0.18	0.069	0.02	0.02	1.10	101.00		
G0775797	47.50	12.10	11.88	9.55	14.85	0.90	0.33	0.19	0.46	0.20	0.036	0.01	<0.01	1.78	99.78		
DUP	47.62	12.15	11.95	9.58	14.86	0.90	0.33	0.18	0.46	0.20	0.036	0.01	<0.01	1.62	99.89		
Target Range - Lower Bound	46.36	11.81	11.61	9.32	14.47	0.87	0.31	0.17	0.44	0.19	0.034	<0.01	<0.01	1.65	97.33		
Upper Bound	48.76	12.44	12.22	9.81	15.24	0.93	0.35	0.20	0.48	0.22	0.038	0.02	0.02	1.75	101.00		
G0775863	49.66	14.25	15.05	8.33	6.10	1.54	1.27	0.13	0.92	0.25	0.064	0.02	0.02	1.25	98.85		
DUP	49.80	14.30	15.09	8.35	6.10	1.55	1.29	0.13	0.93	0.25	0.064	0.02	0.02	1.21	99.11		
Target Range - Lower Bound	48.48	13.91	14.68	8.12	5.94	1.50	1.24	0.12	0.89	0.23	0.061	<0.01	<0.01	1.19	98.50		
Upper Bound	50.98	14.64	15.46	8.56	6.26	1.59	1.32	0.14	0.96	0.27	0.067	0.03	0.03	1.27	101.00		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 6-DEC-2009
Account: MVR

QC CERTIFICATE SD09112532

Project: EASTMAIN MINE

P.O. No.:

This report is for 12 Rock samples submitted to our lab in Sudbury, ON, Canada on 26-NOV-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 6-DEC-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09112532

Method Analyte Units LOR	ME-XRF06 SiO2 %	ME-XRF06 Al2O3 %	ME-XRF06 Fe2O3 %	ME-XRF06 CaO %	ME-XRF06 MgO %	ME-XRF06 Na2O %	ME-XRF06 K2O %	ME-XRF06 Cr2O3 %	ME-XRF06 TiO2 %	ME-XRF06 MnO %	ME-XRF06 P2O5 %	ME-XRF06 SrO %	ME-XRF06 BaO %	ME-XRF06 LOI %	ME-XRF06 Total %
Sample Description	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.001	0.01	0.01	0.01	0.01
STANDARDS															
STSD-4	58.73	12.01	5.72	3.99	2.13	2.72	1.59	0.01	0.75	0.19	0.222	0.04	0.22	11.35	99.68
STSD-4	58.48	12.05	5.73	3.99	2.14	2.72	1.58	0.01	0.76	0.19	0.220	0.04	0.22	11.50	99.64
Target Range - Lower Bound	55.95	11.49	5.41	3.79	2.01	2.56	1.51	<0.01	0.71	0.17	0.208	0.03	0.20	10.82	94.99
Upper Bound	61.86	12.72	6.00	4.21	2.25	2.85	1.69	0.02	0.81	0.21	0.232	0.05	0.24	11.98	101.00
BLANKS															
BLANK	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.001	<0.01	<0.01	0.00	<0.01
Target Range - Lower Bound	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.001	<0.01	<0.01		
Upper Bound	0.02	0.04	0.02	0.03	0.02	0.02	0.04	0.02	0.02	0.02	0.003	0.02	0.02		
DUPLICATES															
G0779210	50.80	11.72	11.73	9.68	11.82	1.56	0.15	0.10	0.81	0.18	0.266	0.06	<0.01	1.06	99.93
DUP	50.62	11.70	11.70	9.70	11.80	1.55	0.16	0.10	0.81	0.18	0.265	0.06	<0.01	1.05	99.70
Target Range - Lower Bound	49.43	11.41	11.41	8.44	11.50	1.51	0.14	0.09	0.78	0.17	0.258	0.05	<0.01	1.02	97.31
Upper Bound	51.99	12.01	12.02	9.94	12.12	1.60	0.17	0.11	0.84	0.19	0.273	0.07	0.02	11.09	101.00



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 22-DEC-2009
Account: MVR

QC CERTIFICATE SD09141472

Project: EASTMAIN MINE

P.O. No.:

This report is for 101 Rock samples submitted to our lab in Sudbury, ON, Canada on 16-DEC-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
B-MS61	B four-acid ICP-MS	ICP-MS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09141472

Method Analyte Units	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
Sample Description	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	
LOR	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05	
STANDARDS																
G2000	3.78	5.11	486	2430	1.47	1.14	0.62	7.91	57.6	24.3	102	13.10	304	3.93	13.85	
Target Range - Lower Bound	3.22	4.52	435	2000	1.25	0.98	0.51	6.82	47.9	22.6	90	11.10	273	3.46	11.65	
Upper Bound	3.96	5.54	533	2720	1.63	1.22	0.65	8.38	58.5	27.8	112	13.70	334	4.26	14.35	
GBM3961c	8.37	4.37	776	720	0.84	21.5	3.18	22.7	46.7	154.5	661	5.10	2960	8.97	12.40	
GBM3961c	8.40	4.30	772	710	0.86	21.8	3.15	22.0	44.7	155.0	684	4.87	2920	8.90	12.95	
Target Range - Lower Bound	7.28	3.75	669	210	0.77	18.15	2.77	19.35	43.5	144.0	594	4.83	2590	8.00	11.75	
Upper Bound	8.92	4.60	818	300	1.05	22.2	3.40	23.7	53.2	176.5	728	6.01	3160	9.80	14.45	
GBM999-5	65.4	4.75	3.4	180	1.46	0.56	0.11	0.20	27.5	3.2	10	0.75	480	3.03	17.25	
Target Range - Lower Bound	53.5	4.26	3.0	140	1.12	0.50	0.08	0.17	23.6	2.9	4	0.69	429	2.67	14.70	
Upper Bound	65.4	5.22	4.2	210	1.48	0.64	0.12	0.25	28.9	3.7	8	0.95	525	3.29	18.10	
GEOMS-03	0.69	5.13	627	2410	1.64	0.37	0.39	0.34	49.7	10.9	117	9.59	131.0	4.10	14.05	
Target Range - Lower Bound	0.67	4.61	570	2060	1.34	0.31	0.33	0.30	47.0	10.7	105	9.04	120.5	3.64	12.00	
Upper Bound	0.85	5.65	697	2810	1.74	0.41	0.43	0.42	57.4	13.3	131	11.15	147.5	4.48	14.75	
LKSD-3	2.72	6.35	25.9	630	1.51	2.82	1.68	0.55	86.9	27.3	70	2.30	35.7	3.87	15.10	
Target Range - Lower Bound	2.42	5.93	24.1	530	1.48	2.78	1.47	0.52	84.1	26.9	62	2.20	31.3	3.46	15.05	
Upper Bound	2.98	7.27	29.9	730	1.92	3.42	1.81	0.68	103.0	33.1	77	2.80	38.7	4.26	18.55	
MRGeo08	4.78	7.72	36.4	1050	3.71	0.72	2.57	2.43	84.6	19.7	91	13.45	614	3.91	21.2	
MRGeo08	4.46	7.66	34.3	1040	3.51	0.65	2.56	2.17	76.4	18.7	88	12.20	605	3.89	19.95	
Target Range - Lower Bound	4.16	7.00	29.7	920	2.80	0.63	2.35	2.01	72.9	18.4	82	11.00	568	3.61	17.50	
Upper Bound	5.10	8.57	36.7	1270	3.54	0.79	2.90	2.50	89.1	22.8	102	13.60	694	4.43	21.5	
OxP50																
Target Range - Lower Bound																
Upper Bound																
SL34																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK	<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01	<0.05	
BLANK	<0.01	<0.01	<0.2	<10	<0.05	0.02	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01	0.06	
BLANK	<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01	0.07	
BLANK																
Target Range - Lower Bound																
Upper Bound																



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09141472

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
Analyte	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	
Units	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
LOR	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5	0.1	
STANDARDS																
G2000	0.15	1.1	0.427	1.29	30.1	43.5	0.75	567	6.46	0.15	11.8	271	990	666	76.5	
Target Range - Lower Bound	0.09	1.1	0.355	1.14	25.9	37.0	0.67	506	5.62	0.12	10.4	246	670	603	62.6	
Upper Bound	0.22	1.6	0.445	1.42	32.7	45.6	0.85	630	6.98	0.16	13.0	302	1080	738	77.1	
GBM3961c	0.17	1.7	1.310	0.79	23.9	17.4	2.65	886	11.05	0.68	3.0	2040	280	1915	66.8	
GBM3961c	0.22	1.8	1.290	0.78	23.6	18.7	2.61	887	10.00	0.67	3.1	2020	270	1915	71.6	
Target Range - Lower Bound	0.17	1.5	1.250	0.68	22.9	16.8	2.32	780	8.97	0.56	3.0	1925	250	1725	60.5	
Upper Bound	0.32	2.1	1.540	0.85	29.1	21.0	2.85	964	11.10	0.71	3.9	2350	330	2110	74.1	
GBM999-5	0.11	0.9	0.028	3.54	13.7	3.5	0.05	67	4.15	1.00	5.4	4.8	50	525	490	
Target Range - Lower Bound	0.07	0.6	0.022	3.10	11.8	2.8	0.03	54	3.77	0.83	5.3	3.8	40	487	433	
Upper Bound	0.19	1.0	0.038	3.81	15.6	3.8	0.05	78	4.71	1.03	6.7	5.0	70	597	529	
GEOIMS-03	0.13	1.1	0.040	1.11	26.9	42.5	0.50	509	3.12	0.09	15.7	51.4	1070	7.1	65.4	
Target Range - Lower Bound	0.10	1.2	0.035	1.03	25.6	37.6	0.48	483	3.05	0.06	13.1	48.1	970	5.7	55.7	
Upper Bound	0.24	1.6	0.053	1.29	32.4	46.4	0.60	601	3.83	0.10	16.3	59.3	1210	8.0	68.3	
LKSD-3	0.19	3.4	0.063	1.74	46.5	27.1	1.10	1320	1.06	1.62	8.3	46.6	1040	31.7	76.2	
Target Range - Lower Bound	0.15	3.1	0.049	1.63	46.3	24.1	1.08	1210	1.03	1.52	7.1	42.1	910	25.6	68.3	
Upper Bound	0.29	4.1	0.071	2.01	57.7	29.9	1.34	1490	1.37	1.88	8.9	51.9	1130	32.4	83.7	
MRGeo08	0.20	3.5	0.185	2.98	42.6	35.2	1.32	542	16.05	1.93	22.5	650	1020	1000	200	
MRGeo08	0.18	3.2	0.168	2.91	37.4	34.7	1.32	537	14.90	1.88	20.7	638	1010	1005	201	
Target Range - Lower Bound	0.09	2.8	0.161	2.79	36.3	30.4	1.24	506	13.65	1.76	18.3	617	910	965	187.0	
Upper Bound	0.23	3.6	0.207	3.43	45.5	37.6	1.54	630	16.75	2.18	22.5	755	1140	1180	229	
OxP50																
Target Range - Lower Bound																
Upper Bound																
SL34																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	<0.1	
BLANK	<0.05	<0.1	<0.005	<0.01	<0.5	0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	<0.1	
BLANK	0.07	<0.1	<0.005	<0.01	<0.5	0.2	<0.01	<5	<0.05	<0.01	<0.1	0.2	<10	<0.5	<0.1	
BLANK																
Target Range - Lower Bound																
Upper Bound																

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09141472

Method Analyte Units	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm	ME-MS61 U ppm	ME-MS61 V ppm	ME-MS61 W ppm	
Sample Description	LOR	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1	0.1
STANDARDS																
G2000	0.005	0.26	33.1	11.2	6	2.2	121.5	0.75	0.16	7.3	0.344	1.11	3.4	104	17.2	
Target Range - Lower Bound	0.003	0.23	29.3	10.3	4	1.8	104.5	0.65	0.09	6.4	0.314	0.84	2.9	94	15.2	
Upper Bound	0.009	0.30	39.7	12.8	7	2.6	128.0	0.91	0.22	8.2	0.395	1.18	3.7	117	20.8	
GBM3961c	0.006	3.83	28.8	13.4	7	6.1	94.4	0.74	3.34	6.6	0.243	0.96	1.7	109	16.6	
GBM3961c	0.005	3.77	29.9	14.2	7	6.2	95.3	0.96	3.47	6.5	0.242	0.99	1.6	109	16.2	
Target Range - Lower Bound	<0.002	3.33	25.3	11.9	6	5.7	83.7	0.71	3.01	5.8	0.213	0.82	1.4	97	14.6	
Upper Bound	0.007	4.10	34.4	14.8	9	7.4	102.5	0.98	3.79	7.5	0.272	1.15	1.9	120	20.0	
GBM999-5	0.003	0.29	5.52	2.0	2	1.6	17.5	0.27	0.33	5.7	0.018	2.12	2.1	8	2.4	
Target Range - Lower Bound	0.003	0.26	4.78	1.7	<1	1.3	14.5	0.26	0.21	4.4	0.013	1.75	1.8	5	2.1	
Upper Bound	0.008	0.34	6.58	2.3	3	2.1	18.2	0.42	0.37	5.8	0.027	2.41	2.4	9	3.0	
GEOMS-03	<0.002	0.02	17.75	14.1	3	2.4	171.5	0.95	0.17	6.5	0.453	1.19	3.4	111	21.7	
Target Range - Lower Bound	<0.002	0.03	15.85	12.4	2	2.1	157.5	0.81	0.07	6.2	0.409	0.99	3.1	104	18.1	
Upper Bound	0.004	0.05	21.5	15.4	4	3.0	192.5	1.10	0.19	8.0	0.511	1.39	4.0	130	24.7	
LKSD-3	<0.002	0.15	1.21	11.5	2	1.7	255	0.56	<0.05	10.9	0.278	0.52	4.4	74	0.8	
Target Range - Lower Bound	<0.002	0.12	1.06	11.5	<1	1.7	239	0.47	<0.05	10.1	0.247	0.41	4.0	67	0.7	
Upper Bound	0.004	0.16	1.55	14.3	3	2.5	293	0.69	0.10	12.7	0.313	0.60	5.2	84	1.2	
MRGeo08	0.008	0.29	4.62	13.3	3	4.2	308	1.60	0.06	22.9	0.487	1.11	6.5	108	5.0	
MRGeo08	0.007	0.28	4.41	13.5	3	3.9	303	1.50	0.07	21.1	0.479	1.02	5.6	107	4.6	
Target Range - Lower Bound	0.008	0.27	4.08	11.0	<1	3.5	272	1.48	<0.05	19.2	0.454	0.87	5.6	99	4.3	
Upper Bound	0.014	0.35	5.64	13.6	2	4.7	332	1.92	0.10	23.9	0.566	1.23	7.0	123	6.1	
OxP50																
Target Range - Lower Bound																
Upper Bound																
SL34																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1	<0.1	
BLANK	<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1	<0.1	
BLANK	<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1	<0.1	
BLANK																
Target Range - Lower Bound																
Upper Bound																

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09141472

Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	B-MS61 B ppm 10	Au-GR22 Au ppm 0.05
STANDARDS					
G2000	24.5	1320	34.6	180	
Target Range - Lower Bound	21.1	1155	37.5	<10	
Upper Bound	26.0	1415	51.9	20	
GBM3961c	11.2	6730	54.9	<10	
GBM3961c	11.2	6680	58.1	90	
Target Range - Lower Bound	10.7	6280	52.6		
Upper Bound	13.3	7680	72.4		
GBM999-5	11.5	112	22.9	290	
Target Range - Lower Bound	10.3	102	16.4		
Upper Bound	12.8	129	23.4		
GEOIMS-03	20.8	45	35.1	180	
Target Range - Lower Bound	19.8	40	44.0		
Upper Bound	24.4	54	60.8		
LKSD-3	26.2	142	108.0	320	
Target Range - Lower Bound	26.9	135	96.4		
Upper Bound	33.1	169	131.5		
MRGeo08	30.2	773	105.0	180	
MRGeo08	27.9	761	107.5	290	
Target Range - Lower Bound	24.3	712	92.2		
Upper Bound	29.9	874	126.0		
OxP50				14.55	
Target Range - Lower Bound				13.80	
Upper Bound				16.00	
SL34				5.86	
Target Range - Lower Bound				5.43	
Upper Bound				6.36	
BLANKS					
BLANK	<0.1	<2	<0.5	<10	
BLANK	<0.1	<2	<0.5	160	
BLANK	<0.1	<2	<0.5	280	
BLANK				<0.05	
Target Range - Lower Bound				<0.05	
Upper Bound				0.10	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09141472

Method Analyte Units LOR	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm
Sample Description	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05
DUPLICATES															
G0775718	0.06	8.70	1.6	160	0.35	0.02	7.91	0.14	7.79	43.6	228	1.11	73.4	7.68	18.25
DUP	0.06	8.20	1.6	160	0.33	0.02	7.56	0.13	7.68	42.8	216	1.07	72.4	7.48	17.90
Target Range - Lower Bound	0.05	8.02	1.3	140	0.27	<0.01	7.34	0.11	7.34	40.9	210	0.99	69.1	7.19	17.10
Upper Bound	0.07	8.88	1.9	180	0.41	0.03	8.13	0.16	8.13	45.5	234	1.19	76.7	7.97	19.05
G0775793	0.08	7.39	1.8	120	0.33	0.07	6.69	0.10	7.69	48.1	48	4.22	40.2	9.84	19.95
DUP	0.08	6.93	1.6	110	0.31	0.05	6.29	0.08	7.12	45.4	43	3.99	37.2	9.23	18.85
Target Range - Lower Bound	0.07	6.79	1.4	100	0.25	0.05	6.16	0.07	7.02	44.3	42	3.85	36.6	9.05	18.40
Upper Bound	0.09	7.53	2.0	130	0.39	0.07	6.82	0.11	7.79	49.2	49	4.38	40.8	10.00	20.4
G0775855															
DUP															
Target Range - Lower Bound															
Upper Bound															
G0775860	0.01	8.45	0.3	220	0.70	0.08	4.97	0.10	31.7	30.5	110	1.62	2.6	6.66	20.4
DUP	0.02	7.91	0.7	200	0.76	0.08	4.62	0.10	29.0	28.3	101	1.52	2.4	6.16	18.95
Target Range - Lower Bound	<0.01	7.76	0.3	180	0.64	0.07	4.55	0.08	28.8	27.8	99	1.44	2.2	6.08	18.65
Upper Bound	0.02	8.60	0.7	240	0.82	0.09	5.04	0.13	31.9	31.0	112	1.70	2.8	6.74	20.7

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09141472

Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
DUPLICATES															
G0775718	0.12	0.7	0.056	0.43	2.6	7.9	4.02	1280	0.39	1.60	2.3	127.5	280	5.4	30.0
DUP	0.15	0.6	0.053	0.40	2.6	7.7	3.80	1220	0.27	1.51	2.3	123.0	270	5.0	29.6
Target Range - Lower Bound	0.08	0.5	0.047	0.38	2.0	7.2	3.70	1185	0.26	1.47	2.1	119.0	250	4.4	28.2
Upper Bound	0.19	0.8	0.062	0.45	3.2	8.4	4.12	1320	0.40	1.64	2.5	131.5	300	6.0	31.4
G0775793	0.13	1.0	0.076	0.63	2.6	19.5	4.01	1640	0.53	1.66	2.5	56.6	270	2.1	37.0
DUP	0.14	1.0	0.080	0.60	2.4	18.4	3.81	1540	0.49	1.60	2.4	53.2	250	1.7	34.0
Target Range - Lower Bound	0.08	0.9	0.069	0.57	1.9	17.8	3.70	1505	0.43	1.54	2.2	52.0	240	1.3	33.6
Upper Bound	0.19	1.2	0.087	0.66	3.1	20.1	4.12	1675	0.59	1.72	2.7	57.8	280	2.5	37.4
G0775855															
DUP															
Target Range - Lower Bound															
Upper Bound															
G0775860	0.12	2.2	0.055	0.79	12.9	11.2	3.16	1200	1.21	3.40	5.4	86.6	1060	2.5	28.6
DUP	0.13	1.9	0.050	0.74	12.0	10.3	2.95	1100	1.00	3.20	4.9	79.1	990	2.4	25.7
Target Range - Lower Bound	0.07	1.8	0.045	0.72	11.3	10.0	2.89	1090	1.00	3.13	4.8	78.5	960	1.8	25.7
Upper Bound	0.18	2.3	0.060	0.81	13.6	11.5	3.22	1215	1.21	3.48	5.5	87.2	1090	3.1	28.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09141472

Method Analyte Units	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Sample Description LOR	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	
	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1	0.1	
DUPLICATES																
G0775718	0.002	0.01	0.88	44.3	3	0.5	137.5	0.16	0.16	0.2	0.564	0.14	0.1	280	0.6	
DUP	0.002	0.01	0.88	44.5	3	0.5	131.5	0.15	0.18	0.2	0.538	0.13	0.1	269	0.5	
Target Range - Lower Bound	<0.002	<0.01	0.76	42.1	2	0.3	127.5	0.10	0.11	<0.2	0.518	0.10	<0.1	260	0.4	
Upper Bound	0.004	0.02	1.00	48.7	4	0.7	141.5	0.21	0.23	0.4	0.584	0.17	0.2	289	0.7	
G0775793	<0.002	<0.01	0.14	61.6	2	0.8	138.0	0.17	0.11	0.2	0.618	0.15	0.1	334	0.4	
DUP	<0.002	<0.01	0.12	57.5	2	0.8	131.0	0.16	0.11	0.2	0.591	0.15	0.1	320	0.4	
Target Range - Lower Bound	<0.002	<0.01	0.07	56.5	<1	0.6	127.5	0.11	<0.05	<0.2	0.569	0.12	<0.1	310	0.3	
Upper Bound	0.004	0.02	0.19	62.6	3	1.0	141.5	0.22	0.17	0.4	0.640	0.18	0.2	344	0.5	
G0775855																
DUP																
Target Range - Lower Bound																
Upper Bound																
G0775860	<0.002	<0.01	0.11	24.3	2	0.8	302	0.31	0.05	1.0	0.661	0.09	0.3	159	0.6	
DUP	<0.002	<0.01	0.11	22.1	1	0.8	285	0.29	0.10	0.9	0.615	0.09	0.3	148	0.5	
Target Range - Lower Bound	<0.002	<0.01	<0.05	21.9	<1	0.6	279	0.24	<0.05	0.7	0.601	0.08	0.2	145	0.4	
Upper Bound	0.004	0.02	0.17	24.5	2	1.0	308	0.37	0.10	1.2	0.675	0.12	0.4	162	0.7	

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 22-DEC-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09141472

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm	ME-MS61 Zn ppm	ME-MS61 Zr ppm	B-MS61 B ppm	Au-GRA22 Au ppm
		0.1	2	0.5	10	0.05
DUPLICATES						
G0775718		21.5	47	12.5	<10	
DUP		21.6	45	12.2	250	
Target Range - Lower Bound		20.4	42	11.2	110	
Upper Bound		22.7	50	13.5	150	
G0775793		24.8	111	26.3	250	
DUP		23.2	103	26.0	130	
Target Range - Lower Bound		22.7	100	24.3	170	
Upper Bound		25.3	114	28.0	210	
G0775855					0.12	
DUP					0.12	
Target Range - Lower Bound					0.06	
Upper Bound					0.18	
G0775860		18.7	87	77.2	230	
DUP		17.1	82	71.8	110	
Target Range - Lower Bound		16.9	78	70.3	150	
Upper Bound		18.9	91	78.7	190	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 22-DEC-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09141472

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 21-DEC-2009
Account: MVR

QC CERTIFICATE SD09141473

Project: EASTMAIN MINE

P.O. No.:

This report is for 12 Rock samples submitted to our lab in Sudbury, ON, Canada on 16-DEC-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS
B-MS61	B four-acid ICP-MS

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 21-DEC-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09141473

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	
Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
LOR	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05	
STANDARDS																
GBM999-5	65.4	4.75	3.4	180	1.46	0.56	0.11	0.20	27.5	3.2	10	0.75	480	3.03	17.25	
GBM999-5	57.4	4.80	3.7	180	1.26	0.51	0.10	0.19	26.6	3.2	6	0.74	472	2.95	16.40	
Target Range - Lower Bound	53.5	4.26	3.0	140	1.12	0.50	0.08	0.17	23.6	2.9	4	0.69	429	2.67	14.70	
Upper Bound	65.4	5.22	4.2	210	1.46	0.64	0.12	0.25	28.9	3.7	8	0.95	525	3.29	18.10	
GEOMS-03	0.69	5.13	627	2410	1.64	0.37	0.39	0.34	49.7	10.9	117	9.59	131.0	4.10	14.05	
GEOMS-03	0.78	5.18	611	2390	1.51	0.34	0.38	0.34	51.3	11.2	112	9.43	127.0	4.10	12.75	
Target Range - Lower Bound	0.67	4.61	570	2060	1.34	0.31	0.33	0.30	47.0	10.7	105	9.04	120.5	3.64	12.00	
Upper Bound	0.85	5.65	697	2810	1.74	0.41	0.43	0.42	57.4	13.3	131	11.15	147.5	4.48	14.75	
BLANKS																
BLANK	<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01	0.07	
BLANK	<0.01	<0.01	<0.2	<10	<0.05	0.03	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01	0.05	
Target Range - Lower Bound	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01	<0.05	
Upper Bound	0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	0.4	0.02	0.10	
DUPLICATES																
ORIGINAL	0.08	8.26	3.6	300	1.09	0.10	0.96	0.18	36.6	10.8	8	0.87	14.7	3.91	15.95	
DUP	0.08	7.98	3.4	290	1.12	0.09	0.92	0.20	35.0	10.8	8	0.83	14.6	3.81	16.60	
Target Range - Lower Bound	0.07	7.70	3.1	260	1.00	0.08	0.88	0.16	34.0	10.2	7	0.76	13.7	3.66	15.40	
Upper Bound	0.09	8.54	3.9	330	1.21	0.11	1.00	0.22	37.6	11.4	9	0.94	15.8	4.08	17.15	
G0775860	0.01	8.45	0.3	220	0.70	0.08	4.97	0.10	31.7	30.5	110	1.62	2.6	6.66	20.4	
DUP	0.02	7.91	0.7	200	0.76	0.08	4.62	0.10	29.0	28.3	101	1.52	2.4	6.16	18.95	
Target Range - Lower Bound	<0.01	7.76	0.3	180	0.64	0.07	4.55	0.08	28.8	27.8	99	1.44	2.2	6.08	18.65	
Upper Bound	0.02	8.60	0.7	240	0.82	0.09	5.04	0.13	31.9	31.0	112	1.70	2.8	6.74	20.7	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 21-DEC-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09141473

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	
Sample Description	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5	0.1	
STANDARDS																
GBM999-5	0.11	0.9	0.028	3.54	13.7	3.5	0.05	67	4.15	1.00	5.4	4.8	50	525	490	
GBM999-5	0.10	0.8	0.028	3.58	14.5	3.1	0.04	67	4.19	0.97	6.6	4.1	50	538	480	
Target Range - Lower Bound	0.07	0.6	0.022	3.10	11.8	2.8	0.03	54	3.77	0.83	5.3	3.8	40	487	433	
Upper Bound	0.19	1.0	0.038	3.81	15.6	3.8	0.05	78	4.71	1.03	6.7	5.0	70	597	529	
GEOMS-03	0.13	1.1	0.040	1.11	26.9	42.5	0.50	509	3.12	0.09	15.7	51.4	1070	7.1	65.4	
GEOMS-03	0.12	1.2	0.049	1.11	29.8	41.2	0.51	518	3.16	0.08	14.3	49.6	1060	6.4	62.0	
Target Range - Lower Bound	0.10	1.2	0.035	1.03	25.6	37.6	0.48	483	3.05	0.06	13.1	48.1	970	5.7	55.7	
Upper Bound	0.24	1.6	0.053	1.29	32.4	46.4	0.60	601	3.83	0.10	16.3	59.3	1210	8.0	68.3	
BLANKS																
BLANK	0.07	<0.1	<0.005	<0.01	<0.5	0.2	<0.01	<5	<0.05	<0.01	<0.1	0.2	<10	<0.5	<0.1	
BLANK	0.10	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	<0.1	
Target Range - Lower Bound	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	<0.1	
Upper Bound	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	20	1.0	0.2	
DUPLICATES																
ORIGINAL	0.11	3.6	0.050	0.67	15.7	13.6	0.60	1350	0.56	1.49	7.9	5.6	620	19.1	38.5	
DUP	0.13	3.4	0.044	0.64	15.2	13.1	0.58	1320	0.52	1.43	7.9	5.5	610	19.0	38.3	
Target Range - Lower Bound	0.06	3.2	0.040	0.61	14.2	12.5	0.55	1265	0.46	1.38	7.4	5.1	570	17.6	36.4	
Upper Bound	0.18	3.8	0.054	0.70	16.7	14.2	0.63	1405	0.62	1.54	8.4	6.0	660	20.5	40.4	
G0775860	0.12	2.2	0.055	0.79	12.9	11.2	3.16	1200	1.21	3.40	5.4	86.6	1060	2.5	28.6	
DUP	0.13	1.9	0.050	0.74	12.0	10.3	2.95	1100	1.00	3.20	4.9	79.1	990	2.4	25.7	
Target Range - Lower Bound	0.07	1.8	0.045	0.72	11.3	10.0	2.89	1090	1.00	3.13	4.8	78.5	960	1.8	25.7	
Upper Bound	0.18	2.3	0.060	0.81	13.6	11.5	3.22	1215	1.21	3.48	5.5	87.2	1090	3.1	28.6	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 21-DEC-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09141473

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm
STANDARDS																
GBM999-5		0.003	0.29	5.52	2.0	2	1.6	17.5	0.27	0.33	5.7	0.018	2.12	2.1	8	2.4
GBM999-5		0.006	0.30	5.38	1.9	2	1.5	16.4	0.30	0.34	5.6	0.019	2.01	2.1	7	2.9
Target Range - Lower Bound		0.003	0.26	4.78	1.7	<1	1.3	14.5	0.26	0.21	4.4	0.013	1.75	1.8	5	2.1
Upper Bound		0.008	0.34	6.58	2.3	3	2.1	18.2	0.42	0.37	5.8	0.027	2.41	2.4	9	3.0
GEOMS-03		<0.002	0.02	17.75	14.1	3	2.4	171.5	0.95	0.17	6.5	0.453	1.19	3.4	111	21.7
GEOMS-03		0.002	0.03	17.55	11.9	3	2.4	169.0	0.99	0.14	6.4	0.444	1.17	3.5	110	20.9
Target Range - Lower Bound		<0.002	0.03	15.85	12.4	2	2.1	157.5	0.81	0.07	6.2	0.409	0.99	3.1	104	18.1
Upper Bound		0.004	0.05	21.5	15.4	4	3.0	192.5	1.10	0.19	8.0	0.511	1.39	4.0	130	24.7
BLANKS																
BLANK		<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1	<0.1
BLANK		<0.002	<0.01	<0.05	0.2	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1	<0.1
Target Range - Lower Bound		<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1	<0.1
Upper Bound		0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04	0.2	2	0.2
DUPLICATES																
ORIGINAL		<0.002	0.02	0.50	11.4	2	1.3	192.5	0.58	0.06	6.1	0.465	0.18	1.5	107	0.6
DUP		<0.002	0.02	0.48	11.7	2	1.2	186.5	0.57	0.06	6.0	0.459	0.18	1.5	104	0.6
Target Range - Lower Bound		<0.002	<0.01	0.40	10.9	<1	1.0	180.0	0.50	<0.05	5.5	0.434	0.15	1.3	99	0.5
Upper Bound		0.004	0.03	0.58	12.2	3	1.5	199.0	0.65	0.10	6.6	0.490	0.21	1.7	112	0.7
G0775860		<0.002	<0.01	0.11	24.3	2	0.8	302	0.31	0.05	1.0	0.661	0.09	0.3	159	0.6
DUP		<0.002	<0.01	0.11	22.1	1	0.8	285	0.29	0.10	0.9	0.615	0.09	0.3	148	0.5
Target Range - Lower Bound		<0.002	<0.01	<0.05	21.9	<1	0.6	279	0.24	<0.05	0.7	0.601	0.06	0.2	145	0.4
Upper Bound		0.004	0.02	0.17	24.5	2	1.0	308	0.37	0.10	1.2	0.675	0.12	0.4	162	0.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 21-DEC-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09141473

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	Y	Zn	Zr	B
Units		ppm	ppm	ppm	ppm
LOR		0.1	2	0.5	10
STANDARDS					
GBM999-5		11.5	112	22.9	290
GBM999-5		12.3	112	20.6	<10
Target Range - Lower Bound		10.3	102	16.4	
Upper Bound		12.8	129	23.4	
GEOMS-03		20.8	45	35.1	180
GEOMS-03		21.3	45	45.5	<10
Target Range - Lower Bound		19.8	40	44.0	
Upper Bound		24.4	54	60.8	
BLANKS					
BLANK		<0.1	<2	<0.5	280
BLANK		<0.1	<2	<0.5	<10
Target Range - Lower Bound		<0.1	<2	<0.5	<10
Upper Bound		0.2	4	10	20
DUPLICATES					
ORIGINAL		18.8	101	129.0	
DUP		18.2	98	124.0	<10
Target Range - Lower Bound		17.5	93	119.5	<10
Upper Bound		19.5	106	133.5	20
G0775860		18.7	87	77.2	230
DUP		17.1	82	71.8	110
Target Range - Lower Bound		16.9	78	70.3	150
Upper Bound		18.9	91	78.7	190



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21-DEC-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09141473

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method. ↓

APPENDIX 3
SOIL ASSAY CERTIFICATES

06 FEB 2018 DE
Direction du développement régional

1304170



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 29-OCT-2009
Account: MVR

CERTIFICATE SD09108067

Project: EASTMAIN MINE

P.O. No.:

This report is for 159 Soil samples submitted to our lab in Sudbury, ON, Canada on 1-OCT-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
 834572 4TH LINE, MONO TWP.
 RR #1
 ORANGEVILLE ON L9W 2Y8

Page: 2 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 29-OCT-2009
 Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	
EMI-2300E/600S		0.42	3	5	<1	0.05	5.18	0.6	540	1.09	0.11	1.18	0.05	46.9	2.9	31
EMI-2300E/750S		0.42	<1	7	1	0.04	5.61	0.8	530	1.02	0.10	1.31	0.05	28.1	3.2	33
EMI-2300E/800S		0.32	4	<5	1	0.06	5.64	1.9	520	0.94	0.12	1.22	0.06	34.0	2.8	34
EMI-2300E/850S		0.38	<1	<5	<1	0.02	6.23	1.1	480	1.13	0.10	1.29	0.06	37.3	3.5	39
EMI-2300E/1000S		0.36	<1	<5	<1	0.02	6.92	1.0	470	1.37	0.04	1.27	0.06	40.6	3.5	40
EMI-2300E/1050S		0.36	<1	<5	<1	0.03	6.55	0.9	540	1.35	0.09	1.31	0.07	50.2	3.8	36
EMI-2300E/1100S		0.38	<1	<5	<1	0.05	5.99	0.5	520	1.02	0.08	1.30	0.06	35.1	2.8	31
EMI-2200E/650S		0.58	1	<5	<1	0.04	6.03	<0.2	540	1.25	0.08	1.54	0.05	36.8	4.1	37
EMI-2200E/700S		0.40	<1	<5	<1	0.02	5.24	0.8	520	1.02	0.11	1.13	0.05	29.8	2.6	27
EMI-2200E/750S		0.46	2	<5	<1	0.01	6.29	1.7	480	1.25	0.17	1.38	0.08	37.0	4.1	37
EMI-2200E/800S		0.36	<1	<5	<1	0.12	5.62	0.7	530	1.05	0.09	1.42	0.05	54.3	4.7	28
EMI-2200E/850S		0.38	<1	<5	<1	0.05	5.68	1.8	530	1.00	0.14	1.38	0.08	39.2	4.8	40
EMI-2200E/900S		0.38	<1	<5	<1	0.03	5.24	0.4	500	0.98	0.07	1.30	0.04	36.0	3.9	35
EMI-2200E/950S		0.38	<1	<5	<1	0.03	5.70	0.6	500	0.94	0.08	1.29	0.05	31.4	3.1	30
EMI-2200E/1100S		0.40	<1	<5	<1	0.05	6.24	1.1	500	1.17	0.08	1.32	0.19	35.7	3.9	44
EMI-2100E/600S		0.52	<1	<5	<1	0.03	5.68	<0.2	550	1.28	0.05	1.23	0.04	30.1	2.6	25
EMI-2100E/750S		0.40	<1	5	<1	0.06	7.20	2.2	380	1.33	0.05	1.09	0.06	39.3	3.0	52
EMI-2100E/800S		0.40	1	<5	<1	0.03	5.41	<0.2	510	1.11	0.06	1.31	0.06	26.9	3.2	36
EMI-2100E/900S		0.38	<1	<5	<1	0.05	5.68	0.4	500	1.02	0.11	1.50	0.09	42.0	5.7	73
EMI-2100E/950S		0.42	<1	<5	<1	0.01	6.22	0.8	530	1.41	0.05	1.57	0.05	60.5	3.9	35
EMI-2100E/1000S		0.36	<1	<5	<1	0.01	5.58	0.9	490	1.09	0.08	1.11	0.05	31.9	2.5	28
EMI-2100E/1100S		0.42	1	<5	<1	0.05	5.63	0.6	450	1.08	0.08	1.37	0.05	37.9	3.7	44
EMI-2000E/600S		0.48	<1	<5	<1	0.03	5.65	0.4	490	1.04	0.07	1.36	0.04	25.3	3.6	43
EMI-2000E/650S		0.46	<1	<5	<1	0.03	5.94	0.6	450	1.18	0.05	1.24	0.07	36.2	2.7	37
EMI-2000E/700S		0.42	1	<5	<1	<0.01	6.33	5.0	550	1.77	0.06	1.67	0.05	56.0	3.9	35
EMI-2000E/750S		0.54	<1	<5	<1	0.03	6.20	0.6	470	1.32	0.05	1.40	0.06	40.5	3.5	40
EMI-2000E/800S		0.42	<1	<5	<1	0.02	6.76	1.5	430	1.22	0.05	1.26	0.06	28.5	3.8	38
EMI-2000E/850S		0.46	<1	<5	<1	0.06	6.42	0.4	560	1.35	0.07	1.74	0.05	48.1	4.0	28
EMI-2000E/900S		0.50	<1	<5	<1	0.08	6.40	1.9	480	1.16	0.13	1.34	0.09	32.1	4.4	43
EMI-2000E/950S		0.44	<1	<5	<1	0.05	6.73	<0.2	550	1.15	0.08	1.86	0.05	38.5	5.7	41
EMI-2000E/1000S		0.58	<1	<5	<1	0.06	5.94	0.2	670	1.09	0.11	1.31	0.06	30.0	2.7	29
EMI-2000E/1050S		0.36	<1	<5	<1	0.04	6.13	0.6	580	1.31	0.13	1.54	0.05	33.0	3.3	27
EMI-2000E/1100S		0.60	<1	<5	<1	0.03	5.87	0.9	540	1.14	0.10	1.43	0.06	25.1	3.4	29
EMI-1900E/700S		0.50	<1	<5	<1	0.34	6.31	5.7	450	1.34	0.05	1.64	0.07	98.3	5.8	47
EMI-1900E/750S		0.48	<1	<5	<1	0.03	6.71	0.7	490	1.34	0.08	1.69	0.07	54.7	3.9	38
EMI-1900E/800S		0.46	<1	<5	<1	0.04	6.80	2.0	500	1.19	0.13	1.37	0.06	28.3	4.0	38
EMI-1900E/850S		0.36	<1	<5	<1	0.05	6.10	1.2	480	1.02	0.13	1.40	0.08	23.8	4.2	31
EMI-1900E/900S		0.48	<1	<5	<1	0.03	6.21	0.5	520	1.28	0.06	1.67	0.05	49.8	3.1	27
EMI-1900E/950S		0.46	<1	<5	<1	<0.01	5.82	3.4	480	1.04	0.18	1.40	0.06	32.3	4.3	40
EMI-1900E/1000S		0.38	<1	<5	<1	0.04	6.36	0.9	470	0.94	0.15	1.82	0.07	45.5	6.3	47

Comments: B results from ME-MS61 are semi-quantitative



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
EMI-2300E/600S		0.89	3.7	1.39	14.80	0.10	6.7	0.015	1.52	24.6	4.1	0.28	234	0.36	2.01	5.6
EMI-2300E/750S		1.05	3.1	1.77	19.45	0.11	5.9	0.019	1.44	14.5	4.4	0.29	235	0.32	2.09	5.9
EMI-2300E/800S		0.91	5.5	2.36	22.8	0.11	7.4	0.021	1.40	17.4	4.2	0.25	219	0.67	2.05	7.8
EMI-2300E/850S		0.84	3.5	2.16	18.25	0.12	5.4	0.025	1.34	17.5	4.9	0.33	243	0.40	2.05	6.2
EMI-2300E/1000S		0.63	4.7	1.93	15.70	0.12	3.9	0.025	1.27	16.5	5.4	0.30	221	0.45	2.26	5.8
EMI-2300E/1050S		0.83	5.0	1.82	17.70	0.14	5.0	0.023	1.42	22.6	6.1	0.32	242	0.33	2.27	6.5
EMI-2300E/1100S		1.51	4.1	1.37	19.80	0.12	7.3	0.019	1.36	17.9	7.6	0.27	209	0.45	2.16	6.2
EMI-2200E/650S		0.95	8.2	1.08	16.40	0.12	4.8	0.019	1.48	19.3	5.2	0.40	307	0.60	2.40	5.6
EMI-2200E/700S		0.93	1.9	1.34	16.85	0.11	5.8	0.013	1.44	15.3	4.0	0.22	230	0.59	2.00	6.2
EMI-2200E/750S		0.70	4.6	1.95	16.25	0.13	4.9	0.027	1.33	16.8	5.7	0.32	258	0.42	2.26	6.0
EMI-2200E/800S		0.99	6.8	1.51	17.80	0.13	8.0	0.019	1.42	29.0	4.3	0.35	285	0.76	1.99	6.2
EMI-2200E/850S		0.87	3.6	2.47	19.10	0.14	6.8	0.021	1.44	20.3	4.4	0.36	320	0.51	2.04	7.8
EMI-2200E/900S		0.68	2.3	1.69	16.85	0.12	8.7	0.017	1.34	18.4	4.9	0.34	269	0.37	1.89	5.8
EMI-2200E/950S		0.68	2.6	1.65	17.45	0.11	7.3	0.015	1.36	15.9	4.3	0.28	248	0.38	2.00	6.3
EMI-2200E/1100S		1.15	5.9	2.21	19.70	0.14	4.5	0.020	1.31	18.5	6.7	0.32	240	0.56	2.17	6.3
EMI-2100E/600S		1.14	3.4	0.91	15.45	0.12	6.0	0.015	1.50	15.8	4.5	0.26	218	0.52	2.07	4.1
EMI-2100E/750S		0.61	10.6	2.34	14.50	0.14	2.8	0.026	1.07	17.6	4.8	0.25	208	0.62	1.87	5.3
EMI-2100E/800S		0.76	5.4	1.09	15.35	0.10	5.0	0.016	1.44	13.7	4.4	0.32	240	0.72	2.12	4.6
EMI-2100E/900S		1.27	3.3	1.60	19.90	0.14	7.2	0.021	1.32	21.6	6.1	0.63	305	0.52	2.07	7.4
EMI-2100E/950S		0.76	10.2	1.52	15.60	0.16	5.0	0.018	1.47	31.6	5.9	0.36	272	0.77	2.47	5.8
EMI-2100E/1000S		0.77	3.1	1.29	17.80	0.12	5.9	0.018	1.31	16.5	4.2	0.23	210	0.58	1.94	6.6
EMI-2100E/1100S		0.75	6.7	1.40	18.05	0.13	4.9	0.025	1.22	18.8	4.6	0.38	256	6.55	1.99	6.7
EMI-2000E/600S		0.96	2.2	1.36	16.90	0.12	4.4	0.015	1.38	13.0	4.3	0.35	245	0.48	2.25	5.3
EMI-2000E/650S		0.72	8.1	1.32	15.15	0.12	4.2	0.016	1.23	17.9	5.0	0.26	202	0.56	2.24	4.0
EMI-2000E/700S		0.87	32.7	1.58	16.15	0.17	5.9	0.024	1.53	37.4	7.5	0.37	290	1.95	2.63	6.2
EMI-2000E/750S		0.63	5.4	1.41	15.45	0.15	4.3	0.022	1.31	19.4	5.4	0.32	240	0.41	2.20	5.6
EMI-2000E/800S		0.78	13.8	2.10	17.70	0.14	3.7	0.022	1.24	12.9	5.3	0.31	222	0.56	2.16	5.2
EMI-2000E/850S		0.71	13.3	1.22	16.80	0.15	4.9	0.023	1.57	21.9	6.8	0.41	324	1.10	2.76	6.5
EMI-2000E/900S		0.94	6.0	2.44	21.3	0.13	5.0	0.025	1.34	16.6	5.2	0.38	278	0.63	2.12	6.4
EMI-2000E/950S		0.78	3.4	1.49	17.30	0.13	5.9	0.022	1.50	18.7	5.8	0.61	422	1.78	2.69	6.2
EMI-2000E/1000S		1.03	4.0	0.86	19.45	0.12	6.1	0.019	1.61	15.8	4.4	0.28	221	0.46	2.24	5.9
EMI-2000E/1050S		0.90	3.6	1.19	18.25	0.14	5.2	0.023	1.62	16.7	4.8	0.33	275	2.26	2.55	6.9
EMI-2000E/1100S		0.73	3.7	1.13	17.55	0.13	4.9	0.020	1.50	12.8	4.1	0.34	261	1.59	2.36	5.9
EMI-1900E/700S		0.78	67.3	2.20	15.40	0.26	3.9	0.020	1.25	52.5	9.4	0.41	369	1.64	2.34	7.0
EMI-1900E/750S		0.64	4.6	1.72	16.35	0.17	4.0	0.024	1.40	24.4	5.5	0.37	358	0.41	2.65	6.9
EMI-1900E/800S		1.11	7.0	2.22	19.60	0.14	4.3	0.027	1.37	13.5	6.2	0.35	270	0.61	2.29	6.9
EMI-1900E/850S		1.43	5.7	2.56	23.1	0.16	4.9	0.029	1.31	12.2	5.4	0.38	329	0.65	2.08	7.5
EMI-1900E/900S		0.60	4.3	0.99	15.70	0.17	5.2	0.020	1.45	22.8	4.7	0.33	287	0.38	2.65	6.1
EMI-1900E/950S		1.04	4.7	1.95	15.45	0.07	4.3	0.018	1.37	16.8	6.6	0.43	285	1.98	2.26	5.5
EMI-1900E/1000S		0.99	3.9	2.25	19.70	0.16	6.0	0.024	1.34	23.2	6.1	0.56	386	0.88	2.46	6.2

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMI-2300E/600S		9.8	140	16.9	56.0	<0.002	0.01	0.12	4.6	2	1.2	290	0.43	<0.05	10.2	0.271
EMI-2300E/750S		8.9	220	15.8	60.7	<0.002	0.01	0.07	5.3	2	1.3	303	0.42	<0.05	4.5	0.298
EMI-2300E/800S		7.9	280	17.3	57.6	<0.002	0.01	0.09	5.0	2	1.4	297	0.54	<0.05	5.3	0.342
EMI-2300E/850S		9.7	510	15.8	54.7	<0.002	0.02	0.05	6.1	2	1.1	296	0.44	<0.05	5.5	0.253
EMI-2300E/1000S		10.2	540	13.3	53.4	<0.002	0.05	<0.05	6.5	2	0.8	305	0.38	<0.05	5.0	0.180
EMI-2300E/1050S		10.7	460	15.3	59.2	<0.002	0.01	<0.05	6.3	2	1.0	326	0.43	<0.05	5.3	0.230
EMI-2300E/1100S		9.2	200	13.2	57.4	<0.002	0.01	0.08	5.2	2	1.4	304	0.46	<0.05	6.1	0.288
EMI-2200E/650S		11.8	220	15.3	63.7	<0.002	0.01	<0.05	6.7	2	0.9	338	0.40	<0.05	5.3	0.235
EMI-2200E/700S		7.6	120	16.7	61.6	<0.002	0.01	0.05	4.4	2	1.3	280	0.45	<0.05	7.5	0.271
EMI-2200E/750S		10.9	350	14.5	56.4	<0.002	0.02	0.05	6.2	2	0.9	309	0.40	<0.05	4.4	0.208
EMI-2200E/800S		9.0	230	17.3	58.9	<0.002	0.01	<0.05	5.5	2	1.1	292	0.71	<0.05	9.4	0.312
EMI-2200E/850S		11.1	250	18.4	61.3	<0.002	0.01	0.07	6.0	2	1.5	296	0.53	<0.05	6.8	0.354
EMI-2200E/900S		10.8	130	14.6	53.7	<0.002	0.01	0.07	5.7	2	1.0	269	0.41	<0.05	7.1	0.294
EMI-2200E/950S		8.1	250	14.7	52.9	<0.002	0.01	0.08	5.4	2	1.1	276	0.48	<0.05	5.5	0.298
EMI-2200E/1100S		11.5	510	15.8	58.2	<0.002	0.01	<0.05	5.9	2	1.0	303	0.42	<0.05	6.4	0.256
EMI-2100E/600S		7.9	180	14.6	64.2	<0.002	0.01	<0.05	4.9	2	0.8	290	0.45	<0.05	5.2	0.200
EMI-2100E/750S		8.9	530	12.9	46.3	<0.002	0.05	<0.05	6.9	2	0.6	251	0.45	<0.05	6.1	0.163
EMI-2100E/800S		9.4	220	14.8	61.2	<0.002	0.01	<0.05	5.5	2	0.8	298	0.33	<0.05	4.3	0.207
EMI-2100E/900S		27.6	250	17.4	56.5	<0.002	0.01	0.06	6.6	2	1.6	277	0.52	<0.05	7.7	0.361
EMI-2100E/950S		10.8	470	14.4	60.8	<0.002	0.01	<0.05	6.4	2	0.8	343	0.37	<0.05	6.9	0.198
EMI-2100E/1000S		7.1	180	16.4	55.6	<0.002	0.01	0.05	5.0	2	1.1	270	0.44	<0.05	5.1	0.258
EMI-2100E/1100S		9.0	410	15.0	51.3	<0.002	0.02	<0.05	7.0	2	1.0	279	0.44	<0.05	5.2	0.259
EMI-2000E/600S		11.8	130	14.3	58.1	<0.002	0.01	<0.05	5.5	2	0.9	302	0.42	<0.05	4.3	0.237
EMI-2000E/650S		9.1	240	11.9	48.9	<0.002	0.01	<0.05	4.9	2	0.7	278	0.28	<0.05	4.3	0.171
EMI-2000E/700S		10.7	310	15.0	64.0	<0.002	0.01	<0.05	6.9	2	0.9	370	0.50	<0.05	5.3	0.202
EMI-2000E/750S		10.1	510	13.2	54.6	<0.002	0.02	<0.05	6.4	2	0.8	311	0.64	<0.05	4.1	0.180
EMI-2000E/800S		9.6	340	13.1	51.6	<0.002	0.04	0.05	6.5	2	0.8	296	0.36	<0.05	4.5	0.193
EMI-2000E/850S		10.6	500	14.5	55.3	<0.002	0.02	0.10	6.9	2	0.9	379	0.42	<0.05	6.0	0.210
EMI-2000E/900S		10.5	350	15.8	49.3	<0.002	0.03	0.09	6.8	2	1.1	296	0.41	<0.05	4.7	0.280
EMI-2000E/950S		15.3	170	14.4	55.2	<0.002	0.01	0.08	7.8	2	0.8	375	0.41	<0.05	8.8	0.265
EMI-2000E/1000S		7.8	280	17.1	59.5	<0.002	0.02	0.07	5.2	2	1.1	312	0.40	<0.05	5.8	0.263
EMI-2000E/1050S		9.2	170	18.2	59.9	<0.002	0.01	0.07	6.1	2	1.2	358	0.49	<0.05	6.2	0.257
EMI-2000E/1100S		9.4	170	17.3	55.0	<0.002	0.01	0.07	5.9	2	1.1	328	0.36	<0.05	4.3	0.249
EMI-1900E/700S		14.5	560	11.8	48.6	<0.002	0.03	0.07	7.3	2	0.8	334	0.48	<0.05	6.7	0.207
EMI-1900E/750S		9.9	490	13.3	51.0	<0.002	0.01	0.05	7.5	2	0.8	364	0.43	<0.05	7.5	0.216
EMI-1900E/800S		10.7	490	14.7	51.5	<0.002	0.02	0.09	6.2	2	0.9	321	0.44	<0.05	4.6	0.249
EMI-1900E/850S		7.5	210	16.8	48.6	<0.002	0.01	0.09	7.6	2	1.3	288	0.47	<0.05	3.5	0.409
EMI-1900E/900S		7.9	440	13.0	50.9	<0.002	0.01	0.05	6.3	2	0.8	365	0.37	<0.05	6.9	0.198
EMI-1900E/950S		12.4	210	14.8	48.7	<0.002	0.01	0.11	6.8	2	0.9	320	0.37	<0.05	4.8	0.202
EMI-1900E/1000S		15.0	190	15.4	49.4	<0.002	0.01	0.10	7.6	2	1.3	322	0.40	<0.05	9.5	0.404

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 29-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Ti	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMI-2300E/600S		0.25	1.3	43	0.4	6.3	15	231	130
EMI-2300E/750S		0.25	1.0	57	0.5	6.4	13	201	160
EMI-2300E/800S		0.24	3.1	68	0.7	6.6	12	257	160
EMI-2300E/850S		0.23	1.1	49	0.8	6.6	16	181.0	140
EMI-2300E/1000S		0.22	0.9	37	0.4	9.5	15	130.0	140
EMI-2300E/1050S		0.25	1.0	39	0.5	10.3	17	168.5	150
EMI-2300E/1100S		0.25	1.2	38	0.5	6.8	15	243	150
EMI-2200E/650S		0.27	1.1	28	0.4	9.2	17	163.5	140
EMI-2200E/700S		0.26	0.9	46	0.6	5.5	10	190.0	150
EMI-2200E/750S		0.22	1.1	42	0.4	9.9	15	165.0	150
EMI-2200E/800S		0.26	1.5	46	0.6	8.4	17	269	150
EMI-2200E/850S		0.24	1.5	65	0.7	7.7	19	227	130
EMI-2200E/900S		0.23	1.5	50	0.4	6.9	14	293	130
EMI-2200E/950S		0.24	1.2	47	0.5	7.1	13	250	130
EMI-2200E/1100S		0.24	1.0	49	0.5	8.2	19	154.5	130
EMI-2100E/600S		0.27	1.0	27	0.3	5.9	10	206	160
EMI-2100E/750S		0.19	0.9	36	0.6	10.9	12	95.0	140
EMI-2100E/800S		0.26	0.8	29	1.9	6.9	12	171.5	140
EMI-2100E/900S		0.26	1.4	48	0.6	7.7	19	243	140
EMI-2100E/950S		0.26	1.4	31	0.3	14.7	17	171.5	140
EMI-2100E/1000S		0.23	1.0	37	0.5	6.7	10	202	130
EMI-2100E/1100S		0.21	1.2	34	0.7	9.1	17	166.0	130
EMI-2000E/600S		0.23	0.8	41	0.4	6.2	14	153.5	130
EMI-2000E/650S		0.21	0.9	30	0.3	8.1	11	140.0	140
EMI-2000E/700S		0.27	3.4	36	1.8	16.7	19	194.5	140
EMI-2000E/750S		0.23	1.0	27	0.3	11.1	16	142.5	110
EMI-2000E/800S		0.20	0.8	42	0.5	7.5	14	126.0	100
EMI-2000E/850S		0.30	1.9	28	0.3	14.1	22	177.5	70
EMI-2000E/900S		0.25	1.0	52	0.6	8.3	18	182.5	70
EMI-2000E/950S		0.26	1.3	34	0.8	11.1	22	210	70
EMI-2000E/1000S		0.30	1.1	28	0.5	6.3	14	223	70
EMI-2000E/1050S		0.31	1.0	34	0.7	7.3	19	190.0	70
EMI-2000E/1100S		0.27	0.9	36	0.7	6.8	16	182.5	70
EMI-1900E/700S		0.25	6.4	43	2.2	30.1	32	143.5	60
EMI-1900E/750S		0.25	1.1	32	0.3	15.1	18	144.5	60
EMI-1900E/800S		0.26	0.8	47	0.4	8.0	20	160.0	60
EMI-1900E/850S		0.24	0.8	71	0.6	8.9	19	174.5	70
EMI-1900E/900S		0.24	1.1	23	0.4	13.3	15	189.0	70
EMI-1900E/950S		0.26	0.8	45	0.8	8.6	22	155.0	80
EMI-1900E/1000S		0.24	0.9	76	0.7	7.9	23	222	80

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108067

Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
Sample Description	0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMI-1900E/1050S	0.40	<1	<5	<1	0.03	6.23	0.6	510	1.21	0.07	1.28	0.06	27.8	2.9	33
EMI-1900E/1100S	0.44	1	<5	<1	0.03	6.24	<0.2	580	1.29	0.11	1.56	0.05	38.0	3.2	31
EMI-1800E/750S	0.36	1	<5	<1	0.03	6.41	<0.2	560	1.38	0.05	1.63	0.06	40.8	3.8	26
EMI-1800E/800S	0.48	<1	<5	<1	0.02	6.16	<0.2	500	1.26	0.07	1.28	0.04	26.3	2.3	27
EMI-1800E/850S	0.50	<1	<5	<1	0.04	6.43	<0.2	530	1.41	0.06	1.71	0.06	39.8	3.4	26
EMI-1800E/900S	0.58	1	<5	<1	0.09	6.21	0.6	520	1.29	0.08	1.33	0.06	29.6	3.5	33
EMI-1800E/950S	0.56	<1	<5	<1	0.06	6.81	0.9	500	1.40	0.06	1.48	0.06	45.7	5.3	39
EMI-1800E/1000S	0.68	1	<5	<1	0.08	6.64	1.0	530	1.42	0.09	1.25	0.06	33.3	3.0	33
EMI-1800E/1050S	0.54	<1	<5	<1	0.04	6.28	<0.2	540	1.24	0.06	1.57	0.06	37.1	3.5	30
EMI-1800E/1100S	0.66	<1	<5	<1	0.05	6.09	0.2	510	1.25	0.12	1.50	0.04	37.7	3.5	36
EMI-1600E/1000S	0.34	<1	<5	<1	0.05	7.38	1.4	440	1.40	0.06	1.37	0.08	45.0	4.8	53
EMI-1600E/1050S	0.48	<1	<5	<1	0.05	7.04	0.7	480	1.26	0.05	1.52	0.07	38.5	5.4	51
EMI-1600E/1100S	0.64	<1	<5	<1	0.05	6.42	0.9	450	1.09	0.05	1.51	0.06	46.4	4.7	43
EMI-1500E/900S	0.40	<1	<5	<1	0.06	5.75	0.4	530	0.89	0.11	1.33	0.07	29.5	3.3	39
EMI-1500E/950S	0.30	<1	<5	<1	0.04	5.36	0.2	510	0.99	0.16	1.19	0.05	31.4	1.9	20
EMI-1400E/800S	0.40	<1	<5	3	0.07	6.63	2.8	520	1.20	0.08	1.93	0.07	52.1	7.7	56
EMI-1400E/850S	0.52	<1	<5	<1	0.05	6.47	1.6	510	1.40	0.16	1.87	0.07	47.1	6.4	58
EMI-1400E/900S	0.50	<1	<5	<1	0.07	7.52	3.5	440	1.24	0.10	1.46	0.08	38.8	4.7	59
EMI-1400E/950S	0.46	<1	<5	<1	0.07	7.08	2.0	490	1.06	0.28	2.01	0.08	28.6	8.8	60
EMI-1400E/1000S	0.38	<1	<5	<1	0.05	5.45	0.2	550	0.97	0.10	1.14	0.06	27.4	2.3	21
EMI-1400E/1050S	0.32	2	<5	<1	0.11	7.74	1.1	380	1.15	0.07	1.40	0.07	35.0	6.3	70
EMI-1400E/1100S	0.36	<1	<5	<1	0.03	7.45	1.1	430	1.24	0.08	1.27	0.07	26.3	3.9	47
EMI-1700E/900S	0.42	<1	<5	<1	0.05	6.54	0.6	410	1.27	0.05	1.70	0.09	62.1	5.0	36
EMI-1700E/950S	0.34	<1	<5	<1	0.05	6.04	0.5	550	1.09	0.11	1.38	0.06	25.8	3.1	31
EMI-1700E/1000S	0.32	3	<5	<1	0.06	6.28	0.7	500	1.31	0.25	1.44	0.07	40.0	4.2	44
EMI-1700E/1050S	0.48	<1	<5	<1	0.04	6.28	0.2	480	1.26	0.07	1.34	0.06	37.6	2.5	27
EMI-1700E/1100S	0.56	<1	<5	<1	0.03	6.74	1.1	580	1.43	0.06	1.71	0.06	58.7	4.4	36
EMI-1300E/600S	0.52	4	<5	<1	0.09	5.67	0.2	560	0.96	0.09	1.30	0.06	22.8	3.5	30
EMI-1300E/650S	Not Recvd														
EMI-1300E/700S	0.64	<1	<5	<1	0.03	7.05	2.4	470	1.20	0.09	1.46	0.06	31.9	4.9	60
EMI-1300E/750S	0.66	<1	<5	<1	0.04	6.49	0.9	450	1.07	0.06	1.77	0.06	38.8	5.9	62
EMI-1300E/800S	0.62	1	<5	<1	0.05	6.69	1.1	550	1.10	0.11	1.66	0.05	31.8	4.3	42
EMI-1300E/900S	0.76	<1	<5	<1	0.03	6.67	0.3	580	1.19	0.10	1.69	0.06	26.2	4.5	42
EMI-1300E/950S	0.56	<1	<5	<1	0.04	6.37	0.3	600	1.19	0.08	1.36	0.04	31.1	2.6	28
EMI-1300E/1000S	0.58	<1	<5	<1	0.03	6.91	0.2	560	1.10	0.07	1.79	0.07	35.1	4.8	43
EMI-1300E/1050S	0.52	3	<5	<1	0.03	6.52	<0.2	560	1.10	0.05	1.54	0.05	36.7	4.5	32
EMI-1300E/1100S	0.52	<1	<5	<1	0.05	6.34	0.2	400	0.88	0.04	1.45	0.05	23.8	4.6	53
EMI-1200E/600S	0.42	1	<5	<1	0.05	5.47	0.4	540	0.81	0.11	1.25	0.07	43.8	3.5	36
EMI-1200E/650S	0.42	<1	<5	<1	0.05	6.52	0.3	440	0.88	0.10	1.77	0.05	25.6	7.8	52
EMI-1200E/700S	0.56	1	<5	<1	0.07	6.09	0.9	510	0.97	0.10	1.21	0.07	29.2	4.6	41

Comments: B results from ME-MS61 are semi-quantitative



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
EMI-1900E/1050S		0.85	4.7	1.53	15.85	0.13	4.4	0.018	1.42	13.2	4.2	0.28	235	0.50	2.21	7.0
EMI-1900E/1100S		0.65	4.0	0.96	16.55	0.14	4.8	0.026	1.57	18.1	5.0	0.33	300	0.51	2.66	5.7
EMI-1800E/750S		0.63	4.6	0.92	16.45	0.15	4.5	0.020	1.59	20.4	5.5	0.33	268	0.50	2.83	4.9
EMI-1800E/800S		0.68	2.1	0.86	15.60	0.14	3.8	0.017	1.45	12.9	5.4	0.23	194	0.32	2.38	4.5
EMI-1800E/850S		0.69	16.7	1.04	15.80	0.16	4.5	0.020	1.52	19.2	6.2	0.35	282	0.48	2.78	5.3
EMI-1800E/900S		1.10	5.8	1.34	17.30	0.12	4.8	0.021	1.47	15.5	5.5	0.32	231	0.40	2.39	5.0
EMI-1800E/950S		0.79	9.8	2.01	15.85	0.15	4.5	0.024	1.41	20.2	6.9	0.42	283	0.33	2.56	5.5
EMI-1800E/1000S		0.97	6.8	1.63	17.15	0.13	4.2	0.023	1.48	14.6	4.6	0.26	218	0.70	2.28	5.5
EMI-1800E/1050S		0.69	3.6	1.02	15.30	0.14	4.1	0.019	1.58	18.1	5.4	0.35	263	0.30	2.65	5.0
EMI-1800E/1100S		0.67	5.0	0.99	16.00	0.14	4.7	0.030	1.44	17.9	5.3	0.33	261	0.33	2.49	5.8
EMI-1600E/1000S		0.71	9.4	2.35	15.75	0.15	3.5	0.030	1.17	17.5	6.2	0.36	233	0.37	2.35	5.1
EMI-1600E/1050S		0.72	9.6	2.09	16.20	0.14	3.8	0.028	1.33	15.5	5.9	0.43	262	0.62	2.54	5.4
EMI-1600E/1100S		0.70	14.6	2.07	14.95	0.16	4.3	0.022	1.28	21.8	5.2	0.37	277	0.43	2.42	5.5
EMI-1500E/900S		0.76	2.6	1.57	17.65	0.14	5.4	0.019	1.40	15.9	4.6	0.32	245	0.40	2.24	5.8
EMI-1500E/950S		0.59	1.8	0.87	14.45	0.12	8.1	0.014	1.42	16.6	3.6	0.17	180	0.36	2.11	6.2
EMI-1400E/800S		1.29	14.2	1.84	16.95	0.16	4.7	0.029	1.45	24.9	19.6	0.67	412	1.23	2.57	7.4
EMI-1400E/850S		1.23	7.2	1.82	18.20	0.15	5.6	0.031	1.43	24.4	9.0	0.67	419	1.09	2.52	7.4
EMI-1400E/900S		0.86	9.5	2.94	17.50	0.16	3.6	0.033	1.22	18.9	7.1	0.40	302	0.73	2.28	6.8
EMI-1400E/950S		1.84	5.4	3.01	25.6	0.15	4.9	0.034	1.33	14.8	9.7	0.82	439	0.74	2.58	8.3
EMI-1400E/1000S		0.75	2.2	1.03	16.45	0.13	7.3	0.016	1.55	14.6	3.9	0.24	194	0.27	2.05	5.5
EMI-1400E/1050S		0.70	11.2	3.60	19.25	0.17	4.3	0.032	1.04	16.6	6.8	0.52	278	0.42	2.06	5.8
EMI-1400E/1100S		0.70	5.9	2.55	19.90	0.15	3.9	0.032	1.17	12.5	5.1	0.35	222	0.39	2.19	5.6
EMI-1700E/900S		0.72	4.3	1.82	15.50	0.18	5.0	0.031	1.20	29.7	7.5	0.50	526	0.67	2.41	20.8
EMI-1700E/950S		1.17	2.3	1.47	18.70	0.14	6.5	0.021	1.58	14.0	5.0	0.29	271	0.39	2.38	5.8
EMI-1700E/1000S		1.09	3.8	2.32	21.3	0.16	6.8	0.025	1.40	21.3	9.0	0.40	289	0.53	2.26	8.9
EMI-1700E/1050S		0.64	4.1	1.12	14.75	0.14	3.2	0.019	1.37	18.7	4.3	0.25	243	0.38	2.40	5.1
EMI-1700E/1100S		0.85	9.1	1.89	15.70	0.18	5.5	0.025	1.64	26.8	6.2	0.40	283	0.41	2.69	6.4
EMI-1300E/600S		1.04	3.7	1.43	15.05	0.12	6.7	0.016	1.62	12.2	3.8	0.33	240	0.51	2.20	4.4
EMI-1300E/650S																
EMI-1300E/700S		0.88	9.7	1.99	16.80	0.16	3.5	0.027	1.19	15.0	9.1	0.45	256	0.96	2.56	5.6
EMI-1300E/750S		0.78	8.9	1.99	16.65	0.15	4.1	0.026	1.13	17.7	8.0	0.58	321	0.80	2.49	5.8
EMI-1300E/800S		1.28	12.2	1.30	17.70	0.10	5.9	0.027	1.53	17.6	5.4	0.42	321	0.87	2.50	6.8
EMI-1300E/900S		0.98	6.6	1.42	18.10	0.10	4.5	0.022	1.55	14.3	5.9	0.46	281	0.85	2.73	6.7
EMI-1300E/950S		0.95	8.7	0.89	17.20	0.10	6.4	0.020	1.72	17.0	4.7	0.27	219	0.59	2.47	6.0
EMI-1300E/1000S		0.84	6.5	1.31	17.00	0.11	5.3	0.021	1.56	18.3	4.1	0.46	294	0.82	2.77	6.0
EMI-1300E/1050S		0.83	10.0	1.26	17.00	0.11	5.9	0.022	1.57	19.5	5.6	0.44	263	0.34	2.63	5.3
EMI-1300E/1100S		0.50	6.2	1.49	16.30	0.11	4.8	0.025	1.08	12.8	4.0	0.45	256	0.46	2.33	4.4
EMI-1200E/600S		0.77	3.7	1.39	17.15	0.12	7.3	0.019	1.49	23.6	4.4	0.33	230	0.48	2.04	6.8
EMI-1200E/650S		0.82	12.2	2.87	21.3	0.13	6.3	0.030	1.27	13.2	4.4	0.65	358	0.45	2.61	6.5
EMI-1200E/700S		1.00	10.6	2.04	21.1	0.12	6.8	0.027	1.48	15.9	5.3	0.48	244	0.54	1.94	6.7

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Project: EASTMAIN MINE

Page: 3 - C

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 29-OCT-2009

Account: MVR

CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMI-1900E/1050S		7.9	210	13.3	52.0	<0.002	0.01	0.07	5.5	2	0.7	299	0.43	<0.05	4.3	0.196
EMI-1900E/1100S		9.0	290	14.2	57.2	<0.002	0.01	0.05	6.1	2	0.7	359	0.37	<0.05	6.9	0.205
EMI-1800E/750S		9.4	330	13.6	57.9	<0.002	0.02	0.05	6.0	2	0.7	377	0.31	<0.05	5.3	0.168
EMI-1800E/800S		6.1	310	13.4	53.8	<0.002	0.02	0.05	4.6	2	0.7	318	0.29	<0.05	3.4	0.158
EMI-1800E/850S		9.3	430	13.4	54.3	<0.002	0.01	0.06	6.0	2	0.7	379	0.32	<0.05	4.7	0.175
EMI-1800E/900S		12.5	200	14.6	54.9	<0.002	0.01	0.13	5.7	2	0.9	323	0.38	<0.05	4.4	0.216
EMI-1800E/950S		15.0	360	12.8	50.6	<0.002	0.03	0.10	7.4	2	0.9	352	0.36	<0.05	5.5	0.214
EMI-1800E/1000S		8.8	350	15.5	55.9	<0.002	0.04	0.10	5.6	2	1.0	312	0.34	<0.05	4.6	0.205
EMI-1800E/1050S		10.4	360	13.8	58.8	<0.002	0.01	0.07	5.8	2	0.8	363	0.35	<0.05	4.4	0.177
EMI-1800E/1100S		10.0	410	13.5	54.1	<0.002	0.02	0.07	6.1	2	0.9	339	0.35	<0.05	4.9	0.197
EMI-1600E/1000S		14.8	430	11.2	44.0	<0.002	0.02	0.09	6.9	2	0.8	319	0.31	<0.05	5.3	0.187
EMI-1600E/1050S		16.7	460	12.0	47.6	<0.002	0.03	0.09	7.4	2	0.9	342	0.32	<0.05	5.2	0.204
EMI-1600E/1100S		12.9	440	11.3	47.2	<0.002	0.01	0.07	6.8	2	0.8	334	0.32	<0.05	4.7	0.198
EMI-1500E/900S		10.5	230	13.3	49.7	<0.002	0.01	0.09	5.2	2	1.3	309	0.35	<0.05	4.9	0.289
EMI-1500E/950S		5.6	180	16.4	51.3	<0.002	<0.01	0.09	3.4	2	1.5	295	1.79	<0.05	6.9	0.292
EMI-1400E/800S		21.4	650	14.1	56.4	0.002	0.03	0.08	8.9	2	1.1	366	0.47	<0.05	5.4	0.284
EMI-1400E/850S		20.0	300	16.0	56.5	<0.002	0.02	0.10	9.4	2	1.3	348	0.51	<0.05	6.7	0.334
EMI-1400E/900S		12.7	580	13.6	47.9	<0.002	0.02	0.08	7.5	2	1.0	315	0.45	<0.05	5.5	0.244
EMI-1400E/950S		23.5	470	16.6	56.5	<0.002	0.01	0.14	10.2	2	2.0	343	0.54	0.05	5.1	0.487
EMI-1400E/1000S		7.3	180	17.6	56.2	<0.002	0.01	0.07	3.9	2	1.3	292	0.38	<0.05	5.2	0.270
EMI-1400E/1050S		22.6	880	13.2	37.5	<0.002	0.06	0.11	7.2	2	1.0	293	0.36	0.05	7.5	0.258
EMI-1400E/1100S		11.7	670	14.4	43.7	<0.002	0.04	0.10	6.0	2	1.0	295	0.35	<0.05	3.9	0.217
EMI-1700E/900S		12.1	270	12.0	47.4	<0.002	0.01	0.07	9.5	2	1.1	326	2.07	<0.05	11.9	0.295
EMI-1700E/950S		8.2	190	14.7	61.2	<0.002	0.01	0.10	5.6	2	1.4	318	0.39	<0.05	4.8	0.279
EMI-1700E/1000S		11.7	260	16.3	57.0	<0.002	0.01	0.12	6.1	2	2.1	313	0.57	<0.05	8.3	0.366
EMI-1700E/1050S		6.3	390	12.2	52.9	<0.002	0.02	0.05	5.3	2	0.8	330	0.30	<0.05	5.1	0.166
EMI-1700E/1100S		11.5	610	14.1	61.4	<0.002	0.01	0.05	6.9	2	1.0	379	0.38	<0.05	6.1	0.205
EMI-1300E/600S		9.9	130	13.8	59.7	<0.002	0.01	0.07	5.1	2	1.1	300	0.31	<0.05	3.9	0.238
EMI-1300E/650S																
EMI-1300E/700S		17.3	170	11.5	42.4	<0.002	0.02	0.06	6.5	2	0.9	343	0.38	<0.05	3.8	0.222
EMI-1300E/750S		21.5	320	10.0	39.4	<0.002	0.02	0.06	7.5	2	0.9	342	0.38	<0.05	3.3	0.253
EMI-1300E/800S		14.1	350	15.6	56.7	<0.002	0.03	0.07	7.2	2	1.2	343	0.46	<0.05	5.5	0.320
EMI-1300E/900S		15.1	260	14.2	56.2	<0.002	0.01	<0.05	6.5	2	1.0	375	0.42	<0.05	4.0	0.251
EMI-1300E/950S		8.7	220	17.4	64.5	<0.002	0.01	0.06	5.3	2	1.1	343	0.39	<0.05	4.4	0.232
EMI-1300E/1000S		17.6	270	14.2	57.8	<0.002	0.01	<0.05	6.6	2	1.2	382	0.64	<0.05	6.3	0.238
EMI-1300E/1050S		14.9	360	14.4	57.7	<0.002	0.01	<0.05	6.1	2	0.9	357	0.34	<0.05	5.1	0.228
EMI-1300E/1100S		16.8	360	10.1	38.5	<0.002	0.03	0.05	6.6	2	0.7	299	0.28	<0.05	3.8	0.232
EMI-1200E/600S		11.5	180	14.8	51.4	<0.002	0.01	0.09	5.1	2	1.4	272	0.45	<0.05	11.1	0.312
EMI-1200E/650S		16.5	210	15.2	43.9	<0.002	0.01	0.08	9.8	2	1.3	354	0.42	<0.05	4.2	0.393
EMI-1200E/700S		13.5	250	17.1	53.2	<0.002	0.02	0.06	7.1	2	1.4	281	0.38	<0.05	5.2	0.342

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 3 - D

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 29-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm ↓	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMI-1900E/1050S		0.26	1.0	34	0.4	7.2	13	162.0	80
EMI-1900E/1100S		0.27	1.1	21	0.3	10.2	16	174.0	80
EMI-1800E/750S		0.28	1.0	21	0.2	10.4	14	164.5	80
EMI-1800E/800S		0.26	0.7	23	0.3	7.1	10	138.5	80
EMI-1800E/850S		0.27	1.4	23	0.3	12.3	16	164.0	80
EMI-1800E/900S		0.27	0.9	31	0.5	7.4	14	166.5	100
EMI-1800E/950S		0.23	0.9	41	0.4	10.7	19	159.5	110
EMI-1800E/1000S		0.28	1.1	36	0.4	7.7	13	149.5	100
EMI-1800E/1050S		0.28	0.8	23	0.2	10.2	15	144.0	100
EMI-1800E/1100S		0.25	0.9	22	0.4	10.4	17	165.0	100
EMI-1600E/1000S		0.21	0.8	40	0.4	10.4	20	125.5	90
EMI-1600E/1050S		0.22	0.8	44	0.4	9.1	20	138.5	90
EMI-1600E/1100S		0.22	1.0	41	0.4	12.5	17	153.5	100
EMI-1500E/900S		0.25	0.9	43	0.5	6.2	15	196.5	110
EMI-1500E/950S		0.26	1.5	32	0.5	5.0	10	288	100
EMI-1400E/800S		0.27	1.3	45	4.6	14.7	38	187.5	100
EMI-1400E/850S		0.26	1.1	45	0.9	10.7	32	198.0	90
EMI-1400E/900S		0.22	0.9	53	0.7	11.4	23	131.0	90
EMI-1400E/950S		0.29	0.9	93	0.9	9.4	35	174.5	100
EMI-1400E/1000S		0.29	1.1	34	0.5	4.9	12	260	110
EMI-1400E/1050S		0.18	0.8	60	0.4	7.8	28	156.0	100
EMI-1400E/1100S		0.21	0.7	49	0.4	7.4	20	138.5	100
EMI-1700E/900S		0.22	1.5	33	1.0	16.1	21	177.5	110
EMI-1700E/950S		0.31	1.0	41	0.4	5.7	14	230	110
EMI-1700E/1000S		0.28	1.1	66	0.9	7.3	21	241	110
EMI-1700E/1050S		0.24	0.8	22	0.3	9.3	13	112.0	110
EMI-1700E/1100S		0.29	1.2	37	0.4	14.9	20	195.5	100
EMI-1300E/600S		0.28	1.0	41	0.4	5.2	14	244	90
EMI-1300E/650S									
EMI-1300E/700S		0.20	0.8	43	1.5	9.9	22	119.5	90
EMI-1300E/750S		0.20	0.9	43	1.1	11.3	22	148.5	70
EMI-1300E/800S		0.29	1.1	35	0.6	9.0	22	214	100
EMI-1300E/900S		0.27	0.8	33	0.4	8.0	22	167.5	100
EMI-1300E/950S		0.30	1.3	24	0.5	7.8	15	232	100
EMI-1300E/1000S		0.27	1.0	32	0.4	7.6	20	193.5	90
EMI-1300E/1050S		0.28	0.9	30	0.4	8.2	20	215	90
EMI-1300E/1100S		0.18	0.8	37	0.3	6.6	21	175.0	90
EMI-1200E/600S		0.25	1.3	43	0.6	5.9	15	266	100
EMI-1200E/650S		0.20	0.8	88	0.6	9.6	22	228	90
EMI-1200E/700S		0.26	1.0	60	0.6	6.6	18	250	90

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
EMI-1200E/750S		0.34	2	<5	<1	0.05	5.69	0.5	500	0.90	0.10	1.26	0.06	31.4	3.0	31
EMI-1200E/800S		0.44	1	<5	<1	0.05	6.56	0.8	510	0.93	0.12	1.62	0.07	31.0	4.7	48
EMI-1200E/850S		0.50	2	<5	<1	0.04	7.01	1.6	440	1.03	0.34	1.54	0.08	35.1	5.4	58
EMI-1200E/900S		0.42	2	<5	<1	0.04	6.28	1.3	550	0.98	0.14	1.46	0.05	28.1	5.3	63
EMI-1200E/950S		0.54	<1	<5	<1	0.03	6.71	1.6	510	1.03	0.11	1.51	0.07	30.0	4.4	45
EMI-1200E/1000S		0.52	2	<5	<1	0.03	5.76	0.5	530	0.89	0.10	1.44	0.07	28.4	2.8	23
EMI-1200E/1050S		0.44	1	<5	<1	0.08	7.05	1.3	420	0.93	0.10	1.63	0.07	27.6	7.4	72
EMI-1200E/1100S		0.52	2	<5	<1	0.04	5.49	0.3	560	0.86	0.10	1.17	0.05	28.7	3.0	26
EMI-1100E/600S		0.44	4	<5	<1	0.05	7.21	2.0	420	1.02	0.10	1.49	0.07	31.9	5.0	57
EMI-1100E/650S		0.38	<1	<5	<1	0.06	6.65	1.7	470	1.15	0.17	1.41	0.08	33.6	4.8	75
EMI-1100E/700S		0.42	1	<5	<1	0.12	6.89	1.5	410	1.12	0.12	1.41	0.08	29.3	5.5	59
EMI-1100E/750S		0.40	2	<5	<1	0.10	6.89	1.2	400	0.95	0.10	1.17	0.05	34.2	4.2	56
EMI-1100E/800S		0.42	1	<5	<1	0.11	6.92	3.2	420	1.08	0.07	1.51	0.07	25.7	6.0	48
EMI-1100E/850S		0.34	1	<5	<1	0.06	6.72	1.5	470	0.95	0.10	1.40	0.06	31.9	4.7	51
EMI-1100E/900S		0.60	19	<5	3	0.06	6.58	0.9	460	0.99	0.07	1.61	0.06	33.1	6.7	61
EMI-1100E/950S		0.50	2	<5	<1	0.06	7.60	1.4	390	1.04	0.07	1.36	0.08	21.3	5.1	75
EMI-1100E/1000S		0.32	1	<5	<1	0.05	5.88	1.9	480	0.94	0.12	1.32	0.07	26.7	4.1	35
EMI-1100E/1050S		0.36	<1	<5	<1	0.05	6.55	1.7	430	0.90	0.08	1.46	0.06	31.2	6.3	59
EMI-1100E/1100S		0.46	1	<5	<1	0.06	6.40	2.5	460	1.00	0.11	1.32	0.08	23.5	4.1	46
EMI-1000E/600S		0.26	<1	<5	<1	0.07	5.11	1.4	530	0.92	0.14	1.08	0.06	28.5	2.0	20
EMI-1000E/650S		0.40	1	<5	<1	0.07	6.30	2.3	470	1.03	0.16	1.37	0.06	29.0	4.2	36
EMI-1000E/700S		0.40	<1	<5	<1	0.07	7.24	2.5	410	1.23	0.14	1.35	0.06	34.4	5.2	54
EMI-1000E/750S		0.34	1	<5	<1	0.06	5.79	2.0	430	0.88	0.11	1.07	0.05	26.3	2.7	37
EMI-1000E/800S		0.36	3	<5	<1	0.05	5.61	1.7	380	0.86	0.11	0.94	0.06	27.9	2.8	31
EMI-1000E/850S		0.32	1	<5	<1	0.06	6.41	2.0	400	1.20	0.15	1.72	0.06	23.0	11.4	85
EMI-1000E/900S		0.32	<1	<5	<1	0.05	5.62	1.4	550	0.82	0.11	1.33	0.04	26.5	3.0	35
EMI-1000E/950S		0.38	1	<5	<1	0.06	6.06	1.5	530	1.22	0.11	1.45	0.05	36.4	5.0	68
EMI-1000E/1000S	Not Recvd															
EMI-1000E/1050S		0.30	1	<5	<1	0.07	7.20	2.7	340	1.09	0.08	1.17	0.06	40.7	5.2	61
EMI-1000E/1100S		0.56	<1	<5	<1	0.04	6.13	1.0	460	1.15	0.08	1.50	0.05	33.4	4.8	59
EMI-1000E/1150S		0.60	1	<5	1	0.03	6.45	2.0	510	1.53	0.06	1.68	0.07	48.1	4.9	37
EMI-900E/600S		0.54	<1	<5	<1	0.08	6.76	1.6	440	1.21	0.14	1.84	0.11	64.7	10.6	50
EMI-900E/650S		0.42	1	<5	<1	0.05	5.73	1.9	490	0.98	0.37	1.49	0.07	25.9	4.4	36
EMI-900E/700S		0.40	1	<5	<1	0.05	5.45	0.9	500	1.09	0.11	1.17	0.05	29.6	2.6	27
EMI-900E/750S		0.42	1	<5	<1	0.04	5.42	1.8	480	1.04	0.18	1.26	0.10	31.4	3.3	35
EMI-900E/800S		0.50	<1	<5	<1	0.02	6.86	1.4	410	0.97	0.11	1.50	0.06	39.1	5.3	38
EMI-900E/850S		0.68	1	<5	<1	0.07	7.12	1.9	440	1.17	0.09	1.37	0.05	29.0	3.7	46
EMI-900E/900S		0.60	<1	<5	<1	0.03	7.07	2.3	450	1.28	0.10	1.42	0.08	25.9	4.7	55
EMI-900E/950S		0.60	<1	<5	<1	0.05	6.31	1.4	460	1.00	0.08	1.50	0.09	21.6	3.6	45
EMI-900E/1000S		0.52	1	<5	<1	0.08	7.30	2.6	430	1.31	0.08	1.43	0.10	30.8	5.3	59

Comments: B results from ME-MS61 are semi-quantitative



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
Units		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
LOR		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMI-1200E/750S		0.97	8.5	1.34	16.60	0.11	6.5	0.022	1.38	17.3	4.2	0.30	220	0.68	1.95	6.1
EMI-1200E/800S		1.28	7.5	2.35	23.0	0.12	6.3	0.028	1.38	16.7	5.1	0.45	286	0.69	2.30	8.2
EMI-1200E/850S		0.81	9.9	2.79	18.75	0.13	4.1	0.031	1.18	16.6	6.0	0.49	289	0.51	2.36	6.4
EMI-1200E/900S		1.44	4.5	2.01	20.3	0.11	6.9	0.028	1.57	15.4	8.7	0.62	290	0.78	2.15	6.8
EMI-1200E/950S		1.03	6.4	2.27	21.4	0.13	4.8	0.029	1.41	15.8	5.5	0.43	285	0.76	2.34	8.0
EMI-1200E/1000S		0.84	3.7	1.57	19.15	0.13	7.7	0.022	1.48	15.7	5.3	0.33	289	0.55	2.09	8.2
EMI-1200E/1050S		0.93	8.5	3.29	24.1	0.14	4.9	0.032	1.10	14.2	7.4	0.71	346	0.69	2.25	7.2
EMI-1200E/1100S		0.80	2.5	1.22	16.55	0.12	7.9	0.016	1.60	15.5	3.9	0.30	216	0.32	2.07	6.1
EMI-1100E/600S		0.94	13.2	3.20	20.6	0.14	3.8	0.035	1.17	15.5	6.1	0.47	294	0.76	2.22	7.2
EMI-1100E/650S		1.01	10.3	2.55	21.1	0.14	5.3	0.037	1.26	18.2	7.4	0.56	266	0.77	1.95	6.4
EMI-1100E/700S		0.99	13.4	3.26	20.4	0.13	3.8	0.034	1.17	14.1	7.6	0.51	292	0.52	1.98	6.8
EMI-1100E/750S		0.73	18.1	2.87	19.80	0.14	4.5	0.033	1.10	17.1	4.8	0.38	230	0.59	1.72	6.4
EMI-1100E/800S		0.81	18.7	3.21	16.75	0.13	4.0	0.030	1.20	11.7	5.1	0.52	343	0.77	2.27	7.0
EMI-1100E/850S		1.07	9.5	2.36	20.4	0.14	5.8	0.030	1.30	16.3	5.7	0.41	242	0.45	2.07	6.4
EMI-1100E/900S		0.87	17.2	2.47	19.05	0.15	4.5	0.027	1.27	15.6	6.1	0.59	296	0.47	2.30	5.7
EMI-1100E/950S		0.86	11.5	2.94	18.70	0.13	2.6	0.032	1.02	9.3	6.7	0.48	244	0.53	2.16	6.1
EMI-1100E/1000S		0.78	6.2	2.47	26.1	0.11	5.7	0.029	1.36	13.7	5.6	0.36	253	0.59	2.06	8.8
EMI-1100E/1050S		0.91	9.2	2.94	25.3	0.12	5.1	0.030	1.13	16.2	5.6	0.60	288	0.81	2.13	6.7
EMI-1100E/1100S		0.80	11.1	2.30	21.4	0.10	4.9	0.025	1.26	11.9	5.8	0.38	248	0.59	2.09	6.2
EMI-1000E/600S		0.84	3.3	0.97	17.10	0.09	7.7	0.016	1.45	15.0	4.1	0.20	187	0.40	1.92	7.0
EMI-1000E/650S		1.01	9.9	2.66	25.8	0.12	5.6	0.031	1.29	15.1	6.4	0.36	267	0.64	2.07	8.9
EMI-1000E/700S		1.08	8.8	2.83	18.80	0.13	4.1	0.034	1.12	15.8	8.9	0.43	281	0.59	2.13	7.3
EMI-1000E/750S		0.59	7.2	2.15	20.5	0.12	5.2	0.021	1.17	13.9	3.8	0.26	203	1.56	1.72	6.6
EMI-1000E/800S		0.63	12.0	2.01	19.20	0.12	5.3	0.023	1.06	14.9	3.8	0.24	181	0.50	1.63	5.9
EMI-1000E/850S		1.09	13.9	4.67	25.6	0.15	5.3	0.037	1.12	12.1	6.1	0.90	491	0.84	2.06	11.3
EMI-1000E/900S		0.82	2.7	2.02	18.95	0.10	5.6	0.017	1.51	14.1	4.3	0.33	242	0.42	2.05	6.6
EMI-1000E/950S		1.25	7.5	1.91	19.00	0.13	6.6	0.022	1.49	19.5	6.7	0.49	255	0.89	2.16	6.8
EMI-1000E/1000S																
EMI-1000E/1050S		0.72	11.4	3.19	21.2	0.15	3.6	0.032	0.87	19.1	6.2	0.42	219	0.74	1.72	6.5
EMI-1000E/1100S		0.75	6.9	2.02	18.80	0.12	3.5	0.019	1.19	17.8	6.1	0.44	251	0.49	2.45	5.3
EMI-1000E/1150S		0.70	7.8	2.03	15.05	0.14	5.8	0.023	1.51	20.0	6.7	0.41	314	0.38	2.55	6.5
EMI-900E/600S		2.20	17.9	4.04	19.80	0.17	4.7	0.075	1.12	30.1	17.7	0.65	615	1.01	2.12	13.4
EMI-900E/650S		0.86	5.6	2.31	22.0	0.12	5.4	0.023	1.21	13.8	5.2	0.38	286	0.60	2.13	8.7
EMI-900E/700S		0.83	4.3	1.05	17.45	0.12	6.6	0.017	1.36	16.7	4.6	0.26	217	0.45	2.00	6.3
EMI-900E/750S		0.79	4.1	2.04	19.10	0.13	6.4	0.023	1.24	16.5	4.5	0.30	236	0.56	1.92	7.8
EMI-900E/800S		0.73	6.0	2.64	22.9	0.13	4.6	0.029	1.10	21.2	7.3	0.44	230	0.45	1.95	6.8
EMI-900E/850S		0.75	9.9	2.28	16.70	0.14	3.0	0.029	1.14	14.3	5.5	0.32	228	0.64	2.36	6.3
EMI-900E/900S		0.80	13.4	2.31	18.00	0.13	3.4	0.029	1.18	12.1	7.4	0.42	250	1.16	2.43	5.9
EMI-900E/950S		0.66	6.2	1.75	16.90	0.10	2.8	0.020	1.21	10.5	5.3	0.37	247	0.69	2.58	7.0
EMI-900E/1000S		0.78	9.4	2.66	17.90	0.13	2.8	0.030	1.10	14.2	8.1	0.41	249	0.57	2.36	6.5

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	ME-MSG1	ME-MSG1	ME-MSG1	ME-MSG1	ME-MSG1	ME-MSG1	ME-MSG1	ME-MSG1	ME-MSG1	ME-MSG1	ME-MSG1	ME-MSG1	ME-MSG1	ME-MSG1	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMI-1200E/750S		8.8	320	17.0	50.2	<0.002	0.02	0.06	5.6	2	1.2	275	0.40	<0.05	5.3	0.297
EMI-1200E/800S		15.1	310	15.1	51.1	<0.002	0.01	0.08	7.1	2	1.5	313	0.66	<0.05	5.2	0.366
EMI-1200E/850S		17.3	500	11.7	42.2	<0.002	0.02	0.07	7.6	2	1.0	317	0.40	<0.05	5.4	0.245
EMI-1200E/900S		18.3	230	16.4	62.8	<0.002	0.01	0.08	7.3	2	1.4	331	0.44	<0.05	5.2	0.342
EMI-1200E/950S		13.5	390	14.1	53.2	<0.002	0.01	0.07	7.1	2	1.3	327	0.47	<0.05	5.0	0.316
EMI-1200E/1000S		7.7	260	16.7	54.1	<0.002	0.01	0.06	6.1	2	1.8	278	0.55	<0.05	5.6	0.409
EMI-1200E/1050S		27.3	530	13.5	40.6	<0.002	0.02	0.07	8.7	2	1.3	300	0.43	<0.05	3.6	0.377
EMI-1200E/1100S		10.8	220	16.0	56.6	<0.002	0.01	0.07	4.5	2	1.4	296	0.49	<0.05	5.2	0.311
EMI-1100E/600S		14.3	580	13.6	43.1	<0.002	0.02	0.07	7.4	2	1.0	295	0.46	<0.05	5.0	0.259
EMI-1100E/650S		19.4	440	16.3	46.6	<0.002	0.02	0.07	7.7	2	1.2	286	0.40	<0.05	6.2	0.285
EMI-1100E/700S		17.1	690	13.8	42.2	<0.002	0.03	0.06	7.6	2	1.1	268	0.42	<0.05	4.6	0.288
EMI-1100E/750S		12.7	700	13.4	38.6	<0.002	0.03	0.07	7.0	2	1.1	237	0.42	<0.05	6.1	0.266
EMI-1100E/800S		11.7	620	11.7	43.1	<0.002	0.03	0.09	6.8	2	0.9	304	0.46	<0.05	3.6	0.291
EMI-1100E/850S		15.5	530	16.1	48.6	<0.002	0.02	0.08	6.9	2	1.3	288	0.41	<0.05	5.3	0.290
EMI-1100E/900S		17.5	490	12.7	44.0	<0.002	0.02	0.07	7.9	2	1.0	300	0.35	<0.05	4.8	0.282
EMI-1100E/950S		18.2	900	10.8	35.5	<0.002	0.05	0.08	7.3	2	0.9	281	0.38	<0.05	3.3	0.237
EMI-1100E/1000S		10.8	410	16.2	52.0	<0.002	0.02	0.08	6.2	2	1.7	303	0.70	<0.05	4.1	0.355
EMI-1100E/1050S		20.9	390	14.6	44.1	<0.002	0.02	0.08	7.8	2	1.1	312	0.56	<0.05	4.6	0.328
EMI-1100E/1100S		12.5	450	14.6	46.7	<0.002	0.03	0.07	6.2	2	1.1	308	0.43	<0.05	3.7	0.264
EMI-1000E/600S		5.5	320	17.5	54.6	<0.002	0.02	0.06	3.9	2	1.3	287	0.47	<0.05	5.4	0.287
EMI-1000E/650S		10.1	320	16.8	50.2	<0.002	0.02	0.09	6.4	2	1.5	307	0.66	<0.05	4.6	0.368
EMI-1000E/700S		14.0	790	13.9	42.9	<0.002	0.04	0.09	7.1	2	1.0	296	0.51	<0.05	7.3	0.257
EMI-1000E/750S		7.5	450	15.9	40.4	<0.002	0.03	0.06	4.5	2	1.2	262	0.42	<0.05	4.2	0.298
EMI-1000E/800S		7.6	510	14.0	40.1	<0.002	0.03	0.07	5.0	3	1.0	223	0.41	<0.05	4.0	0.256
EMI-1000E/850S		34.6	700	15.4	41.8	<0.002	0.02	0.12	7.2	2	1.5	322	0.81	<0.05	3.6	0.502
EMI-1000E/900S		7.8	270	16.8	47.7	<0.002	0.01	0.07	4.4	2	1.3	316	0.45	<0.05	4.2	0.332
EMI-1000E/950S		19.5	250	16.6	59.7	<0.002	0.02	0.08	6.4	2	1.2	318	0.46	<0.05	5.2	0.269
EMI-1000E/1000S																
EMI-1000E/1050S		18.4	680	13.2	33.2	<0.002	0.04	0.08	6.6	3	0.9	257	0.43	<0.05	3.8	0.254
EMI-1000E/1100S		17.8	290	11.5	45.0	<0.002	0.01	<0.05	5.8	2	0.8	357	0.39	<0.05	3.8	0.224
EMI-1000E/1150S		12.1	430	13.4	60.0	<0.002	0.01	0.05	7.1	2	0.9	365	0.40	<0.05	4.5	0.201
EMI-900E/600S		16.5	810	10.4	55.6	<0.002	0.02	0.05	13.6	3	1.9	294	1.02	<0.05	5.6	0.417
EMI-900E/650S		10.4	290	15.4	44.8	<0.002	0.01	0.07	5.7	2	1.3	305	0.63	<0.05	3.6	0.350
EMI-900E/700S		7.4	240	16.9	52.0	<0.002	0.02	0.06	4.7	2	1.1	293	0.44	<0.05	4.7	0.266
EMI-900E/750S		9.0	320	17.4	46.0	<0.002	0.02	0.06	5.2	2	1.4	295	0.50	<0.05	5.1	0.332
EMI-900E/800S		8.8	430	14.5	38.7	<0.002	0.03	0.06	6.9	2	1.2	296	0.49	<0.05	7.1	0.333
EMI-900E/850S		10.9	290	11.0	42.4	<0.002	0.02	<0.05	6.0	2	0.8	337	0.47	<0.05	3.8	0.213
EMI-900E/900S		14.2	250	11.5	42.1	<0.002	0.02	0.05	6.3	2	0.8	339	0.41	<0.05	3.4	0.222
EMI-900E/950S		11.5	330	10.5	39.7	<0.002	0.02	0.05	5.2	2	0.7	364	0.60	<0.05	2.6	0.221
EMI-900E/1000S		15.2	780	12.2	40.5	<0.002	0.02	0.07	6.4	2	0.8	330	0.45	<0.05	4.2	0.206

Comments: B results from ME-MSG1 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Ti	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMI-1200E/750S		0.25	1.2	39	0.6	6.7	14	238	90
EMI-1200E/800S		0.26	1.1	67	0.6	7.9	20	225	90
EMI-1200E/850S		0.20	0.8	56	0.4	9.3	23	147.5	80
EMI-1200E/900S		0.32	1.0	59	0.9	6.5	23	251	80
EMI-1200E/950S		0.26	0.8	63	0.5	8.3	21	175.5	80
EMI-1200E/1000S		0.27	1.1	51	0.5	9.9	25	278	90
EMI-1200E/1050S		0.20	0.7	87	0.5	8.7	32	184.0	90
EMI-1200E/1100S		0.29	1.1	38	0.4	5.8	15	288	90
EMI-1100E/600S		0.20	0.9	62	1.0	10.3	23	135.0	80
EMI-1100E/650S		0.22	1.1	62	0.6	9.1	18	189.0	80
EMI-1100E/700S		0.20	0.8	67	0.7	8.5	24	138.5	80
EMI-1100E/750S		0.18	1.0	62	0.7	7.6	19	162.5	90
EMI-1100E/800S		0.20	0.7	51	0.4	8.9	24	145.5	80
EMI-1100E/850S		0.22	1.0	56	0.5	7.8	23	212	60
EMI-1100E/900S		0.21	0.9	56	0.5	8.3	24	166.0	60
EMI-1100E/950S		0.18	0.6	55	0.5	7.1	23	96.2	60
EMI-1100E/1000S		0.22	0.9	73	0.6	7.7	20	214	120
EMI-1100E/1050S		0.20	0.9	75	0.4	7.2	24	193.5	100
EMI-1100E/1100S		0.22	0.8	55	0.5	6.4	20	179.0	100
EMI-1000E/600S		0.24	1.2	30	0.7	5.4	12	275	90
EMI-1000E/650S		0.24	0.9	71	0.7	7.9	19	204	80
EMI-1000E/700S		0.20	1.0	51	0.7	9.6	27	148.5	80
EMI-1000E/750S		0.19	1.0	58	0.5	5.8	16	197.5	90
EMI-1000E/800S		0.18	1.2	48	0.5	5.8	14	195.5	90
EMI-1000E/850S		0.18	0.8	82	0.7	9.1	39	199.0	90
EMI-1000E/900S		0.21	0.8	58	0.5	5.3	17	224	80
EMI-1000E/950S		0.27	1.0	42	0.5	7.1	20	239	80
EMI-1000E/1000S									
EMI-1000E/1050S		0.15	0.8	62	0.8	8.6	20	134.5	70
EMI-1000E/1100S		0.21	0.8	43	0.4	8.2	17	129.5	70
EMI-1000E/1150S		0.25	1.0	38	0.5	12.0	17	215	80
EMI-900E/600S		0.27	1.1	48	0.6	33.9	69	166.0	60
EMI-900E/650S		0.21	0.8	61	0.6	6.9	21	206	80
EMI-900E/700S		0.24	1.1	30	0.6	6.1	13	237	80
EMI-900E/750S		0.22	1.0	51	0.8	6.8	16	234	70
EMI-900E/800S		0.17	1.0	63	0.4	8.3	26	176.5	60
EMI-900E/850S		0.19	0.8	38	0.5	8.6	17	108.5	60
EMI-900E/900S		0.20	0.7	44	0.5	8.0	21	122.0	60
EMI-900E/950S		0.18	1.5	35	2.2	8.5	19	108.5	70
EMI-900E/1000S		0.18	0.7	48	0.5	8.9	26	100.5	80

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 5 - A

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 29-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMI-900E/1050S		0.56	<1	<5	<1	0.18	6.75	1.5	500	1.32	0.11	1.40	0.11	39.1	5.4	44
EMI-900E/1100S		0.42	2	<5	<1	0.06	6.24	1.7	720	1.73	0.18	1.38	0.05	60.2	5.5	67
EMI-800E/600S		0.84	1	<5	<1	0.02	6.35	7.7	520	1.31	0.07	1.87	0.05	60.6	5.3	50
EMI-800E/650S		0.68	1	<5	<1	0.11	6.33	0.4	520	1.09	0.04	1.75	0.04	38.9	4.0	40
EMI-800E/700S		0.40	1	<5	<1	0.15	6.27	0.3	580	1.21	0.05	1.65	0.08	47.9	3.8	29
EMI-800E/750S		0.50	2	<5	<1	0.09	6.02	0.2	570	0.98	0.07	1.44	0.04	22.3	2.9	38
EMI-800E/800S		0.56	2	<5	<1	0.05	6.09	0.2	590	1.02	0.08	1.53	0.04	28.3	3.5	35
EMI-800E/850S		0.74	1	<5	<1	0.07	6.91	1.0	500	1.17	0.05	1.57	0.06	33.9	4.4	42
EMI-800E/900S		0.48	1	<5	<1	0.04	6.55	0.9	570	1.23	0.04	1.78	0.05	55.8	4.3	41
EMI-800E/950S		0.52	2	<5	<1	0.07	5.64	0.3	570	1.09	0.14	1.19	0.06	34.8	2.1	20
EMI-800E/1050S		0.48	1	<5	<1	0.06	5.67	1.2	500	0.81	0.10	1.45	0.07	31.8	4.4	30
EMI-800E/1100S		0.32	<1	<5	<1	0.06	5.15	0.7	570	0.94	0.09	0.98	0.03	34.3	1.5	26
EMI-700E/600S		0.68	7	<5	<1	0.05	6.37	2.0	490	1.10	0.06	1.80	0.07	35.0	5.9	46
EMI-700E/650S		0.26	1	<5	<1	0.12	5.40	12.7	340	0.90	0.13	1.02	0.14	54.3	3.0	34
EMI-700E/700S		0.44	<1	<5	<1	0.04	4.59	0.6	160	0.57	0.03	1.62	0.05	23.0	38.2	1300
EMI-700E/750S		0.68	1	<5	<1	0.04	6.16	0.5	510	1.10	0.03	1.62	0.06	39.2	3.3	49
EMI-700E/800S		0.64	<1	<5	<1	0.03	6.31	0.3	550	1.20	0.04	1.54	0.05	35.0	3.3	33
EMI-700E/850S		0.38	1	<5	<1	0.04	6.46	2.2	550	1.23	0.04	1.70	0.05	45.3	5.8	29
EMI-700E/900S		0.48	<1	<5	<1	0.03	6.22	0.9	570	1.08	0.09	1.71	0.06	31.5	4.4	37
EMI-700E/950S		0.32	<1	<5	<1	0.05	6.00	0.8	600	1.21	0.05	1.31	0.05	34.5	2.3	21
EMI-700E/1000S		0.44	<1	<5	<1	0.07	5.32	0.9	520	1.11	0.08	1.15	0.04	28.8	2.2	25
EMI-700E/1050S		0.52	<1	<5	<1	0.05	6.75	1.5	480	1.18	0.07	1.51	0.08	39.2	4.4	39
EMI-700E/1100S		0.48	3	<5	<1	0.11	6.92	2.2	510	1.13	0.19	1.55	0.10	32.4	5.8	56
EMI-600E/650S		0.64	2	<5	<1	0.05	6.34	1.8	510	1.04	0.06	1.69	0.05	36.3	4.5	43
EMI-600E/700S		0.42	<1	<5	<1	0.04	6.28	0.3	580	1.04	0.06	1.41	0.06	32.8	2.8	31
EMI-600E/750S		0.44	1	<5	<1	0.04	6.18	0.5	480	1.13	0.07	1.48	0.07	41.6	3.5	50
EMI-600E/850S		0.18	2	9	1	0.39	5.42	5.8	440	1.43	0.15	1.57	0.24	227	4.2	47
EMI-600E/1000S		0.56	1	<5	<1	0.05	6.66	1.4	540	1.42	0.05	1.76	0.07	64.6	3.9	32
EMI-600E/1050S		0.66	1	<5	<1	0.06	6.58	5.2	430	1.29	0.11	1.91	0.14	135.5	8.2	76
EMI-500E/600S		0.46	<1	<5	<1	0.03	6.07	1.4	500	1.20	0.10	1.24	0.07	48.4	2.8	40
EMI-500E/650S		0.34	1	<5	<1	0.01	6.59	1.2	470	2.09	0.09	1.20	0.05	67.3	3.3	44
EMI-500E/700S		0.58	1	<5	<1	0.01	6.14	0.8	510	1.30	0.08	1.30	0.05	32.2	3.4	37
EMI-500E/850S		0.82	5	5	<1	<0.01	6.10	<0.2	490	1.31	0.07	1.86	0.04	42.7	6.1	44
EMI-500E/900S		0.46	<1	7	<1	0.03	6.39	0.6	490	0.88	0.04	1.83	0.06	18.30	4.3	41
EMI-500E/950S		0.34	<1	<5	<1	0.07	6.21	0.9	470	1.16	0.07	1.82	0.12	75.1	4.9	44
EMI-500E/1100S		0.42	1	<5	<1	0.05	6.23	1.4	530	1.29	0.03	1.72	0.08	47.8	4.7	48
EMI-400E/600S		0.36	<1	<5	<1	0.04	6.91	1.3	420	1.33	0.05	1.23	0.08	23.1	3.4	42
EMI-400E/650S		0.64	<1	<5	<1	0.04	6.35	0.9	460	1.33	0.03	1.55	0.07	31.1	4.1	41
EMI-1300E/850S		0.56	2	<5	<1	0.01	5.38	0.7	560	0.82	0.09	1.08	0.03	26.7	2.2	30

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 5 - B

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 29-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
EMI-900E/1050S		1.25	13.4	1.98	15.80	0.14	3.1	0.024	1.41	18.3	10.3	0.41	258	0.47	2.32	5.7
EMI-900E/1100S		1.43	6.2	2.42	24.6	0.16	8.2	0.025	1.49	32.4	25.0	0.54	305	0.53	2.23	12.2
EMI-800E/600S		0.70	11.7	2.41	15.60	0.18	4.8	0.025	1.37	32.8	9.9	0.47	321	1.79	2.69	6.1
EMI-800E/650S		0.66	15.5	1.23	13.60	0.12	4.6	0.020	1.35	19.1	6.3	0.41	275	0.59	2.77	5.0
EMI-800E/700S		0.80	113.5	1.06	13.05	0.14	4.7	0.021	1.56	22.9	7.4	0.38	257	0.63	2.66	5.1
EMI-800E/750S		0.92	7.2	0.96	14.75	0.10	4.5	0.017	1.43	11.5	3.9	0.33	219	0.40	2.56	4.9
EMI-800E/800S		2.05	3.2	1.15	13.75	0.10	4.9	0.017	1.51	14.5	3.9	0.37	253	1.29	2.55	5.3
EMI-800E/850S		0.82	6.6	1.77	13.00	0.12	3.1	0.023	1.28	15.4	6.2	0.41	269	0.53	2.53	4.7
EMI-800E/900S		0.91	10.1	1.28	13.90	0.14	4.7	0.019	1.53	27.5	12.2	0.48	327	0.71	2.68	5.8
EMI-800E/950S		0.96	3.6	1.02	13.50	0.10	6.1	0.017	1.53	18.0	4.1	0.22	202	0.58	2.14	4.7
EMI-800E/1050S		1.03	3.3	1.97	19.15	0.12	5.5	0.020	1.35	16.2	4.3	0.42	273	0.45	2.01	6.1
EMI-800E/1100S		0.73	3.2	0.98	17.20	0.11	7.2	0.014	1.55	18.7	3.3	0.16	163	0.30	1.92	6.1
EMI-700E/600S		0.97	7.0	1.88	13.50	0.13	4.2	0.022	1.33	16.4	9.3	0.52	343	1.48	2.64	5.3
EMI-700E/650S		1.59	19.6	6.05	18.25	0.17	3.3	0.030	0.90	30.4	5.0	0.24	173	25.2	1.40	6.8
EMI-700E/700S		0.73	24.6	5.30	10.10	0.13	1.6	0.026	0.46	12.1	34.5	6.14	659	3.01	0.85	3.1
EMI-700E/750S		0.64	6.7	1.06	12.90	0.11	4.4	0.020	1.36	18.2	4.5	0.38	263	0.33	2.68	5.3
EMI-700E/800S		0.65	2.6	0.98	13.25	0.11	4.9	0.021	1.49	16.3	4.7	0.36	247	0.22	2.55	4.9
EMI-700E/850S		0.75	8.1	1.11	13.15	0.12	3.8	0.017	1.51	20.5	5.7	0.35	270	0.98	2.78	5.9
EMI-700E/900S		1.52	2.8	1.35	13.85	0.12	6.3	0.023	1.58	15.9	4.7	0.46	329	3.26	2.51	5.8
EMI-700E/950S		0.79	5.7	0.96	13.95	0.12	6.3	0.019	1.66	20.9	3.8	0.26	201	1.29	2.39	4.9
EMI-700E/1000S		0.77	3.2	1.55	18.05	0.11	5.9	0.018	1.42	14.7	3.7	0.23	190	0.40	1.97	7.0
EMI-700E/1050S		1.01	7.1	1.94	13.35	0.14	3.0	0.024	1.34	16.7	8.3	0.38	315	0.44	2.53	6.0
EMI-700E/1100S		1.47	5.3	2.80	22.1	0.13	5.6	0.029	1.29	16.2	10.2	0.58	338	0.95	2.32	7.5
EMI-600E/650S		0.99	4.7	2.68	13.25	0.14	4.8	0.023	1.43	17.7	6.5	0.47	322	5.55	2.60	5.5
EMI-600E/700S		0.89	6.4	1.17	14.15	0.12	5.5	0.018	1.64	16.5	4.4	0.31	238	0.50	2.40	4.9
EMI-600E/750S		0.99	12.2	1.39	12.55	0.12	5.0	0.023	1.30	20.4	5.8	0.38	259	1.43	2.37	5.4
EMI-600E/850S		0.93	143.5	1.01	11.55	0.31	3.1	0.022	1.12	139.0	7.6	0.35	219	5.94	2.02	4.2
EMI-600E/1000S		0.76	18.1	1.57	13.45	0.15	4.6	0.022	1.46	43.3	5.4	0.42	365	0.57	2.68	5.3
EMI-600E/1050S		1.07	9.9	4.87	14.25	0.24	7.6	0.032	1.24	61.3	9.4	0.61	848	0.69	2.41	14.1
EMI-500E/600S		0.79	12.3	1.29	17.65	0.10	5.8	0.020	1.37	23.0	5.0	0.28	233	1.28	2.12	6.0
EMI-500E/650S		0.65	6.3	2.21	16.70	0.16	5.8	0.026	1.36	31.8	5.9	0.36	242	0.50	1.97	6.5
EMI-500E/700S		0.84	4.0	1.76	16.90	0.13	4.6	0.023	1.45	14.0	6.3	0.32	264	0.39	2.27	5.6
EMI-500E/850S		0.83	4.5	1.69	16.55	0.15	5.3	0.023	1.40	19.5	10.6	0.58	414	0.95	2.69	7.0
EMI-500E/900S		0.61	4.5	1.18	14.15	<0.05	3.6	0.020	1.32	9.1	3.5	0.46	301	0.55	2.75	4.4
EMI-500E/950S		0.86	11.3	1.55	14.35	0.05	5.0	0.024	1.34	37.3	8.2	0.52	488	1.11	2.54	8.0
EMI-500E/1100S		0.73	16.0	1.31	15.90	0.13	5.1	0.018	1.43	22.6	6.6	0.44	301	1.13	2.66	5.5
EMI-400E/600S		0.64	3.6	2.06	17.10	0.09	3.2	0.022	1.11	9.1	5.0	0.27	199	0.40	2.25	5.7
EMI-400E/650S		0.61	4.5	1.77	15.05	0.11	3.5	0.017	1.23	12.1	4.8	0.37	260	0.33	2.58	5.1
EMI-1300E/850S		1.43	1.8	0.73	15.20	<0.05	6.5	0.014	1.60	14.6	6.2	0.24	190	1.51	1.95	5.7

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMI-900E/1050S		17.2	540	13.2	57.1	<0.002	0.02	0.06	6.2	2	0.8	335	0.38	<0.05	4.3	0.191
EMI-900E/1100S		18.5	370	20.8	58.3	<0.002	0.02	0.06	5.9	2	2.9	585	1.32	<0.05	4.1	0.483
EMI-800E/600S		15.3	570	12.7	51.9	<0.002	<0.01	0.05	6.6	2	0.9	397	0.40	<0.05	6.9	0.214
EMI-800E/650S		15.0	420	12.1	43.2	<0.002	0.02	0.05	6.1	2	0.7	386	0.36	<0.05	4.0	0.196
EMI-800E/700S		12.6	490	14.3	52.0	<0.002	0.02	0.05	5.9	2	0.8	373	0.33	<0.05	6.1	0.180
EMI-800E/750S		12.5	230	14.5	46.0	<0.002	0.03	<0.05	5.0	2	0.9	358	0.38	<0.05	3.3	0.224
EMI-800E/800S		12.4	130	14.4	51.1	<0.002	0.02	0.06	5.6	2	0.9	359	0.38	<0.05	4.8	0.224
EMI-800E/850S		15.0	350	12.1	41.9	<0.002	0.03	0.13	6.6	2	0.7	347	0.33	<0.05	3.5	0.185
EMI-800E/900S		15.9	460	14.2	53.3	<0.002	0.03	0.05	6.9	2	0.8	382	0.39	<0.05	7.0	0.226
EMI-800E/950S		7.2	210	17.2	51.5	<0.002	0.02	0.05	4.4	2	1.0	304	0.33	<0.05	4.7	0.225
EMI-800E/1050S		11.8	290	17.3	45.6	<0.002	0.03	0.07	6.0	2	1.3	285	0.40	<0.05	6.0	0.326
EMI-800E/1100S		6.3	310	22.0	52.0	<0.002	0.02	0.06	3.2	2	1.4	276	0.39	<0.05	6.0	0.279
EMI-700E/600S		17.6	460	12.3	45.8	<0.002	0.02	<0.05	7.3	2	0.8	360	0.39	<0.05	3.5	0.216
EMI-700E/650S		9.9	700	12.7	33.2	<0.002	0.07	0.09	5.5	2	1.1	204	0.36	0.06	4.2	0.320
EMI-700E/700S		488	230	5.8	15.2	<0.002	0.03	0.11	10.3	1	0.5	116.5	0.22	<0.05	2.5	0.227
EMI-700E/750S		13.2	360	12.1	42.8	<0.002	0.02	<0.05	6.0	2	0.8	371	0.38	<0.05	4.5	0.198
EMI-700E/800S		11.1	470	13.9	48.3	<0.002	0.03	0.05	6.2	2	0.8	358	0.34	<0.05	3.9	0.179
EMI-700E/850S		11.9	420	13.2	49.4	<0.002	0.09	<0.05	5.9	2	0.8	389	0.33	<0.05	4.1	0.178
EMI-700E/900S		12.7	140	15.0	53.9	<0.002	0.02	0.06	7.4	2	1.1	351	0.41	<0.05	6.0	0.286
EMI-700E/950S		7.3	170	16.3	55.6	<0.002	0.02	0.05	4.9	2	0.9	344	0.33	<0.05	4.9	0.194
EMI-700E/1000S		6.7	290	19.4	47.3	<0.002	0.03	0.14	4.4	2	1.4	297	0.45	<0.05	5.6	0.294
EMI-700E/1050S		12.7	350	15.7	47.1	<0.002	0.02	0.05	6.7	2	0.9	354	0.39	<0.05	4.9	0.205
EMI-700E/1100S		16.7	310	15.2	46.1	<0.002	0.03	0.10	7.7	2	1.6	318	0.52	<0.05	5.7	0.425
EMI-600E/650S		14.1	540	12.4	47.8	<0.002	0.03	<0.05	7.0	2	0.8	363	0.36	<0.05	4.1	0.219
EMI-600E/700S		8.9	260	15.8	53.3	<0.002	0.03	0.05	5.5	2	0.9	347	0.34	<0.05	4.8	0.215
EMI-600E/750S		13.9	490	12.7	45.1	<0.002	0.03	<0.05	6.6	2	0.8	336	0.38	<0.05	4.2	0.197
EMI-600E/850S		15.0	670	17.2	41.0	0.005	0.18	0.07	7.9	3	0.7	311	0.29	<0.05	13.5	0.146
EMI-600E/1000S		11.1	300	14.4	50.4	<0.002	0.02	<0.05	8.0	2	0.8	378	0.37	<0.05	8.4	0.204
EMI-600E/1050S		18.3	600	16.4	45.7	<0.002	0.02	0.05	12.9	2	1.5	354	0.93	0.05	25.6	0.442
EMI-500E/600S		9.1	390	14.3	48.0	<0.002	0.02	0.30	6.3	2	0.9	311	0.39	<0.05	5.5	0.219
EMI-500E/650S		9.4	590	15.9	42.8	<0.002	0.03	0.05	7.1	2	1.1	290	0.41	<0.05	8.5	0.255
EMI-500E/700S		10.3	290	14.2	46.5	<0.002	0.01	<0.05	5.9	1	0.9	324	0.36	<0.05	4.5	0.210
EMI-500E/850S		17.3	460	12.3	45.5	<0.002	0.01	<0.05	8.5	2	1.0	372	0.52	<0.05	4.9	0.273
EMI-500E/900S		15.8	190	11.4	45.9	<0.002	0.02	0.06	6.7	2	0.6	387	0.29	<0.05	1.9	0.198
EMI-500E/950S		15.4	520	14.7	49.8	<0.002	0.03	0.05	8.5	2	0.9	365	0.58	<0.05	14.3	0.294
EMI-500E/1100S		15.0	440	11.3	43.6	<0.002	0.03	<0.05	7.0	2	0.8	382	0.34	<0.05	5.8	0.201
EMI-400E/600S		9.7	610	11.1	34.7	<0.002	0.02	<0.05	5.7	2	0.7	315	0.33	0.05	3.1	0.181
EMI-400E/650S		12.9	360	10.2	37.4	<0.002	<0.01	<0.05	6.5	2	0.7	365	0.32	<0.05	2.8	0.174
EMI-1300E/850S		8.4	200	18.6	61.1	<0.002	0.02	0.05	4.0	2	1.0	282	0.36	<0.05	5.9	0.255

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 5 - D

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 29-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMI-900E/1050S		0.26	0.9	34	0.3	9.9	28	110.5	70
EMI-900E/1100S		0.28	1.0	88	0.3	7.1	25	302	60
EMI-800E/600S		0.24	1.7	67	6.7	13.7	24	176.0	60
EMI-800E/650S		0.22	0.9	27	0.8	10.8	22	156.0	10
EMI-800E/700S		0.27	1.1	25	0.4	11.9	21	162.0	10
EMI-800E/750S		0.24	0.7	24	0.3	5.8	17	155.0	10
EMI-800E/800S		0.26	0.7	27	1.8	6.3	16	173.5	10
EMI-800E/850S		0.23	0.8	32	0.3	9.9	20	108.0	<10
EMI-800E/900S		0.28	1.7	29	1.0	12.8	24	161.0	<10
EMI-800E/950S		0.28	1.0	25	0.4	7.1	13	208	10
EMI-800E/1050S		0.24	1.1	61	0.5	6.5	21	191.0	<10
EMI-800E/1100S		0.29	1.1	36	0.4	4.5	9	243	10
EMI-700E/600S		0.23	0.8	40	0.8	11.8	28	143.0	10
EMI-700E/650S		0.21	1.4	166	3.8	9.9	27	117.5	<10
EMI-700E/700S		0.08	0.5	54	0.3	5.5	65	55.6	<10
EMI-700E/750S		0.22	0.8	24	0.2	10.6	17	150.0	<10
EMI-700E/800S		0.25	0.8	23	0.3	10.5	16	167.5	<10
EMI-700E/850S		0.27	1.3	26	0.4	12.9	18	131.5	<10
EMI-700E/900S		0.28	1.0	40	1.5	7.6	19	215	<10
EMI-700E/950S		0.36	1.2	24	0.4	8.2	12	213	<10
EMI-700E/1000S		0.25	1.0	48	0.9	5.3	12	208	<10
EMI-700E/1050S		0.24	0.9	36	0.3	10.9	22	100.0	<10
EMI-700E/1100S		0.26	1.0	80	0.9	7.9	31	196.0	<10
EMI-600E/650S		0.24	1.1	50	1.0	11.1	24	160.5	<10
EMI-600E/700S		0.28	1.1	24	6.7	7.7	16	185.0	<10
EMI-600E/750S		0.23	1.4	27	0.5	11.6	18	172.5	<10
EMI-600E/850S		0.38	8.2	38	0.5	25.6	29	101.5	<10
EMI-600E/1000S		0.28	2.3	31	1.1	16.3	18	153.0	<10
EMI-600E/1050S		0.24	2.2	81	1.0	28.4	36	255	10
EMI-500E/600S		0.31	1.3	41	0.6	9.7	17	198.5	30
EMI-500E/650S		0.22	1.1	43	0.5	8.6	16	200	<10
EMI-500E/700S		0.24	0.8	35	0.3	7.9	19	161.0	10
EMI-500E/850S		0.25	1.1	35	0.5	14.5	32	176.5	<10
EMI-500E/900S		0.20	0.6	28	0.4	8.0	23	121.5	30
EMI-500E/950S		0.23	2.0	34	0.6	18.0	36	163.5	40
EMI-500E/1100S		0.23	1.2	30	0.3	11.7	35	166.0	40
EMI-400E/600S		0.18	0.5	36	0.3	6.9	21	105.5	30
EMI-400E/650S		0.18	0.6	32	0.3	9.4	20	113.0	30
EMI-1300E/850S		0.28	1.0	22	0.5	4.3	15	233	40

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108067

CERTIFICATE COMMENTS

Method

ME-MS61

REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 28-OCT-2009
Account: MVR

CERTIFICATE SD09108068

Project: EASTMAIN MINE

P.O. No.:

This report is for 169 Soil samples submitted to our lab in Sudbury, ON, Canada on 1-OCT-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - A

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
EMI-400E/750S		0.44	7	<5	<1	0.08	6.59	6.6	490	1.53	0.11	1.45	0.09	39.6	3.7	43
EMI-400E/800S		0.76	2	<5	<1	0.05	6.29	1.8	530	1.18	0.07	1.75	0.06	53.0	4.2	40
EMI-400E/1000S		0.42	1	<5	<1	0.06	6.43	7.8	530	1.24	0.06	1.83	0.07	54.5	4.4	43
EMI-300E/700S		0.38	2	<5	<1	0.05	5.53	6.3	540	0.87	0.10	1.10	0.05	26.1	1.6	25
EMI-300E/750S		0.46	1	<5	1	0.07	6.02	4.0	560	1.42	0.17	1.42	0.07	27.0	4.2	35
EMI-300E/800S		0.58	3	<5	1	0.01	5.75	1.7	510	1.00	0.07	1.30	0.04	26.6	2.8	32
EMI-300E/850S		0.44	3	<5	<1	0.04	5.81	3.7	470	1.10	0.09	1.32	0.06	39.4	3.0	39
EMI-200E/650S		0.36	2	<5	<1	0.03	6.66	2.3	520	1.13	0.06	1.33	0.07	28.6	3.1	34
EMI-200E/750S		0.70	1	<5	<1	0.03	6.25	1.1	420	1.13	0.09	1.51	0.07	40.7	4.2	43
EMI-200E/800S		0.52	1	<5	<1	0.06	6.55	3.1	390	1.24	0.09	1.40	0.07	81.8	4.8	62
EMI-200E/850S		0.52	1	<5	<1	0.04	6.37	1.0	420	1.23	0.07	1.17	0.04	24.9	2.8	28
EMI-200E/950S		0.56	3	<5	4	0.06	6.84	4.1	420	1.38	0.14	1.45	0.12	75.4	7.2	54
EMI-200E/1000S		0.64	1	<5	<1	0.04	6.33	1.5	470	1.18	0.06	1.46	0.04	34.9	3.3	32
EMI-200E/1050S		0.60	1	<5	<1	0.02	6.24	1.0	490	1.56	0.07	1.71	0.06	49.2	4.0	35
EMI-200E/1100S		0.42	3	<5	1	0.08	6.81	2.2	410	1.07	0.13	1.29	0.06	37.1	4.2	49
EMI2-100E/700S		0.50	1	<5	<1	0.06	5.93	1.5	440	1.11	0.10	1.49	0.08	49.8	4.4	49
EMI2-100E/750S		0.64	2	<5	<1	0.02	5.69	0.7	510	1.26	0.07	1.38	0.05	30.2	2.8	24
EMI2-100E/800S		0.46	1	<5	1	0.03	5.68	1.2	470	1.14	0.07	1.19	0.05	25.8	2.4	32
EMI2-100E/850S		0.24	7	<5	<1	0.04	5.75	1.3	500	1.26	0.05	1.45	0.04	36.4	3.3	26
EMI2-100E/900S		0.48	1	<5	<1	0.03	6.21	1.1	500	1.35	0.09	1.56	0.05	54.6	3.6	29
EMI2-100E/950S		0.60	1	<5	<1	0.03	5.93	0.7	480	1.12	0.07	1.28	0.03	32.0	2.6	30
EMI2-100E/1000S		0.52	1	<5	<1	0.03	6.13	0.8	510	1.40	0.10	1.60	0.04	51.5	3.9	33
EMI2-100E/1050S		0.56	1	<5	<1	0.03	6.22	0.7	510	1.29	0.07	1.49	0.05	40.5	3.2	32
EMI2-100E/1100S		0.50	1	<5	<1	0.03	6.09	0.7	490	1.39	0.05	1.46	0.08	38.2	3.0	28
EMI2-100E/1150S		0.52	1	<5	<1	0.03	5.89	1.2	460	1.19	0.11	1.35	0.06	39.4	3.3	35
EMI2-100E/150S		0.46	<1	<5	<1	0.03	6.50	1.6	450	1.30	0.12	1.30	0.06	35.3	3.8	41
EMI2-100E/200S		0.54	2	<5	<1	0.04	6.31	1.9	450	1.23	0.09	1.38	0.06	48.5	3.8	39
EMI2-100E/300S		0.68	2	<5	<1	0.02	6.14	1.1	510	1.38	0.10	1.64	0.07	67.1	4.4	33
EMI2-100E/350S		0.48	2	<5	<1	0.02	6.44	5.4	520	1.23	0.10	1.67	0.06	48.6	6.8	44
EMI2-100E/400S		0.34	1	<5	<1	0.03	5.89	0.9	490	1.10	0.08	1.15	0.05	33.5	2.6	26
EMI2-100E/450S		0.74	1	<5	<1	0.01	6.01	0.8	520	1.15	0.09	1.47	0.04	21.0	3.4	30
EMI2-100E/500S		0.62	1	<5	1	0.03	6.33	1.2	470	1.20	0.08	1.47	0.06	44.0	3.6	37
EMI2-100E/550S		0.54	1	<5	<1	0.03	6.16	1.1	500	1.10	0.07	1.35	0.05	27.6	3.1	36
EMI2-100E/600S		0.58	2	<5	<1	0.04	6.34	1.4	470	1.25	0.10	1.54	0.06	52.0	4.3	41
EMI2-100E/650S		0.66	1	<5	<1	0.03	6.11	1.0	510	1.26	0.06	1.53	0.05	31.6	3.8	29
EMI2-000E/150S		0.62	1	<5	<1	0.04	5.94	1.1	470	1.17	0.07	1.50	0.07	44.4	4.3	32
EMI2-000E/200S		0.54	1	<5	<1	0.03	6.39	2.7	530	1.36	0.09	1.67	0.06	45.1	4.1	37
EMI2-000E/250S		0.40	<1	<5	1	0.03	6.25	1.9	490	1.06	0.14	1.38	0.13	43.3	3.5	33
EMI2-000E/300S		0.50	1	<5	<1	0.03	6.06	1.0	500	1.16	0.09	1.25	0.04	33.9	2.4	28
EMI2-000E/350S		0.64	1	<5	<1	0.03	5.77	1.0	500	1.20	0.08	1.19	0.05	32.7	2.4	24

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units LOR	ppm 0.05	ppm 0.2	% 0.01	ppm 0.05	ppm 0.05	ppm 0.1	ppm 0.005	ppm 0.01	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01
EMI-400E/750S		0.74	6.2	1.86	16.30	0.09	5.4	0.021	1.34	14.5	5.8	0.34	281	0.37	2.49	6.5
EMI-400E/800S		0.64	6.9	1.22	16.40	0.10	5.8	0.025	1.45	23.8	6.1	0.43	316	0.26	2.70	6.6
EMI-400E/1000S		0.72	6.2	1.46	15.35	0.11	6.5	0.021	1.47	24.9	7.0	0.45	391	0.78	2.73	7.5
EMI-300E/700S		0.60	1.7	1.04	15.85	0.07	6.3	0.013	1.50	13.1	3.6	0.17	188	0.23	2.03	5.3
EMI-300E/750S		0.88	2.2	1.64	21.6	0.09	5.6	0.030	1.49	13.3	7.2	0.42	297	0.57	2.36	8.8
EMI-300E/800S		0.66	2.6	1.05	16.65	0.10	6.0	0.015	1.40	12.5	4.0	0.26	222	0.25	2.30	6.4
EMI-300E/850S		0.65	2.3	1.60	18.65	0.10	5.1	0.020	1.32	19.4	4.6	0.30	333	0.52	2.27	7.1
EMI-200E/650S		0.90	9.0	2.02	20.6	0.10	5.5	0.024	1.49	13.8	4.8	0.31	249	0.46	2.23	6.3
EMI-200E/750S		0.56	6.7	1.95	15.10	0.07	4.4	0.022	1.15	19.2	5.7	0.37	264	0.32	2.40	5.1
EMI-200E/800S		0.67	4.9	4.10	16.25	0.12	6.2	0.028	1.12	40.7	5.6	0.36	470	0.56	2.12	8.6
EMI-200E/850S		0.70	2.9	1.10	16.55	0.06	2.9	0.017	1.17	13.5	4.9	0.26	174	0.31	2.10	3.7
EMI-200E/950S		1.05	23.7	2.55	15.70	0.09	3.1	0.026	1.16	26.2	11.6	0.50	355	0.64	2.22	5.7
EMI-200E/1000S		0.69	5.0	1.71	15.05	0.08	3.7	0.020	1.33	16.9	5.2	0.31	248	0.33	2.43	5.1
EMI-200E/1050S		0.63	5.5	1.76	15.80	0.09	6.3	0.024	1.39	24.0	5.4	0.37	314	0.34	2.56	5.8
EMI-200E/1100S		0.73	3.8	2.77	20.4	0.08	6.3	0.027	1.17	18.6	5.6	0.37	306	0.64	1.96	7.5
EMI2-100E/700S		0.63	4.5	3.15	17.70	0.08	6.0	0.027	1.25	25.2	4.9	0.37	405	0.52	2.26	7.8
EMI2-100E/750S		0.66	1.8	1.07	16.15	0.06	5.9	0.019	1.49	15.6	4.2	0.28	262	0.55	2.47	5.4
EMI2-100E/800S		0.58	1.5	1.14	15.90	0.06	5.5	0.019	1.33	13.7	4.0	0.24	230	0.38	2.06	5.0
EMI2-100E/850S		0.58	5.7	0.87	16.25	0.07	4.9	0.016	1.44	18.4	5.7	0.34	248	1.11	2.50	5.2
EMI2-100E/900S		0.63	11.1	1.30	15.65	0.08	4.9	0.018	1.39	25.6	5.6	0.34	251	0.37	2.53	4.7
EMI2-100E/950S		0.62	2.3	1.08	16.60	0.07	5.9	0.018	1.36	16.5	4.1	0.27	236	0.27	2.22	5.5
EMI2-100E/1000S		0.72	4.4	1.38	16.65	0.09	5.4	0.021	1.45	24.2	5.7	0.37	300	0.38	2.59	6.0
EMI2-100E/1050S		0.66	4.5	1.20	17.00	0.08	6.5	0.021	1.45	28.0	4.8	0.32	302	0.37	2.52	5.9
EMI2-100E/1100S		0.60	5.1	0.87	16.35	0.07	5.5	0.018	1.36	19.3	5.1	0.31	256	0.21	2.45	5.1
EMI2-100E/1150S		0.76	1.7	2.03	18.40	0.09	4.8	0.018	1.29	21.3	4.5	0.29	287	0.35	2.26	6.0
EMI2-100E/150S		0.81	2.2	2.38	20.3	0.08	5.8	0.025	1.29	17.0	5.7	0.33	270	0.45	2.08	7.6
EMI2-100E/200S		0.69	3.0	2.22	16.65	0.08	6.7	0.024	1.28	21.3	5.0	0.33	299	0.33	2.21	6.2
EMI2-100E/300S		0.75	11.2	1.18	16.90	0.09	5.6	0.021	1.45	34.3	6.3	0.40	279	1.67	2.53	5.9
EMI2-100E/350S		1.25	6.6	2.81	19.15	0.08	6.2	0.031	1.47	25.2	10.4	0.59	342	2.40	2.35	7.7
EMI2-100E/400S		0.75	8.3	1.20	18.50	0.07	6.1	0.018	1.41	18.7	4.5	0.25	199	0.39	1.91	5.3
EMI2-100E/450S		0.73	1.3	1.03	17.05	0.07	5.1	0.020	1.48	11.4	4.5	0.35	268	0.83	2.45	5.4
EMI2-100E/500S		0.73	7.1	1.78	16.65	0.09	5.0	0.023	1.32	22.1	4.5	0.34	255	0.75	2.31	5.5
EMI2-100E/550S		0.64	5.5	1.00	18.50	0.06	5.7	0.025	1.39	15.4	4.4	0.32	238	0.29	2.24	5.5
EMI2-100E/600S		0.71	5.2	2.00	16.85	0.10	6.7	0.025	1.31	25.3	5.3	0.40	289	0.42	2.35	6.1
EMI2-100E/650S		0.77	4.6	1.34	17.75	0.06	4.9	0.020	1.45	16.2	6.1	0.36	284	0.43	2.54	5.4
EMI2-000E/150S		0.68	6.5	1.59	13.70	0.11	4.7	0.020	1.34	20.3	6.3	0.38	277	0.33	2.39	5.3
EMI2-000E/200S		0.72	7.5	1.89	15.50	0.12	5.3	0.022	1.47	23.8	6.4	0.37	297	0.49	2.59	6.0
EMI2-000E/250S		0.91	4.1	1.81	15.10	0.10	4.7	0.070	1.42	20.2	4.8	0.35	243	0.56	2.27	5.9
EMI2-000E/300S		0.78	3.2	1.20	14.95	0.10	5.1	0.018	1.41	15.7	4.7	0.26	208	0.31	2.16	5.0
EMI2-000E/350S		0.74	5.7	1.15	15.55	0.10	4.9	0.016	1.37	16.0	5.3	0.24	194	0.52	2.12	4.9

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - C

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units LOR	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMI-400E/750S		10.6	290	16.1	45.0	<0.002	<0.01	0.87	6.8	2	0.9	353	0.36	<0.05	4.0	0.227
EMI-400E/800S		13.5	500	13.4	47.6	<0.002	<0.01	0.30	7.3	2	0.9	388	0.40	<0.05	5.2	0.220
EMI-400E/1000S		13.3	480	14.6	48.2	<0.002	0.05	0.67	7.0	2	0.9	396	0.44	<0.05	6.2	0.251
EMI-300E/700S		5.4	200	15.7	46.5	<0.002	<0.01	0.39	3.5	2	1.0	297	0.32	<0.05	4.7	0.238
EMI-300E/750S		12.5	240	15.7	54.4	<0.002	<0.01	0.23	7.7	2	1.3	350	0.50	<0.05	3.6	0.311
EMI-300E/800S		9.6	270	14.4	47.9	<0.002	<0.01	0.15	5.0	2	0.9	330	0.52	<0.05	3.9	0.216
EMI-300E/850S		8.8	270	15.8	47.4	<0.002	0.01	0.44	6.4	2	1.0	331	0.44	<0.05	8.1	0.250
EMI-200E/650S		8.2	280	16.7	50.3	<0.002	<0.01	0.46	6.2	2	1.0	325	0.39	<0.05	4.0	0.236
EMI-200E/750S		13.0	410	10.8	41.2	<0.002	0.01	0.10	6.7	2	0.7	329	0.35	<0.05	5.8	0.182
EMI-200E/800S		11.5	450	14.5	43.8	<0.002	0.01	0.07	8.3	2	0.9	307	0.54	<0.05	17.1	0.282
EMI-200E/850S		9.1	340	11.6	46.2	<0.002	0.02	0.05	4.7	2	0.6	287	0.24	<0.05	4.0	0.141
EMI-200E/950S		17.8	570	14.6	46.1	<0.002	0.02	0.07	7.8	2	0.8	313	0.36	<0.05	8.8	0.212
EMI-200E/1000S		8.8	370	12.3	50.8	<0.002	0.01	<0.05	5.8	2	0.7	340	1.04	<0.05	3.8	0.159
EMI-200E/1050S		10.7	460	13.4	52.3	<0.002	<0.01	<0.05	6.8	2	0.8	365	0.38	<0.05	6.9	0.198
EMI-200E/1100S		11.0	390	15.1	44.7	<0.002	0.02	0.07	7.6	2	1.1	280	0.50	<0.05	8.7	0.300
EMI2-100E/700S		9.5	390	13.2	48.8	<0.002	0.01	<0.05	7.5	2	0.9	327	0.51	<0.05	8.6	0.252
EMI2-100E/750S		7.2	150	14.0	55.8	<0.002	0.01	<0.05	5.6	2	0.8	337	0.36	<0.05	6.0	0.190
EMI2-100E/800S		6.9	220	13.5	51.3	<0.002	0.02	<0.05	5.2	2	0.7	297	0.34	<0.05	4.4	0.183
EMI2-100E/850S		9.9	200	13.3	55.1	<0.002	0.03	<0.05	5.9	2	0.7	341	0.34	<0.05	5.0	0.185
EMI2-100E/900S		10.0	430	12.5	52.3	<0.002	0.01	<0.05	6.3	2	0.7	353	0.32	<0.05	4.8	0.162
EMI2-100E/950S		7.1	300	13.4	52.5	<0.002	0.01	<0.05	5.8	2	0.7	309	0.48	<0.05	4.6	0.190
EMI2-100E/1000S		10.4	470	13.1	54.4	<0.002	<0.01	<0.05	6.7	2	0.7	359	0.40	<0.05	4.8	0.198
EMI2-100E/1050S		8.6	320	13.8	56.9	<0.002	0.01	<0.05	6.5	2	0.7	352	0.42	<0.05	5.1	0.204
EMI2-100E/1100S		8.1	400	12.7	53.4	<0.002	0.01	<0.05	6.2	3	0.7	338	0.34	<0.05	5.3	0.164
EMI2-100E/1150S		8.1	230	14.3	53.3	<0.002	<0.01	<0.05	5.8	2	0.9	318	0.40	<0.05	7.4	0.226
EMI2-100E/150S		9.4	460	15.8	51.6	<0.002	0.03	0.05	6.8	2	1.0	294	0.48	<0.05	5.1	0.237
EMI2-100E/200S		9.2	480	14.0	48.3	<0.002	0.01	0.06	6.8	2	0.9	307	0.41	<0.05	7.5	0.217
EMI2-100E/300S		12.1	450	14.2	56.7	<0.002	0.01	0.05	7.0	2	0.8	349	0.38	<0.05	6.4	0.194
EMI2-100E/350S		16.5	360	14.6	57.9	<0.002	0.01	0.07	8.4	2	1.1	329	0.56	<0.05	5.9	0.263
EMI2-100E/400S		7.4	410	15.6	54.1	<0.002	0.02	<0.05	5.1	3	0.9	279	0.34	<0.05	5.2	0.217
EMI2-100E/450S		9.9	140	13.9	57.4	<0.002	<0.01	<0.05	5.9	2	0.8	337	0.36	<0.05	3.2	0.202
EMI2-100E/500S		10.1	480	13.1	51.3	<0.002	0.02	0.05	6.5	3	0.7	325	0.39	<0.05	7.0	0.194
EMI2-100E/550S		8.9	290	13.3	53.8	<0.002	0.02	<0.05	6.4	3	0.8	317	0.88	<0.05	4.0	0.196
EMI2-100E/600S		11.6	490	13.4	50.5	<0.002	0.01	0.05	7.3	2	0.8	329	0.41	<0.05	7.9	0.204
EMI2-100E/650S		10.3	200	13.3	59.4	<0.002	<0.01	<0.05	6.3	2	0.8	352	0.34	<0.05	3.4	0.177
EMI2-000E/150S		13.2	380	11.6	52.3	<0.002	0.01	0.05	6.2	1	0.8	325	0.40	<0.05	5.5	0.181
EMI2-000E/200S		11.5	420	13.2	58.7	<0.002	0.01	0.06	6.6	2	0.9	359	0.38	<0.05	4.8	0.210
EMI2-000E/250S		10.3	430	14.0	57.9	<0.002	0.02	0.08	5.9	2	0.9	315	0.41	<0.05	5.7	0.192
EMI2-000E/300S		7.5	320	13.7	56.2	<0.002	0.01	0.05	5.3	2	0.8	299	0.31	<0.05	4.8	0.193
EMI2-000E/350S		7.9	340	13.5	58.1	<0.002	0.01	0.05	4.9	2	0.8	294	0.31	<0.05	4.0	0.185

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - D

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMI-400E/750S		0.22	0.8	38	0.5	9.3	19	166.5	<10
EMI-400E/800S		0.24	1.0	28	0.4	13.7	22	198.0	<10
EMI-400E/1000S		0.22	1.3	32	0.5	15.3	27	225	<10
EMI-300E/700S		0.23	0.8	27	0.4	4.5	11	231	<10
EMI-300E/750S		0.26	0.9	47	0.4	7.4	25	188.0	<10
EMI-300E/800S		0.22	0.8	24	0.4	7.0	12	204	<10
EMI-300E/850S		0.22	0.9	34	0.7	8.6	17	174.0	<10
EMI-200E/650S		0.25	0.8	47	0.5	7.5	17	189.0	<10
EMI-200E/750S		0.17	0.9	36	0.3	11.7	16	134.0	<10
EMI-200E/800S		0.19	1.8	67	2.4	15.6	20	188.5	<10
EMI-200E/850S		0.19	0.8	26	0.2	6.0	10	87.4	<10
EMI-200E/950S		0.21	1.4	46	0.7	12.3	26	97.4	<10
EMI-200E/1000S		0.23	0.8	31	0.3	10.3	12	112.5	<10
EMI-200E/1050S		0.22	1.3	35	0.6	14.4	14	189.5	<10
EMI-200E/1100S		0.21	1.3	59	0.6	9.4	16	186.5	<10
EMI2-100E/700S		0.20	1.4	55	1.6	13.0	17	181.5	<10
EMI2-100E/750S		0.24	0.9	24	0.3	8.2	11	187.0	<10
EMI2-100E/800S		0.21	0.9	24	0.3	6.7	10	169.5	<10
EMI2-100E/850S		0.23	1.3	25	0.3	9.8	13	154.5	<10
EMI2-100E/900S		0.22	1.5	26	0.2	13.8	15	150.0	<10
EMI2-100E/950S		0.21	1.0	24	0.3	8.4	12	183.5	<10
EMI2-100E/1000S		0.23	1.0	28	0.3	13.1	15	164.5	<10
EMI2-100E/1050S		0.23	1.2	25	0.4	12.5	12	198.0	<10
EMI2-100E/1100S		0.21	1.0	19	0.2	10.7	12	166.5	<10
EMI2-100E/1150S		0.22	0.9	42	0.4	8.7	12	152.0	<10
EMI2-100E/150S		0.22	1.0	46	0.5	9.8	16	175.0	<10
EMI2-100E/200S		0.20	1.2	41	0.5	10.3	15	201	<10
EMI2-100E/300S		0.25	1.4	37	0.3	14.8	19	170.5	10
EMI2-100E/350S		0.24	1.3	56	0.6	15.0	29	190.0	10
EMI2-100E/400S		0.23	1.1	31	0.4	8.2	9	191.5	<10
EMI2-100E/450S		0.23	0.7	24	0.4	6.9	13	158.0	10
EMI2-100E/500S		0.21	1.3	32	0.7	11.5	12	153.0	10
EMI2-100E/550S		0.21	1.1	24	0.3	7.9	11	177.0	10
EMI2-100E/600S		0.21	1.4	37	0.4	13.0	16	198.0	10
EMI2-100E/650S		0.24	0.9	28	0.4	9.3	16	153.5	20
EMI2-000E/150S		0.21	1.0	31	0.3	12.2	16	158.0	<10
EMI2-000E/200S		0.28	1.1	39	1.2	15.5	17	180.5	<10
EMI2-000E/250S		0.29	1.0	34	0.5	9.6	21	158.5	<10
EMI2-000E/300S		0.24	0.9	28	0.3	8.2	11	173.5	<10
EMI2-000E/350S		0.25	0.9	28	0.4	8.4	10	162.5	<10

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 3 - A

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
EMI2-000E/400S		0.48	2	<5	1	0.04	6.27	1.3	480	1.25	0.10	1.28	0.08	36.2	3.1	30
EMI2-000E/450S		0.60	1	<5	<1	0.02	5.56	1.0	490	1.31	0.08	1.15	0.04	38.5	2.1	21
EMI2-000E/500S		0.54	1	<5	<1	0.02	5.82	0.7	520	1.23	0.07	1.48	0.06	42.4	3.0	31
EMI2-000E/550S		0.52	1	<5	1	0.02	5.93	0.9	500	1.37	0.05	1.37	0.05	34.9	2.5	22
EMI2-000E/600S		0.56	1	<5	<1	0.04	6.26	1.6	470	1.31	0.08	1.39	0.06	51.1	3.6	36
EMI2-000E/650S		0.46	1	<5	<1	0.02	5.28	1.3	490	1.03	0.11	1.16	0.05	32.2	2.3	26
EMI2-000E/700S		0.62	1	<5	<1	0.03	6.21	2.5	490	1.21	0.09	1.30	0.06	43.8	3.2	35
EMI2-000E/750S		0.52	1	<5	<1	0.02	5.94	1.7	460	0.84	0.10	1.29	0.05	27.6	2.6	36
EMI2-000E/800S		0.56	1	<5	<1	0.04	6.68	1.6	430	1.30	0.07	1.27	0.09	34.5	3.0	33
EMI2-000E/850S		0.56	1	<5	<1	0.02	6.38	1.4	450	1.26	0.09	1.38	0.08	34.0	3.8	37
EMI2-000E/900S		0.58	1	<5	<1	0.02	5.75	1.0	490	1.13	0.09	1.09	0.04	29.8	2.1	23
EMI2-000E/950S		0.58	3	<5	<1	0.01	6.21	1.2	450	1.28	0.05	1.43	0.05	36.2	4.0	67
EMI2-000E/1000S		0.78	1	<5	<1	0.01	6.00	0.9	450	1.06	0.06	1.55	0.05	25.1	2.8	30
EMI2-000E/1050S		0.54	1	<5	<1	0.03	6.05	0.5	520	1.32	0.07	1.56	0.07	42.3	3.3	31
EMI2-000E/1100S		0.60	2	<5	<1	0.02	5.70	0.5	450	1.32	0.06	1.31	0.05	34.1	2.8	37
EMI2-100W/150S		0.38	2	<5	<1	0.05	7.20	2.0	450	1.52	0.10	1.24	0.07	51.3	4.0	45
EMI2-100W/200S		0.52	2	<5	<1	0.04	6.47	1.8	460	1.32	0.11	1.18	0.07	42.8	3.1	34
EMI2-100W/250S		0.48	7	<5	<1	0.02	5.73	1.4	480	1.25	0.08	1.31	0.05	38.4	2.5	27
EMI2-100W/300S		0.66	1	<5	1	0.01	5.77	1.2	490	1.27	0.08	1.27	0.05	38.7	2.7	29
EMI2-100W/350S		0.52	1	<5	1	0.02	6.42	1.4	490	1.02	0.09	1.32	0.07	64.5	3.3	31
EMI2-100W/400S		0.62	1	<5	<1	0.03	6.30	1.7	480	1.12	0.09	1.37	0.07	41.0	3.6	32
EMI2-100W/450S		0.66	1	<5	<1	0.03	6.26	1.5	480	1.04	0.07	1.35	0.07	34.5	3.2	32
EMI2-100W/500S		0.40	1	<5	1	0.05	5.79	1.2	500	1.01	0.09	1.28	0.11	34.6	2.8	29
EMI2-100W/550S		0.48	2	<5	<1	0.02	6.29	2.3	400	0.97	0.09	1.30	0.08	43.2	3.2	34
EMI2-100W/600S		0.52	2	<5	<1	0.04	6.19	2.4	470	1.26	0.29	1.26	0.06	34.4	2.9	30
EMI2-100W/650S		0.58	2	<5	1	0.03	6.35	2.3	430	1.24	0.11	1.54	0.08	73.9	3.8	43
EMI2-100W/700S		0.44	1	<5	<1	0.04	6.61	1.6	430	1.13	0.08	1.37	0.05	28.8	2.9	38
EMI2-100W/750S		0.50	1	<5	<1	0.03	6.95	2.2	400	1.24	0.10	1.15	0.06	32.0	3.0	46
EMI2-100W/800S		0.44	1	<5	<1	0.10	7.23	2.1	410	1.47	0.09	1.13	0.07	35.8	3.1	45
EMI2-100W/850S		0.54	1	<5	1	0.02	6.47	1.6	430	1.28	0.10	1.15	0.05	30.5	2.6	33
EMI2-100W/900S		0.52	1	<5	<1	0.03	6.26	1.7	440	1.33	0.10	1.22	0.05	26.1	3.0	37
EMI2-100W/950S		0.40	1	<5	<1	0.12	7.37	2.6	410	1.42	0.10	1.21	0.08	46.7	3.8	58
EMI2-100W/1000S		0.54	1	<5	<1	0.07	5.92	1.4	490	1.18	0.08	1.19	0.05	40.8	2.4	29
EMI2-100W/1050S		0.48	59	<5	<1	0.05	5.55	1.0	510	1.14	0.09	1.06	0.04	24.3	1.9	17
EMI2-100W/1100S		0.68	3	<5	<1	0.04	6.07	1.0	480	1.30	0.05	1.63	0.04	32.5	3.6	31
EMI2-200W/150S		0.66	1	<5	<1	0.06	6.46	2.4	450	1.37	0.08	1.38	0.07	38.2	4.5	53
EMI2-200W/200S		0.64	4	<5	<1	0.05	6.20	2.0	470	1.29	0.06	1.50	0.07	35.1	4.8	51
EMI2-200W/250S		0.50	30	<5	<1	0.07	6.66	2.2	470	1.45	0.07	1.48	0.08	40.5	4.5	44
EMI2-200W/300S		0.66	2	<5	<1	0.04	6.38	1.6	440	1.26	0.07	1.38	0.06	35.7	3.8	35
EMI2-200W/350S		0.76	1	<5	<1	0.08	6.11	1.3	500	1.30	0.07	1.47	0.05	30.7	3.4	35

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 3 - B

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMI2-000E/400S		0.77	3.5	1.73	16.60	0.11	5.1	0.022	1.36	15.2	5.7	0.29	245	0.36	2.15	5.7
EMI2-000E/450S		0.77	2.0	1.02	15.75	0.12	5.7	0.018	1.43	18.4	4.8	0.22	196	0.33	2.10	5.1
EMI2-000E/500S		0.69	2.0	1.14	15.80	0.12	7.7	0.021	1.48	21.4	5.0	0.31	339	0.90	2.41	7.7
EMI2-000E/550S		0.71	2.1	1.02	14.15	0.12	4.9	0.015	1.45	16.5	5.0	0.27	212	0.27	2.44	4.6
EMI2-000E/600S		0.69	2.1	2.00	15.25	0.14	6.0	0.023	1.34	21.3	5.5	0.34	303	0.50	2.31	6.8
EMI2-000E/650S		0.76	1.0	1.74	19.20	0.12	6.7	0.018	1.41	16.3	4.1	0.24	224	0.34	1.95	6.7
EMI2-000E/700S		0.87	6.3	1.99	16.45	0.14	5.0	0.021	1.37	20.4	5.6	0.31	256	0.75	2.16	5.9
EMI2-000E/750S		0.65	1.8	2.35	18.05	0.11	4.7	0.019	1.32	14.0	4.0	0.32	287	0.42	2.07	6.1
EMI2-000E/800S		0.73	3.0	2.20	16.00	0.12	4.7	0.028	1.25	15.8	5.4	0.31	261	0.61	2.15	5.7
EMI2-000E/850S		0.70	5.0	1.77	15.30	0.13	4.1	0.027	1.20	12.3	6.3	0.34	253	0.31	2.39	5.5
EMI2-000E/900S		0.70	2.0	1.18	16.15	0.11	6.1	0.017	1.38	14.2	4.8	0.21	186	0.26	2.08	5.4
EMI2-000E/950S		0.62	5.4	1.51	14.05	0.13	3.4	0.019	1.21	15.4	5.6	0.42	227	0.28	2.46	4.6
EMI2-000E/1000S		0.48	2.4	1.11	12.35	0.09	3.4	0.018	1.20	11.8	4.0	0.33	233	0.20	2.61	4.2
EMI2-000E/1050S		0.71	5.5	1.02	15.30	0.13	5.7	0.022	1.48	20.9	6.6	0.38	262	0.33	2.57	5.4
EMI2-000E/1100S		0.62	7.3	1.06	14.30	0.12	5.2	0.019	1.28	16.5	5.3	0.29	259	0.23	2.25	5.5
EMI2-100W/150S		0.83	7.7	2.51	16.65	0.14	6.0	0.029	1.26	22.2	7.7	0.35	254	0.48	2.05	6.8
EMI2-100W/200S		0.80	2.9	2.04	17.65	0.13	5.6	0.026	1.29	19.6	5.7	0.29	230	0.42	1.98	6.5
EMI2-100W/250S		0.69	2.4	1.19	15.00	0.12	5.2	0.018	1.38	19.1	4.9	0.27	238	0.44	2.23	5.8
EMI2-100W/300S		0.73	2.0	1.32	14.30	0.11	6.5	0.021	1.41	18.3	5.4	0.29	232	0.41	2.17	5.5
EMI2-100W/350S		0.80	3.0	2.33	18.20	0.14	4.9	0.038	1.33	26.5	4.5	0.33	272	0.71	2.01	9.1
EMI2-100W/400S		0.72	4.1	1.59	14.80	0.12	4.5	0.022	1.36	16.4	4.9	0.33	255	0.35	2.45	5.4
EMI2-100W/450S		0.69	5.8	1.56	14.10	0.13	4.8	0.023	1.36	13.8	4.2	0.31	237	0.39	2.34	5.2
EMI2-100W/500S		1.06	5.9	1.40	16.10	0.12	5.0	0.020	1.42	19.7	3.9	0.29	226	0.57	2.18	5.3
EMI2-100W/550S		0.70	6.3	2.02	15.60	0.13	3.6	0.027	1.16	18.0	4.2	0.31	259	0.81	2.12	6.0
EMI2-100W/600S		0.69	7.1	1.59	16.85	0.10	5.3	0.021	1.32	14.7	5.3	0.28	218	0.53	2.17	5.7
EMI2-100W/650S		0.69	3.7	2.36	17.05	0.14	6.1	0.027	1.24	31.2	5.9	0.38	402	0.58	2.27	8.7
EMI2-100W/700S		0.67	3.8	1.93	15.40	0.10	3.8	0.019	1.18	10.8	5.2	0.31	231	0.42	2.32	5.0
EMI2-100W/750S		0.59	7.0	2.51	20.8	0.12	5.0	0.029	1.06	13.7	5.5	0.28	211	0.48	1.89	7.1
EMI2-100W/800S		0.74	8.1	2.32	17.95	0.12	4.8	0.030	1.13	14.3	7.2	0.29	228	0.46	1.94	6.6
EMI2-100W/850S		0.63	2.8	2.09	19.25	0.13	4.7	0.021	1.19	14.1	6.2	0.27	221	0.41	1.91	6.0
EMI2-100W/900S		0.64	4.2	1.99	18.85	0.11	5.4	0.020	1.23	10.9	6.4	0.30	236	0.38	2.02	6.3
EMI2-100W/950S		0.66	7.8	2.96	17.95	0.12	5.4	0.030	1.14	17.3	5.2	0.32	268	0.60	2.00	6.8
EMI2-100W/1000S		0.69	2.7	1.47	16.55	0.11	6.3	0.017	1.40	18.9	4.6	0.24	222	0.47	2.12	5.8
EMI2-100W/1050S		0.78	1.8	1.14	18.30	0.11	6.0	0.015	1.47	12.5	4.3	0.17	171	0.42	2.06	5.5
EMI2-100W/1100S		0.62	2.1	1.14	15.60	0.11	6.0	0.019	1.38	15.0	5.8	0.37	326	0.50	2.62	5.9
EMI2-200W/150S		0.91	7.3	2.22	18.30	0.12	4.9	0.021	1.33	16.1	5.4	0.42	279	0.53	2.14	5.7
EMI2-200W/200S		0.71	4.3	2.02	15.05	0.13	4.8	0.020	1.35	15.1	5.3	0.42	286	0.92	2.40	5.2
EMI2-200W/250S		0.77	7.0	1.99	15.10	0.12	4.8	0.020	1.38	14.8	5.7	0.38	286	0.33	2.43	5.2
EMI2-200W/300S		0.64	21.6	1.78	15.20	0.13	3.9	0.022	1.30	15.7	4.3	0.32	236	0.49	2.23	5.0
EMI2-200W/350S		0.76	2.5	1.40	15.75	0.11	5.0	0.020	1.47	15.0	4.3	0.32	284	0.65	2.40	5.3

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 3 - C

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
EMI2-000E/400S	9.1	490	13.9	54.8	<0.002	0.02	0.06	5.7	2	1.0	298	0.36	<0.05	4.6	0.218
EMI2-000E/450S	6.1	260	14.2	56.6	<0.002	0.01	0.05	4.7	2	0.9	289	0.32	<0.05	5.9	0.204
EMI2-000E/500S	8.3	350	13.6	58.4	<0.002	0.01	<0.05	6.7	2	1.0	337	0.49	<0.05	6.5	0.262
EMI2-000E/550S	7.4	350	12.1	57.1	<0.002	0.01	<0.05	4.8	2	0.7	331	0.34	<0.05	4.4	0.163
EMI2-000E/600S	8.9	350	12.9	53.7	<0.002	0.02	<0.05	6.9	2	0.9	323	0.41	<0.05	7.0	0.233
EMI2-000E/650S	6.5	240	15.8	54.6	<0.002	0.01	0.06	4.8	2	1.2	276	0.48	<0.05	6.9	0.261
EMI2-000E/700S	10.1	370	14.3	55.1	<0.002	0.02	0.06	5.9	2	1.0	304	0.36	<0.05	6.7	0.230
EMI2-000E/750S	7.2	290	12.6	43.3	<0.002	0.01	0.06	4.9	1	1.1	299	0.39	<0.05	4.9	0.303
EMI2-000E/800S	8.1	360	12.1	50.7	<0.002	0.02	0.05	6.6	2	0.8	293	0.34	<0.05	4.0	0.197
EMI2-000E/850S	11.4	410	11.3	46.2	<0.002	0.03	0.06	6.6	2	0.8	316	0.35	<0.05	3.6	0.203
EMI2-000E/900S	6.7	240	14.8	54.5	<0.002	0.01	<0.05	4.3	2	1.0	285	0.34	<0.05	4.9	0.220
EMI2-000E/950S	19.1	390	10.2	46.0	<0.002	0.01	<0.05	5.9	2	0.7	325	0.31	<0.05	3.5	0.163
EMI2-000E/1000S	8.6	310	8.9	38.5	<0.002	0.01	<0.05	4.6	2	0.6	348	0.26	<0.05	3.0	0.188
EMI2-000E/1050S	10.1	380	12.7	58.1	<0.002	0.01	<0.05	6.2	2	0.8	352	0.37	<0.05	5.3	0.194
EMI2-000E/1100S	8.6	290	11.5	51.1	<0.002	0.02	<0.05	6.0	2	0.8	310	0.36	<0.05	4.4	0.202
EMI2-100W/150S	11.6	740	15.3	50.9	<0.002	0.05	0.08	7.6	2	1.0	283	0.43	<0.05	8.0	0.235
EMI2-100W/200S	9.3	670	15.7	53.7	<0.002	0.03	0.07	6.3	2	1.0	278	0.41	<0.05	7.7	0.228
EMI2-100W/250S	7.0	360	14.0	55.7	<0.002	0.01	<0.05	5.3	2	0.9	307	0.39	<0.05	5.9	0.210
EMI2-100W/300S	8.3	330	13.1	54.5	<0.002	0.01	<0.05	5.4	2	0.9	298	0.35	<0.05	6.2	0.209
EMI2-100W/350S	8.6	640	15.3	53.2	<0.002	0.02	0.05	7.5	2	1.2	285	0.52	<0.05	5.5	0.292
EMI2-100W/400S	10.5	510	13.1	45.2	<0.002	0.02	<0.05	6.3	2	0.7	321	0.33	<0.05	4.7	0.178
EMI2-100W/450S	9.6	350	12.5	54.6	<0.002	0.01	0.05	5.7	2	0.7	314	0.32	<0.05	3.7	0.179
EMI2-100W/500S	9.0	430	13.9	48.5	<0.002	0.03	0.05	5.2	2	0.9	299	0.33	<0.05	4.9	0.212
EMI2-100W/550S	9.1	320	11.4	46.5	<0.002	0.02	0.05	6.5	2	0.7	286	0.37	<0.05	5.0	0.203
EMI2-100W/600S	8.6	340	14.2	49.1	<0.002	0.03	0.19	6.2	2	0.9	298	0.34	<0.05	4.9	0.200
EMI2-100W/650S	9.6	460	13.5	47.3	<0.002	0.02	0.06	9.1	2	1.1	321	0.55	<0.05	12.2	0.276
EMI2-100W/700S	8.9	370	10.8	40.0	<0.002	0.02	0.07	6.0	2	0.8	310	0.33	<0.05	4.1	0.205
EMI2-100W/750S	9.5	590	13.7	39.3	<0.002	0.03	0.07	7.2	2	1.1	264	0.46	<0.05	4.8	0.257
EMI2-100W/800S	8.6	730	14.1	41.8	<0.002	0.04	0.07	7.8	2	1.0	263	0.41	<0.05	5.3	0.227
EMI2-100W/850S	7.3	480	14.1	44.4	<0.002	0.02	0.06	5.9	2	1.1	271	0.39	<0.05	4.8	0.230
EMI2-100W/900S	8.6	500	14.0	46.0	<0.002	0.03	0.06	7.0	2	1.1	279	0.38	<0.05	3.6	0.236
EMI2-100W/950S	10.3	770	14.8	38.6	<0.002	0.04	0.12	8.6	3	1.0	279	0.48	<0.05	6.7	0.243
EMI2-100W/1000S	6.4	360	14.6	46.6	<0.002	0.02	0.06	5.3	2	0.9	295	0.43	<0.05	7.1	0.230
EMI2-100W/1050S	4.8	180	17.0	49.3	<0.002	0.01	0.07	3.8	2	1.0	284	0.39	<0.05	4.1	0.229
EMI2-100W/1100S	9.9	270	12.1	44.4	<0.002	0.01	0.08	6.9	2	0.9	363	0.42	<0.05	4.4	0.227
EMI2-200W/150S	13.8	370	12.8	46.4	<0.002	0.02	0.07	7.0	2	0.9	300	0.43	<0.05	4.8	0.217
EMI2-200W/200S	14.2	390	12.3	45.8	<0.002	0.01	0.06	6.7	2	0.8	321	0.39	<0.05	3.9	0.194
EMI2-200W/250S	12.3	470	13.1	46.5	<0.002	0.01	0.07	6.7	2	0.8	333	0.37	<0.05	4.8	0.194
EMI2-200W/300S	10.1	470	12.9	44.5	<0.002	0.02	0.05	6.2	2	0.8	305	0.35	<0.05	4.2	0.183
EMI2-200W/350S	9.7	350	13.6	51.3	<0.002	0.01	<0.05	6.2	2	0.9	337	0.38	<0.05	4.7	0.206

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMI2-000E/400S		0.24	0.8	36	0.4	8.8	17	173.0	<10
EMI2-000E/450S		0.25	1.0	27	0.3	7.4	10	197.5	<10
EMI2-000E/500S		0.25	1.3	25	0.4	12.1	15	260	<10
EMI2-000E/550S		0.24	0.8	23	0.3	8.5	11	167.5	<10
EMI2-000E/600S		0.23	1.2	39	0.5	12.2	16	205	<10
EMI2-000E/650S		0.24	1.0	45	0.5	6.7	12	228	<10
EMI2-000E/700S		0.23	1.0	43	0.6	11.2	16	170.0	<10
EMI2-000E/750S		0.19	0.8	61	0.6	6.5	16	169.5	<10
EMI2-000E/800S		0.21	0.8	40	0.4	9.9	16	161.0	<10
EMI2-000E/850S		0.19	0.8	34	0.3	9.3	17	137.5	<10
EMI2-000E/900S		0.24	0.9	28	0.4	6.2	10	208	<10
EMI2-000E/950S		0.20	0.7	29	0.2	9.7	15	113.5	<10
EMI2-000E/1000S		0.16	0.6	26	0.2	7.9	14	118.0	<10
EMI2-000E/1050S		0.24	1.0	26	0.3	11.5	16	193.0	<10
EMI2-000E/1100S		0.21	0.9	25	0.3	10.0	14	179.0	<10
EMI2-100W/150S		0.22	1.2	48	0.6	9.7	22	194.5	<10
EMI2-100W/200S		0.22	1.1	41	0.5	8.7	16	186.5	<10
EMI2-100W/250S		0.23	0.9	27	0.4	8.8	12	180.5	<10
EMI2-100W/300S		0.24	1.1	30	0.4	8.6	13	224	<10
EMI2-100W/350S		0.24	0.9	45	0.4	15.0	23	160.5	<10
EMI2-100W/400S		0.23	0.8	31	0.3	10.3	17	155.0	10
EMI2-100W/450S		0.24	0.8	30	0.3	8.3	14	162.0	10
EMI2-100W/500S		0.26	1.1	31	0.7	9.2	14	175.5	10
EMI2-100W/550S		0.19	1.0	36	0.4	11.9	15	123.0	10
EMI2-100W/600S		0.23	1.0	35	0.4	8.3	16	183.0	10
EMI2-100W/650S		0.21	1.6	44	0.6	16.5	18	212	20
EMI2-100W/700S		0.18	0.8	38	0.4	7.5	15	130.5	20
EMI2-100W/750S		0.18	1.0	53	0.4	8.3	14	167.0	20
EMI2-100W/800S		0.20	0.9	44	0.4	9.2	16	162.5	20
EMI2-100W/850S		0.21	0.8	45	0.4	7.6	13	162.0	20
EMI2-100W/900S		0.21	0.9	43	0.5	8.3	15	195.0	20
EMI2-100W/950S		0.20	1.1	55	0.9	10.6	18	165.5	20
EMI2-100W/1000S		0.24	1.3	34	0.8	8.5	12	196.5	10
EMI2-100W/1050S		0.25	0.9	31	0.6	5.4	9	192.0	10
EMI2-100W/1100S		0.22	0.9	25	0.9	10.6	18	188.5	20
EMI2-200W/150S		0.24	0.9	43	0.8	10.7	17	156.0	20
EMI2-200W/200S		0.23	0.8	39	0.7	10.0	18	148.5	20
EMI2-200W/250S		0.24	0.9	38	0.8	9.3	20	150.5	20
EMI2-200W/300S		0.23	0.8	33	0.5	10.0	15	124.5	20
EMI2-200W/350S		0.26	0.9	30	0.5	8.9	14	159.0	20

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - A

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt.	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
EM12-200W/400S		0.54	1	<5	<1	0.05	6.07	1.1	470	1.37	0.07	1.44	0.04	33.7	3.5	32
EM12-200W/450S		0.62	2	<5	<1	0.05	6.12	1.1	500	1.49	0.06	1.55	0.05	44.1	4.0	33
EM12-200W/500S		0.40	2	<5	<1	0.06	6.62	2.0	500	1.51	0.08	1.37	0.06	40.5	3.8	34
EM12-200W/550S		0.56	1	<5	<1	0.05	6.55	2.4	440	1.50	0.07	1.45	0.08	36.0	4.4	37
EM12-200W/600S		0.38	1	<5	<1	0.07	6.50	1.8	490	1.30	0.08	1.10	0.05	31.8	2.5	29
EM12-200W/650S		0.52	1	<5	<1	0.05	6.22	0.8	540	1.57	0.05	1.63	0.04	38.4	3.8	28
EM12-200W/700S		0.46	2	<5	<1	0.04	6.10	0.6	530	1.31	0.06	1.44	0.06	39.3	2.9	33
EM12-200W/750S		0.56	2	<5	<1	0.05	5.78	0.7	550	1.28	0.07	1.31	0.04	38.8	2.8	27
EM12-200W/800S		0.50	2	<5	<1	0.09	6.10	2.7	460	1.27	0.09	1.19	0.10	33.4	2.9	37
EM12-200W/850S		0.54	1	<5	<1	0.09	6.32	1.7	480	1.18	0.12	1.33	0.05	46.1	4.0	45
EM12-200W/900S		0.56	7	<5	<1	0.08	6.51	3.2	430	1.20	0.14	1.33	0.07	30.0	3.9	51
EM12-200W/950S		0.54	1	<5	<1	0.06	5.44	1.2	480	1.08	0.08	1.19	0.05	36.1	2.7	27
EM12-200W/1000S		0.48	1	<5	<1	0.07	6.96	1.9	410	1.70	0.11	1.28	0.06	39.8	3.4	42
EM12-200W/1050S		0.52	3	<5	<1	0.06	7.46	2.9	430	1.38	0.09	1.40	0.07	44.7	4.2	52
EM12-200W/1100S		0.46	1	<5	<1	0.08	6.96	2.5	410	1.21	0.38	1.27	0.07	40.9	3.8	48
EM12-200W/1150S		0.44	3	<5	<1	0.06	6.29	1.9	450	1.10	0.11	1.36	0.05	29.2	3.4	40
EM12-300W/150S		0.56	2	<5	2	0.03	6.17	0.9	560	1.44	0.04	1.51	0.05	30.6	3.0	26
EM12-300W/200S		0.44	2	<5	1	0.04	6.12	0.9	560	1.35	0.09	1.62	0.05	33.8	3.9	28
EM12-300W/250S		0.48	1	<5	1	0.06	5.37	1.1	550	1.18	0.10	1.16	0.05	30.5	2.0	26
EM12-300W/300S		0.52	6	<5	<1	0.05	6.44	2.7	480	1.22	0.07	1.35	0.05	33.7	3.5	35
EM12-300W/350S		0.68	2	<5	1	0.09	6.89	2.2	520	1.35	0.08	1.60	0.08	48.7	4.7	48
EM12-300W/400S		0.62	2	<5	1	0.08	6.57	2.0	490	1.32	0.08	1.49	0.07	42.6	3.9	46
EM12-300W/450S		0.66	1	<5	<1	0.06	6.47	1.7	500	1.39	0.07	1.74	0.08	51.1	4.8	41
EM12-300W/550S		0.60	1	<5	<1	0.05	6.21	1.2	480	1.50	0.07	1.47	0.05	48.0	3.5	39
EM12-300W/650S		0.52	1	<5	<1	0.09	6.14	1.4	490	1.37	0.07	1.28	0.06	47.0	2.8	33
EM12-300W/700S		0.58	1	<5	<1	0.06	6.03	1.5	500	1.25	0.06	1.30	0.06	40.4	3.1	33
EM12-300W/750S		0.60	1	<5	<1	0.06	6.59	1.9	460	1.77	0.07	1.54	0.06	34.0	4.3	39
EM12-300W/800S		0.52	<1	<5	<1	0.06	6.43	9.0	500	1.38	0.14	1.73	0.06	52.8	4.0	34
EM12-300W/850S		0.50	1	<5	<1	0.04	6.38	1.5	510	1.28	0.07	1.58	0.05	40.9	3.2	30
EM12-300W/900S		0.60	1	<5	<1	0.08	6.59	4.8	440	1.11	0.08	1.34	0.07	46.2	3.2	40
EM12-300W/950S		0.56	1	<5	<1	0.08	6.39	1.7	470	1.21	0.08	1.28	0.07	39.5	2.8	34
EM12-300W/1000S		0.48	1	<5	<1	0.04	6.68	3.3	450	1.27	0.09	1.31	0.06	37.8	3.0	35
EM12-300W/1050S		0.50	1	<5	<1	0.07	6.85	2.1	480	1.11	0.08	1.26	0.07	44.4	4.0	62
EM12-300W/1100S		0.44	1	<5	<1	0.06	6.48	2.6	400	1.06	0.09	1.22	0.06	40.8	3.3	45
EM12-300W/1150S		0.44	1	<5	<1	0.05	6.59	1.9	410	1.14	0.09	1.23	0.07	31.9	3.1	40
EM12-400W/150S		0.54	4	<5	<1	0.05	6.16	1.0	530	1.30	0.05	1.56	0.05	34.3	3.8	28
EM12-400W/200S		0.50	1	<5	<1	0.03	5.91	1.9	450	1.23	0.05	1.30	0.04	26.1	2.9	29
EM12-400W/250S		0.48	1	<5	<1	0.03	5.81	1.4	490	1.27	0.04	1.55	0.07	40.9	3.8	27
EM12-400W/300S		0.60	<1	<5	<1	0.05	6.58	1.5	520	1.33	0.05	1.57	0.05	43.5	3.8	30
EM12-400W/400S		0.54	2	<5	<1	0.05	6.32	1.8	510	1.35	0.06	1.58	0.06	50.8	5.1	36

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - B

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units LOR	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
EMI2-200W/400S		0.70	3.5	1.34	15.25	0.12	6.0	0.020	1.39	15.6	5.2	0.31	249	0.30	2.39	5.0
EMI2-200W/450S		0.70	3.4	1.51	16.75	0.13	5.4	0.020	1.45	21.4	5.8	0.37	289	0.30	2.53	6.1
EMI2-200W/500S		0.80	2.6	1.80	17.50	0.13	5.1	0.026	1.45	18.0	5.4	0.32	241	0.60	2.38	6.0
EMI2-200W/550S		0.73	5.4	1.96	16.15	0.13	3.5	0.022	1.31	14.2	5.7	0.33	278	0.32	2.50	5.1
EMI2-200W/600S		0.75	4.4	1.67	17.65	0.11	5.5	0.022	1.41	14.5	4.4	0.24	188	0.49	2.04	5.5
EMI2-200W/650S		0.70	1.8	1.01	18.25	0.13	5.7	0.020	1.50	17.7	5.8	0.37	261	0.21	2.59	5.2
EMI2-200W/700S		0.62	2.7	0.97	14.80	0.10	6.5	0.021	1.51	19.1	4.2	0.33	278	0.29	2.42	5.5
EMI2-200W/750S		0.77	2.5	1.12	16.30	0.11	7.0	0.019	1.57	19.3	3.8	0.26	252	0.44	2.30	6.2
EMI2-200W/800S		0.73	2.6	2.53	21.6	0.13	5.8	0.021	1.31	16.5	3.8	0.25	253	0.71	2.00	6.5
EMI2-200W/850S		0.81	2.2	2.57	19.75	0.14	7.1	0.020	1.37	22.2	4.4	0.33	277	0.46	2.09	6.8
EMI2-200W/900S		0.85	2.7	2.98	22.0	0.12	5.5	0.024	1.18	14.6	5.0	0.34	286	0.56	1.99	6.7
EMI2-200W/950S		0.65	1.5	1.74	17.60	0.12	7.2	0.019	1.36	17.6	3.5	0.25	244	0.37	1.97	5.3
EMI2-200W/1000S		0.72	4.0	2.68	20.4	0.12	6.1	0.026	1.11	17.5	4.6	0.30	244	0.44	2.04	6.6
EMI2-200W/1050S		0.79	5.9	3.09	19.05	0.15	5.9	0.029	1.17	18.6	5.8	0.34	282	0.48	2.27	7.0
EMI2-200W/1100S		0.73	4.4	2.89	19.00	0.13	5.2	0.026	1.09	18.6	5.5	0.31	257	0.58	2.06	6.4
EMI2-200W/1150S		0.85	2.0	2.35	19.30	0.12	6.3	0.022	1.21	14.2	5.3	0.29	266	0.50	2.22	6.1
EMI2-300W/150S		0.71	1.3	0.86	16.00	0.11	5.3	0.018	1.55	14.7	4.8	0.32	233	0.54	2.63	4.8
EMI2-300W/200S		0.72	1.4	1.00	16.20	0.12	5.4	0.022	1.55	15.4	7.3	0.39	248	0.39	2.68	5.0
EMI2-300W/250S		1.06	9.2	0.77	16.05	0.10	7.8	0.017	1.56	15.6	3.3	0.20	197	0.55	2.07	6.4
EMI2-300W/300S		0.79	3.0	2.35	17.55	0.12	5.0	0.023	1.37	15.9	4.9	0.30	274	0.59	2.27	6.3
EMI2-300W/350S		1.12	9.6	2.38	17.45	0.14	5.8	0.024	1.46	21.3	6.6	0.42	310	0.63	2.48	6.4
EMI2-300W/400S		0.74	4.6	2.24	16.70	0.13	6.2	0.024	1.38	19.6	4.7	0.35	301	0.66	2.32	6.4
EMI2-300W/450S		0.70	6.6	2.11	15.40	0.13	6.6	0.022	1.42	21.1	5.8	0.42	325	0.41	2.60	5.9
EMI2-300W/550S		0.74	4.0	1.13	15.75	0.12	5.8	0.021	1.38	21.8	5.5	0.35	272	0.32	2.27	5.7
EMI2-300W/650S		0.79	5.3	1.48	16.45	0.12	5.4	0.022	1.38	27.0	4.1	0.27	224	0.46	2.18	5.9
EMI2-300W/700S		0.70	3.0	1.56	15.30	0.12	5.5	0.017	1.42	17.7	4.6	0.28	218	0.40	2.31	5.1
EMI2-300W/750S		0.77	7.7	1.86	16.75	0.14	3.7	0.022	1.35	14.5	5.5	0.35	272	0.41	2.50	5.0
EMI2-300W/800S		0.66	6.2	1.68	15.65	0.12	5.7	0.021	1.48	23.5	6.1	0.38	348	0.57	2.75	6.8
EMI2-300W/850S		1.03	2.4	1.17	15.80	0.11	5.1	0.018	1.51	19.5	4.8	0.33	345	0.58	2.71	6.9
EMI2-300W/900S		0.65	1.8	2.15	16.15	0.13	6.6	0.023	1.30	21.3	4.2	0.30	283	0.51	2.19	7.2
EMI2-300W/950S		0.67	1.9	2.11	16.80	0.12	5.5	0.020	1.33	19.1	4.0	0.26	245	0.35	2.22	5.8
EMI2-300W/1000S		0.75	1.8	2.11	17.75	0.11	3.5	0.018	1.30	18.2	4.4	0.27	250	0.35	2.22	5.9
EMI2-300W/1050S		0.95	2.8	2.69	19.50	0.13	6.0	0.025	1.33	20.6	5.9	0.39	249	0.90	2.10	7.0
EMI2-300W/1100S		0.74	2.4	2.81	18.70	0.11	5.8	0.025	1.14	19.2	4.7	0.28	262	0.45	2.00	7.3
EMI2-300W/1150S		0.70	2.3	2.49	18.20	0.12	4.7	0.019	1.14	14.2	3.9	0.28	244	0.39	2.00	6.4
EMI2-400W/150S		0.76	2.9	1.19	15.90	0.11	5.4	0.020	1.52	16.5	5.9	0.37	280	0.48	2.52	5.5
EMI2-400W/200S		0.56	2.8	1.66	14.90	0.09	2.8	0.017	1.26	13.6	4.7	0.28	192	0.65	2.22	3.9
EMI2-400W/250S		0.61	2.4	1.08	14.30	0.11	4.3	0.016	1.36	19.1	5.7	0.36	256	0.54	2.50	4.7
EMI2-400W/300S		0.75	3.4	1.77	15.25	0.13	4.5	0.018	1.47	19.1	6.1	0.37	252	0.52	2.54	5.1
EMI2-400W/400S		0.83	10.4	1.48	15.65	0.13	5.0	0.018	1.45	24.9	7.3	0.42	280	0.94	2.54	5.6

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMI2-200W/400S		9.3	420	12.8	48.2	<0.002	0.01	0.06	6.2	2	0.8	329	0.42	<0.05	4.3	0.175
EMI2-200W/450S		10.4	500	13.2	49.6	<0.002	0.01	0.05	6.8	2	0.9	346	0.62	<0.05	6.6	0.206
EMI2-200W/500S		9.1	330	14.2	51.7	<0.002	0.02	0.05	6.8	2	0.9	327	0.41	<0.05	5.5	0.206
EMI2-200W/550S		11.5	360	12.7	44.7	<0.002	0.03	0.07	6.6	2	0.8	334	0.37	<0.05	4.2	0.182
EMI2-200W/600S		6.6	340	15.1	48.9	<0.002	0.02	0.06	5.5	2	0.9	281	0.38	<0.05	4.7	0.214
EMI2-200W/650S		9.7	560	13.6	53.6	<0.002	0.01	<0.05	6.8	2	0.8	354	0.37	<0.05	3.9	0.183
EMI2-200W/700S		7.6	310	13.0	47.2	<0.002	0.02	0.05	6.3	2	0.8	333	0.41	<0.05	6.1	0.225
EMI2-200W/750S		6.9	240	15.6	54.4	<0.002	0.01	<0.05	5.5	2	1.0	323	0.43	<0.05	6.1	0.239
EMI2-200W/800S		7.3	380	15.5	45.3	<0.002	0.02	0.06	5.6	2	1.0	281	0.47	<0.05	5.4	0.273
EMI2-200W/850S		11.6	400	17.0	47.8	<0.002	0.02	0.08	6.4	2	1.2	308	0.47	<0.05	11.0	0.286
EMI2-200W/900S		9.2	430	15.2	41.3	<0.002	0.02	0.08	6.9	2	1.3	282	0.49	<0.05	4.8	0.304
EMI2-200W/950S		6.1	190	15.4	44.8	<0.002	0.01	0.06	5.2	2	1.0	282	0.45	<0.05	7.5	0.236
EMI2-200W/1000S		8.9	710	14.9	37.6	<0.002	0.03	0.08	6.4	2	1.1	281	0.49	<0.05	11.6	0.282
EMI2-200W/1050S		10.8	670	14.2	38.8	<0.002	0.03	0.07	8.1	2	1.0	308	0.51	<0.05	7.8	0.265
EMI2-200W/1100S		9.2	630	14.0	36.3	<0.002	0.02	0.09	6.7	2	1.1	285	0.46	<0.05	8.8	0.258
EMI2-200W/1150S		8.8	240	12.6	40.4	<0.002	0.02	0.07	6.1	2	1.1	298	0.57	<0.05	4.9	0.278
EMI2-300W/150S		9.2	260	13.6	52.3	<0.002	0.01	<0.05	5.7	2	0.8	358	0.35	<0.05	4.2	0.190
EMI2-300W/200S		11.2	450	13.4	52.5	<0.002	0.01	<0.05	6.2	2	0.8	360	0.38	<0.05	4.2	0.187
EMI2-300W/250S		5.7	410	21.1	56.4	<0.002	0.02	0.05	4.7	2	1.1	287	0.58	<0.05	6.1	0.265
EMI2-300W/300S		7.9	220	14.0	48.3	<0.002	0.03	0.05	6.2	2	0.9	315	0.45	<0.05	5.8	0.225
EMI2-300W/350S		13.1	540	14.9	51.8	<0.002	0.02	0.07	7.4	3	1.0	357	0.42	<0.05	6.0	0.250
EMI2-300W/400S		10.2	460	13.8	47.7	<0.002	0.02	0.06	6.8	3	0.9	326	0.44	<0.05	5.7	0.238
EMI2-300W/450S		12.4	490	13.1	48.5	<0.002	0.01	<0.05	7.1	2	0.9	359	0.57	<0.05	6.4	0.214
EMI2-300W/550S		9.3	450	13.2	48.2	<0.002	0.02	0.05	7.0	3	0.9	315	0.41	<0.05	4.4	0.214
EMI2-300W/650S		7.4	390	14.2	48.7	<0.002	0.02	0.05	6.0	2	0.9	301	1.04	<0.05	4.5	0.219
EMI2-300W/700S		8.5	310	14.1	48.4	<0.002	0.01	0.05	5.5	2	0.8	311	0.37	<0.05	7.7	0.195
EMI2-300W/750S		11.3	340	12.8	48.2	<0.002	0.01	0.05	7.0	3	0.8	336	0.37	<0.05	3.7	0.190
EMI2-300W/800S		11.1	460	15.0	52.1	<0.002	0.01	0.11	7.1	2	0.9	378	0.43	<0.05	5.8	0.220
EMI2-300W/850S		8.0	360	14.0	54.9	<0.002	0.01	<0.05	7.0	2	0.8	376	0.47	<0.05	4.6	0.213
EMI2-300W/900S		7.8	410	14.1	46.5	<0.002	0.02	0.05	6.7	2	1.0	309	0.46	<0.05	6.5	0.246
EMI2-300W/950S		6.7	460	14.8	48.4	<0.002	0.01	0.05	5.7	2	0.9	309	0.36	<0.05	7.4	0.208
EMI2-300W/1000S		7.4	600	14.8	48.0	<0.002	0.01	0.05	5.7	2	0.8	310	0.39	<0.05	5.6	0.191
EMI2-300W/1050S		13.7	590	16.6	49.4	<0.002	0.02	0.06	7.0	2	1.3	297	0.46	<0.05	7.4	0.263
EMI2-300W/1100S		8.5	580	14.5	41.3	<0.002	0.02	0.05	6.2	2	1.0	274	0.48	<0.05	7.4	0.255
EMI2-300W/1150S		7.9	570	13.7	40.6	<0.002	0.02	0.05	6.1	2	1.0	276	0.43	<0.05	5.2	0.245
EMI2-400W/150S		10.3	320	13.8	57.5	<0.002	0.01	<0.05	6.6	2	0.8	348	0.36	<0.05	4.5	0.196
EMI2-400W/200S		7.9	310	11.2	45.1	<0.002	0.02	<0.05	5.1	2	0.6	305	0.25	<0.05	2.2	0.140
EMI2-400W/250S		9.8	290	12.0	49.1	<0.002	0.02	<0.05	6.0	2	0.7	337	0.29	<0.05	4.7	0.170
EMI2-400W/300S		9.6	390	13.0	52.9	<0.002	0.01	<0.05	6.2	2	0.8	346	0.35	<0.05	4.5	0.178
EMI2-400W/400S		13.1	370	13.6	52.8	<0.002	0.01	<0.05	6.9	2	0.9	345	0.37	<0.05	5.8	0.201

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Ti	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EM12-200W/400S		0.24	1.0	27	0.5	10.4	14	185.5	20
EM12-200W/450S		0.25	1.1	34	0.7	11.4	17	168.0	20
EM12-200W/500S		0.28	1.0	38	0.7	10.3	15	162.0	20
EM12-200W/550S		0.24	0.7	37	0.5	9.7	17	109.5	20
EM12-200W/600S		0.25	0.8	38	0.6	6.9	12	171.5	20
EM12-200W/650S		0.26	0.9	25	0.6	11.9	17	177.5	30
EM12-200W/700S		0.23	1.1	29	0.5	9.1	15	213	30
EM12-200W/750S		0.27	1.1	26	0.6	8.0	12	222	40
EM12-200W/800S		0.24	1.0	58	0.8	7.7	14	187.5	40
EM12-200W/850S		0.24	1.4	56	0.7	9.0	17	223	40
EM12-200W/900S		0.22	1.0	62	1.0	8.6	18	172.0	40
EM12-200W/950S		0.24	1.1	40	0.6	6.9	13	230	40
EM12-200W/1000S		0.19	1.2	56	0.7	8.8	16	194.5	40
EM12-200W/1050S		0.21	1.1	58	0.8	11.1	19	183.5	40
EM12-200W/1100S		0.20	1.1	54	0.7	8.6	17	158.0	40
EM12-200W/1150S		0.21	1.0	50	0.7	7.6	17	197.0	50
EM12-300W/150S		0.27	1.0	22	0.5	8.5	13	160.5	50
EM12-300W/200S		0.26	0.9	24	0.4	10.6	19	168.5	50
EM12-300W/250S		0.29	1.2	27	0.8	5.6	9	245	60
EM12-300W/300S		0.25	0.9	46	0.7	8.0	14	157.5	60
EM12-300W/350S		0.27	1.2	45	0.5	12.4	20	188.5	50
EM12-300W/400S		0.25	1.2	44	0.7	11.2	16	192.0	50
EM12-300W/450S		0.25	1.2	41	1.6	13.6	18	205	60
EM12-300W/550S		0.25	1.1	40	0.5	12.5	16	175.0	70
EM12-300W/650S		0.25	1.0	33	0.6	11.9	12	169.5	60
EM12-300W/700S		0.25	1.1	32	0.5	9.5	13	171.0	70
EM12-300W/750S		0.25	0.8	37	0.5	10.8	15	116.0	80
EM12-300W/800S		0.25	1.2	36	2.5	14.3	23	184.0	50
EM12-300W/850S		0.25	0.9	26	0.4	11.9	15	167.0	30
EM12-300W/900S		0.22	1.2	42	0.7	10.8	16	214	30
EM12-300W/850S		0.23	1.1	40	0.4	8.5	15	184.0	30
EM12-300W/1000S		0.24	0.8	41	0.4	8.4	14	113.5	30
EM12-300W/1050S		0.24	1.2	58	0.8	8.4	20	196.5	40
EM12-300W/1100S		0.21	1.1	52	0.7	9.0	17	186.5	30
EM12-300W/1150S		0.20	1.0	50	0.5	8.3	15	153.0	40
EM12-400W/150S		0.27	0.9	25	0.3	9.5	17	180.5	40
EM12-400W/200S		0.21	1.1	28	0.2	7.1	13	95.2	40
EM12-400W/250S		0.22	1.5	27	0.4	11.2	17	144.0	60
EM12-400W/300S		0.24	1.1	34	0.3	10.7	18	151.0	60
EM12-400W/400S		0.27	2.0	35	2.4	12.0	20	167.5	60

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 5 - A

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt.	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
EMI2-400W/450S		0.28	<1	<5	<1	0.06	5.90	1.1	530	1.31	0.08	1.44	0.09	52.0	3.1	31
EMI2-400W/650S		0.42	1	<5	1	0.03	6.10	1.4	550	1.27	0.06	1.45	0.05	31.9	3.0	30
EMI2-400W/700S		0.48	1	<5	<1	0.04	5.98	1.0	500	1.21	0.06	1.39	0.05	40.1	3.2	36
EMI2-400W/1000S		0.52	1	<5	<1	0.05	6.33	0.9	510	1.39	0.05	1.59	0.06	42.1	3.6	34
EMI2-400W/1100S		0.44	2	<5	<1	0.06	7.17	2.4	410	1.31	0.08	1.19	0.08	37.2	3.3	46
EMI2-400W/1150S		0.50	3	<5	<1	0.05	6.65	2.2	440	1.24	0.06	1.41	0.07	34.5	3.8	38
EMI2-500W/150S		0.52	1	<5	<1	0.06	5.93	1.6	470	1.13	0.06	1.31	0.06	36.9	3.2	32
EMI2-500W/200S		0.44	1	<5	<1	0.03	6.35	1.2	490	1.27	0.06	1.34	0.06	38.2	3.1	32
EMI2-500W/250S		0.54	1	<5	<1	0.05	8.88	1.5	510	1.40	0.06	1.51	0.08	42.2	4.5	40
EMI2-500W/300S		0.52	2	<5	<1	0.06	6.14	1.1	490	1.34	0.05	1.63	0.05	43.7	3.9	28
EMI2-500W/350S		0.38	1	<5	<1	0.05	6.11	1.2	530	1.31	0.04	1.58	0.04	44.5	3.7	25
EMI2-500W/400S		0.54	<1	<5	<1	0.02	6.10	0.9	500	1.23	0.06	1.56	0.05	36.5	3.8	26
EMI2-500W/450S		0.46	1	<5	<1	0.03	6.21	1.3	490	1.22	0.04	1.57	0.05	36.9	4.0	30
EMI2-500W/500S		0.48	1	<5	<1	0.02	6.13	0.7	530	1.25	0.05	1.55	0.05	34.3	2.9	25
EMI2-500W/550S		0.44	1	<5	<1	0.03	5.92	1.0	510	1.29	0.06	1.58	0.05	43.2	4.4	33
EMI2-500W/600S		0.58	1	<5	<1	0.05	6.36	0.8	560	1.35	0.05	1.70	0.06	60.6	4.4	34
EMI2-500W/1150S		0.74	2	<5	<1	0.03	5.97	1.0	500	1.24	0.06	1.43	0.04	46.5	2.8	32
EMI2-600W/150S		0.40	1	<5	<1	0.04	6.53	2.0	520	1.42	0.06	1.56	0.04	48.7	3.8	34
EMI2-600W/200S		0.48	<1	<5	<1	0.05	6.34	3.3	490	1.56	0.06	1.52	0.04	42.2	3.6	31
EMI2-600W/250S		0.50	1	<5	<1	0.05	6.30	1.4	500	1.31	0.05	1.47	0.05	32.0	3.2	24
EMI2-600W/300S		0.36	1	<5	<1	0.04	6.82	1.9	470	1.48	0.06	1.39	0.08	36.4	3.5	30
EMI2-600W/350S		0.50	2	<5	1	0.04	6.27	1.9	430	1.17	0.04	1.25	0.04	26.3	2.9	30
EMI2-600W/400S		0.48	1	<5	<1	0.03	6.28	1.5	520	1.25	0.05	1.32	0.06	30.8	2.8	25
EMI2-600W/450S		0.56	<1	<5	<1	0.03	6.82	2.2	530	1.58	0.08	1.55	0.06	35.8	3.9	33
EMI2-700W/150S		0.38	<1	<5	<1	0.04	7.27	2.5	520	1.60	0.08	1.56	0.06	39.0	4.2	38
EMI2-700W/200S		0.46	<1	<5	<1	0.03	7.22	2.3	540	1.70	0.09	1.48	0.06	33.1	3.6	31
EMI2-700W/250S		0.42	<1	<5	<1	0.02	6.47	0.8	540	1.43	0.07	1.41	0.05	19.35	2.6	25
EMI2-700W/300S		0.46	<1	<5	<1	0.04	6.70	1.5	530	1.56	0.08	1.82	0.06	57.4	4.7	38
EMI2-700W/350S		0.36	<1	<5	<1	0.03	6.62	1.2	550	1.69	0.07	1.63	0.07	45.4	4.9	35
EMI2-700W/400S		0.42	<1	<5	<1	0.02	6.66	1.1	520	1.79	0.07	1.47	0.06	29.6	3.7	29
EMI2-700W/450S		0.36	<1	<5	<1	0.02	6.18	0.7	520	1.40	0.06	1.48	0.03	38.7	2.7	24
EMI2-700W/650S		0.36	1	<5	<1	0.03	6.51	1.8	500	1.64	0.08	1.61	0.08	45.2	4.0	33
EMI2-700W/750S		0.48	2	<5	<1	0.01	6.59	1.4	540	1.63	0.07	1.79	0.06	54.6	4.1	32
EMI2-700W/800S		0.32	1	<5	<1	0.02	7.21	1.4	560	1.58	0.07	1.61	0.06	38.3	3.9	39
EMI2-700W/850S		0.40	5	<5	<1	0.06	7.06	1.7	510	1.53	0.08	1.59	0.09	47.6	4.3	43
EMI2-700W/900S		0.60	5	<5	<1	0.02	6.53	1.2	540	1.63	0.08	1.49	0.05	33.9	3.8	33
EMI2-800W/150S		0.46	<1	<5	<1	0.02	6.89	1.9	520	1.42	0.07	1.58	0.05	38.9	3.9	40
EMI2-800W/200S		0.22	2	5	<1	0.02	7.06	1.5	430	1.24	0.18	1.44	0.08	30.5	3.7	40
EMI2-800W/250S		0.44	<1	<5	<1	0.02	7.09	2.3	510	1.81	0.10	1.63	0.07	41.9	5.1	40
EMI2-800W/300S		0.48	<1	<5	<1	0.03	7.73	2.4	450	1.74	0.13	1.69	0.08	50.6	6.2	60

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****

11



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
EMI2-400W/450S		0.66	4.0	0.82	14.85	0.12	5.6	0.023	1.42	26.9	4.5	0.31	204	0.31	2.44	5.1
EMI2-400W/650S		0.70	1.0	1.55	16.40	0.12	6.1	0.018	1.48	15.2	4.4	0.30	243	0.37	2.42	5.7
EMI2-400W/700S		0.68	2.9	1.02	15.20	0.11	7.4	0.021	1.38	19.0	5.1	0.34	278	0.26	2.29	6.4
EMI2-400W/1000S		0.70	4.0	1.40	18.05	0.13	5.3	0.021	1.45	19.3	5.2	0.36	269	0.45	2.50	6.3
EMI2-400W/1100S		0.69	4.4	2.68	18.55	0.12	4.9	0.025	1.13	16.4	5.2	0.29	231	0.46	2.01	6.7
EMI2-400W/1150S		0.63	3.0	1.99	15.15	0.11	4.5	0.019	1.22	13.4	4.8	0.30	258	0.28	2.41	5.5
EMI2-500W/150S		0.74	7.9	1.83	16.85	0.10	5.2	0.020	1.36	16.8	4.9	0.32	244	0.46	2.12	6.2
EMI2-500W/200S		0.73	4.3	1.55	15.85	0.10	4.9	0.018	1.37	18.1	5.0	0.30	226	0.39	2.26	5.3
EMI2-500W/250S		0.83	2.8	2.25	16.85	0.12	5.7	0.022	1.45	17.8	6.1	0.39	285	0.42	2.50	6.5
EMI2-500W/300S		0.65	2.2	1.28	14.90	0.11	4.8	0.019	1.37	21.0	6.0	0.38	267	0.53	2.60	5.4
EMI2-500W/350S		0.76	4.9	1.03	15.00	0.11	4.0	0.015	1.52	19.8	6.1	0.36	232	0.32	2.65	4.7
EMI2-500W/400S		0.67	1.9	1.27	14.90	0.09	3.8	0.015	1.40	17.3	6.2	0.36	250	0.65	2.59	4.4
EMI2-500W/450S		0.71	3.3	1.69	14.55	0.12	3.8	0.016	1.36	17.3	6.6	0.37	234	0.46	2.52	5.5
EMI2-500W/500S		0.75	1.5	1.04	14.90	0.09	4.9	0.017	1.48	16.9	4.3	0.31	240	0.52	2.63	4.4
EMI2-500W/550S		0.66	3.4	1.59	15.70	0.11	5.3	0.017	1.43	20.5	7.0	0.42	264	0.45	2.54	5.6
EMI2-500W/600S		0.74	4.5	1.24	16.00	0.13	6.5	0.019	1.60	29.4	7.0	0.45	335	0.28	2.78	6.6
EMI2-500W/1150S		0.67	5.6	1.25	15.90	0.11	5.7	0.015	1.42	22.3	4.1	0.28	250	0.27	2.45	5.6
EMI2-600W/150S		0.81	2.9	1.59	16.10	0.12	3.9	0.018	1.53	22.9	7.1	0.38	281	0.30	2.63	5.4
EMI2-600W/200S		0.69	2.0	1.64	15.80	0.12	4.5	0.020	1.45	19.8	5.7	0.35	257	0.32	2.44	5.7
EMI2-600W/250S		0.75	2.1	1.26	16.60	0.11	4.0	0.014	1.52	14.6	5.4	0.30	240	0.23	2.59	5.1
EMI2-600W/300S		0.87	2.3	1.87	16.60	0.11	3.3	0.020	1.39	16.6	6.6	0.32	261	0.36	2.46	5.9
EMI2-600W/350S		0.61	1.4	1.58	14.45	0.11	3.4	0.019	1.25	12.3	4.5	0.28	202	0.29	2.20	4.5
EMI2-600W/400S		0.69	1.3	1.45	15.35	0.10	5.1	0.014	1.46	14.3	5.2	0.25	215	0.31	2.34	5.0
EMI2-600W/450S		0.82	2.7	2.05	15.50	0.06	4.6	0.024	1.49	14.4	6.4	0.36	268	0.62	2.56	6.1
EMI2-700W/150S		0.87	4.6	2.21	16.85	0.08	4.8	0.025	1.49	16.6	6.7	0.39	298	0.48	2.52	7.3
EMI2-700W/200S		0.83	4.6	2.09	16.45	0.09	3.4	0.021	1.52	14.8	6.8	0.34	254	0.46	2.53	6.1
EMI2-700W/250S		0.82	1.9	1.58	15.45	0.07	3.2	0.014	1.56	10.2	4.5	0.27	257	0.30	2.45	4.0
EMI2-700W/300S		0.77	6.6	2.23	15.25	0.12	5.7	0.020	1.50	25.4	6.9	0.42	348	0.42	2.73	7.7
EMI2-700W/350S		0.87	5.4	1.91	15.25	0.11	5.8	0.020	1.58	18.7	8.2	0.44	301	0.31	2.61	6.7
EMI2-700W/400S		0.87	2.7	1.83	17.10	0.09	4.0	0.021	1.55	11.6	6.5	0.33	265	0.36	2.50	6.0
EMI2-700W/450S		0.70	2.9	1.13	13.30	0.08	5.3	0.019	1.54	17.3	4.9	0.33	253	0.43	2.43	4.8
EMI2-700W/650S		0.83	2.8	2.24	16.20	0.11	5.2	0.024	1.43	21.4	5.9	0.37	305	0.54	2.50	7.6
EMI2-700W/750S		0.73	4.2	2.11	14.90	0.13	5.8	0.021	1.57	25.5	5.9	0.39	332	0.45	2.70	7.4
EMI2-700W/800S		0.73	3.0	2.40	17.15	0.12	5.9	0.026	1.57	18.5	5.8	0.40	296	0.45	2.62	7.4
EMI2-700W/850S		0.79	4.6	2.64	18.45	0.14	8.0	0.029	1.46	22.1	6.2	0.41	315	0.52	2.42	9.2
EMI2-700W/900S		0.80	3.3	1.84	16.60	0.11	5.8	0.022	1.54	16.0	5.9	0.35	259	0.35	2.50	6.8
EMI2-800W/150S		0.67	5.0	2.36	12.45	0.10	4.6	0.018	1.54	17.8	6.2	0.42	339	0.32	2.62	6.1
EMI2-800W/200S		0.83	3.8	2.67	19.85	0.11	3.8	0.021	1.18	14.1	6.3	0.39	295	0.46	2.18	6.4
EMI2-800W/250S		0.94	6.0	2.52	16.45	0.13	3.5	0.023	1.46	19.6	10.0	0.45	368	0.43	2.58	7.6
EMI2-800W/300S		1.05	5.2	4.15	19.90	0.15	4.1	0.030	1.21	25.4	11.1	0.58	499	0.66	2.41	9.8

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
EMI2-400W/450S		9.7	350	13.4	52.8	<0.002	0.04	<0.05	6.4	3	0.8	336	0.35	<0.05	4.9	0.180
EMI2-400W/650S		7.5	300	14.5	55.6	<0.002	0.01	<0.05	5.9	2	0.9	334	0.36	<0.05	4.6	0.201
EMI2-400W/700S		8.6	290	13.1	49.9	<0.002	0.02	<0.05	6.9	2	0.9	315	0.43	<0.05	5.8	0.224
EMI2-400W/1000S		9.3	490	13.3	53.1	<0.002	0.01	<0.05	6.8	2	0.9	347	0.40	<0.05	4.5	0.205
EMI2-400W/1100S		8.8	750	14.0	39.8	<0.002	0.03	0.06	6.9	2	1.0	276	0.45	<0.05	5.9	0.247
EMI2-400W/1150S		9.6	500	12.3	41.5	<0.002	0.02	<0.05	6.5	2	0.8	322	0.36	<0.05	4.7	0.192
EMI2-500W/150S		7.9	410	13.7	50.0	<0.002	0.02	<0.05	6.2	2	0.9	293	0.39	<0.05	4.1	0.217
EMI2-500W/200S		8.1	350	13.8	50.9	<0.002	0.02	<0.05	6.3	2	0.8	304	0.36	<0.05	5.8	0.182
EMI2-500W/250S		10.5	450	14.1	53.1	<0.002	0.02	<0.05	7.3	2	0.9	337	0.42	<0.05	5.3	0.220
EMI2-500W/300S		9.7	240	12.5	50.8	<0.002	0.01	<0.05	6.6	2	0.8	354	0.34	<0.05	5.1	0.185
EMI2-500W/350S		10.0	420	13.1	54.8	<0.002	0.01	<0.05	5.9	2	0.7	353	0.31	<0.05	4.2	0.182
EMI2-500W/400S		9.8	230	12.3	50.4	<0.002	0.01	<0.05	5.9	2	0.7	350	0.28	<0.05	3.3	0.166
EMI2-500W/450S		11.2	430	11.7	49.2	<0.002	0.01	<0.05	5.8	2	0.7	346	0.50	<0.05	3.1	0.161
EMI2-500W/500S		8.1	190	13.3	52.6	<0.002	0.01	<0.05	5.8	2	0.7	362	0.39	<0.05	5.1	0.173
EMI2-500W/550S		12.3	440	13.0	49.7	<0.002	0.01	<0.05	6.7	2	0.8	335	0.36	<0.05	4.7	0.199
EMI2-500W/600S		11.9	530	14.0	54.5	<0.002	0.01	<0.05	7.5	2	0.9	373	0.46	<0.05	6.5	0.229
EMI2-500W/1150S		7.4	360	13.7	51.6	<0.002	0.01	<0.05	5.8	2	0.9	333	0.36	<0.05	5.6	0.204
EMI2-600W/150S		9.5	460	13.2	57.3	<0.002	0.01	<0.05	6.9	2	0.8	358	0.34	<0.05	4.7	0.178
EMI2-600W/200S		9.0	500	14.0	54.2	<0.002	0.01	<0.05	6.5	3	0.8	337	0.36	<0.05	4.9	0.189
EMI2-600W/250S		7.7	330	14.0	57.3	<0.002	0.01	<0.05	5.7	2	0.7	350	0.33	<0.05	3.9	0.173
EMI2-600W/300S		8.8	580	14.3	53.0	<0.002	0.01	<0.05	6.2	2	0.9	331	0.51	<0.05	5.2	0.182
EMI2-600W/350S		7.3	420	11.2	45.8	<0.002	0.02	<0.05	5.7	2	0.6	296	0.28	<0.05	3.1	0.149
EMI2-600W/400S		6.8	310	13.3	52.0	<0.002	0.01	<0.05	5.0	2	0.7	320	0.32	<0.05	4.9	0.178
EMI2-600W/450S		8.6	240	13.9	51.5	<0.002	0.01	0.08	6.6	2	0.8	342	0.41	<0.05	4.1	0.186
EMI2-700W/150S		9.7	580	15.7	52.3	<0.002	0.01	0.07	7.0	2	0.9	331	0.42	<0.05	5.8	0.204
EMI2-700W/200S		8.4	610	15.3	51.2	<0.002	0.02	<0.05	5.9	2	0.8	332	0.33	<0.05	4.6	0.189
EMI2-700W/250S		6.1	170	13.3	52.5	<0.002	0.01	<0.05	4.9	1	0.7	324	0.25	<0.05	6.9	0.170
EMI2-700W/300S		12.0	530	13.7	50.9	<0.002	<0.01	<0.05	7.0	2	0.9	371	0.43	<0.05	6.1	0.224
EMI2-700W/350S		11.8	450	14.0	54.7	<0.002	0.01	<0.05	7.4	2	0.8	344	0.80	<0.05	5.0	0.200
EMI2-700W/400S		8.3	280	15.3	53.9	<0.002	0.02	<0.05	6.3	2	0.9	331	0.35	<0.05	3.5	0.194
EMI2-700W/450S		6.3	330	12.6	45.3	<0.002	0.01	<0.05	5.2	2	0.7	318	0.29	<0.05	4.4	0.189
EMI2-700W/650S		8.4	480	14.7	49.9	<0.002	0.01	0.05	6.8	2	1.1	342	0.42	<0.05	5.5	0.220
EMI2-700W/750S		8.9	580	14.1	53.0	<0.002	<0.01	0.05	6.7	2	0.8	366	0.43	<0.05	6.7	0.219
EMI2-700W/800S		9.3	500	15.8	49.9	<0.002	0.03	<0.05	6.8	2	0.9	353	0.40	<0.05	6.2	0.232
EMI2-700W/850S		10.4	610	16.3	50.2	<0.002	0.02	<0.05	7.7	2	1.0	330	0.50	<0.05	6.8	0.255
EMI2-700W/900S		9.2	320	15.7	53.5	<0.002	0.01	<0.05	6.2	2	0.9	337	0.36	<0.05	5.2	0.211
EMI2-800W/150S		8.5	520	12.9	43.3	<0.002	0.01	<0.05	5.9	2	0.7	345	0.35	<0.05	5.8	0.224
EMI2-800W/200S		8.9	330	14.8	37.5	<0.002	0.02	<0.05	6.0	2	1.0	295	0.35	<0.05	3.8	0.254
EMI2-800W/250S		11.6	470	15.6	52.1	<0.002	0.01	<0.05	7.6	2	0.9	347	0.51	<0.05	5.6	0.220
EMI2-800W/300S		16.5	580	15.1	43.4	<0.002	0.02	0.06	9.8	2	1.2	323	0.53	<0.05	8.8	0.319

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 5 - D

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EM12-400W/450S		0.26	2.5	25	0.3	11.2	14	186.0	50
EM12-400W/650S		0.26	1.0	33	0.4	8.6	14	202	60
EM12-400W/700S		0.22	1.1	30	0.4	9.6	15	238	50
EM12-400W/1000S		0.25	1.0	35	0.4	11.7	17	180.0	60
EM12-400W/1100S		0.20	1.0	50	0.4	8.8	16	165.5	50
EM12-400W/1150S		0.19	0.9	39	0.3	9.0	16	148.0	60
EM12-500W/150S		0.25	1.0	40	0.4	10.4	16	173.0	50
EM12-500W/200S		0.23	1.0	32	0.3	9.1	13	160.0	60
EM12-500W/250S		0.25	1.1	45	0.4	10.7	20	184.5	60
EM12-500W/300S		0.24	1.4	28	0.4	11.6	17	161.0	60
EM12-500W/350S		0.26	1.1	23	0.2	11.8	18	134.5	60
EM12-500W/400S		0.24	1.4	27	0.3	10.0	17	132.0	70
EM12-500W/450S		0.23	1.1	30	0.3	10.4	19	128.0	60
EM12-500W/500S		0.25	1.0	23	2.5	8.3	13	164.5	60
EM12-500W/550S		0.23	1.6	34	0.3	11.6	19	176.0	60
EM12-500W/600S		0.28	2.3	32	0.3	14.9	22	214	60
EM12-500W/1150S		0.24	1.1	28	0.3	10.4	13	189.0	70
EM12-600W/150S		0.26	1.0	34	0.3	13.8	17	126.0	70
EM12-600W/200S		0.25	0.9	34	0.2	11.2	23	151.5	60
EM12-600W/250S		0.27	0.8	28	0.3	8.6	14	138.5	70
EM12-600W/300S		0.24	0.8	35	0.4	9.1	19	108.5	70
EM12-600W/350S		0.21	0.7	38	0.2	7.9	13	114.5	60
EM12-600W/400S		0.25	0.9	30	0.2	7.8	13	170.0	60
EM12-600W/450S		0.25	0.8	37	0.4	8.5	17	139.0	<10
EM12-700W/150S		0.25	1.1	43	0.5	10.2	21	145.0	<10
EM12-700W/200S		0.24	0.8	38	0.5	9.0	21	101.5	<10
EM12-700W/250S		0.26	0.6	32	0.3	6.0	13	103.5	<10
EM12-700W/300S		0.24	1.1	41	0.9	15.5	20	178.5	<10
EM12-700W/350S		0.25	1.0	38	1.2	10.9	22	179.0	<10
EM12-700W/400S		0.25	0.6	36	0.3	7.6	17	123.0	<10
EM12-700W/450S		0.22	0.9	26	0.3	10.8	15	168.5	10
EM12-700W/650S		0.23	1.0	41	1.0	12.0	18	159.0	10
EM12-700W/750S		0.24	1.1	39	0.3	14.9	20	177.5	10
EM12-700W/800S		0.25	1.0	47	0.5	10.9	21	185.5	10
EM12-700W/850S		0.25	1.4	49	0.6	13.2	23	236	20
EM12-700W/900S		0.26	0.9	38	0.5	9.9	17	186.0	20
EM12-800W/150S		0.20	1.0	45	0.4	9.8	24	144.5	30
EM12-800W/200S		0.19	0.8	50	0.3	9.2	25	120.0	30
EM12-800W/250S		0.26	0.9	45	0.5	11.6	24	106.0	30
EM12-800W/300S		0.21	1.0	72	0.6	13.8	32	127.5	30

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 6 - A

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMI2-800W/350S		0.34	<1	<5	<1	0.07	6.69	1.2	500	1.74	0.10	1.37	0.06	34.7	3.5	31
EMI2-800W/400S		0.40	1	<5	<1	0.03	6.56	1.4	510	1.82	0.07	1.54	0.06	43.3	4.7	34
EMI2-800W/450S		0.40	<1	<5	<1	0.02	6.99	1.8	520	3.12	0.08	1.50	0.05	36.9	4.0	27
EMI2-800W/500S		0.56	<1	<5	<1	0.01	6.93	1.5	490	1.54	0.07	1.72	0.06	54.2	4.3	41
EMI2-800W/700S		0.38	<1	<5	<1	0.03	6.10	1.6	510	1.52	0.09	1.32	0.06	34.2	3.1	36
EMI2-800W/750S		0.40	6	<5	<1	0.03	6.42	1.6	520	1.46	0.12	1.41	0.05	36.5	3.2	37
EMI2-800W/800S		0.40	1	<5	<1	0.05	7.12	3.2	490	1.47	0.11	1.48	0.07	34.2	4.0	45
EMI2-800W/850S		0.44	2	<5	<1	0.04	7.66	2.7	420	1.69	0.11	1.26	0.09	35.4	4.3	62
EMI2-400W/1050S		0.70	<1	<5	<1	0.02	6.27	1.2	490	1.38	0.09	1.42	0.06	39.5	3.3	40

Comments: 8 results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 6 - B

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMI2-800W/350S		1.00	3.1	2.10	19.60	0.11	4.0	0.021	1.43	18.4	7.0	0.33	280	0.39	2.27	5.8
EMI2-800W/400S		0.88	4.6	1.89	15.60	0.11	4.0	0.022	1.54	19.4	7.9	0.38	310	0.32	2.51	5.9
EMI2-800W/450S		0.84	5.6	1.74	16.25	0.10	2.9	0.022	1.52	17.5	8.1	0.34	249	0.30	2.55	6.1
EMI2-800W/500S		0.76	3.5	2.71	14.25	0.13	4.8	0.021	1.46	22.7	7.2	0.45	433	0.52	2.59	8.0
EMI2-800W/700S		0.75	3.6	2.29	18.50	0.12	8.1	0.021	1.48	17.8	4.5	0.29	268	0.52	2.13	6.8
EMI2-800W/750S		0.73	2.4	2.41	19.60	0.12	6.9	0.021	1.49	19.1	4.8	0.30	276	0.42	2.23	8.1
EMI2-800W/800S		0.80	3.8	2.57	19.30	0.11	5.8	0.029	1.42	16.0	5.4	0.37	283	0.55	2.30	7.9
EMI2-800W/850S		1.08	9.9	3.56	20.8	0.13	4.7	0.038	1.18	17.4	6.7	0.36	248	0.65	1.92	7.6
EMI2-400W/1050S		0.69	3.5	2.03	16.25	0.12	5.9	0.022	1.35	17.4	4.7	0.29	271	0.37	2.33	6.8

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 6 - C

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EM12-800W/350S		8.2	280	15.8	50.6	<0.002	0.01	<0.05	6.1	2	1.0	299	0.34	<0.05	9.0	0.219
EM12-800W/400S		9.6	370	15.1	54.9	<0.002	<0.01	<0.05	7.0	2	0.8	334	0.35	<0.05	6.7	0.182
EM12-800W/450S		8.9	410	15.6	54.9	<0.002	0.02	<0.05	6.3	2	0.8	336	0.35	<0.05	4.5	0.168
EM12-800W/500S		10.1	340	13.7	47.3	<0.002	0.01	<0.05	7.9	2	0.9	350	0.46	<0.05	8.1	0.265
EM12-800W/700S		7.9	190	16.6	49.9	<0.002	0.01	<0.05	5.9	2	1.0	294	0.38	<0.05	5.7	0.252
EM12-800W/750S		7.5	440	18.4	52.2	<0.002	0.01	<0.05	6.1	2	1.2	308	0.47	<0.05	6.4	0.271
EM12-800W/800S		10.2	830	17.1	48.5	<0.002	0.03	0.09	7.3	2	1.0	309	0.43	<0.05	5.0	0.251
EM12-800W/850S		13.3	760	17.1	42.5	<0.002	0.03	0.07	8.4	2	0.9	259	0.54	<0.05	5.8	0.224
EM12-400W/1050S		8.4	340	14.9	46.2	<0.002	0.01	<0.05	6.1	2	0.9	318	0.40	<0.05	6.3	0.223

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - D

Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMI2-800W/350S		0.26	0.9	43	0.5	7.8	20	127.0	40
EMI2-800W/400S		0.26	1.0	36	0.4	10.9	19	119.0	50
EMI2-800W/450S		0.26	0.7	33	0.4	9.0	18	84.6	50
EMI2-800W/500S		0.22	1.3	50	0.4	14.3	23	149.5	50
EMI2-800W/700S		0.24	1.0	47	0.6	7.7	14	247	60
EMI2-800W/750S		0.26	1.0	51	0.6	9.0	15	215	60
EMI2-800W/800S		0.24	0.9	50	0.6	10.1	18	174.5	50
EMI2-800W/850S		0.21	1.0	60	0.5	10.4	19	145.5	50
EMI2-400W/1050S		0.23	1.0	42	0.4	8.7	15	181.0	50

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 28-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108068

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 27-OCT-2009
Account: MVR

CERTIFICATE SD09108069

Project: EASTMAIN MINE

P.O. No.:

This report is for 114 Soil samples submitted to our lab in Sudbury, ON, Canada on 1-OCT-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - A

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 27-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108069

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PGM-ICP23 Au ppb	PGM-ICP23 Pt ppb	PGM-ICP23 Pd ppb	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm
Sample Description	0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMI2-800W/1000S	0.42	<1	<5	<1	0.04	6.19	1.1	500	1.08	0.09	1.58	0.08	37.2	3.8	36
EMI2-900W/150S	0.48	<1	<5	<1	0.11	6.71	1.3	450	1.11	0.13	1.67	0.14	37.3	5.1	48
EMI2-900W/200S	0.50	<1	<5	<1	0.02	6.71	0.4	500	1.26	0.09	1.57	0.06	27.9	3.5	37
EMI2-900W/350S	0.46	<1	<5	<1	0.03	6.93	2.9	440	1.18	0.14	1.63	0.07	61.7	5.0	48
EMI2-900W/400S	0.48	<1	<5	<1	0.01	6.67	1.4	470	1.25	0.08	1.49	0.05	31.2	3.8	37
EMI2-900W/450S	0.36	<1	<5	<1	0.03	7.02	2.0	460	1.32	0.09	1.58	0.06	46.3	4.8	44
EMI2-900W/500S	0.40	2	<5	<1	0.01	6.47	1.1	490	1.46	0.06	1.70	0.06	47.8	4.6	38
EMI2-900W/550S	0.54	<1	<5	<1	0.02	6.67	2.4	440	1.17	0.08	1.83	0.07	74.3	5.3	57
EMI2-900W/900S	0.34	<1	<5	<1	<0.01	5.94	1.0	520	0.90	0.10	1.36	0.04	34.8	2.7	31
EMI2-900W/950S	0.54	<1	<5	<1	<0.01	6.36	1.1	490	1.38	0.07	1.65	0.08	39.5	4.4	40
EMI2-900W/1050S	0.44	<1	<5	<1	0.02	6.62	1.2	480	1.25	0.08	1.41	0.09	38.5	3.6	37
EMI2-900W/1100S	0.38	<1	<5	<1	0.01	5.72	0.4	500	1.08	0.07	1.27	0.04	30.0	2.5	35
EMI2-900W/1150S	0.38	<1	<5	<1	0.03	5.57	1.1	490	0.97	0.16	1.27	0.04	28.5	3.2	40
EMI2-1000W/250S	0.46	<1	<5	<1	0.06	6.03	0.4	540	1.09	0.05	1.40	0.04	32.3	2.9	39
EMI2-1000W/300S	0.38	<1	<5	<1	0.03	6.77	1.8	520	1.55	0.08	1.70	0.06	59.7	4.9	42
EMI2-1000W/350S	0.40	<1	<5	<1	0.03	7.33	2.3	460	1.31	0.10	1.49	0.05	49.7	4.0	41
EMI2-1000W/400S	0.44	10	<5	<1	0.03	6.80	2.1	460	1.37	0.08	1.58	0.09	53.8	4.7	43
EMI2-1000W/450S	0.38	<1	<5	<1	0.02	7.30	2.7	430	1.38	0.10	1.70	0.07	45.2	5.6	51
EMI2-1000W/500S	0.32	<1	<5	<1	0.05	6.31	0.8	510	1.10	0.07	1.45	0.07	35.9	3.1	35
EMI2-1000W/550S	0.44	<1	<5	<1	0.01	6.57	1.1	490	1.26	0.06	1.74	0.05	46.6	3.9	30
EMI2-1000W/600S	0.50	<1	<5	<1	0.03	6.77	1.5	490	1.16	0.07	1.61	0.08	41.6	5.5	45
EMI2-1000W/650S	0.50	<1	<5	<1	0.02	6.62	0.3	540	1.27	0.08	1.75	0.04	33.9	3.7	28
EMI2-1000W/700S	0.50	<1	<5	<1	<0.01	6.29	1.0	520	1.14	0.05	1.62	0.06	46.8	4.3	31
EMI2-1100W/150S	0.46	<1	<5	<1	0.01	6.87	3.0	500	1.10	0.10	1.74	0.07	69.4	5.3	44
EMI2-1100W/200S	0.60	13	<5	<1	0.01	6.23	2.2	530	1.00	0.15	1.58	0.06	61.6	4.3	46
EMI2-1100W/250S	0.78	<1	<5	<1	0.06	7.47	6.3	510	1.15	0.26	2.18	0.10	71.6	12.6	75
EMI2-1100W/350S	0.46	<1	<5	<1	0.01	6.78	1.6	500	1.19	0.09	1.51	0.05	34.7	3.8	33
EMI2-1100W/400S	0.46	6	<5	1	<0.01	6.48	1.6	510	1.12	0.11	1.56	0.05	47.6	3.8	42
EMI2-1100W/450S	0.70	1	<5	1	0.03	7.10	3.5	440	1.17	0.13	2.02	0.08	86.3	8.7	64
EMI2-1100W/500S	0.42	<1	<5	<1	0.04	7.69	2.8	420	1.35	0.14	1.67	0.07	68.4	6.2	62
EMI2-1100W/550S	0.46	<1	<5	<1	<0.01	6.95	1.2	470	1.14	0.11	1.89	0.07	47.4	5.3	51
EMI2-1100W/600S	0.48	<1	<5	<1	<0.01	6.49	1.1	550	1.36	0.07	1.85	0.04	57.2	4.5	31
EMI2-1100W/650S	0.60	<1	<5	<1	0.02	6.50	1.4	510	1.25	0.06	1.68	0.07	42.0	4.8	40
EMI2-1100W/700S	0.48	<1	<5	<1	<0.01	5.68	0.6	530	1.03	0.05	1.24	0.06	26.4	2.2	24
EMI2-1100W/750S	0.50	<1	<5	<1	0.03	6.47	0.9	520	1.28	0.06	1.51	0.08	40.1	3.4	30
EMI2-1100W/1100S	0.46	<1	<5	<1	0.05	6.75	1.7	530	1.22	0.03	1.52	0.06	35.7	3.1	29
EMI2-1100W/1150S	0.58	<1	<5	<1	0.04	6.23	0.8	550	1.15	0.03	1.72	0.07	39.1	3.7	27
EMI2-1200W/150S	0.50	1	<5	<1	0.06	6.42	1.3	500	1.23	0.05	1.62	0.07	51.4	3.6	29
EMI2-1200W/200S	0.30	<1	<5	<1	0.05	6.41	0.6	500	1.21	0.05	1.66	0.09	37.1	3.3	22
EMI2-1200W/350S	0.40	<1	<5	<1	0.04	6.56	1.5	550	1.30	0.07	1.45	0.06	39.5	3.2	36

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 27-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108069

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units LOR	ppm 0.05	ppm 0.2	% 0.01	ppm 0.05	ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1
EM12-800W/1000S		0.63	3.6	1.70	13.65	0.07	4.8	0.023	1.38	13.9	5.8	0.36	273	0.30	2.52	5.8
EM12-900W/150S		1.15	4.2	2.87	18.10	0.09	4.9	0.027	1.20	18.4	9.5	0.45	412	0.50	2.33	6.6
EM12-900W/200S		0.99	1.7	2.08	17.25	0.06	3.3	0.022	1.42	13.4	5.8	0.36	323	0.28	2.46	5.8
EM12-900W/350S		0.99	3.9	2.83	18.90	0.11	3.6	0.030	1.29	31.7	9.0	0.47	408	0.56	2.34	8.3
EM12-900W/400S		0.79	2.9	1.96	15.90	0.07	3.8	0.022	1.34	13.4	7.1	0.35	299	0.33	2.45	5.8
EM12-900W/450S		0.82	4.5	2.69	16.70	0.11	3.8	0.024	1.35	20.7	7.9	0.42	388	0.43	2.39	7.3
EM12-900W/500S		0.69	3.0	2.03	14.95	0.11	5.4	0.023	1.40	21.8	6.7	0.40	323	0.31	2.55	6.0
EM12-900W/550S		0.71	2.9	3.01	16.10	0.15	6.2	0.027	1.32	34.4	7.1	0.49	516	0.59	2.41	9.0
EM12-900W/900S		0.76	1.1	2.02	18.35	0.09	6.1	0.024	1.48	17.1	4.0	0.28	261	0.34	2.23	6.6
EM12-900W/950S		0.66	5.7	1.93	14.90	0.09	5.3	0.024	1.36	17.2	5.8	0.38	313	0.33	2.47	6.2
EM12-900W/1050S		0.66	5.3	1.97	17.15	0.08	4.8	0.025	1.36	16.6	5.2	0.32	259	0.37	2.31	6.2
EM12-900W/1100S		0.67	2.7	1.81	16.25	0.08	6.3	0.017	1.35	14.7	3.9	0.25	233	0.32	2.13	5.7
EM12-900W/1150S		0.85	2.9	2.12	18.70	0.09	6.6	0.020	1.34	14.2	4.4	0.31	253	0.50	1.91	8.0
EM12-1000W/250S		1.35	2.4	2.05	16.20	0.09	6.5	0.017	1.56	16.6	4.8	0.27	326	0.36	2.29	5.1
EM12-1000W/300S		0.72	3.8	2.23	15.90	0.12	6.9	0.026	1.49	26.5	8.2	0.45	351	0.34	2.58	6.9
EM12-1000W/350S		0.83	3.3	2.79	17.80	0.10	4.6	0.026	1.31	23.0	7.1	0.37	346	0.56	2.30	8.1
EM12-1000W/400S		0.75	2.9	2.55	15.55	0.11	6.1	0.024	1.38	24.5	7.6	0.41	397	0.45	2.36	7.6
EM12-1000W/450S		0.81	3.9	3.32	17.10	0.12	3.4	0.028	1.25	19.8	8.6	0.48	487	0.50	2.43	9.3
EM12-1000W/500S		0.83	2.1	1.79	16.90	0.07	5.5	0.020	1.44	17.1	5.0	0.30	307	0.31	2.41	5.3
EM12-1000W/550S		0.72	3.5	1.62	15.35	0.11	3.7	0.020	1.45	20.7	7.4	0.39	327	0.55	2.66	6.0
EM12-1000W/600S		0.83	12.3	2.17	15.25	0.10	5.7	0.025	1.40	17.0	7.3	0.46	310	0.35	2.51	6.3
EM12-1000W/650S		0.74	1.4	1.11	16.35	0.08	5.1	0.018	1.58	15.3	6.3	0.39	320	0.29	2.76	6.2
EM12-1000W/700S		0.64	3.4	1.67	15.20	0.11	5.8	0.021	1.48	20.8	7.0	0.40	286	1.05	2.61	5.9
EM12-1100W/150S		0.89	8.0	2.54	16.05	0.13	5.0	0.026	1.45	32.6	7.9	0.43	397	0.60	2.62	6.8
EM12-1100W/200S		0.98	1.0	2.69	19.15	0.15	11.5	0.036	1.56	30.0	7.2	0.37	411	0.40	2.32	6.9
EM12-1100W/250S		1.78	33.4	3.91	19.30	0.16	4.2	0.036	1.50	34.2	21.3	0.93	581	1.26	2.77	8.0
EM12-1100W/350S		0.87	1.1	1.79	17.75	0.09	5.8	0.024	1.47	15.8	7.3	0.35	321	0.37	2.55	7.0
EM12-1100W/400S		0.87	1.0	2.61	19.70	0.11	7.2	0.026	1.46	23.0	6.1	0.35	389	0.43	2.44	7.4
EM12-1100W/450S		1.25	16.6	3.91	16.95	0.17	4.3	0.033	1.26	42.9	16.3	0.71	587	0.96	2.53	9.8
EM12-1100W/500S		1.13	5.4	3.87	20.1	0.16	5.9	0.034	1.17	33.3	10.0	0.52	503	0.72	2.34	9.0
EM12-1100W/550S		1.09	1.7	3.29	20.0	0.13	5.8	0.027	1.33	23.3	6.7	0.51	512	0.47	2.62	8.6
EM12-1100W/600S		0.79	3.1	1.36	17.05	0.13	6.8	0.023	1.61	26.4	7.8	0.45	373	0.54	2.74	7.3
EM12-1100W/650S		0.72	5.9	1.93	15.30	0.10	4.9	0.020	1.47	17.4	6.5	0.41	320	0.33	2.62	6.2
EM12-1100W/700S		0.63	0.6	1.17	14.90	0.08	5.3	0.012	1.51	12.8	4.5	0.21	204	0.27	2.24	4.9
EM12-1100W/750S		0.72	1.2	1.41	16.55	0.09	5.1	0.027	1.47	16.9	6.1	0.34	276	0.36	2.53	7.0
EM12-1100W/1100S		0.62	3.0	1.80	13.80	0.11	3.6	0.022	1.40	16.1	5.1	0.33	226	1.97	2.48	4.8
EM12-1100W/1150S		0.68	3.3	1.65	13.60	0.14	4.0	0.018	1.46	17.3	6.1	0.41	268	2.25	2.65	4.8
EM12-1200W/150S		0.78	4.1	2.16	14.05	0.14	2.3	0.022	1.40	22.5	6.1	0.36	365	0.52	2.57	5.6
EM12-1200W/200S		0.76	5.4	1.19	13.85	0.13	1.8	0.020	1.43	15.4	6.3	0.36	319	0.40	2.65	5.0
EM12-1200W/350S		0.95	2.2	2.44	15.90	0.14	6.9	0.020	1.57	18.5	4.8	0.32	337	0.69	2.32	5.4

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C

Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108069

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units LOR	ppm 0.2	ppm 10	ppm 0.5	ppm 0.1	ppm 0.002	% 0.01	ppm 0.05	ppm 0.1	ppm 1	ppm 0.2	ppm 0.2	ppm 0.05	ppm 0.05	ppm 0.2	% 0.005
EMI2-800W/1000S		10.9	320	13.8	48.9	<0.002	0.01	0.08	6.1	2	0.9	357	0.36	<0.05	4.1	0.186
EMI2-900W/150S		12.8	300	13.4	46.1	<0.002	0.01	0.08	8.1	2	1.1	315	0.44	<0.05	7.4	0.302
EMI2-900W/200S		9.3	310	14.3	54.6	<0.002	0.01	0.05	6.4	2	1.0	353	0.41	<0.05	3.4	0.209
EMI2-900W/350S		11.9	530	15.4	50.4	<0.002	0.02	0.08	8.1	2	1.4	330	0.52	<0.05	12.0	0.285
EMI2-900W/400S		10.3	330	13.9	50.4	<0.002	0.01	0.05	6.2	2	1.1	344	0.34	<0.05	4.3	0.194
EMI2-900W/450S		11.5	550	14.8	48.8	<0.002	0.02	0.05	7.7	2	1.4	339	0.44	<0.05	7.2	0.250
EMI2-900W/500S		11.2	490	13.6	50.8	<0.002	0.01	0.05	6.8	2	0.9	356	0.38	<0.05	7.4	0.213
EMI2-900W/550S		13.3	570	14.0	49.7	<0.002	0.01	0.05	9.1	2	1.1	351	0.56	<0.05	13.6	0.289
EMI2-900W/900S		7.1	310	17.1	52.7	<0.002	0.01	0.05	5.3	2	1.6	327	0.43	<0.05	7.1	0.256
EMI2-900W/950S		11.8	410	13.6	50.0	<0.002	0.01	0.07	6.7	2	1.4	352	0.39	<0.05	4.8	0.198
EMI2-900W/1050S		8.8	290	15.1	48.9	<0.002	0.02	0.05	6.5	2	1.1	326	0.48	<0.05	5.5	0.204
EMI2-900W/1100S		6.8	230	14.0	50.2	<0.002	0.01	0.06	5.0	2	1.0	313	0.36	<0.05	5.7	0.213
EMI2-900W/1150S		9.1	470	18.1	49.7	<0.002	0.01	0.07	5.5	2	1.5	287	0.53	<0.05	4.6	0.342
EMI2-1000W/250S		7.0	170	13.0	61.3	<0.002	0.01	0.05	5.5	1	0.9	325	0.46	<0.05	7.6	0.233
EMI2-1000W/300S		11.7	380	15.1	54.2	<0.002	0.01	0.05	7.9	1	1.0	368	0.43	<0.05	10.3	0.232
EMI2-1000W/350S		9.6	610	16.5	48.7	<0.002	0.02	0.06	7.1	2	1.1	329	0.52	<0.05	10.6	0.257
EMI2-1000W/400S		10.6	450	15.1	51.5	<0.002	0.01	<0.05	8.0	2	1.0	334	0.49	<0.05	10.5	0.235
EMI2-1000W/450S		13.6	530	14.4	47.7	<0.002	0.02	0.05	9.3	2	1.2	348	0.57	<0.05	6.5	0.279
EMI2-1000W/500S		8.9	210	15.3	53.0	<0.002	0.01	0.05	6.0	1	1.0	335	0.34	<0.05	8.3	0.214
EMI2-1000W/550S		9.6	480	13.8	53.8	<0.002	0.01	<0.05	6.6	2	1.0	378	0.37	<0.05	7.9	0.191
EMI2-1000W/600S		15.9	360	14.4	50.0	<0.002	0.01	0.07	7.3	2	1.2	347	0.41	<0.05	6.3	0.215
EMI2-1000W/650S		9.3	410	14.5	58.3	<0.002	0.01	<0.05	6.9	2	1.1	386	0.39	<0.05	4.5	0.201
EMI2-1000W/700S		10.6	360	13.7	53.0	<0.002	0.01	<0.05	6.6	2	1.1	372	0.37	<0.05	4.1	0.200
EMI2-1100W/150S		11.9	480	15.1	52.3	<0.002	0.01	0.05	7.1	2	1.2	375	0.42	<0.05	12.0	0.247
EMI2-1100W/200S		10.6	180	17.4	62.1	<0.002	0.01	0.05	7.9	10	1.1	336	0.48	0.66	15.0	0.275
EMI2-1100W/250S		31.0	650	17.5	60.0	<0.002	0.01	0.11	11.0	4	1.2	381	0.54	0.19	11.7	0.318
EMI2-1100W/350S		10.0	280	15.5	55.1	<0.002	0.01	<0.05	6.9	4	1.0	359	0.66	0.12	6.0	0.233
EMI2-1100W/400S		9.5	220	15.9	56.2	<0.002	0.01	0.05	7.4	5	1.1	343	0.75	0.24	11.1	0.291
EMI2-1100W/450S		20.7	630	15.1	48.0	<0.002	0.01	0.08	10.5	3	1.2	364	0.66	<0.05	14.7	0.323
EMI2-1100W/500S		14.4	690	15.7	46.0	<0.002	0.02	0.08	9.5	2	1.2	316	0.63	<0.05	15.2	0.334
EMI2-1100W/550S		12.8	360	14.0	53.7	<0.002	0.01	0.05	8.7	3	1.2	360	0.56	0.06	9.4	0.334
EMI2-1100W/600S		10.7	480	15.6	59.8	<0.002	<0.01	<0.05	8.1	4	1.0	383	0.44	0.14	7.8	0.246
EMI2-1100W/650S		12.5	430	14.1	52.4	<0.002	0.01	<0.05	7.1	2	0.8	365	0.38	<0.05	4.2	0.205
EMI2-1100W/700S		5.5	220	14.2	53.1	<0.002	<0.01	<0.05	4.1	2	0.7	319	0.30	<0.05	4.5	0.177
EMI2-1100W/750S		8.3	390	14.9	54.2	<0.002	0.02	<0.05	6.8	2	0.9	351	0.59	<0.05	5.9	0.216
EMI2-1100W/1100S		10.5	430	12.7	44.0	<0.002	0.01	0.51	5.3	1	0.7	344	0.32	<0.05	3.2	0.167
EMI2-1100W/1150S		12.7	530	13.5	45.3	<0.002	<0.01	0.66	5.4	1	0.7	366	0.35	<0.05	4.0	0.182
EMI2-1200W/150S		10.8	200	14.1	47.3	<0.002	<0.01	0.16	6.2	1	0.8	358	0.38	<0.05	8.6	0.184
EMI2-1200W/200S		9.6	340	13.4	47.5	<0.002	0.01	0.13	5.8	1	0.8	368	0.33	<0.05	3.5	0.175
EMI2-1200W/350S		9.2	210	15.3	50.6	<0.002	0.01	0.18	5.6	1	1.0	331	0.39	<0.05	7.2	0.256

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 27-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108069

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61	
	Analyte	Ti	U	V	W	Y	Zn	Zr	
	Units LOR	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMI2-800W/1000S		0.23	0.9	32	0.3	10.2	23	152.5	40
EMI2-900W/150S		0.24	1.0	58	0.5	9.8	29	155.5	40
EMI2-900W/200S		0.25	0.7	41	0.4	9.3	22	107.5	30
EMI2-900W/350S		0.25	1.0	56	0.5	11.9	28	108.0	40
EMI2-900W/400S		0.24	0.7	38	0.3	9.9	21	123.0	40
EMI2-900W/450S		0.23	1.0	51	0.5	12.7	25	123.5	40
EMI2-900W/500S		0.23	1.1	40	0.3	13.3	22	174.0	40
EMI2-900W/550S		0.22	1.5	58	0.5	18.5	28	173.0	50
EMI2-900W/900S		0.26	0.9	49	0.4	8.0	15	191.0	50
EMI2-900W/950S		0.23	0.9	37	0.3	12.2	23	165.0	60
EMI2-900W/1050S		0.23	1.0	40	0.3	10.0	17	152.0	50
EMI2-900W/1100S		0.25	0.9	37	0.3	7.4	13	197.0	50
EMI2-900W/1150S		0.25	1.0	57	0.5	7.1	16	205	60
EMI2-1000W/250S		0.31	1.1	42	0.4	7.5	16	203	60
EMI2-1000W/300S		0.27	1.3	44	0.4	13.3	29	208	50
EMI2-1000W/350S		0.24	1.0	53	0.6	12.1	23	141.5	60
EMI2-1000W/400S		0.25	1.2	48	0.5	13.5	23	189.5	70
EMI2-1000W/450S		0.22	0.9	58	0.5	15.9	30	109.0	60
EMI2-1000W/500S		0.26	1.1	37	0.3	8.5	18	171.5	70
EMI2-1000W/550S		0.25	1.2	32	0.3	14.6	21	112.0	70
EMI2-1000W/600S		0.24	1.0	42	0.5	10.9	27	176.0	70
EMI2-1000W/650S		0.29	0.9	24	0.2	12.2	21	160.5	70
EMI2-1000W/700S		0.25	2.4	34	0.5	13.2	22	183.0	70
EMI2-1100W/150S		0.26	1.4	49	0.5	14.0	27	162.5	70
EMI2-1100W/200S		0.33	2.0	53	0.5	13.6	22	301	80
EMI2-1100W/250S		0.30	1.6	77	0.6	18.7	57	131.5	80
EMI2-1100W/350S		0.27	1.0	37	0.4	10.9	19	181.0	80
EMI2-1100W/400S		0.29	1.3	57	0.6	11.0	21	215	80
EMI2-1100W/450S		0.24	1.7	71	0.6	19.8	42	128.0	80
EMI2-1100W/500S		0.23	1.6	73	0.6	15.2	34	181.5	90
EMI2-1100W/550S		0.27	1.0	67	0.4	12.9	28	173.0	90
EMI2-1100W/600S		0.29	1.2	33	0.5	16.1	24	209	100
EMI2-1100W/650S		0.25	0.9	39	0.4	13.5	22	150.0	90
EMI2-1100W/700S		0.26	0.8	27	0.3	6.7	13	169.0	90
EMI2-1100W/750S		0.26	0.9	31	0.4	11.4	18	159.5	80
EMI2-1100W/1100S		0.27	1.0	33	0.3	9.8	18	125.5	<10
EMI2-1100W/1150S		0.27	1.0	31	0.3	10.7	23	139.5	<10
EMI2-1200W/150S		0.26	1.0	38	0.3	11.4	20	80.9	<10
EMI2-1200W/200S		0.26	0.7	25	0.3	9.6	19	64.6	<10
EMI2-1200W/350S		0.28	1.4	50	0.7	7.6	17	241	<10

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108069

Sample Description	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	
EMI2-1200W/400S	0.38	11	<5	<1	0.05	6.82	1.1	560	1.21	0.07	1.44	0.07	38.0	3.7	34	
EMI2-1200W/450S	0.42	<1	<5	<1	0.05	6.54	1.9	520	1.16	0.09	1.53	0.06	27.2	3.3	29	
EMI2-1200W/500S	0.38	<1	<5	<1	0.05	6.75	2.1	540	1.24	0.05	1.79	0.08	55.5	4.2	34	
EMI2-1200W/550S	0.34	1	<5	<1	0.03	7.36	1.6	530	1.34	0.05	1.48	0.07	35.5	3.5	35	
EMI2-1200W/600S	0.48	1	<5	<1	0.04	6.68	0.9	590	1.35	0.05	1.57	0.08	48.7	5.3	35	
EMI2-1200W/650S	0.42	<1	<5	<1	0.03	6.55	0.9	570	1.37	0.06	1.76	0.05	65.0	4.1	25	
EMI2-1200W/700S	0.36	<1	<5	<1	0.03	6.20	<0.2	570	1.17	0.04	1.61	0.05	43.3	3.5	29	
EMI2-1200W/850S	0.38	<1	<5	<1	0.04	6.64	2.1	560	1.18	0.04	1.63	0.05	62.6	3.5	24	
EMI2-1200W/900S	0.52	<1	<5	<1	0.02	6.53	0.3	500	1.16	0.03	1.59	0.06	41.7	3.2	27	
EMI2-1200W/950S	0.50	<1	<5	<1	0.03	6.62	0.6	530	1.16	0.03	1.70	0.05	41.8	3.5	27	
EMI2-1200W/1000S	0.46	<1	<5	<1	0.04	6.49	6.4	540	1.32	0.03	1.77	0.07	71.8	5.5	42	
EMI2-1200W/1050S	0.40	<1	<5	<1	0.02	6.54	<0.2	530	1.25	0.05	1.87	0.08	53.1	3.4	26	
EMI2-1200W/1150S	Not Recvd															
EMI2-1300W/150S	0.46	<1	<5	<1	0.07	6.51	0.5	500	1.16	0.06	1.66	0.10	62.8	3.9	38	
EMI2-1300W/200S	0.52	<1	<5	<1	0.06	6.88	1.1	570	1.33	0.06	1.79	0.07	40.0	3.8	25	
EMI2-1300W/250S	0.58	<1	<5	<1	0.06	6.47	0.6	530	1.20	0.05	1.62	0.08	53.1	3.8	29	
EMI2-1300W/300S	0.42	<1	<5	<1	0.03	7.09	0.2	540	1.17	0.04	1.79	0.06	23.9	3.8	31	
EMI2-1300W/400S	0.50	<1	<5	<1	0.05	7.03	1.0	510	1.43	0.07	1.57	0.09	39.5	3.9	34	
EMI2-1300W/450S	0.40	<1	<5	<1	0.14	7.74	10.4	390	1.11	0.27	2.08	0.11	30.4	8.8	66	
EMI2-1300W/500S	0.56	<1	5	<1	0.06	7.14	3.1	470	1.33	0.20	1.85	0.10	46.3	7.0	49	
EMI2-1300W/550S	0.46	<1	<5	<1	0.04	6.94	1.3	530	1.29	0.06	1.44	0.07	32.9	3.5	30	
EMI2-1300W/600S	0.46	2	<5	<1	0.03	6.60	0.8	550	1.28	0.04	1.60	0.07	41.7	4.0	26	
EMI2-1300W/650S	0.42	<1	<5	<1	0.04	6.61	1.4	570	1.38	0.05	1.73	0.06	88.8	3.7	29	
EMI2-1300W/750S	0.50	<1	<5	<1	0.04	6.69	<0.2	580	1.45	0.04	1.82	0.06	46.2	3.5	22	
EMI2-1300W/900S	0.48	<1	<5	<1	0.02	6.39	<0.2	570	1.23	0.04	1.62	0.05	37.7	3.6	23	
EMI2-1300W/950S	0.58	<1	<5	<1	0.01	6.41	<0.2	550	1.28	0.03	1.61	0.05	38.5	3.2	29	
EMI2-1300W/1000S	0.32	<1	<5	<1	0.02	6.38	0.4	540	1.17	0.03	1.51	0.05	34.7	2.7	25	
EMI2-1300W/1150S	0.32	1	<5	<1	<0.01	5.72	0.3	560	1.02	0.06	1.22	0.04	18.30	1.9	19	
EMI-1500E/1000S	0.40	3	<5	<1	0.01	6.18	1.2	460	1.26	0.08	1.67	0.07	56.0	3.9	45	
EMI-1500E/1050S	0.30	<1	<5	<1	0.03	6.45	1.1	490	1.30	0.08	1.57	0.06	43.2	3.8	42	
EMI-1500E/1100S	0.36	<1	<5	1	0.03	6.47	1.1	490	1.33	0.09	1.62	0.07	57.5	4.2	45	
EMI-1500E/1150S	0.42	<1	<5	<1	0.01	6.71	0.6	550	1.18	0.07	1.90	0.08	59.1	4.5	42	
EMI-1500E/1200S	0.40	<1	<5	<1	0.02	6.20	0.9	510	1.29	0.08	1.71	0.06	50.9	3.9	37	
EMI-1500E/1300S	0.36	<1	<5	<1	0.28	6.45	6.4	530	1.47	0.11	1.78	0.09	54.4	4.9	33	
EMI-1500E/1350S	0.30	1	<5	<1	0.22	6.30	1.2	500	1.52	0.09	1.70	0.07	57.0	4.5	35	
EMI-1500E/1400S	0.30	<1	<5	<1	0.07	6.35	1.1	500	1.43	0.07	1.64	0.06	47.0	4.4	33	
EMI-1500E/1450S	0.38	1	<5	<1	0.05	6.24	0.9	500	1.46	0.07	1.64	0.05	51.2	4.3	32	
EMI-1500E/1500S	0.34	<1	<5	<1	0.04	6.27	1.1	480	1.41	0.07	1.62	0.06	47.0	4.2	36	
EMI-1100E/1100S	0.46	1	<5	<1	0.04	6.71	1.5	490	1.61	0.07	1.57	0.07	49.0	4.5	41	
EMI-1100E/1200S	0.70	<1	<5	<1	0.02	6.35	1.2	700	1.70	0.06	1.71	0.05	56.6	4.8	35	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108069

Sample Description	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	
	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	
	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	
EMI2-1200W/400S	0.84	3.2	2.40	16.90	0.13	6.0	0.024	1.54	17.6	5.5	0.36	319	0.44	2.37	5.9	
EMI2-1200W/450S	0.92	1.9	2.14	17.35	0.13	3.4	0.022	1.50	12.2	5.5	0.35	324	0.46	2.46	5.5	
EMI2-1200W/500S	0.71	3.6	2.17	14.40	0.16	4.4	0.022	1.56	24.1	6.8	0.43	371	0.51	2.72	8.1	
EMI2-1200W/550S	0.77	2.4	2.36	16.95	0.14	4.0	0.026	1.46	15.4	5.6	0.37	273	0.59	2.44	6.5	
EMI2-1200W/600S	0.83	6.9	2.05	14.80	0.15	5.3	0.024	1.60	20.0	7.4	0.44	295	0.40	2.60	5.8	
EMI2-1200W/650S	0.75	4.0	1.66	14.35	0.18	4.8	0.021	1.65	24.8	6.4	0.43	328	0.65	2.71	5.9	
EMI2-1200W/700S	0.71	5.8	1.08	14.10	0.14	4.7	0.018	1.60	18.9	5.7	0.40	274	0.27	2.65	5.1	
EMI2-1200W/850S	0.85	4.5	1.15	15.00	0.19	4.2	0.022	1.59	25.8	5.8	0.37	271	0.53	2.68	5.0	
EMI2-1200W/900S	0.61	2.0	1.81	13.30	0.15	4.0	0.021	1.41	17.9	4.7	0.33	282	0.32	2.49	5.2	
EMI2-1200W/950S	0.66	2.5	1.81	13.80	0.15	4.1	0.018	1.50	18.5	5.0	0.37	281	0.32	2.64	5.1	
EMI2-1200W/1000S	0.66	4.8	3.14	14.05	0.21	4.6	0.022	1.46	31.7	5.7	0.38	307	3.49	2.67	5.9	
EMI2-1200W/1050S	0.60	1.1	1.28	14.90	0.16	6.7	0.024	1.47	23.4	4.2	0.40	408	0.49	2.78	7.2	
EMI2-1200W/1150S																
EMI2-1300W/150S	0.74	2.7	2.61	15.20	0.18	4.0	0.024	1.43	28.9	4.4	0.38	403	0.31	2.62	6.6	
EMI2-1300W/200S	0.81	3.9	1.74	15.00	0.13	3.9	0.019	1.68	16.5	6.2	0.38	309	0.35	2.84	5.4	
EMI2-1300W/250S	0.68	2.8	2.10	14.50	0.16	4.0	0.022	1.51	24.2	4.7	0.35	353	0.38	2.65	6.0	
EMI2-1300W/300S	0.96	1.2	2.37	17.30	0.12	4.0	0.024	1.57	11.6	5.0	0.39	420	0.39	2.87	5.8	
EMI2-1300W/400S	0.80	2.8	2.52	15.80	0.14	3.9	0.025	1.45	16.8	6.3	0.37	353	0.36	2.57	6.7	
EMI2-1300W/450S	1.38	6.6	4.13	24.7	0.15	3.7	0.036	1.01	14.0	10.7	0.84	552	2.11	2.47	8.4	
EMI2-1300W/500S	1.35	10.4	3.22	15.60	0.16	2.3	0.033	1.35	19.9	12.7	0.64	501	0.61	2.67	7.1	
EMI2-1300W/550S	0.74	3.7	1.96	14.60	0.12	4.3	0.023	1.49	13.0	5.6	0.33	257	0.39	2.53	5.3	
EMI2-1300W/600S	0.72	2.9	1.72	14.00	0.14	4.4	0.020	1.59	16.4	6.0	0.37	277	0.26	2.68	6.2	
EMI2-1300W/650S	0.77	6.1	1.82	15.50	0.22	5.5	0.024	1.60	49.1	5.8	0.39	322	1.13	2.79	7.2	
EMI2-1300W/750S	0.74	2.3	1.13	15.20	0.13	5.1	0.019	1.63	19.6	8.2	0.39	307	0.59	2.83	6.1	
EMI2-1300W/900S	0.79	3.6	1.06	14.65	0.12	4.0	0.021	1.61	16.9	6.2	0.38	266	0.27	2.69	5.2	
EMI2-1300W/950S	0.66	1.2	1.07	14.35	0.12	4.3	0.022	1.55	17.4	5.0	0.37	269	0.20	2.65	5.2	
EMI2-1300W/1000S	0.65	1.3	0.95	13.70	0.12	3.8	0.019	1.51	15.2	4.9	0.31	242	0.15	2.56	4.6	
EMI2-1300W/1150S	0.66	0.6	1.39	14.75	0.10	5.0	0.013	1.56	8.9	3.3	0.19	237	0.34	2.35	4.4	
EMI-1500E/1000S	0.67	2.5	2.37	14.30	0.12	5.8	0.021	1.39	25.3	5.5	0.41	375	0.41	2.30	7.1	
EMI-1500E/1050S	0.69	3.9	2.08	15.35	0.13	6.2	0.023	1.44	19.0	5.6	0.39	310	0.42	2.39	6.8	
EMI-1500E/1100S	0.66	8.3	2.40	15.40	0.16	7.4	0.024	1.42	24.2	6.2	0.41	346	0.41	2.37	7.0	
EMI-1500E/1150S	0.73	2.9	2.20	16.10	0.18	7.7	0.022	1.63	25.9	6.5	0.46	370	0.44	2.71	7.2	
EMI-1500E/1200S	0.75	5.8	1.86	14.85	0.18	6.3	0.021	1.50	24.0	6.6	0.43	331	0.47	2.48	6.0	
EMI-1500E/1300S	0.89	25.8	1.79	16.20	0.11	4.8	0.025	1.56	26.8	7.8	0.40	314	0.98	2.75	6.8	
EMI-1500E/1350S	0.94	20.7	1.97	15.70	0.10	5.7	0.024	1.49	26.3	6.3	0.40	322	0.44	2.60	7.0	
EMI-1500E/1400S	0.78	6.6	1.93	15.40	0.10	4.5	0.022	1.48	22.2	6.0	0.38	294	0.37	2.58	6.5	
EMI-1500E/1450S	0.81	4.4	1.78	15.80	0.10	5.0	0.020	1.48	23.6	6.2	0.38	291	0.41	2.59	6.8	
EMI-1500E/1500S	0.73	3.9	2.05	15.85	0.10	5.7	0.022	1.42	22.7	5.8	0.38	297	0.43	2.46	6.8	
EMI-1100E/1100S	0.83	5.3	2.37	16.50	0.12	6.4	0.023	1.44	23.6	6.9	0.41	312	0.45	2.45	8.5	
EMI-1100E/1200S	0.83	4.0	2.00	16.15	0.13	5.3	0.020	1.54	27.0	7.4	0.42	310	0.38	2.63	6.9	

Comments: B results from ME-MS61 are semi-quantitative



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C

Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108069

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	
EM12-1200W/400S	10.7	340	14.4	50.2	<0.002	0.01	0.14	5.9	1	1.0	330	0.42	<0.05	5.0	0.249	
EM12-1200W/450S	9.8	240	14.4	50.6	<0.002	0.01	0.14	5.8	1	1.0	334	0.39	<0.05	4.3	0.237	
EM12-1200W/500S	11.7	480	14.0	50.7	<0.002	<0.01	0.13	6.7	1	0.9	377	0.42	<0.05	7.2	0.211	
EM12-1200W/550S	12.3	880	15.1	45.6	<0.002	0.01	0.14	5.8	1	0.9	340	0.43	<0.05	4.0	0.223	
EM12-1200W/600S	16.7	470	14.0	50.7	<0.002	0.01	0.14	6.6	1	0.9	365	0.41	<0.05	5.3	0.212	
EM12-1200W/650S	11.3	550	13.8	54.3	<0.002	<0.01	0.10	6.3	1	0.8	376	0.41	<0.05	5.6	0.205	
EM12-1200W/700S	13.3	360	13.0	49.9	<0.002	0.01	0.09	5.7	1	0.8	366	0.34	<0.05	4.0	0.195	
EM12-1200W/850S	10.1	470	13.1	52.6	<0.002	0.01	0.11	6.3	1	0.8	374	0.38	<0.05	3.9	0.183	
EM12-1200W/900S	9.0	480	12.2	44.5	<0.002	0.01	0.09	5.8	1	0.7	350	0.37	<0.05	6.2	0.182	
EM12-1200W/950S	10.2	540	12.6	47.7	<0.002	0.01	0.08	5.6	1	0.7	371	0.33	<0.05	4.5	0.186	
EM12-1200W/1000S	11.1	550	12.5	48.4	0.002	0.17	0.08	6.2	1	0.8	379	0.38	<0.05	5.3	0.201	
EM12-1200W/1050S	9.5	360	13.6	47.3	<0.002	0.01	0.08	7.2	1	1.0	403	0.51	<0.05	7.9	0.270	
EM12-1200W/1150S																
EM12-1300W/150S	11.2	230	14.7	47.2	<0.002	0.01	0.10	6.7	1	0.9	364	0.49	<0.05	10.5	0.237	
EM12-1300W/200S	10.5	390	14.8	56.3	<0.002	<0.01	0.09	5.9	1	0.8	393	0.37	<0.05	4.3	0.179	
EM12-1300W/250S	10.0	280	14.0	49.4	<0.002	0.01	0.09	6.1	1	0.8	368	0.39	<0.05	6.8	0.213	
EM12-1300W/300S	11.1	90	11.8	53.9	<0.002	<0.01	0.11	6.6	1	0.9	379	0.41	<0.05	3.4	0.260	
EM12-1300W/400S	11.4	430	13.4	47.3	<0.002	0.01	0.08	6.3	1	1.0	356	0.55	<0.05	5.3	0.239	
EM12-1300W/450S	22.9	350	12.5	36.5	<0.002	0.02	0.16	10.8	1	1.7	322	0.62	0.05	5.6	0.477	
EM12-1300W/500S	19.7	550	12.7	46.9	<0.002	0.01	0.10	8.3	1	1.0	372	0.52	0.06	4.8	0.255	
EM12-1300W/550S	10.0	460	13.5	46.8	<0.002	0.01	0.09	5.9	1	0.8	346	0.37	<0.05	4.2	0.197	
EM12-1300W/600S	11.6	490	13.5	50.6	<0.002	<0.01	0.07	5.7	1	0.8	372	0.54	<0.05	4.6	0.189	
EM12-1300W/650S	10.8	460	13.8	52.0	0.002	<0.01	0.08	6.7	1	0.9	389	0.45	<0.05	6.1	0.229	
EM12-1300W/750S	10.7	540	13.9	53.1	<0.002	0.01	0.08	6.3	1	0.8	396	0.72	<0.05	5.1	0.196	
EM12-1300W/900S	11.3	490	13.6	52.6	<0.002	0.01	0.08	5.6	1	0.8	371	0.39	<0.05	4.0	0.180	
EM12-1300W/950S	11.9	400	13.3	50.5	<0.002	0.01	0.08	5.8	1	0.8	368	0.58	<0.05	5.3	0.181	
EM12-1300W/1000S	8.4	380	12.9	47.8	<0.002	0.01	0.07	5.1	1	0.7	358	0.33	<0.05	3.5	0.173	
EM12-1300W/1150S	6.1	90	13.5	49.2	<0.002	<0.01	0.08	3.9	1	1.0	331	0.41	<0.05	3.3	0.204	
EM1-1500E/1000S	10.8	550	13.9	49.6	<0.002	0.01	<0.05	8.0	2	0.9	314	0.43	<0.05	8.0	0.226	
EM1-1500E/1050S	10.6	530	14.6	48.9	<0.002	0.01	<0.05	7.7	2	0.9	315	0.41	<0.05	5.7	0.229	
EM1-1500E/1100S	12.2	570	14.9	49.1	<0.002	0.01	<0.05	8.1	2	0.9	318	0.42	<0.05	7.9	0.246	
EM1-1500E/1150S	12.3	570	15.0	56.0	<0.002	<0.01	<0.05	8.8	2	0.9	365	0.45	<0.05	7.3	0.244	
EM1-1500E/1200S	11.5	590	13.8	51.9	<0.002	0.01	<0.05	7.7	1	0.8	329	0.39	<0.05	6.7	0.216	
EM1-1500E/1300S	12.8	580	38.1	52.3	<0.002	0.01	0.29	6.7	2	0.9	372	0.39	<0.05	4.6	0.198	
EM1-1500E/1350S	10.3	610	33.2	57.2	<0.002	0.01	0.21	7.1	2	0.9	350	0.38	<0.05	5.9	0.205	
EM1-1500E/1400S	9.6	540	16.6	57.7	<0.002	0.01	0.08	6.6	2	0.8	348	0.37	<0.05	5.1	0.188	
EM1-1500E/1450S	9.8	500	16.7	58.6	<0.002	<0.01	0.05	6.9	2	0.9	348	0.37	<0.05	5.3	0.194	
EM1-1500E/1500S	9.6	610	17.0	55.7	<0.002	0.01	0.05	7.2	2	0.9	337	0.44	<0.05	5.8	0.198	
EM1-1100E/1100S	10.4	500	13.9	56.0	<0.002	0.01	0.06	7.7	2	0.9	332	0.47	<0.05	6.5	0.220	
EM1-1100E/1200S	11.6	600	13.9	59.4	<0.002	0.01	<0.05	7.4	2	0.9	353	0.39	<0.05	6.4	0.201	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 27-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108069

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	Tl	U	V	W	Y	Zn	Zr	B
	Units LOR	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EM12-1200W/400S		0.28	1.0	47	0.5	7.9	23	209	<10
EM12-1200W/450S		0.28	0.7	45	0.4	8.2	18	122.0	<10
EM12-1200W/500S		0.27	1.1	41	0.4	12.9	22	153.0	<10
EM12-1200W/550S		0.27	0.9	44	0.4	9.5	22	140.5	<10
EM12-1200W/600S		0.28	1.1	39	0.4	10.4	27	185.0	<10
EM12-1200W/650S		0.30	1.4	34	0.4	15.4	21	169.0	<10
EM12-1200W/700S		0.27	1.0	33	0.3	10.9	20	164.0	<10
EM12-1200W/850S		0.28	1.5	26	0.4	13.2	18	153.0	<10
EM12-1200W/900S		0.24	0.9	32	0.5	11.0	17	141.5	<10
EM12-1200W/950S		0.26	0.9	34	0.3	10.9	18	140.5	<10
EM12-1200W/1000S		0.26	1.5	96	2.0	16.0	21	159.5	<10
EM12-1200W/1050S		0.25	1.2	30	0.3	13.8	18	234	<10
EM12-1200W/1150S									
EM12-1300W/150S		0.27	1.4	49	0.3	11.6	21	141.5	<10
EM12-1300W/200S		0.30	0.9	35	0.3	11.6	19	134.5	<10
EM12-1300W/250S		0.26	0.9	39	0.3	10.0	18	144.0	<10
EM12-1300W/300S		0.30	0.7	48	0.4	6.9	19	140.5	<10
EM12-1300W/400S		0.26	0.9	47	0.5	10.7	21	136.0	<10
EM12-1300W/450S		0.22	0.9	101	1.7	10.0	43	132.0	<10
EM12-1300W/500S		0.25	0.9	58	0.5	13.5	36	80.5	<10
EM12-1300W/550S		0.26	0.9	37	0.4	8.0	20	151.5	<10
EM12-1300W/600S		0.27	1.0	33	0.3	10.4	19	153.0	<10
EM12-1300W/650S		0.29	1.6	42	0.5	23.4	20	194.5	<10
EM12-1300W/750S		0.29	1.1	26	0.3	13.1	20	170.0	10
EM12-1300W/900S		0.27	0.8	25	0.3	10.8	20	140.0	20
EM12-1300W/950S		0.27	1.0	25	0.3	10.0	18	147.0	20
EM12-1300W/1000S		0.25	0.8	26	0.3	9.2	15	135.0	20
EM12-1300W/1150S		0.27	0.8	33	0.3	4.8	10	179.0	<10
EM1-1500E/1000S		0.21	1.3	47	0.5	14.3	19	175.5	280
EM1-1500E/1050S		0.25	1.1	41	0.5	11.7	18	183.0	270
EM1-1500E/1100S		0.23	1.4	47	0.6	12.9	19	223	260
EM1-1500E/1150S		0.25	1.3	43	0.4	15.3	21	222	260
EM1-1500E/1200S		0.23	1.3	41	1.6	13.4	20	185.5	220
EM1-1500E/1300S		0.26	1.3	39	1.1	16.2	30	167.0	<10
EM1-1500E/1350S		0.24	1.0	38	0.3	15.0	24	196.0	<10
EM1-1500E/1400S		0.25	0.9	37	0.3	13.4	18	156.5	<10
EM1-1500E/1450S		0.25	0.9	35	2.3	13.8	18	171.5	<10
EM1-1500E/1500S		0.24	1.0	41	0.4	13.3	18	192.5	<10
EM1-1100E/1100S		0.24	1.1	46	0.6	13.7	19	215	<10
EM1-1100E/1200S		0.26	1.0	40	0.4	14.2	19	178.5	<10

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 27-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108069

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
EMI-1100E/1650S		0.44	<1	<5	<1	<0.01	6.25	1.2	480	1.29	0.09	1.42	0.06	47.0	3.8	33
EMI-1100E/1700S		0.50	<1	<5	<1	<0.01	5.81	0.5	2050	1.30	0.10	1.38	0.05	29.6	2.9	22
EMI-1200E/1050S		0.48	<1	<5	<1	<0.01	6.51	1.5	530	1.19	0.10	1.75	0.08	58.4	4.4	39
EMI-1200E/1100S		0.58	1	<5	<1	<0.01	6.32	1.0	1040	1.35	0.08	1.69	0.08	67.3	5.2	37
EMI-1200E/1150S		0.40	<1	<5	<1	<0.01	5.82	0.5	510	1.27	0.10	1.24	0.05	40.6	2.7	25
EMI-1200E/1200S		0.52	<1	<5	<1	<0.01	6.40	0.5	500	1.30	0.09	1.70	0.07	62.9	4.3	31
EMI-1200E/1250S		0.52	<1	<5	<1	<0.01	6.58	0.3	520	1.44	0.08	1.68	0.06	49.0	4.3	29
EMI-1000E/1250S		0.62	1	<5	<1	<0.01	6.30	0.5	540	1.31	0.08	1.66	0.06	58.6	4.6	32
EMI-1000E/1300S		0.68	<1	<5	<1	<0.01	6.41	0.6	520	1.46	0.08	1.75	0.05	52.3	4.6	32
EMI-1000E/1500S		0.46	<1	<5	<1	<0.01	6.08	0.9	490	1.22	0.07	1.44	0.04	39.7	3.5	29
EMI-1000E/1550S		0.30	1	<5	<1	<0.01	6.19	1.8	530	1.30	0.07	1.60	0.06	49.7	4.4	29
EMI-1000E/1600S		Not Recvd														
EMI-1000E/1650S		0.40	<1	<5	<1	<0.01	6.04	1.0	500	1.20	0.10	1.48	0.05	58.8	3.7	37
EMI-1000E/1700S		0.62	<1	<5	<1	<0.01	6.20	0.4	530	1.15	0.08	1.70	0.06	49.1	4.3	29
EMI-1000E/1750S		0.52	<1	<5	<1	<0.01	5.63	<0.2	560	1.06	0.10	1.27	0.05	38.0	2.4	26
EMI-1000E/1800S		0.28	<1	<5	<1	<0.01	5.71	0.3	550	1.34	0.07	1.30	0.05	31.9	2.2	21
EMI-1000E/1850S		0.42	1	<5	<1	<0.01	5.85	0.2	540	1.35	0.08	1.47	0.05	34.5	3.1	23
EMI-1000E/1900S		0.40	<1	<5	<1	<0.01	6.04	0.6	520	1.29	0.13	1.64	0.07	46.0	4.0	24
EMI-1000E/1950S		0.48	<1	<5	<1	<0.01	6.76	1.1	490	1.32	0.09	1.51	0.10	54.0	4.7	44
EMI-1000E/2000S		0.66	<1	<5	<1	<0.01	5.77	0.4	530	1.31	0.09	1.44	0.05	30.0	3.2	24
RHETL-8700N/6350E		0.38	4	<5	<1	<0.01	6.07	0.3	550	1.29	0.08	1.46	0.05	52.2	3.0	32
RHETL-8700N/6450E		0.36	<1	<5	<1	<0.01	5.73	0.2	530	1.22	0.07	1.37	0.05	58.2	2.9	25
RHETL-8700N/6500E		0.32	<1	<5	<1	<0.01	5.66	0.4	490	1.18	0.13	1.37	0.04	32.7	2.7	23
RHETL-8700N/6550E		0.34	<1	<5	<1	<0.01	5.90	0.3	520	1.19	0.06	1.44	0.06	44.1	3.2	29
RHETL-8700N/6600E		0.38	1	<5	<1	<0.01	5.54	0.2	540	1.01	0.09	1.26	0.04	33.3	2.5	23
RHETL-8700N/6650E		0.54	<1	<5	<1	<0.01	5.44	1.1	480	1.12	0.08	1.19	0.05	28.4	2.7	33
RHETL-8700N/6700E		0.48	14	<5	<1	<0.01	5.77	0.3	560	1.30	0.09	1.25	0.05	37.4	2.4	23
RHETL-8700N/6750E		0.28	<1	<5	<1	<0.01	5.75	1.0	460	1.18	0.09	1.32	0.05	34.5	3.3	30
RHETL-8700N/6800E		0.38	<1	<5	<1	<0.01	5.42	0.8	510	1.24	0.10	1.17	0.05	32.5	2.6	27
RHETL-8700N/6850E		0.46	<1	<5	<1	<0.01	6.65	2.8	530	1.38	0.13	1.62	0.04	70.5	4.3	32
RHETL-8700N/6900E		Not Recvd														
RHETL-8700N/6950E		0.30	<1	<5	<1	0.04	5.57	1.1	570	1.06	0.08	1.18	0.06	27.7	2.0	25
RHETL-8700N/7000E		0.38	<1	<5	<1	0.06	5.66	1.7	520	1.06	0.08	1.27	0.09	30.1	3.5	33
RHETL-8700N/5600E		0.36	<1	<5	<1	0.08	5.22	1.4	470	1.01	0.08	1.02	0.06	26.1	2.1	27

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B

Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108069

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
EMI-1100E/1650S		0.78	7.8	1.87	16.55	0.15	4.8	0.029	1.42	19.4	4.8	0.35	251	0.64	2.36	6.1
EMI-1100E/1700S		0.75	1.3	1.19	14.55	0.13	6.0	0.017	1.70	13.3	3.1	0.26	242	0.49	2.55	5.4
EMI-1200E/1050S		0.63	4.7	2.25	13.60	0.11	6.0	0.024	1.53	22.9	5.6	0.43	339	0.42	2.60	6.2
EMI-1200E/1100S		0.72	9.2	1.84	14.60	0.16	5.9	0.023	1.58	27.1	5.2	0.41	313	0.35	2.63	6.0
EMI-1200E/1150S		0.71	2.1	1.03	16.00	0.14	6.4	0.021	1.53	18.0	3.9	0.24	223	0.28	2.29	5.9
EMI-1200E/1200S		0.76	3.3	1.58	15.10	0.16	5.6	0.023	1.51	25.9	5.5	0.39	334	0.37	2.66	6.7
EMI-1200E/1250S		0.84	2.0	1.33	15.90	0.17	4.5	0.023	1.54	19.6	6.4	0.40	311	0.28	2.73	7.1
EMI-1000E/1250S		0.80	15.1	1.75	15.55	0.18	7.0	0.026	1.61	24.4	5.8	0.39	305	0.90	2.64	6.8
EMI-1000E/1300S		0.65	3.5	1.47	15.25	0.20	5.9	0.024	1.54	21.5	4.8	0.40	294	0.32	2.58	6.0
EMI-1000E/1500S		0.70	3.0	1.06	14.60	0.17	4.6	0.023	1.41	15.6	5.2	0.35	249	0.34	2.35	5.4
EMI-1000E/1550S		0.82	4.3	1.70	15.00	0.15	4.8	0.020	1.50	20.2	6.3	0.38	275	0.55	2.59	5.4
EMI-1000E/1600S																
EMI-1000E/1650S		0.77	5.8	1.73	15.05	0.15	5.3	0.025	1.42	25.0	4.6	0.36	267	0.35	2.31	5.9
EMI-1000E/1700S		0.76	2.7	1.55	14.80	0.16	5.0	0.024	1.50	20.2	6.2	0.41	287	0.29	2.58	5.6
EMI-1000E/1750S		0.76	2.6	0.95	14.90	0.13	6.8	0.022	1.58	16.7	3.4	0.25	220	0.30	2.25	6.1
EMI-1000E/1800S		0.72	4.2	0.71	13.85	0.14	5.3	0.014	1.58	13.9	3.5	0.23	198	0.38	2.43	4.9
EMI-1000E/1850S		0.64	2.4	0.94	15.45	0.15	5.7	0.019	1.56	14.7	3.9	0.31	254	0.29	2.50	5.5
EMI-1000E/1900S		0.66	3.6	1.09	14.80	0.15	4.3	0.021	1.49	18.9	6.2	0.37	284	0.35	2.58	5.4
EMI-1000E/1950S		0.65	3.5	2.43	15.00	0.16	6.6	0.028	1.39	21.4	5.5	0.41	308	0.41	2.36	6.9
EMI-1000E/2000S		0.69	1.3	1.14	14.60	0.15	5.4	0.017	1.55	12.8	3.8	0.29	241	0.31	2.45	5.1
RHETL-8700N/6350E		0.72	4.0	0.95	15.10	0.16	6.0	0.021	1.62	21.8	4.6	0.34	262	0.26	2.51	4.9
RHETL-8700N/6450E		0.59	2.6	0.89	14.55	0.16	5.3	0.016	1.56	25.6	4.4	0.30	247	0.39	2.43	4.3
RHETL-8700N/6500E		0.55	2.3	0.81	13.10	0.14	4.0	0.017	1.45	14.4	4.2	0.28	221	0.70	2.36	3.5
RHETL-8700N/6550E		0.62	4.4	0.98	14.60	0.16	5.9	0.019	1.55	18.8	4.5	0.33	270	0.39	2.47	5.4
RHETL-8700N/6600E		0.63	0.8	1.05	13.40	0.15	6.8	0.017	1.61	14.7	3.7	0.27	244	0.37	2.24	4.3
RHETL-8700N/6650E		0.59	2.1	1.53	13.25	0.13	5.0	0.018	1.42	12.8	3.5	0.28	233	0.35	1.99	4.3
RHETL-8700N/6700E		0.67	1.1	1.04	13.85	0.13	5.8	0.015	1.71	17.0	3.8	0.26	243	0.32	2.27	4.3
RHETL-8700N/6750E		0.59	3.0	1.63	13.80	0.13	5.0	0.020	1.42	15.3	4.1	0.31	284	0.32	2.17	4.6
RHETL-8700N/6800E		0.79	1.5	1.23	14.15	0.13	5.0	0.017	1.51	14.5	4.1	0.25	211	0.47	2.11	5.3
RHETL-8700N/6850E		0.72	12.9	1.61	14.55	0.17	6.2	0.026	1.51	29.8	6.0	0.41	281	1.00	2.59	5.4
RHETL-8700N/6900E																
RHETL-8700N/6950E		0.71	3.4	0.86	14.00	0.06	6.1	0.015	1.58	12.9	3.4	0.23	207	0.38	2.15	4.4
RHETL-8700N/7000E		0.98	3.0	2.45	22.5	0.09	5.2	0.021	1.50	14.2	5.3	0.32	260	0.48	2.01	5.2
RHETL-8700N/5600E		0.68	2.7	1.43	17.95	0.07	5.3	0.016	1.30	12.2	4.0	0.20	173	0.38	1.78	4.9

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108069

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units LOR	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMI-1100E/1650S		8.8	390	15.2	53.0	<0.002	0.01	0.08	6.4	1	1.0	318	0.42	<0.05	5.1	0.206
EMI-1100E/1700S		7.0	130	16.4	62.6	<0.002	0.04	0.06	5.0	1	0.9	345	0.38	<0.05	4.1	0.181
EMI-1200E/1050S		10.8	650	13.3	48.9	<0.002	0.01	0.09	6.4	1	0.9	359	0.41	<0.05	6.6	0.233
EMI-1200E/1100S		12.0	540	15.4	57.9	<0.002	0.02	0.06	6.9	1	0.9	355	0.43	<0.05	6.6	0.196
EMI-1200E/1150S		6.5	280	16.2	57.5	<0.002	0.01	0.06	5.3	1	1.0	310	0.40	<0.05	5.7	0.213
EMI-1200E/1200S		9.7	570	15.4	56.7	<0.002	<0.01	0.05	7.0	1	0.9	359	0.50	<0.05	7.8	0.210
EMI-1200E/1250S		10.0	530	14.3	60.4	<0.002	0.01	0.05	6.7	1	0.9	367	0.42	<0.05	5.0	0.196
EMI-1000E/1250S		10.6	560	15.5	60.6	<0.002	<0.01	0.07	6.7	1	1.0	358	0.66	<0.05	6.9	0.223
EMI-1000E/1300S		10.7	570	14.1	58.8	<0.002	0.01	0.06	7.0	1	1.0	348	0.48	<0.05	5.1	0.195
EMI-1000E/1500S		8.3	430	13.3	53.2	<0.002	0.01	0.05	5.9	1	0.8	311	0.36	<0.05	3.4	0.181
EMI-1000E/1550S		10.4	390	13.8	57.0	<0.002	0.01	0.05	5.9	1	0.8	346	0.39	<0.05	4.3	0.184
EMI-1000E/1600S																
EMI-1000E/1650S		10.3	470	15.7	53.8	<0.002	0.02	0.07	6.2	1	0.9	314	0.41	<0.05	7.2	0.211
EMI-1000E/1700S		10.3	550	12.9	55.6	<0.002	0.01	0.05	6.3	1	0.8	346	0.38	<0.05	4.7	0.188
EMI-1000E/1750S		6.3	260	16.4	57.3	<0.002	0.01	0.06	4.8	1	1.0	307	0.44	<0.05	5.7	0.234
EMI-1000E/1800S		5.9	300	14.4	57.3	<0.002	0.01	<0.05	4.2	1	0.8	323	0.36	<0.05	4.5	0.177
EMI-1000E/1850S		7.7	240	14.2	57.2	<0.002	0.01	<0.05	5.5	1	0.9	334	0.38	<0.05	4.4	0.204
EMI-1000E/1900S		8.9	510	12.9	54.9	<0.002	0.01	0.05	5.8	1	0.8	344	0.40	<0.05	5.1	0.184
EMI-1000E/1950S		10.6	430	13.5	50.0	<0.002	0.01	0.06	7.0	1	0.9	319	0.50	<0.05	6.8	0.229
EMI-1000E/2000S		7.7	230	14.0	58.4	<0.002	0.01	0.06	5.2	1	0.8	325	0.35	<0.05	3.8	0.181
RHETL-8700N/6350E		7.8	320	14.9	58.0	<0.002	0.01	0.05	6.1	1	0.8	344	0.34	<0.05	7.8	0.183
RHETL-8700N/6450E		7.0	260	15.4	58.8	<0.002	0.01	0.06	5.4	1	0.7	328	0.32	<0.05	10.3	0.154
RHETL-8700N/6500E		6.5	230	12.4	52.8	<0.002	0.01	<0.05	5.0	1	0.5	320	0.27	<0.05	3.5	0.130
RHETL-8700N/6550E		7.5	320	14.8	59.0	<0.002	0.01	0.05	6.1	1	0.8	336	0.39	<0.05	6.4	0.169
RHETL-8700N/6600E		5.7	230	15.2	62.5	<0.002	0.01	<0.05	5.0	1	0.8	309	0.33	<0.05	5.4	0.153
RHETL-8700N/6650E		6.1	290	12.6	51.5	<0.002	0.02	<0.05	5.1	1	0.8	282	0.33	<0.05	3.7	0.162
RHETL-8700N/6700E		5.2	210	15.4	63.3	<0.002	0.01	0.05	4.8	1	0.8	319	0.35	<0.05	5.5	0.174
RHETL-8700N/6750E		7.0	320	13.1	54.9	<0.002	0.02	0.05	6.0	2	0.8	300	0.33	<0.05	4.3	0.162
RHETL-8700N/6800E		5.7	270	15.0	57.2	<0.002	0.02	0.05	4.5	1	1.0	292	0.37	<0.05	5.0	0.194
RHETL-8700N/6850E		10.0	390	13.3	53.8	<0.002	0.01	0.05	6.6	1	0.8	355	0.38	<0.05	6.1	0.182
RHETL-8700N/6900E																
RHETL-8700N/6950E		6.6	250	15.7	51.3	<0.002	0.01	0.06	5.0	2	0.9	316	0.31	<0.05	4.7	0.218
RHETL-8700N/7000E		11.1	210	15.9	56.9	<0.002	0.01	0.06	6.7	2	1.0	303	0.39	<0.05	5.4	0.231
RHETL-8700N/5600E		6.7	300	15.7	46.8	<0.002	0.02	0.06	4.8	2	1.0	266	0.39	<0.05	4.2	0.220

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 27-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108069

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	Tl	U	V	W	Y	Zn	Zr	B
	Units LOR	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMI-1100E/1650S		0.28	1.0	41	0.4	10.9	15	167.0	<10
EMI-1100E/1700S		0.32	0.9	30	0.8	6.8	11	214	<10
EMI-1200E/1050S		0.23	1.3	45	0.4	13.9	22	223	<10
EMI-1200E/1100S		0.30	1.2	37	0.8	14.1	18	200	<10
EMI-1200E/1150S		0.29	1.1	26	0.4	8.0	10	222	<10
EMI-1200E/1200S		0.29	1.2	35	0.3	15.1	18	188.5	<10
EMI-1200E/1250S		0.31	1.0	30	0.4	13.7	19	157.0	<10
EMI-1000E/1250S		0.30	1.3	38	0.7	13.7	17	233	<10
EMI-1000E/1300S		0.30	1.2	34	0.4	13.9	16	201	<10
EMI-1000E/1500S		0.28	0.9	24	0.4	11.0	15	162.0	<10
EMI-1000E/1550S		0.29	1.1	31	0.3	12.4	17	171.0	<10
EMI-1000E/1600S									
EMI-1000E/1650S		0.30	1.1	37	0.5	11.1	20	184.0	<10
EMI-1000E/1700S		0.27	1.0	32	0.2	13.1	18	179.0	<10
EMI-1000E/1750S		0.31	1.1	25	0.5	6.6	9	236	<10
EMI-1000E/1800S		0.28	0.9	17	0.3	6.8	9	190.0	<10
EMI-1000E/1850S		0.28	1.0	22	0.4	8.5	12	202	<10
EMI-1000E/1900S		0.26	0.9	24	0.2	11.8	17	153.0	<10
EMI-1000E/1950S		0.24	1.2	46	0.7	11.1	19	226	<10
EMI-1000E/2000S		0.28	0.8	25	0.5	7.9	11	188.5	<10
RHETL-8700N/6350E		0.29	1.2	23	0.3	10.6	13	212	<10
RHETL-8700N/6450E		0.29	1.1	18	0.2	9.5	12	183.5	<10
RHETL-8700N/6500E		0.28	0.8	17	0.2	7.5	11	146.0	<10
RHETL-8700N/6550E		0.28	1.2	19	0.2	10.0	15	208	<10
RHETL-8700N/6600E		0.29	1.0	20	0.4	7.0	10	233	<10
RHETL-8700N/6650E		0.27	1.0	29	0.3	6.7	11	178.0	<10
RHETL-8700N/6700E		0.30	1.0	21	0.4	6.7	10	206	<10
RHETL-8700N/6750E		0.25	1.0	28	0.3	9.1	13	177.0	<10
RHETL-8700N/6800E		0.28	1.0	27	0.4	6.5	10	180.5	<10
RHETL-8700N/6850E		0.30	2.4	32	1.0	15.7	19	212	<10
RHETL-8700N/6900E									
RHETL-8700N/6950E		0.26	1.0	22	0.4	5.8	11	217	<10
RHETL-8700N/7000E		0.29	1.0	56	1.8	6.8	16	182.5	<10
RHETL-8700N/5600E		0.26	1.0	37	0.4	5.1	9	182.0	<10

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 27-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09108069

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 4-OCT-2009
Account: MVR

CERTIFICATE SD09095402

Project: EASTMAIN MINE

P.O. No.:

This report is for 156 Soil samples submitted to our lab in Sudbury, ON, Canada on 3-SEP-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
DRY-22	Drying - Maximum Temp 60C

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 4-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Vt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
EMNW-3100W/50N		0.36	2	<5	<1	0.03	6.10	<0.2	590	1.10	0.17	1.40	0.07	31.0	3.2	33
EMNW-3100W/100N		0.32	2	<5	<1	0.06	5.54	<0.2	590	0.84	0.12	1.25	0.06	27.6	2.3	19
EMNW-3100W/150N		0.24	1	<5	<1	0.05	5.50	0.2	530	0.94	0.13	1.27	0.09	29.6	2.9	28
EMNW-3100W/200N		0.30	1	<5	<1	0.04	6.35	1.1	500	1.05	0.11	1.29	0.05	28.3	3.4	31
EMNW-3000W/150N		0.50	1	<5	1	0.13	7.12	3.1	480	1.11	0.14	1.41	0.07	50.3	4.1	41
EMNW-3000W/200N		0.30	2	<5	<1	0.08	6.73	1.2	470	1.18	0.08	1.28	0.09	35.4	3.8	37
EMNW-3000W/250N		0.22	6	<5	<1	0.07	5.14	<0.2	530	0.71	0.09	1.16	0.06	28.1	2.7	30
EMNW-3000W/300N		0.34	<1	<5	<1	0.07	6.79	2.5	480	1.44	0.21	1.39	0.11	41.4	3.7	37
EMNW-3000W/350N		0.28	5	<5	<1	0.04	7.08	3.8	440	1.47	0.11	1.19	0.07	36.5	3.6	45
EMNW-3000W/400N		0.20	1	<5	<1	0.03	5.77	2.9	470	1.00	0.20	1.16	0.07	29.2	2.9	32
EMNW-3000W/100S		0.18	<1	<5	<1	0.03	6.22	1.9	580	1.60	0.06	1.45	0.06	42.8	3.1	25
EMNW-3000W/200S		0.62	<1	<5	<1	0.03	6.42	0.9	580	1.35	0.14	1.63	0.06	51.1	3.6	29
EMNW-3000W/250S		0.58	<1	<5	<1	0.02	6.42	1.9	550	1.46	0.08	1.56	0.06	39.3	3.8	30
EMNW-3000W/300S		0.22	<1	<5	<1	0.04	6.30	2.3	550	1.31	0.07	1.47	0.06	44.1	3.5	30
EMNW-3000W/350S		0.60	1	<5	<1	0.03	6.26	0.9	550	1.19	0.08	1.59	0.06	31.4	4.3	34
EMNW-3000W/500S		0.32	<1	<5	<1	0.07	6.15	0.9	470	1.22	0.06	1.55	0.15	56.2	6.1	35
EMNW-3000W/600S		0.18	2	<5	<1	0.04	5.91	0.9	440	1.21	0.03	1.61	0.11	43.2	4.8	31
EMNW-3300W/150S		0.28	1	<5	<1	0.03	5.37	1.3	540	0.94	0.12	1.28	0.05	33.8	3.0	25
EMNW-3300W/200S		0.34	1	<5	<1	0.03	5.44	0.9	580	0.93	0.09	1.12	0.05	29.5	2.3	24
EMNW-3300W/250S		0.46	5	<5	<1	0.02	6.82	1.3	640	1.55	0.04	1.64	0.07	62.7	6.0	38
EMNW-3300W/350S		0.30	1	<5	<1	0.04	6.24	15.6	410	1.26	0.11	1.55	0.17	49.9	17.2	65
EMNW-3300W/400S		0.40	1	<5	<1	0.05	7.05	9.8	510	1.47	0.10	1.54	0.14	90.3	22.9	62
EMNW-3300W/450S		0.22	1	<5	<1	0.03	5.36	1.4	600	1.17	0.11	1.15	0.08	35.8	2.5	23
EMNW-3300W/500S		0.28	<1	<5	<1	0.05	5.60	9.6	390	1.19	0.09	1.25	0.10	80.4	24.8	53
EMNW-3300W/550S		0.22	1	<5	<1	0.03	6.43	1.2	210	0.56	0.05	3.37	0.11	12.50	20.9	226
EMNW-3300W/600S		0.42	<1	<5	<1	0.04	5.95	1.8	460	1.06	0.05	1.22	0.07	46.4	3.0	35
EMNW-3300W/650S		0.44	<1	<5	<1	0.02	6.58	2.5	460	1.25	0.04	1.46	0.06	35.2	3.8	36
EMNW-3300W/700S		0.48	<1	<5	<1	0.05	6.10	1.0	480	1.09	0.08	1.25	0.07	35.5	2.8	29
EMNW-3300W/800S		0.48	<1	<5	<1	0.02	6.52	1.8	490	1.31	0.07	1.43	0.06	50.7	3.6	34
EMNW-2800W/50N		0.20	14	<5	<1	0.05	6.85	1.8	470	1.43	0.05	1.54	0.11	43.8	5.0	33
EMNW-2800W/100N		0.24	<1	<5	1	0.01	6.64	0.6	580	1.36	0.10	1.66	0.04	45.3	3.6	26
EMNW-2800W/150N		0.28	2	<5	2	0.06	6.91	19.7	490	1.31	0.23	1.80	0.12	55.3	11.1	80
EMNW-2800W/200N		0.30	1	<5	<1	0.05	7.47	3.6	420	1.24	0.06	1.32	0.10	31.5	3.7	40
EMNW-2800W/250N		0.28	<1	<5	1	0.02	5.83	1.4	540	1.02	0.10	1.26	0.06	34.3	2.7	31
EMNW-2800W/300N		0.32	2	<5	<1	0.02	7.24	3.1	490	1.31	0.05	1.43	0.07	43.0	4.0	43
EMNW-2800W/350N		0.46	2	<5	<1	0.02	6.18	1.6	520	1.37	0.04	1.62	0.12	51.6	4.1	31
EMNW-2800W/400N		0.16	1	<5	<1	0.01	5.90	1.0	610	1.09	0.06	1.29	0.03	36.9	2.1	19
EMNW-2900W/650S		0.26	1	<5	1	0.02	5.94	2.0	510	0.99	0.10	1.20	0.08	31.8	3.0	37
EMNW-2900W/700S		0.20	<1	<5	<1	0.03	6.10	1.5	540	1.10	0.12	1.24	0.06	31.2	2.8	29
EMNW-2900W/750S		0.32	<1	<5	1	0.05	6.15	1.4	500	1.12	0.09	1.26	0.06	48.4	3.1	34

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - B

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 4-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
Units		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
LOR		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMNW-3100W/50N		0.98	5.4	1.11	14.95	0.11	7.8	0.010	1.68	16.4	4.4	0.33	277	1.92	2.37	5.9
EMNW-3100W/100N		1.04	2.4	0.83	15.55	0.11	8.7	0.008	1.60	14.1	3.6	0.23	214	0.54	2.09	5.7
EMNW-3100W/150N		0.81	2.6	1.63	17.65	0.12	8.0	0.008	1.57	15.2	3.8	0.27	260	0.43	2.02	6.1
EMNW-3100W/200N		0.70	2.3	2.16	19.25	0.13	7.0	0.014	1.45	13.8	4.5	0.32	250	0.58	2.12	7.6
EMNW-3000W/150N		0.66	5.9	3.10	20.3	0.13	5.6	0.016	1.42	23.2	4.7	0.36	312	0.76	2.23	6.8
EMNW-3000W/200N		0.57	4.1	2.18	16.50	0.14	7.4	0.015	1.40	15.8	4.4	0.31	276	0.40	2.15	6.8
EMNW-3000W/250N		0.50	1.9	1.55	16.05	0.12	8.6	0.006	1.53	14.3	3.1	0.26	242	0.32	1.97	6.5
EMNW-3000W/300N		0.70	6.6	1.91	14.80	0.09	5.7	0.029	1.48	18.9	6.0	0.35	283	0.32	2.24	5.3
EMNW-3000W/350N		0.82	5.7	2.61	18.85	0.09	5.3	0.031	1.29	17.1	6.1	0.33	239	0.57	1.88	6.4
EMNW-3000W/400N		0.83	3.5	2.48	22.6	0.10	5.9	0.021	1.37	15.3	4.9	0.28	244	0.69	1.84	7.2
EMNW-3000W/100S		0.85	5.6	1.24	15.55	0.11	5.9	0.015	1.68	21.2	4.7	0.30	259	0.68	2.43	5.6
EMNW-3000W/200S		0.96	6.1	1.40	16.20	0.10	6.6	0.034	1.63	24.5	5.9	0.38	297	0.41	2.64	6.2
EMNW-3000W/250S		0.86	6.3	1.57	16.55	0.10	6.2	0.025	1.63	19.2	5.3	0.36	293	0.67	2.40	6.0
EMNW-3000W/300S		0.76	8.6	1.46	14.70	0.11	5.9	0.018	1.64	21.7	5.0	0.33	270	0.59	2.31	5.1
EMNW-3000W/350S		0.85	2.7	1.49	15.15	0.10	6.7	0.021	1.67	16.0	5.9	0.47	310	0.32	2.38	4.9
EMNW-3000W/500S		0.82	47.5	1.26	15.55	0.13	4.2	0.020	1.32	28.0	11.3	0.45	307	2.26	2.38	5.8
EMNW-3000W/600S		0.88	5.4	1.58	15.00	0.09	4.9	0.024	1.25	21.4	8.3	0.47	363	0.93	2.26	4.8
EMNW-3300W/150S		0.73	1.8	1.42	18.85	0.09	9.2	0.017	1.46	17.6	4.5	0.28	243	0.39	1.94	7.9
EMNW-3300W/200S		1.03	1.6	1.27	18.55	0.07	7.8	0.016	1.60	15.6	4.0	0.23	197	0.40	1.92	6.6
EMNW-3300W/250S		1.08	10.8	1.89	17.25	0.13	6.1	0.021	1.94	29.8	8.6	0.45	329	0.23	2.62	5.3
EMNW-3300W/350S		1.18	25.2	7.92	15.35	0.18	4.4	0.033	1.15	24.7	11.0	0.60	415	11.05	1.98	6.5
EMNW-3300W/400S		1.73	49.5	5.98	17.35	0.17	4.3	0.030	1.41	36.5	16.5	0.67	408	9.63	2.22	7.0
EMNW-3300W/450S		0.97	2.5	0.86	15.55	0.09	8.5	0.016	1.62	18.7	3.9	0.24	203	1.51	1.99	6.6
EMNW-3300W/500S		1.25	31.2	7.10	15.70	0.18	3.5	0.027	1.05	37.5	11.1	0.50	350	12.95	1.73	5.9
EMNW-3300W/550S		1.81	5.0	4.20	21.5	0.11	2.7	0.040	0.91	5.9	10.7	3.05	809	1.74	1.88	5.1
EMNW-3300W/600S		0.80	8.0	1.45	15.45	0.10	5.2	0.021	1.35	25.2	4.9	0.30	234	0.74	1.91	5.1
EMNW-3300W/650S		0.78	7.1	1.97	14.35	0.09	4.2	0.020	1.41	16.8	5.7	0.36	274	0.37	2.21	4.8
EMNW-3300W/700S		0.81	3.5	1.55	14.60	0.10	6.8	0.019	1.41	18.4	4.3	0.29	260	1.40	1.98	5.6
EMNW-3300W/800S		0.90	7.5	1.59	16.00	0.11	6.1	0.022	1.48	24.3	5.2	0.35	286	0.39	2.24	5.7
EMNW-2800W/50N		0.81	11.0	1.85	15.20	0.10	4.6	0.026	1.46	19.7	6.8	0.40	309	0.33	2.42	4.8
EMNW-2800W/100N		0.90	2.5	1.11	17.45	0.10	8.1	0.022	1.63	21.8	6.1	0.38	311	0.49	2.70	6.6
EMNW-2800W/150N		1.86	14.6	4.10	23.6	0.12	5.0	0.049	1.35	27.4	22.0	0.79	446	24.1	2.13	9.8
EMNW-2800W/200N		0.80	7.5	2.32	14.65	0.11	3.9	0.030	1.27	13.5	5.8	0.33	269	0.75	2.07	5.6
EMNW-2800W/250N		0.82	1.7	1.80	18.30	0.09	7.5	0.017	1.50	18.0	4.9	0.28	265	0.54	2.02	6.7
EMNW-2800W/300N		0.82	5.0	2.50	16.40	0.12	5.0	0.026	1.45	19.1	6.0	0.37	299	0.55	2.26	5.7
EMNW-2800W/350N		0.76	7.0	1.59	15.20	0.12	5.7	0.019	1.61	25.1	5.8	0.40	301	0.37	2.42	4.9
EMNW-2800W/400N		0.94	1.7	0.81	16.05	0.10	7.2	0.015	1.74	19.1	3.8	0.23	214	0.72	2.32	6.0
EMNW-2900W/650S		0.79	2.3	2.44	22.9	0.11	6.4	0.020	1.48	15.9	4.6	0.31	234	0.45	1.90	7.5
EMNW-2900W/700S		1.04	3.3	1.97	20.6	0.09	6.8	0.023	1.54	16.1	4.7	0.29	220	0.61	1.92	7.5
EMNW-2900W/750S		0.94	3.9	2.03	16.25	0.10	7.3	0.021	1.42	25.1	5.1	0.29	265	0.40	2.04	6.4

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
EMNW-3100W/50N		8.1	380	16.0	59.4	<0.002	0.02	0.08	6.3	2	1.0	342	0.37	<0.05	5.3	0.216
EMNW-3100W/100N		5.6	210	17.0	54.6	<0.002	0.01	0.07	5.1	2	1.1	308	0.35	<0.05	5.6	0.237
EMNW-3100W/150N		6.3	350	16.7	55.1	<0.002	0.01	0.09	5.6	2	1.2	292	0.39	<0.05	5.6	0.258
EMNW-3100W/200N		7.8	670	16.5	49.8	<0.002	0.02	0.08	6.4	2	1.1	303	0.45	<0.05	4.3	0.239
EMNW-3000W/150N		8.5	570	17.6	51.7	<0.002	0.04	0.11	7.5	2	1.0	313	0.38	<0.05	8.6	0.230
EMNW-3000W/200N		7.9	500	15.5	49.9	<0.002	0.02	0.07	7.1	2	0.9	304	0.40	<0.05	6.0	0.206
EMNW-3000W/250N		7.0	170	14.1	49.2	<0.002	<0.01	0.07	4.9	2	1.2	291	0.40	<0.05	5.6	0.261
EMNW-3000W/300N		9.9	430	17.3	56.6	<0.002	0.02	0.16	7.4	1	0.7	326	0.32	<0.05	8.2	0.165
EMNW-3000W/350N		10.4	570	18.8	50.7	<0.002	0.03	0.08	7.2	1	0.9	281	0.39	0.05	6.4	0.208
EMNW-3000W/400N		7.4	530	18.6	53.1	<0.002	0.01	0.09	5.5	1	1.4	276	0.45	<0.05	5.3	0.311
EMNW-3000W/100S		8.7	330	16.8	63.8	<0.002	0.01	<0.05	5.7	1	0.8	355	0.34	<0.05	5.7	0.187
EMNW-3000W/200S		9.7	370	15.4	59.6	<0.002	0.01	<0.05	6.9	1	0.9	385	0.37	<0.05	7.0	0.213
EMNW-3000W/250S		9.9	410	17.9	63.5	<0.002	0.01	0.05	7.0	1	0.9	363	0.37	<0.05	5.2	0.201
EMNW-3000W/300S		9.1	380	17.1	62.6	<0.002	0.01	<0.05	6.4	1	0.8	344	0.32	<0.05	7.1	0.172
EMNW-3000W/350S		14.3	280	16.5	65.4	<0.002	0.01	<0.05	7.2	1	0.8	352	0.32	<0.05	4.7	0.174
EMNW-3000W/500S		15.5	360	13.5	53.6	0.003	0.10	<0.05	7.8	2	0.8	342	0.35	<0.05	6.0	0.199
EMNW-3000W/600S		12.1	300	13.3	51.8	<0.002	0.05	0.05	8.0	1	0.7	327	0.34	<0.05	5.8	0.185
EMNW-3300W/150S		8.0	290	19.9	54.4	<0.002	0.01	0.07	5.6	1	1.6	296	0.48	<0.05	6.9	0.332
EMNW-3300W/200S		7.3	300	20.3	59.6	<0.002	0.01	0.05	4.6	1	1.3	296	0.39	<0.05	5.6	0.275
EMNW-3300W/250S		15.0	590	19.6	78.6	<0.002	<0.01	<0.05	8.1	1	0.8	400	0.31	<0.05	7.9	0.151
EMNW-3300W/350S		20.7	460	14.3	44.6	<0.002	0.03	0.10	8.4	1	0.9	295	0.38	<0.05	5.7	0.241
EMNW-3300W/400S		28.4	700	15.4	58.6	<0.002	0.02	0.07	10.2	1	1.0	331	0.40	<0.05	8.0	0.235
EMNW-3300W/450S		7.6	200	19.5	61.2	<0.002	0.01	0.07	4.5	1	1.3	312	0.42	<0.05	6.8	0.281
EMNW-3300W/500S		23.4	820	13.1	41.8	<0.002	0.06	0.06	7.5	2	0.9	259	0.34	<0.05	6.9	0.204
EMNW-3300W/550S		127.0	420	11.3	41.4	<0.002	0.03	0.10	15.4	1	0.8	282	0.30	<0.05	1.7	0.455
EMNW-3300W/600S		8.1	510	15.5	53.5	<0.002	0.02	<0.05	6.3	2	0.8	284	0.30	<0.05	8.2	0.175
EMNW-3300W/650S		9.4	510	14.3	56.0	<0.002	0.01	<0.05	7.4	1	0.6	319	0.30	<0.05	4.5	0.154
EMNW-3300W/700S		6.9	340	15.4	55.2	<0.002	0.02	<0.05	6.4	1	0.8	295	0.36	<0.05	5.9	0.200
EMNW-3300W/800S		9.3	490	16.7	57.2	<0.002	0.01	<0.05	7.8	1	0.9	333	0.36	<0.05	7.0	0.190
EMNW-2800W/50N		12.9	450	20.6	58.9	<0.002	0.01	0.05	7.5	1	0.7	338	0.30	<0.05	6.7	0.150
EMNW-2800W/100N		9.7	230	16.7	60.5	<0.002	<0.01	<0.05	7.2	1	0.9	394	0.38	<0.05	7.2	0.224
EMNW-2800W/150N		25.6	670	18.2	58.6	0.002	0.03	0.11	11.5	2	1.4	332	0.61	<0.05	9.3	0.375
EMNW-2800W/200N		9.0	550	15.0	50.9	<0.002	0.03	0.08	7.4	1	0.8	299	0.41	<0.05	4.8	0.160
EMNW-2800W/250N		6.8	240	15.8	55.2	<0.002	0.01	<0.05	5.4	1	1.2	305	0.42	<0.05	6.9	0.270
EMNW-2800W/300N		10.1	470	16.1	57.1	<0.002	0.02	<0.05	8.1	1	0.8	330	0.42	<0.05	6.7	0.177
EMNW-2800W/350N		10.5	480	16.2	61.4	<0.002	<0.01	<0.05	7.1	1	0.8	352	0.29	<0.05	7.5	0.153
EMNW-2800W/400N		5.8	170	19.1	67.4	<0.002	0.01	0.05	4.7	1	1.0	347	0.36	<0.05	7.7	0.203
EMNW-2900W/650S		8.0	450	18.9	55.0	<0.002	0.01	0.06	5.8	1	1.3	289	0.47	<0.05	5.4	0.291
EMNW-2900W/700S		7.7	340	22.6	58.0	<0.002	0.02	0.08	6.0	1	1.5	301	0.49	<0.05	5.5	0.301
EMNW-2900W/750S		7.6	330	17.6	55.2	<0.002	0.01	0.06	6.4	1	1.1	305	0.40	<0.05	8.6	0.223

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	Tl	U	V	W	Y	Zn	Zr	B
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.1	1	0.1	0.1	2	0.5	10
EMNW-3100W/50N		0.31	1.3	25	0.4	7.2	16	247	60
EMNW-3100W/100N		0.27	1.0	25	0.5	5.4	12	275	80
EMNW-3100W/150N		0.28	1.1	44	1.0	5.8	15	250	80
EMNW-3100W/200N		0.26	0.9	50	0.5	6.8	18	221	70
EMNW-3000W/150N		0.25	1.2	63	1.0	9.6	17	181.0	80
EMNW-3000W/200N		0.24	1.0	43	0.5	7.8	15	236	60
EMNW-3000W/250N		0.23	1.0	42	0.6	5.5	15	268	60
EMNW-3000W/300N		0.30	1.2	34	0.4	10.0	18	191.0	50
EMNW-3000W/350N		0.26	1.1	51	0.6	8.6	15	179.0	40
EMNW-3000W/400N		0.27	1.0	64	0.6	6.7	15	199.5	30
EMNW-3000W/100S		0.34	1.1	27	0.5	10.0	14	195.5	30
EMNW-3000W/200S		0.33	1.3	31	0.4	13.5	18	224	20
EMNW-3000W/250S		0.35	1.1	33	0.5	11.4	17	206	20
EMNW-3000W/300S		0.31	1.3	30	0.4	10.8	15	204	30
EMNW-3000W/350S		0.33	1.0	30	0.4	8.9	19	218	20
EMNW-3000W/500S		0.32	1.8	32	0.6	13.6	24	145.5	30
EMNW-3000W/600S		0.27	1.0	37	1.0	13.3	26	161.5	30
EMNW-3300W/150S		0.33	1.3	50	0.6	6.9	14	296	30
EMNW-3300W/200S		0.31	1.1	41	0.5	5.5	11	266	40
EMNW-3300W/250S		0.42	1.5	36	0.3	15.2	24	207	30
EMNW-3300W/350S		0.28	1.7	126	3.1	12.3	67	155.5	30
EMNW-3300W/400S		0.40	3.4	94	3.5	17.9	74	150.5	30
EMNW-3300W/450S		0.31	1.2	34	0.6	5.8	11	286	30
EMNW-3300W/500S		0.35	2.1	148	5.1	15.7	53	122.0	30
EMNW-3300W/550S		0.26	0.6	102	0.5	11.9	74	83.0	20
EMNW-3300W/600S		0.27	1.3	29	0.4	10.8	13	181.5	30
EMNW-3300W/650S		0.29	0.9	35	0.3	11.5	15	144.5	20
EMNW-3300W/700S		0.28	1.2	32	0.4	8.9	12	232	30
EMNW-3300W/800S		0.29	1.4	33	2.0	13.4	15	199.5	30
EMNW-2800W/50N		0.30	1.1	32	0.4	11.8	24	151.0	20
EMNW-2800W/100N		0.33	1.1	26	0.7	11.1	19	207	40
EMNW-2800W/150N		0.34	1.5	91	6.7	12.9	49	174.5	30
EMNW-2800W/200N		0.26	0.9	40	0.8	9.1	17	131.0	30
EMNW-2800W/250N		0.28	1.1	46	0.7	7.1	13	252	40
EMNW-2800W/300N		0.31	1.0	41	0.5	11.6	16	168.5	40
EMNW-2800W/350N		0.32	1.4	32	0.3	14.8	17	194.0	40
EMNW-2800W/400N		0.36	1.1	21	0.4	6.4	10	242	40
EMNW-2900W/650S		0.29	1.1	62	0.5	7.3	14	221	50
EMNW-2900W/700S		0.31	1.2	56	0.7	7.3	17	232	40
EMNW-2900W/750S		0.29	1.1	42	0.5	8.4	15	239	40

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
EMNW-2900W/800S		0.20	<1	<5	1	0.03	6.22	1.7	540	1.10	0.31	1.18	0.06	26.0	2.4	25
EMNW-2800W/400S		0.36	<1	<5	<1	0.06	5.60	16.0	510	0.96	0.14	1.31	0.13	38.5	4.8	51
EMNW-2800W/500S		0.28	1	<5	<1	0.05	5.58	1.2	550	0.96	0.08	1.11	0.05	31.5	2.1	24
EMNW-2800W/550S		0.22	2	<5	1	0.10	6.69	0.7	810	1.68	0.04	1.71	0.09	77.7	7.8	50
EMNW-2800W/600S		0.28	1	<5	<1	0.05	5.60	1.8	450	1.28	0.05	1.16	0.13	40.4	3.2	31
EMNW-2800W/650S		0.26	2	<5	1	0.05	6.95	1.7	450	1.47	0.05	1.38	0.08	53.9	5.5	42
EMNW-2800W/700S		0.24	1	<5	1	0.07	6.84	1.0	470	1.35	0.04	1.21	0.07	29.9	3.6	35
EMNW-2800W/750S		0.26	2	<5	<1	0.04	5.49	0.9	480	1.00	0.10	1.14	0.04	29.1	3.4	32
EMNW-2800W/800S		0.28	1	<5	<1	0.05	6.41	1.8	460	1.27	0.07	1.24	0.06	33.0	3.9	34
EMNW-3200W/100S		0.44	<1	<5	<1	0.14	5.23	1.3	520	1.12	0.07	1.13	0.07	25.3	2.5	29
EMNW-3200W/150S		0.38	<1	9	<1	0.10	6.64	0.9	480	1.43	0.04	1.35	0.09	34.6	4.2	41
EMNW-3200W/200S		0.40	<1	<5	<1	0.08	6.55	1.9	460	1.32	0.08	1.30	0.08	29.4	4.0	41
EMNW-3200W/250S		0.48	<1	<5	<1	0.08	5.74	0.5	530	1.28	0.05	1.22	0.05	29.8	2.7	25
EMNW-3200W/300S		0.38	1	<5	<1	0.06	6.47	1.5	470	1.67	0.03	1.41	0.08	47.2	4.2	34
EMNW-3200W/350S		0.34	5	<5	<1	0.06	5.74	2.1	510	1.19	0.06	1.20	0.08	41.1	3.0	29
EMNW-3200W/450S		0.36	1	<5	1	0.06	6.19	0.2	530	1.45	0.05	1.54	0.06	49.6	4.2	37
EMNW-3200W/500S		0.38	<1	<5	<1	0.04	6.07	1.3	440	1.39	0.03	1.44	0.08	39.1	4.0	30
EMNW-3200W/550S		0.36	<1	<5	<1	0.03	5.77	<0.2	540	1.17	0.04	1.28	0.04	30.0	3.1	28
EMNW-3200W/600S		0.28	<1	<5	2	0.11	6.18	1.6	460	1.20	0.04	1.05	0.13	29.2	2.6	29
EMNW-3200W/650S		0.40	2	<5	2	0.06	6.28	0.5	460	1.25	0.09	1.34	0.10	31.6	4.4	37
EMNW-3200W/700S		0.42	1	<5	2	0.05	6.11	2.0	490	1.33	0.18	1.41	0.07	41.4	5.1	49
EMNW-3200W/750S		0.46	<1	<5	<1	0.04	6.11	0.2	530	1.49	0.11	1.52	0.06	41.5	4.1	31
EMNW-3200W/800S		0.34	2	<5	1	0.02	6.20	0.6	490	1.37	0.06	1.41	0.07	33.9	4.4	40
EMNW-3200W/400N		0.48	<1	<5	<1	0.03	5.90	0.4	500	1.40	0.03	1.32	0.05	32.9	3.0	28
EMNW-4000W/150S		0.32	<1	<5	1	0.05	6.08	1.3	490	1.33	0.10	1.22	0.05	41.2	3.3	35
EMNW-4000W/200S		0.28	<1	<5	<1	0.04	6.48	1.8	440	1.39	0.07	1.27	0.06	40.6	4.0	43
EMNW-4000W/250S		0.58	<1	<5	<1	0.03	5.73	0.7	500	1.41	0.17	1.35	0.06	34.6	3.3	31
EMNW-4000W/300S		0.40	1	<5	<1	0.03	6.15	1.7	480	1.53	0.06	1.49	0.07	35.1	4.1	31
EMNW-4000W/350S		0.34	1	<5	<1	0.08	6.24	0.6	500	1.45	0.03	1.30	0.07	30.7	3.4	30
EMNW-4000W/400S		0.42	<1	<5	<1	0.03	5.03	<0.2	580	1.11	0.05	0.97	0.04	19.25	1.3	13
EMNW-4000W/450S		0.56	<1	<5	1	0.03	6.29	0.3	510	1.27	0.03	1.39	0.06	35.6	3.4	21
EMNW-4000W/500S		0.38	3	<5	<1	0.02	5.97	<0.2	560	1.48	0.02	1.52	0.04	39.9	3.7	24
EMNW-4000W/550S		0.38	1	<5	<1	0.03	5.50	0.2	490	1.26	0.05	1.09	0.04	29.7	2.4	31
EMNW-4000W/600S		0.32	3	<5	<1	0.03	6.44	1.6	470	1.32	0.04	1.23	0.06	24.7	3.6	35
EMNW-4000W/650S		0.24	<1	6	<1	0.04	6.29	1.3	470	1.22	0.05	1.13	0.06	27.8	3.3	33
EMNW-2700W/50S		0.54	68	<5	<1	0.04	5.40	<0.2	560	1.25	0.07	1.13	0.04	35.1	2.0	20
EMNW-2700W/100S		0.14	6	<5	<1	0.11	5.77	1.4	520	1.24	0.07	1.35	0.10	29.5	3.7	35
EMNW-2700W/150S		0.26	4	<5	<1	0.08	5.56	2.7	420	1.14	0.26	1.35	0.08	29.9	4.7	37
EMNW-2700W/200S		0.20	13	<5	<1	0.16	5.56	1.8	490	1.25	0.10	1.18	0.08	29.8	3.2	33
EMNW-2700W/250S		0.20	15	<5	<1	0.13	6.17	2.9	440	1.08	0.72	1.12	0.08	32.2	2.9	41

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
EMNW-2900W/800S		0.98	2.6	1.52	18.15	0.11	5.8	0.020	1.51	13.2	4.5	0.24	186	0.53	2.05	6.5
EMNW-2800W/400S		1.18	4.1	3.65	25.6	0.11	7.3	0.024	1.40	19.9	7.0	0.42	335	1.61	1.87	9.4
EMNW-2800W/500S		0.84	1.8	1.31	19.35	0.08	7.4	0.017	1.50	16.2	3.6	0.22	187	0.30	1.87	6.7
EMNW-2800W/550S		0.87	13.9	2.99	30.2	0.18	6.0	0.038	1.63	43.9	11.6	0.71	496	3.10	2.49	13.0
EMNW-2800W/600S		0.70	27.6	1.38	19.35	0.13	4.6	0.023	1.27	20.5	3.7	0.24	212	1.36	1.80	6.8
EMNW-2800W/650S		0.85	8.3	2.17	15.95	0.17	4.5	0.029	1.38	21.0	7.0	0.40	292	0.35	2.12	6.0
EMNW-2800W/700S		0.86	4.4	2.04	16.35	0.14	5.1	0.029	1.31	14.3	4.8	0.31	229	0.50	2.02	6.1
EMNW-2800W/750S		0.89	3.0	2.28	22.0	0.13	5.8	0.027	1.34	14.5	4.6	0.28	236	0.54	1.76	7.1
EMNW-2800W/800S		0.86	5.6	2.23	17.55	0.14	4.8	0.028	1.35	14.5	5.1	0.32	248	0.57	1.96	6.3
EMNW-3200W/100S		0.96	4.1	1.34	16.00	0.12	5.4	0.019	1.41	13.0	3.9	0.23	205	1.41	1.85	5.9
EMNW-3200W/150S		0.86	6.4	2.17	16.45	0.16	4.4	0.029	1.32	15.1	6.5	0.36	249	0.68	2.19	6.9
EMNW-3200W/200S		0.94	4.9	2.58	17.90	0.13	4.5	0.026	1.26	13.7	6.5	0.34	250	0.78	2.00	6.5
EMNW-3200W/250S		0.90	3.3	1.25	18.30	0.12	5.0	0.021	1.46	14.2	4.8	0.25	194	0.45	2.17	6.4
EMNW-3200W/300S		0.71	4.7	1.78	15.10	0.15	4.6	0.022	1.46	21.0	5.2	0.32	293	0.34	2.24	5.5
EMNW-3200W/350S		0.70	3.0	1.71	17.75	0.14	5.5	0.017	1.46	20.3	4.5	0.26	214	0.41	2.00	7.3
EMNW-3200W/450S		0.86	9.5	1.06	15.95	0.16	5.5	0.022	1.48	22.9	6.5	0.39	282	0.28	2.38	5.9
EMNW-3200W/500S		0.67	3.2	1.68	14.70	0.15	4.0	0.021	1.36	16.7	4.9	0.32	274	0.30	2.22	4.8
EMNW-3200W/550S		0.80	2.5	1.15	16.10	0.12	5.4	0.023	1.51	15.0	4.7	0.30	223	0.33	2.06	6.0
EMNW-3200W/600S		0.80	3.8	1.51	17.90	0.12	4.9	0.025	1.27	14.5	4.0	0.24	188	1.24	1.82	5.2
EMNW-3200W/650S		1.03	2.0	1.78	19.40	0.13	4.6	0.029	1.31	16.0	5.2	0.39	292	0.92	2.02	5.9
EMNW-3200W/700S		1.11	5.9	2.10	19.70	0.16	5.7	0.028	1.42	20.8	6.8	0.44	397	1.54	2.10	8.7
EMNW-3200W/750S		0.77	4.7	1.04	15.80	0.15	5.5	0.031	1.53	19.5	6.1	0.38	281	0.29	2.46	5.9
EMNW-3200W/800S		0.83	3.4	1.50	17.65	0.15	5.5	0.030	1.44	15.7	6.5	0.41	298	0.84	2.13	6.4
EMNW-3200W/400N		0.64	2.9	1.06	14.95	0.14	4.3	0.022	1.49	16.2	4.2	0.27	215	0.22	2.19	4.3
EMNW-4000W/150S		0.82	3.5	1.92	17.05	0.15	6.1	0.020	1.43	20.6	5.9	0.27	252	0.36	2.01	6.2
EMNW-4000W/200S		0.70	4.2	2.44	17.65	0.16	6.0	0.025	1.31	19.1	5.9	0.32	274	0.48	1.94	7.0
EMNW-4000W/250S		0.72	3.9	1.32	15.45	0.14	5.4	0.018	1.52	16.7	4.9	0.31	267	0.78	2.17	5.1
EMNW-4000W/300S		0.81	5.1	1.70	15.10	0.15	4.3	0.022	1.44	15.8	5.4	0.34	290	0.56	2.25	4.8
EMNW-4000W/350S		0.84	4.8	1.66	16.10	0.15	4.3	0.023	1.39	14.8	5.4	0.28	206	0.85	2.15	5.6
EMNW-4000W/400S		0.82	1.7	0.49	15.95	0.12	4.8	0.010	1.57	10.0	3.2	0.12	130	1.70	2.00	5.7
EMNW-4000W/450S		0.74	3.2	1.49	17.75	0.16	3.9	0.023	1.30	16.3	5.1	0.26	208	0.69	2.46	5.5
EMNW-4000W/500S		0.74	2.5	0.95	16.90	0.15	4.5	0.021	1.57	19.1	6.6	0.36	252	0.62	2.50	5.4
EMNW-4000W/550S		0.66	2.7	0.81	19.35	0.12	5.0	0.023	1.36	15.0	3.9	0.23	193	0.49	1.89	6.4
EMNW-4000W/600S		0.67	1.6	2.50	18.20	0.12	4.3	0.028	1.28	12.0	5.5	0.33	224	0.50	1.99	6.5
EMNW-4000W/650S		0.74	1.5	2.44	21.2	0.14	4.5	0.027	1.30	13.3	4.9	0.29	213	0.52	1.91	7.1
EMNW-2700W/50S		1.08	22.1	0.70	16.15	0.13	7.5	0.017	1.55	17.8	4.2	0.19	213	0.41	2.03	6.4
EMNW-2700W/100S		0.90	4.9	2.46	24.7	0.13	5.7	0.027	1.43	14.6	4.5	0.33	262	0.67	2.08	7.5
EMNW-2700W/150S		0.69	9.6	2.88	24.6	0.14	4.7	0.028	1.23	15.1	5.0	0.39	294	0.80	1.85	8.0
EMNW-2700W/200S		0.94	4.5	2.85	26.3	0.15	5.4	0.026	1.37	15.2	4.5	0.29	229	1.48	1.79	8.9
EMNW-2700W/250S		0.66	6.1	2.26	16.05	0.10	5.8	0.028	1.22	14.9	3.6	0.27	220	0.46	1.88	6.0

Comments: 8 results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 3 - C

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 4-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
Units		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
LOR		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	
EMNW-2900W/800S		6.6	300	18.3	57.4	<0.002	0.02	<0.05	4.9	1	1.0	306	0.40	<0.05	4.1	0.213	
EMNW-2800W/400S		11.8	300	17.7	57.0	<0.002	0.01	0.11	7.6	1	1.5	289	0.56	<0.05	7.2	0.380	
EMNW-2800W/500S		6.0	330	21.1	56.6	<0.002	0.01	<0.05	4.5	1	1.2	288	0.40	<0.05	5.5	0.248	
EMNW-2800W/550S		18.9	340	21.2	54.0	0.002	0.02	0.18	8.3	2	3.8	646	0.62	<0.05	5.2	0.558	
EMNW-2800W/600S		7.6	300	21.3	46.6	<0.002	0.03	0.08	5.7	2	1.0	270	0.41	<0.05	5.0	0.210	
EMNW-2800W/650S		12.3	550	15.9	49.9	<0.002	0.04	0.09	8.5	2	0.9	295	0.38	<0.05	8.9	0.190	
EMNW-2800W/700S		7.8	480	16.1	44.9	<0.002	0.04	0.10	6.6	2	1.0	287	0.38	<0.05	4.5	0.206	
EMNW-2800W/750S		7.0	440	17.9	47.4	<0.002	0.01	0.10	5.5	2	1.4	258	0.45	<0.05	5.3	0.282	
EMNW-2800W/800S		8.3	530	16.8	48.0	<0.002	0.02	0.11	6.3	2	1.0	282	0.41	<0.05	5.7	0.210	
EMNW-3200W/100S		6.1	260	15.2	50.5	<0.002	0.02	0.09	4.7	2	1.0	277	0.41	<0.05	4.6	0.221	
EMNW-3200W/150S		8.9	290	13.3	46.5	<0.002	0.02	0.07	7.1	2	1.0	308	0.42	<0.05	4.7	0.205	
EMNW-3200W/200S		8.3	400	13.8	43.8	<0.002	0.02	0.07	6.5	2	1.0	288	0.42	<0.05	4.1	0.226	
EMNW-3200W/250S		6.1	180	16.1	50.7	<0.002	0.01	0.05	5.2	2	1.0	309	0.40	<0.05	3.7	0.210	
EMNW-3200W/300S		8.8	460	16.0	52.2	<0.002	0.01	0.07	6.7	2	0.8	314	0.35	<0.05	7.8	0.154	
EMNW-3200W/350S		6.8	350	16.8	50.0	<0.002	0.01	0.07	4.9	2	1.1	290	0.62	<0.05	6.7	0.222	
EMNW-3200W/450S		10.8	370	15.3	51.7	<0.002	0.02	0.08	7.1	2	0.9	339	0.38	<0.05	6.3	0.188	
EMNW-3200W/500S		8.5	330	14.5	48.7	<0.002	0.01	0.06	6.6	2	0.7	306	0.30	<0.05	5.3	0.154	
EMNW-3200W/550S		7.6	280	14.9	50.4	<0.002	0.01	0.07	5.5	2	0.9	305	0.38	<0.05	5.2	0.219	
EMNW-3200W/600S		6.4	320	15.5	44.6	<0.002	0.03	0.09	5.4	2	0.9	261	0.32	<0.05	4.8	0.184	
EMNW-3200W/650S		9.3	200	15.0	47.5	<0.002	0.02	0.10	7.6	2	1.0	290	0.39	<0.05	6.2	0.227	
EMNW-3200W/700S		12.0	420	18.0	53.2	<0.002	0.02	0.09	8.4	2	1.3	309	0.59	<0.05	7.6	0.287	
EMNW-3200W/750S		9.5	400	15.1	52.7	<0.002	0.01	0.05	7.0	2	0.9	350	0.39	<0.05	5.4	0.187	
EMNW-3200W/800S		11.1	250	14.8	50.7	<0.002	0.01	0.08	7.5	2	1.0	307	0.40	<0.05	5.0	0.229	
EMNW-3200W/400N		6.8	330	14.7	53.2	<0.002	0.01	0.05	5.5	2	0.7	304	0.29	<0.05	4.9	0.142	
EMNW-4000W/150S		7.2	230	15.9	49.3	<0.002	0.01	0.08	5.7	2	1.0	294	0.44	<0.05	7.6	0.216	
EMNW-4000W/200S		9.6	490	15.9	44.9	<0.002	0.02	0.08	6.7	2	1.1	283	0.56	<0.05	7.0	0.232	
EMNW-4000W/250S		8.1	220	16.7	55.2	<0.002	0.01	0.05	6.1	2	0.9	313	0.34	<0.05	6.0	0.171	
EMNW-4000W/300S		9.0	320	14.5	52.9	<0.002	0.01	0.06	6.6	2	0.8	320	0.44	<0.05	4.2	0.160	
EMNW-4000W/350S		7.8	290	14.5	50.2	<0.002	0.02	0.07	5.5	2	0.8	310	0.37	<0.05	4.6	0.165	
EMNW-4000W/400S		3.3	120	17.2	54.8	<0.002	0.01	0.06	2.6	2	1.0	287	0.36	<0.05	3.5	0.199	
EMNW-4000W/450S		6.1	160	12.6	42.6	<0.002	0.01	0.06	5.6	2	0.9	339	0.37	<0.05	5.6	0.203	
EMNW-4000W/500S		8.3	370	14.5	54.7	<0.002	0.01	0.05	6.0	2	0.8	349	0.35	<0.05	6.4	0.171	
EMNW-4000W/550S		6.0	300	14.8	47.5	<0.002	0.03	0.06	5.5	2	1.0	273	0.47	<0.05	4.7	0.213	
EMNW-4000W/600S		7.9	310	13.1	45.2	<0.002	0.02	0.07	6.0	2	0.9	285	0.38	<0.05	3.5	0.190	
EMNW-4000W/650S		7.3	310	16.1	46.0	<0.002	0.02	0.07	5.8	2	1.0	271	0.43	<0.05	5.2	0.221	
EMNW-2700W/50S		4.9	210	17.9	56.2	<0.002	0.01	0.06	4.4	2	1.1	289	0.42	<0.05	6.4	0.250	
EMNW-2700W/100S		8.5	280	17.9	51.7	<0.002	0.01	0.08	6.1	2	1.3	300	0.49	<0.05	4.4	0.277	
EMNW-2700W/150S		9.7	530	15.8	43.3	<0.002	0.02	0.10	6.8	2	1.3	254	0.51	<0.05	4.8	0.308	
EMNW-2700W/200S		7.3	650	18.5	47.0	<0.002	0.02	0.08	5.6	2	1.4	269	0.56	<0.05	5.0	0.316	
EMNW-2700W/250S		9.9	550	15.6	40.1	<0.002	0.03	0.14	5.4	2	0.9	256	0.35	<0.05	5.7	0.221	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	Tl	U	V	W	Y	Zn	Zr	B
	Units LOR	ppm 0.02	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 2	ppm 0.5	ppm 10
EMNW-2900W/800S		0.30	0.9	36	0.4	6.5	11	200	50
EMNW-2800W/400S		0.30	1.2	91	1.6	9.0	20	250	40
EMNW-2800W/500S		0.32	1.1	38	0.4	5.8	10	246	50
EMNW-2800W/550S		0.31	0.8	126	0.6	8.8	39	228	<10
EMNW-2800W/600S		0.24	1.0	36	0.9	8.5	16	162.5	<10
EMNW-2800W/650S		0.23	1.1	41	0.6	9.4	20	158.5	<10
EMNW-2800W/700S		0.23	0.9	42	0.5	7.3	18	183.5	<10
EMNW-2800W/750S		0.22	1.0	64	0.6	6.2	15	215	<10
EMNW-2800W/800S		0.23	0.9	44	0.6	7.3	17	170.0	<10
EMNW-3200W/100S		0.25	1.0	35	0.5	5.4	12	196.0	<10
EMNW-3200W/150S		0.22	0.9	46	0.5	8.6	20	159.0	<10
EMNW-3200W/200S		0.23	0.8	55	0.5	7.8	19	163.0	<10
EMNW-3200W/250S		0.26	0.8	34	0.4	6.9	13	181.0	<10
EMNW-3200W/300S		0.25	1.0	33	0.4	10.2	17	166.5	<10
EMNW-3200W/350S		0.26	1.0	42	0.5	6.8	14	199.0	<10
EMNW-3200W/450S		0.26	1.4	24	0.3	11.3	19	197.0	<10
EMNW-3200W/500S		0.24	0.8	32	0.3	9.3	15	140.5	<10
EMNW-3200W/550S		0.25	1.0	34	0.4	6.2	14	196.5	<10
EMNW-3200W/600S		0.23	0.9	33	0.5	6.1	12	173.0	<10
EMNW-3200W/650S		0.24	0.9	35	0.6	7.4	16	165.5	<10
EMNW-3200W/700S		0.25	1.3	52	1.1	9.9	21	197.0	<10
EMNW-3200W/750S		0.26	1.1	24	0.4	10.5	18	195.0	<10
EMNW-3200W/800S		0.24	1.0	39	0.6	8.7	19	197.0	<10
EMNW-3200W/400N		0.25	0.8	23	0.3	7.8	12	151.5	<10
EMNW-4000W/150S		0.23	1.2	42	0.5	7.5	15	219	<10
EMNW-4000W/200S		0.21	1.1	46	0.5	9.1	17	215	<10
EMNW-4000W/250S		0.29	1.0	26	0.4	7.5	14	188.0	<10
EMNW-4000W/300S		0.27	0.8	33	0.5	9.2	16	152.0	<10
EMNW-4000W/350S		0.25	0.9	32	0.4	7.4	16	153.5	<10
EMNW-4000W/400S		0.28	0.7	21	0.6	3.2	7	178.0	<10
EMNW-4000W/450S		0.22	0.7	34	0.3	7.6	14	137.0	<10
EMNW-4000W/500S		0.26	0.8	20	0.5	9.0	17	160.5	<10
EMNW-4000W/550S		0.23	1.0	23	0.4	6.2	11	180.5	<10
EMNW-4000W/600S		0.22	0.7	48	0.4	7.0	17	153.0	<10
EMNW-4000W/650S		0.23	0.8	53	0.5	6.3	15	160.5	<10
EMNW-2700W/50S		0.27	1.2	22	0.6	6.3	10	275	<10
EMNW-2700W/100S		0.26	0.9	70	0.9	7.1	17	202	<10
EMNW-2700W/150S		0.22	0.9	73	0.9	7.5	18	166.0	<10
EMNW-2700W/200S		0.24	1.0	73	0.8	6.3	16	195.5	<10
EMNW-2700W/250S		0.21	1.1	44	0.5	7.0	22	197.0	<10

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
EMNW-2700W/300S		0.30	2	<5	<1	0.07	6.20	1.4	440	1.16	0.18	1.34	0.06	29.3	3.5	36
EMNW-2700W/350S		0.62	<1	<5	<1	0.03	6.19	1.5	440	1.21	0.25	1.44	0.06	41.9	3.6	36
EMNW-2700W/450S		0.38	<1	<5	<1	0.02	5.83	0.3	530	1.13	0.17	1.40	0.06	49.9	3.0	33
EMNW-2700W/500S		0.40	<1	<5	<1	0.03	5.79	1.3	570	1.21	1.54	1.27	0.04	33.8	2.9	23
EMNW-2700W/550S		0.20	3	<5	<1	0.06	5.31	<0.2	600	0.74	0.10	1.17	0.04	23.6	2.4	26
EMNW-2700W/700S		0.44	3	<5	<1	0.09	6.94	1.1	460	1.37	0.08	1.36	0.09	43.4	7.2	40
EMNW-2700W/750S		0.44	1	<5	<1	0.08	7.02	1.1	450	1.04	0.07	1.43	0.07	32.3	5.0	37
EMNW-2700W/800S		0.30	<1	<5	<1	0.08	5.77	0.6	510	0.91	0.10	1.21	0.05	27.5	2.9	29
EMNW-2700W/100N		0.22	1	<5	<1	0.08	5.15	1.0	520	0.68	0.13	1.21	0.05	25.4	2.7	22
EMNW-2700W/150N		0.16	<1	<5	<1	0.07	4.98	<0.2	540	0.86	0.09	1.11	0.06	29.9	2.2	22
EMNW-2700W/200N		0.26	<1	<5	<1	0.06	5.38	<0.2	550	0.85	0.07	1.04	0.04	24.0	1.6	19
EMNW-2700W/250N		Not Recvd														
EMNW-2700W/300N		0.30	12	<5	<1	0.06	6.18	<0.2	480	1.08	0.07	1.55	0.08	32.3	3.7	30
EMNW-2700W/350N		0.58	61	<5	<1	0.09	6.01	3.3	480	1.08	0.19	1.53	0.09	66.9	4.8	41
EMNW-2700W/400N		0.36	3	<5	<1	0.27	6.07	0.9	460	1.06	0.10	1.30	0.09	43.7	3.9	33
EMNW-5100W/250S		0.32	3	<5	<1	0.05	4.10	<0.2	540	0.60	0.06	0.72	0.02	25.1	0.6	10
EMNW-5100W/300S		0.32	12	<5	<1	0.17	5.20	<0.2	550	0.91	0.10	1.04	0.07	41.2	2.2	22
EMNW-5100W/350S		0.28	29	<5	<1	0.09	4.93	<0.2	540	0.88	0.09	0.82	0.03	23.6	1.3	16
EMNW-5100W/400S		0.22	35	<5	<1	0.08	4.71	<0.2	590	0.60	0.08	1.04	0.04	25.8	1.5	19
EMNW-5100W/450S		0.30	5	<5	<1	0.07	5.24	1.6	600	0.95	0.18	1.10	0.08	34.2	2.2	20
EMNW-5100W/500S		0.38	7	<5	<1	0.05	6.72	1.1	530	1.48	0.05	1.38	0.06	59.4	4.1	36
EMNW-5100W/600S		0.38	55	<5	<1	0.04	6.69	1.3	500	1.32	0.06	1.08	0.07	49.2	3.4	37
EMNW-5100W/650S		0.30	<1	<5	<1	0.05	4.67	0.7	580	0.87	0.06	0.87	0.04	43.2	1.4	17
EMNW-5100W/700S		0.34	9	<5	<1	0.05	7.41	1.1	470	1.51	0.03	1.18	0.07	42.8	4.2	39
EMNW-5100W/800S		0.26	<1	<5	<1	0.04	5.35	0.9	540	1.06	0.14	1.08	0.07	31.6	2.1	22
EMNW-3100W/250S		0.38	3	<5	<1	0.04	6.37	1.6	480	1.25	0.07	1.22	0.07	44.1	3.7	36
EMNW-3100W/300S		0.40	<1	<5	<1	0.07	6.32	2.7	450	1.12	0.06	1.13	0.07	36.5	3.1	35
EMNW-3100W/350S		Not Recvd														
EMNW-3100W/400S		Not Recvd														
EMNW-3200W/0		0.42	<1	<5	<1	0.03	5.89	1.7	490	1.14	0.06	1.29	0.07	39.1	3.4	29
EMNW-3200W/50N		0.36	1	<5	<1	0.04	6.56	2.2	460	1.23	0.08	1.15	0.06	39.3	3.4	35
EMNW-3200W/100N		0.50	<1	<5	<1	0.04	6.54	2.6	490	1.31	0.04	1.40	0.07	38.9	4.1	35
EMNW-3200W/150N		0.38	<1	<5	1	0.04	6.45	2.3	480	1.17	0.13	1.24	0.07	43.1	4.1	41
EMNW-3200W/200N		0.36	<1	<5	<1	0.04	6.62	1.6	470	1.32	0.03	1.38	0.08	43.9	4.1	36
EMNW-3200W/250N		0.46	308	<5	<1	0.03	5.97	0.4	490	1.08	0.06	1.47	0.06	30.8	3.3	24
EMNW-3200W/300N		0.50	<1	<5	<1	0.02	5.64	<0.2	540	1.13	0.05	1.19	0.05	30.8	2.4	24
EMNW-3200W/350N		0.36	<1	<5	1	0.02	5.96	2.0	530	1.16	0.03	1.34	0.05	35.1	2.9	27
EMNW-3600W/200S		0.24	<1	<5	<1	0.06	6.02	1.6	520	1.16	0.05	1.37	0.06	33.3	4.1	41
EMNW-3600W/250S		0.26	7	<5	6	0.15	7.66	26.0	340	1.34	0.21	1.07	0.13	128.5	6.0	92
EMNW-3600W/300S		0.22	3	<5	<1	0.09	6.82	5.2	400	1.14	0.05	1.21	0.09	46.7	4.4	51

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 4-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095402

Sample Description	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	
EMNW-2700W/300S	0.79	5.3	1.74	14.85	0.10	4.6	0.025	1.28	15.0	4.5	0.34	255	0.52	2.03	5.3	
EMNW-2700W/350S	0.63	8.0	1.90	12.85	0.11	4.4	0.024	1.33	19.8	4.2	0.35	281	0.41	2.14	4.5	
EMNW-2700W/450S	0.88	4.5	1.21	16.00	0.12	6.1	0.022	1.56	24.0	3.9	0.31	304	1.10	2.28	6.3	
EMNW-2700W/500S	0.93	13.8	0.98	14.40	0.09	6.3	0.018	1.56	16.3	5.1	0.24	213	1.32	2.31	5.0	
EMNW-2700W/550S	0.73	2.2	1.70	17.30	0.11	7.3	0.011	1.77	13.1	3.2	0.26	224	0.43	1.97	6.5	
EMNW-2700W/700S	0.84	11.2	2.44	18.55	0.15	4.0	0.020	1.53	14.5	7.8	0.48	296	0.53	2.33	6.0	
EMNW-2700W/750S	0.71	9.0	2.33	16.50	0.15	4.4	0.022	1.35	14.4	5.6	0.41	282	0.80	2.31	6.1	
EMNW-2700W/800S	0.65	2.5	2.23	20.7	0.15	6.7	0.017	1.51	15.0	3.7	0.28	239	0.51	1.96	7.0	
EMNW-2700W/100N	0.85	1.6	1.52	19.45	0.14	8.0	0.013	1.46	14.3	3.3	0.24	228	0.69	1.94	7.3	
EMNW-2700W/150N	0.69	1.0	1.59	19.75	0.13	7.7	0.010	1.54	16.7	2.9	0.21	200	0.39	1.93	6.7	
EMNW-2700W/200N	0.63	1.9	0.92	15.60	0.13	6.8	0.007	1.61	13.4	2.7	0.15	161	0.59	1.94	5.3	
EMNW-2700W/250N	0.64	9.4	1.12	16.50	0.15	4.8	0.017	1.42	17.2	4.5	0.35	288	0.34	2.45	5.6	
EMNW-2700W/300N	0.83	8.7	2.52	18.35	0.20	8.4	0.020	1.44	33.6	5.1	0.39	405	1.23	2.24	8.6	
EMNW-2700W/400N	0.77	7.5	2.12	18.85	0.15	5.5	0.020	1.44	19.9	4.5	0.33	255	1.05	2.02	6.2	
EMNW-5100W/250S	0.38	1.5	0.47	10.75	0.09	8.9	<0.005	1.55	14.5	2.1	0.06	127	0.68	1.56	5.3	
EMNW-5100W/300S	0.63	16.0	1.24	15.85	0.15	7.9	0.011	1.70	21.0	3.4	0.21	194	0.76	1.76	6.7	
EMNW-5100W/350S	0.51	3.3	1.31	19.00	0.14	9.6	0.010	1.73	13.2	2.8	0.14	148	0.63	1.85	8.4	
EMNW-5100W/400S	0.41	2.2	0.98	14.30	0.13	9.9	0.007	1.85	14.6	2.7	0.15	162	0.53	1.62	7.1	
EMNW-5100W/450S	0.71	9.5	1.14	16.25	0.11	9.1	0.014	1.76	17.7	3.1	0.19	196	0.65	1.89	6.4	
EMNW-5100W/500S	0.66	24.9	1.75	15.80	0.14	5.7	0.020	1.66	25.6	6.0	0.36	276	0.49	2.40	5.7	
EMNW-5100W/600S	0.69	12.4	1.92	17.30	0.15	7.0	0.027	1.52	19.2	6.0	0.29	229	0.52	2.03	7.2	
EMNW-5100W/650S	0.75	1.7	0.78	14.20	0.14	11.9	0.010	1.61	22.4	3.3	0.12	152	0.77	1.71	6.1	
EMNW-5100W/700S	0.71	13.2	2.09	15.90	0.14	4.8	0.031	1.41	17.5	6.5	0.33	224	0.47	2.11	5.6	
EMNW-5100W/800S	0.69	4.0	1.33	18.60	0.13	7.4	0.023	1.45	15.8	3.5	0.20	172	0.96	1.96	7.4	
EMNW-3100W/250S	0.78	4.3	2.00	18.50	0.15	6.1	0.023	1.36	21.7	5.2	0.30	243	0.40	1.95	6.0	
EMNW-3100W/300S	0.60	4.1	2.13	18.40	0.14	6.4	0.025	1.29	17.5	4.6	0.27	231	0.77	1.85	6.9	
EMNW-3100W/350S																
EMNW-3100W/400S																
EMNW-3200W/0	0.87	4.9	1.63	15.90	0.14	6.3	0.019	1.42	18.1	5.0	0.29	251	0.39	2.03	5.9	
EMNW-3200W/50N	0.73	3.4	2.55	22.4	0.11	5.5	0.028	1.33	19.0	4.6	0.28	232	0.46	1.84	7.0	
EMNW-3200W/100N	0.76	4.9	1.85	16.20	0.15	6.7	0.020	1.47	18.7	5.6	0.34	261	0.53	2.17	5.2	
EMNW-3200W/150N	0.88	3.8	3.00	24.0	0.16	6.4	0.030	1.32	21.2	5.9	0.36	268	0.55	1.88	7.5	
EMNW-3200W/200N	0.70	4.1	1.85	15.10	0.14	5.1	0.023	1.42	18.5	6.4	0.34	291	0.31	2.24	4.9	
EMNW-3200W/250N	0.66	2.1	1.02	16.10	0.13	5.9	0.019	1.48	15.8	3.6	0.28	273	0.31	2.21	5.3	
EMNW-3200W/300N	0.67	1.9	0.95	14.75	0.12	6.6	0.013	1.62	15.9	3.7	0.22	215	0.76	2.08	5.2	
EMNW-3200W/350N	0.76	2.9	1.16	16.60	0.15	6.5	0.019	1.53	17.5	4.1	0.27	231	0.34	2.19	5.6	
EMNW-3600W/200S	0.87	2.3	2.70	21.5	0.17	6.1	0.025	1.46	16.8	5.1	0.36	300	0.50	2.07	7.1	
EMNW-3600W/250S	0.91	20.0	5.99	16.25	0.28	6.5	0.036	0.95	57.1	6.0	0.33	421	1.65	1.49	9.4	
EMNW-3600W/300S	0.99	12.4	3.09	15.80	0.17	4.9	0.034	1.13	19.6	6.5	0.37	240	1.21	1.80	6.5	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMNW-2700W/300S		9.5	410	12.5	51.3	<0.002	0.02	0.08	6.0	2	0.7	276	0.33	<0.05	4.2	0.189
EMNW-2700W/350S		9.8	500	12.5	46.5	<0.002	0.02	0.07	6.4	2	0.6	299	0.27	<0.05	5.8	0.152
EMNW-2700W/450S		8.7	250	16.4	54.3	<0.002	0.01	0.06	6.0	2	1.0	315	0.39	<0.05	8.7	0.264
EMNW-2700W/500S		7.3	170	14.5	54.2	<0.002	0.01	0.13	4.6	2	0.8	321	0.44	<0.05	5.2	0.196
EMNW-2700W/550S		6.0	170	23.6	53.1	<0.002	0.01	0.07	4.0	2	1.3	305	0.41	<0.05	4.5	0.287
EMNW-2700W/700S		14.3	540	22.0	54.3	<0.002	0.02	0.13	7.9	2	0.9	313	0.38	<0.05	3.6	0.208
EMNW-2700W/750S		11.5	560	18.6	49.3	<0.002	0.02	0.14	8.0	2	0.8	310	0.42	<0.05	4.7	0.196
EMNW-2700W/800S		7.1	490	20.4	50.2	<0.002	0.02	0.09	5.2	2	1.2	294	0.44	<0.05	4.5	0.266
EMNW-2700W/100N		7.2	270	20.8	50.2	<0.002	0.01	0.07	4.7	2	1.4	284	0.49	<0.05	4.9	0.315
EMNW-2700W/150N		5.5	210	20.0	51.7	<0.002	0.01	0.05	4.2	2	1.2	294	0.40	<0.05	5.7	0.253
EMNW-2700W/200N		4.7	300	18.0	53.7	<0.002	0.02	<0.05	3.5	2	0.9	291	0.34	<0.05	4.5	0.199
EMNW-2700W/250N																
EMNW-2700W/300N		9.0	350	14.8	49.6	<0.002	0.02	<0.05	6.9	2	0.8	348	0.35	<0.05	4.5	0.198
EMNW-2700W/350N		10.2	510	16.3	54.7	<0.002	0.01	0.05	7.9	3	1.1	333	0.60	<0.05	10.1	0.303
EMNW-2700W/400N		9.1	430	15.5	52.7	<0.002	0.03	0.06	6.3	2	1.1	293	0.40	<0.05	6.5	0.235
EMNW-5100W/250S		1.7	160	12.1	44.3	<0.002	0.01	0.06	1.6	2	1.0	238	0.35	<0.05	5.3	0.216
EMNW-5100W/300S		7.0	260	16.5	59.2	<0.002	0.01	0.13	4.3	2	1.1	265	0.63	<0.05	8.2	0.214
EMNW-5100W/350S		3.5	170	12.3	54.9	<0.002	<0.01	0.14	3.6	2	1.2	228	0.66	<0.05	5.1	0.220
EMNW-5100W/400S		5.3	140	11.9	52.6	<0.002	<0.01	0.12	3.8	2	1.2	243	0.55	<0.05	6.2	0.250
EMNW-5100W/450S		7.8	190	18.9	63.6	<0.002	0.01	0.24	4.0	2	1.3	292	0.47	<0.05	6.2	0.254
EMNW-5100W/500S		10.9	190	16.4	65.3	<0.002	0.01	0.08	7.1	2	0.8	333	0.45	<0.05	9.5	0.133
EMNW-5100W/600S		9.6	460	16.3	58.1	<0.002	0.02	0.08	6.8	2	1.1	265	0.54	<0.05	9.3	0.193
EMNW-5100W/650S		4.2	110	15.5	62.0	<0.002	<0.01	0.06	3.0	2	1.2	257	0.45	<0.05	9.3	0.243
EMNW-5100W/700S		10.5	400	15.3	56.6	<0.002	0.04	0.06	8.0	2	0.8	276	0.40	<0.05	5.4	0.145
EMNW-5100W/800S		6.1	240	18.1	56.3	<0.002	0.01	0.06	4.0	2	1.3	286	0.48	<0.05	5.4	0.243
EMNW-3100W/250S		9.4	420	16.9	56.3	<0.002	0.02	0.06	6.3	2	1.1	279	0.42	<0.05	7.0	0.203
EMNW-3100W/300S		7.8	520	16.9	50.8	<0.002	0.02	0.09	5.8	2	1.1	264	0.47	<0.05	6.6	0.219
EMNW-3100W/350S																
EMNW-3100W/400S																
EMNW-3200W/0		8.3	270	15.7	56.3	<0.002	0.01	0.05	6.1	2	1.0	297	0.39	<0.05	6.0	0.205
EMNW-3200W/50N		9.0	510	18.2	53.5	<0.002	0.02	0.07	6.3	2	1.2	266	0.47	<0.05	7.3	0.232
EMNW-3200W/100N		9.8	370	15.9	58.7	<0.002	0.01	0.05	6.8	2	0.9	308	0.36	<0.05	6.7	0.172
EMNW-3200W/150N		10.0	670	17.7	54.0	<0.002	0.02	0.08	6.9	2	1.4	292	0.50	<0.05	8.8	0.264
EMNW-3200W/200N		9.7	350	15.1	58.3	<0.002	0.02	0.05	7.5	2	0.8	312	0.34	<0.05	6.8	0.156
EMNW-3200W/250N		7.9	340	15.9	58.5	<0.002	0.01	0.05	5.9	2	1.0	295	0.44	<0.05	6.5	0.211
EMNW-3200W/300N		5.9	210	16.6	67.0	<0.002	0.01	<0.05	4.8	2	0.8	300	0.53	<0.05	5.7	0.167
EMNW-3200W/350N		7.3	290	15.9	62.7	<0.002	0.01	<0.05	5.9	2	0.9	316	0.39	<0.05	6.2	0.178
EMNW-3600W/200S		10.1	170	16.3	57.3	<0.002	0.01	0.05	6.8	2	1.2	306	0.48	<0.05	5.2	0.270
EMNW-3600W/250S		12.8	570	16.1	38.4	<0.002	0.07	0.16	10.3	3	1.1	222	0.66	0.05	25.4	0.326
EMNW-3600W/300S		10.9	610	12.8	45.3	<0.002	0.04	0.09	7.8	3	1.0	261	0.42	<0.05	6.9	0.202

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	Tl	U	V	W	Y	Zn	Zr	B
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.02	0.1	1	0.1	0.1	2	0.5	10
EMNW-2700W/300S		0.23	1.1	38	0.6	8.5	19	157.0	<10
EMNW-2700W/350S		0.25	1.2	34	0.4	11.3	18	144.0	<10
EMNW-2700W/450S		0.27	1.3	29	0.7	8.8	18	208	<10
EMNW-2700W/500S		0.29	1.3	26	0.5	6.7	14	215	<10
EMNW-2700W/550S		0.26	1.0	58	0.4	4.7	11	268	110
EMNW-2700W/700S		0.26	1.0	42	0.5	9.7	24	149.5	90
EMNW-2700W/750S		0.25	1.0	39	0.6	9.3	20	162.5	80
EMNW-2700W/800S		0.25	1.0	50	0.6	6.2	13	233	90
EMNW-2700W/100N		0.25	1.1	47	0.6	5.1	10	274	120
EMNW-2700W/150N		0.26	1.0	45	0.5	5.1	8	261	110
EMNW-2700W/200N		0.27	1.0	24	0.4	4.7	6	240	100
EMNW-2700W/250N									
EMNW-2700W/300N		0.23	1.0	31	0.4	9.5	15	170.0	90
EMNW-2700W/350N		0.27	1.6	50	0.9	12.7	19	278	90
EMNW-2700W/400N		0.26	1.3	44	0.7	8.7	17	192.5	80
EMNW-5100W/250S		0.20	1.1	15	0.4	3.6	3	330	100
EMNW-5100W/300S		0.26	1.1	30	0.7	6.0	9	298	90
EMNW-5100W/350S		0.25	1.2	34	0.8	7.0	6	309	90
EMNW-5100W/400S		0.21	1.3	29	0.9	5.8	7	328	70
EMNW-5100W/450S		0.29	1.2	35	1.3	6.0	16	289	<10
EMNW-5100W/500S		0.30	1.3	29	0.4	12.0	18	173.5	<10
EMNW-5100W/600S		0.25	1.3	34	0.6	11.0	19	214	<10
EMNW-5100W/650S		0.30	1.5	25	0.5	5.3	9	349	<10
EMNW-5100W/700S		0.26	1.0	32	0.4	10.6	17	151.0	<10
EMNW-5100W/800S		0.26	1.0	37	0.6	5.6	12	233	<10
EMNW-3100W/250S		0.25	1.0	42	0.5	8.0	16	192.5	<10
EMNW-3100W/300S		0.24	1.0	43	0.7	8.0	15	200	<10
EMNW-3100W/350S									
EMNW-3100W/400S									
EMNW-3200W/0		0.28	1.1	35	0.5	8.9	15	199.5	<10
EMNW-3200W/50N		0.25	1.0	54	0.6	8.1	17	179.5	<10
EMNW-3200W/100N		0.27	1.1	36	0.6	9.3	17	192.5	<10
EMNW-3200W/150N		0.25	1.1	62	0.7	9.1	20	201	<10
EMNW-3200W/200N		0.28	1.0	33	0.4	9.7	17	161.0	<10
EMNW-3200W/250N		0.26	0.9	26	0.4	7.2	15	187.5	<10
EMNW-3200W/300N		0.31	1.0	21	0.4	6.7	10	207	<10
EMNW-3200W/350N		0.29	1.0	27	0.3	8.7	13	203	<10
EMNW-3600W/200S		0.27	0.9	61	0.8	8.0	20	195.5	<10
EMNW-3600W/250S		0.19	2.8	94	3.5	20.0	25	210	<10
EMNW-3600W/300S		0.23	1.4	52	1.0	10.4	19	155.0	<10

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
EMNW-3600W/700S		0.40	<1	<5	1	0.03	6.42	0.9	490	1.41	0.03	1.62	0.07	60.6	4.7	32
EMNW-3600W/50N		0.28	<1	<5	1	0.02	5.98	0.6	540	1.17	0.09	1.41	0.05	46.8	3.8	37
EMNW-3600W/100N		0.36	1	<5	<1	0.03	6.26	0.8	520	1.27	0.03	1.43	0.07	38.6	3.4	31
EMNW-3600W/150N		0.32	<1	<5	<1	0.02	5.92	0.8	570	1.92	0.06	1.31	0.04	32.6	2.9	25
EMNW-3600W/200N		0.46	2	<5	1	0.02	6.31	0.8	580	1.32	0.06	1.51	0.06	40.4	3.6	31
EMNW-3600W/250N		0.40	<1	5	2	0.02	6.59	1.5	510	1.38	0.07	1.49	0.06	44.8	4.0	33
EMNW-3600W/300N		0.32	<1	<5	1	0.03	6.94	1.4	470	1.56	0.03	1.37	0.12	46.0	4.3	39
EMNW-3600W/350N		0.36	<1	<5	1	0.04	6.71	1.4	480	1.42	0.04	1.36	0.09	40.5	4.5	36
EMNW-3600W/400N		0.44	1	<5	1	0.04	6.47	1.5	450	1.22	0.02	1.45	0.07	38.6	3.9	32
EMNW-4500W/450S		0.46	2	<5	<1	0.04	6.97	1.3	420	1.17	0.03	1.33	0.07	40.0	3.9	39
EMNW-4500W/500S		0.36	<1	<5	<1	0.02	5.26	0.6	550	0.88	0.08	1.14	0.07	35.9	2.8	30
EMNW-4500W/550S		0.34	<1	<5	<1	0.04	7.17	1.4	400	1.32	0.03	1.21	0.10	34.0	3.7	36
EMNW-4500W/600S		0.34	11	<5	<1	0.01	5.02	<0.2	550	0.88	0.06	0.89	0.03	33.3	1.3	15
EMNW-4500W/650S		0.48	<1	<5	<1	0.03	6.20	0.5	420	1.23	0.04	1.36	0.06	40.7	3.3	28
EMNW-4500W/700S		0.60	4	<5	1	0.02	6.22	0.8	510	1.31	0.04	1.60	0.06	40.8	3.8	26
EMNW-4500W/750S		0.32	<1	<5	<1	0.03	5.71	0.4	540	1.05	0.05	1.26	0.05	29.2	2.4	21
EMNW-4500W/800S		0.32	1	<5	<1	0.01	5.50	0.5	600	1.00	0.04	1.18	0.04	29.6	2.2	20
EMNW-4500W/300S		0.60	<1	<5	<1	0.03	6.34	2.3	550	1.22	0.08	1.70	0.06	44.9	5.0	32
EMNW-4500W/350S		0.50	<1	<5	<1	0.02	5.14	1.1	520	1.05	0.09	1.24	0.04	30.2	2.5	24
EMNW-4900W/650S		0.50	<1	<5	<1	0.01	5.29	1.0	490	0.90	0.07	0.95	0.06	25.2	1.4	22
EMNW-4900W/700S		0.26	6	<5	<1	0.02	5.53	2.7	540	1.03	0.11	1.30	0.10	38.8	4.9	58
EMNW-4900W/750S		Not Recvd														
EMNW-4500W/350N		0.30	1	<5	<1	0.02	5.69	0.7	530	1.25	0.07	1.33	0.08	51.8	4.0	42
EMNW-4500W/300N		0.40	<1	<5	<1	0.02	5.99	1.3	480	1.27	0.13	1.48	0.06	40.8	3.5	29
EMNW-4500W/200N		0.38	<1	<5	<1	0.01	5.25	1.3	520	0.97	0.11	1.14	0.07	31.3	2.1	21
EMNW-4500W/150N		0.34	1	<5	<1	0.07	6.26	1.5	470	1.16	0.11	1.16	0.07	30.9	3.1	34
EMNW-4500W/100N		0.42	<1	<5	<1	0.03	4.84	0.6	580	0.88	0.11	1.03	0.04	31.2	1.6	15
EMNW-4500W/50N		0.14	<1	<5	<1	0.09	3.71	10.5	300	0.71	0.25	1.03	0.16	26.6	5.8	27
EMNW-4500W/0		0.30	6	<5	<1	0.13	4.15	20.5	280	0.75	0.18	0.84	0.08	34.1	8.5	44
EMNW-4500W/50S		0.36	<1	<5	1	0.04	4.68	1.0	630	0.94	0.11	0.87	0.04	27.2	0.8	12
EMNW-4500W/100S		0.56	<1	<5	<1	0.06	5.50	2.9	460	0.97	0.14	1.26	0.07	30.8	4.0	37
EMNW-4500W/150S		0.38	<1	<5	1	0.06	5.96	1.3	460	1.21	0.07	1.55	0.08	32.3	3.4	25
EMNW-4500W/250N		0.36	<1	<5	<1	0.06	4.99	1.0	550	0.92	0.11	1.03	0.03	26.9	1.6	18
EMNW-3100W/300N		0.38	2	<5	1	0.03	4.72	1.0	510	1.02	0.12	0.92	0.03	24.0	1.0	15
EMNW-3100W/350N		0.42	4	<5	<1	0.05	5.31	1.0	500	1.11	0.08	1.13	0.05	56.2	2.3	22
EMNW-3100W/400N		0.48	<1	<5	<1	0.06	6.01	1.3	470	1.16	0.07	1.28	0.04	45.2	3.0	30

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
LOR	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMNW-3600W/700S		0.72	19.0	1.70	16.00	0.15	5.5	0.020	1.46	30.0	5.7	0.37	297	0.37	2.45	5.2
EMNW-3600W/50N		1.04	4.2	1.16	16.80	0.13	6.9	0.020	1.53	23.6	7.3	0.39	299	0.66	2.18	6.3
EMNW-3600W/100N		0.70	3.7	1.36	15.70	0.14	6.5	0.018	1.57	19.0	4.9	0.32	279	0.29	2.27	5.0
EMNW-3600W/150N		0.79	2.3	1.10	15.50	0.12	6.8	0.016	1.71	16.7	4.7	0.27	229	1.06	2.25	5.5
EMNW-3600W/200N		0.94	4.1	1.17	16.15	0.13	6.4	0.020	1.66	20.2	5.4	0.34	264	1.29	2.43	5.1
EMNW-3600W/250N		0.66	3.7	1.72	14.80	0.16	5.6	0.019	1.56	21.1	5.3	0.36	273	0.30	2.34	4.5
EMNW-3600W/300N		0.77	6.4	1.96	15.90	0.17	4.6	0.023	1.43	21.3	6.6	0.35	269	0.47	2.22	4.8
EMNW-3600W/350N		0.87	5.0	2.03	17.00	0.16	5.2	0.023	1.42	18.1	6.2	0.35	257	0.51	2.19	5.4
EMNW-3600W/400N		0.73	4.3	1.51	14.30	0.17	4.7	0.021	1.41	17.7	5.5	0.34	265	0.34	2.17	4.3
EMNW-4500W/450S		0.62	6.6	2.22	16.15	0.15	5.3	0.031	1.19	17.6	5.6	0.32	272	0.44	2.08	6.0
EMNW-4500W/500S		0.81	2.1	1.79	19.00	0.14	8.5	0.019	1.51	18.3	4.1	0.25	214	0.33	1.79	7.0
EMNW-4500W/550S		0.65	4.7	2.22	15.30	0.16	4.1	0.026	1.17	15.0	5.4	0.29	242	0.48	1.96	5.2
EMNW-4500W/600S		0.85	1.6	0.54	16.75	0.12	8.8	0.012	1.46	17.2	3.5	0.12	140	0.34	1.70	5.7
EMNW-4500W/650S		0.62	3.0	1.17	16.65	0.13	5.1	0.025	1.21	19.7	4.5	0.28	257	0.33	2.06	5.7
EMNW-4500W/700S		0.76	4.7	1.39	16.65	0.16	6.1	0.020	1.46	19.7	5.5	0.32	279	0.63	2.42	5.7
EMNW-4500W/750S		0.86	3.6	0.79	15.95	0.11	6.8	0.020	1.51	15.0	4.0	0.22	209	0.56	2.19	5.8
EMNW-4500W/800S		0.92	2.4	0.72	16.15	0.13	8.7	0.015	1.65	15.5	3.9	0.19	197	0.72	2.07	5.7
EMNW-4500W/300S		0.89	9.0	1.88	15.45	0.08	4.8	0.024	1.59	20.3	9.5	0.43	316	1.19	2.66	5.8
EMNW-4500W/350S		0.75	1.6	0.95	13.75	0.07	5.2	0.017	1.56	15.4	4.2	0.27	225	0.44	2.17	4.8
EMNW-4900W/650S		0.60	1.7	1.04	12.85	0.06	5.4	0.015	1.39	12.8	2.8	0.16	149	0.50	1.76	4.7
EMNW-4900W/700S		1.27	4.0	2.70	20.2	0.10	7.0	0.020	1.52	20.0	8.1	0.57	303	1.37	1.99	7.8
EMNW-4900W/750S																
EMNW-4500W/350N		0.78	3.5	1.21	17.60	0.09	8.6	0.025	1.51	26.3	6.3	0.50	263	1.67	2.30	8.7
EMNW-4500W/300N		0.68	5.4	1.74	14.45	0.11	5.1	0.028	1.43	19.1	5.2	0.34	281	0.37	2.30	5.1
EMNW-4500W/200N		0.82	1.9	1.23	17.10	0.09	7.4	0.018	1.43	15.7	3.9	0.21	183	0.49	1.90	6.7
EMNW-4500W/150N		0.80	3.5	2.40	18.95	0.10	5.8	0.028	1.33	14.6	5.1	0.28	230	0.46	1.94	7.0
EMNW-4500W/100N		0.74	1.0	0.71	13.35	0.08	7.4	0.012	1.78	15.7	3.4	0.17	186	1.24	1.96	5.0
EMNW-4500W/50N		1.18	8.6	3.49	11.65	0.10	2.9	0.025	0.83	13.6	6.3	0.32	312	6.69	1.30	4.0
EMNW-4500W/0		1.92	16.1	13.55	17.00	0.19	2.2	0.024	0.75	18.2	8.9	0.40	270	41.5	1.10	5.8
EMNW-4500W/50S		0.79	1.8	0.42	12.40	0.07	8.6	0.006	1.80	14.2	3.0	0.08	126	1.97	1.94	5.5
EMNW-4500W/100S		0.92	3.2	2.77	22.9	0.10	6.1	0.021	1.30	15.4	5.3	0.33	313	0.78	1.99	8.6
EMNW-4500W/150S		0.67	4.5	1.76	15.15	0.09	4.3	0.024	1.30	15.9	4.9	0.31	281	0.47	2.45	5.4
EMNW-4500W/250N		0.91	2.3	0.59	15.85	0.07	7.2	0.015	1.57	13.9	3.3	0.17	179	0.36	1.95	6.2
EMNW-3100W/300N		0.69	1.8	0.39	15.55	0.08	6.9	0.009	1.55	12.4	3.1	0.09	135	0.31	1.91	6.4
EMNW-3100W/350N		0.75	2.8	0.79	17.95	0.10	7.3	0.021	1.44	29.5	4.0	0.25	210	0.51	2.15	6.9
EMNW-3100W/400N		0.68	5.2	1.22	14.70	0.10	6.0	0.022	1.39	22.1	4.6	0.30	241	0.46	2.14	5.4

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095402

Sample Description	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Ti ppm	Tl %
EMNW-3600W/700S	11.4	440	15.4	60.0	<0.002	<0.01	0.06	7.4	2	0.9	344	0.50	<0.05	7.6	0.158	
EMNW-3600W/50N	9.8	300	16.9	62.2	<0.002	0.01	<0.05	6.8	2	1.1	324	0.50	<0.05	8.8	0.237	
EMNW-3600W/100N	8.4	370	16.1	63.7	<0.002	0.01	0.05	6.6	2	0.8	336	0.34	<0.05	5.4	0.154	
EMNW-3600W/150N	7.7	210	17.6	70.9	<0.002	0.01	0.05	5.4	2	0.8	328	0.38	<0.05	5.4	0.145	
EMNW-3600W/200N	9.9	340	17.8	67.3	<0.002	0.01	0.06	6.7	2	0.9	358	0.37	<0.05	7.2	0.174	
EMNW-3600W/250N	9.5	380	15.7	63.5	<0.002	0.01	0.05	7.0	2	0.7	344	0.32	<0.05	6.2	0.129	
EMNW-3600W/300N	10.9	470	15.4	58.4	<0.002	0.02	0.09	7.4	2	0.8	316	0.32	<0.05	7.1	0.144	
EMNW-3600W/350N	11.0	420	15.4	61.5	<0.002	0.02	0.06	7.5	2	0.9	313	0.37	<0.05	6.0	0.162	
EMNW-3600W/400N	9.8	470	13.8	57.6	<0.002	0.01	0.05	6.9	2	0.7	306	0.32	<0.05	5.4	0.134	
EMNW-4500W/450S	8.8	360	12.9	46.3	<0.002	0.03	0.05	7.8	2	0.9	282	0.40	<0.05	6.0	0.189	
EMNW-4500W/500S	7.3	240	19.1	59.1	<0.002	0.01	0.05	5.1	2	1.6	273	0.51	<0.05	6.8	0.275	
EMNW-4500W/550S	8.6	540	12.9	46.0	<0.002	0.03	0.06	7.0	2	0.7	263	0.34	<0.05	4.5	0.150	
EMNW-4500W/600S	4.0	320	18.1	57.8	<0.002	0.01	0.05	3.2	2	1.2	254	0.37	<0.05	6.2	0.231	
EMNW-4500W/650S	7.4	370	13.5	48.1	<0.002	0.02	<0.05	7.1	2	0.9	280	0.43	<0.05	7.2	0.185	
EMNW-4500W/700S	8.8	300	14.7	59.6	<0.002	0.01	<0.05	6.8	2	0.9	338	0.39	<0.05	5.3	0.194	
EMNW-4500W/750S	6.1	250	16.8	61.8	<0.002	0.01	<0.05	4.9	2	1.0	306	0.41	<0.05	5.4	0.214	
EMNW-4500W/800S	5.8	200	17.6	65.7	<0.002	0.01	<0.05	4.4	2	1.1	300	0.45	<0.05	5.6	0.235	
EMNW-4500W/300S	13.6	450	13.8	50.5	<0.002	<0.01	0.12	7.0	2	0.9	371	0.53	0.06	4.5	0.204	
EMNW-4500W/350S	7.4	170	14.3	51.4	<0.002	0.01	0.08	4.6	2	0.8	302	0.36	0.05	5.3	0.189	
EMNW-4900W/650S	4.4	240	13.0	38.6	0.002	0.02	0.06	3.1	2	0.8	264	0.32	0.08	3.9	0.206	
EMNW-4900W/700S	12.7	220	15.0	54.5	0.002	0.01	0.09	6.7	2	1.3	321	0.52	0.09	5.9	0.330	
EMNW-4900W/750S																
EMNW-4500W/350N	16.2	320	16.9	50.7	0.002	0.01	0.07	5.3	2	1.9	351	0.57	<0.05	6.0	0.289	
EMNW-4500W/300N	8.7	540	13.0	49.0	0.002	0.01	0.06	6.4	2	0.7	325	0.32	0.06	4.8	0.165	
EMNW-4500W/200N	5.9	330	18.1	47.5	<0.002	0.01	0.10	4.4	3	1.4	297	0.41	<0.05	5.3	0.264	
EMNW-4500W/150N	7.6	550	16.3	45.6	0.002	0.02	0.12	5.9	2	1.1	288	0.71	0.07	4.9	0.235	
EMNW-4500W/100N	4.4	200	16.3	58.9	0.002	0.01	0.08	3.8	2	1.1	289	0.35	<0.05	6.7	0.212	
EMNW-4500W/50N	10.4	690	23.8	28.8	<0.002	0.07	0.20	4.4	3	1.2	196.0	0.25	0.10	3.0	0.154	
EMNW-4500W/0	14.6	640	12.0	27.6	0.002	0.06	0.08	4.7	2	0.9	164.5	0.37	<0.05	4.0	0.230	
EMNW-4500W/50S	2.7	120	17.7	58.3	<0.002	<0.01	0.07	2.0	2	1.2	290	0.36	<0.05	6.3	0.192	
EMNW-4500W/100S	9.7	460	17.9	44.0	<0.002	0.01	0.09	6.4	2	1.4	295	0.55	<0.05	6.7	0.353	
EMNW-4500W/150S	8.2	420	11.5	41.5	<0.002	0.01	0.05	6.8	2	0.7	334	0.33	<0.05	3.6	0.195	
EMNW-4500W/250N	4.9	260	17.9	52.0	<0.002	0.01	0.08	4.2	2	1.1	294	0.38	<0.05	5.7	0.228	
EMNW-3100W/300N	3.0	260	17.8	53.1	<0.002	0.01	0.08	2.6	2	1.2	278	0.41	<0.05	5.4	0.233	
EMNW-3100W/350N	6.2	380	16.9	48.6	<0.002	0.02	0.06	5.1	2	1.3	321	0.41	<0.05	7.7	0.268	
EMNW-3100W/400N	7.3	500	14.4	45.4	<0.002	0.02	0.09	6.7	2	0.8	308	0.40	<0.05	8.3	0.183	

Comments: B results from ME-MS61 are semi-quantitative



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMNW-3600W/700S		0.28	1.1	32	0.3	13.8	20	172.5	<10
EMNW-3600W/50N		0.28	1.2	28	5.9	8.8	20	222	<10
EMNW-3600W/100N		0.29	1.1	27	0.3	10.1	16	202	<10
EMNW-3600W/150N		0.32	1.4	23	0.4	7.8	13	214	<10
EMNW-3600W/200N		0.32	1.3	25	0.5	9.8	18	204	<10
EMNW-3600W/250N		0.29	1.0	30	0.4	10.6	17	173.0	<10
EMNW-3600W/300N		0.27	1.2	34	0.4	10.5	19	145.5	<10
EMNW-3600W/350N		0.29	1.0	36	0.4	10.1	17	163.0	<10
EMNW-3600W/400N		0.27	0.9	27	0.3	10.8	16	147.5	<10
EMNW-4500W/450S		0.22	1.1	37	0.4	11.1	16	164.0	<10
EMNW-4500W/500S		0.27	1.2	43	0.5	6.9	13	265	<10
EMNW-4500W/550S		0.23	0.8	34	0.4	9.1	17	129.0	<10
EMNW-4500W/600S		0.28	1.2	20	0.5	5.2	8	275	<10
EMNW-4500W/650S		0.22	1.1	26	0.3	11.4	15	161.5	<10
EMNW-4500W/700S		0.30	1.2	29	0.3	12.2	18	192.5	<10
EMNW-4500W/750S		0.29	1.1	19	0.5	6.6	12	213	<10
EMNW-4500W/800S		0.32	1.2	22	0.4	5.8	12	268	<10
EMNW-4500W/300S		0.29	1.0	38	0.5	13.0	23	157.5	<10
EMNW-4500W/350S		0.26	0.8	23	0.3	6.0	12	170.5	<10
EMNW-4900W/650S		0.22	0.8	26	0.4	4.5	8	188.0	<10
EMNW-4900W/700S		0.30	1.0	75	1.0	6.5	22	221	<10
EMNW-4900W/750S									
EMNW-4500W/350N		0.30	1.2	33	0.4	10.7	32	264	<10
EMNW-4500W/300N		0.26	1.0	30	0.3	11.9	17	167.0	<10
EMNW-4500W/200N		0.28	1.0	33	0.5	6.1	12	231	<10
EMNW-4500W/150N		0.26	1.0	45	0.4	7.3	15	183.0	<10
EMNW-4500W/100N		0.33	1.2	20	0.4	5.4	9	227	<10
EMNW-4500W/50N		0.19	1.0	81	3.9	6.6	32	95.8	10
EMNW-4500W/0		0.24	1.7	209	11.1	7.0	51	72.8	<10
EMNW-4500W/50S		0.33	1.1	13	0.5	3.6	6	266	10
EMNW-4500W/100S		0.25	1.2	73	0.6	7.5	19	193.5	<10
EMNW-4500W/150S		0.23	1.1	35	0.2	10.9	17	134.5	<10
EMNW-4500W/250N		0.29	1.2	19	0.4	5.0	9	230	10
EMNW-3100W/300N		0.30	1.0	14	0.6	3.6	6	221	10
EMNW-3100W/350N		0.27	1.3	31	0.4	6.6	14	232	10
EMNW-3100W/400N		0.24	1.4	30	0.3	9.9	14	186.5	10

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 1

Finalized Date: 30-SEP-2009

Account: MVR

CERTIFICATE SD09095403

Project: EASTMAIN MINE

P.O. No.:

This report is for 147 Soil samples submitted to our lab in Sudbury, ON, Canada on 3-SEP-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
DRY-22	Drying - Maximum Temp 60C

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
 ATTN: CATHY BUTELLA
 834572 4TH LINE, MONO TWP.
 RR #1
 ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMNW-4300W/450S		0.32	1	<5	1	0.04	6.37	2.5	420	1.20	0.17	1.27	0.10	31.2	3.7	34
EMNW-4300W/500S		0.34	<1	<5	<1	0.03	7.14	1.9	420	1.49	0.08	1.29	0.08	31.1	3.2	36
EMNW-4300W/550S		0.34	1	<5	<1	0.02	6.14	1.4	480	1.23	0.12	1.31	0.07	32.5	3.0	30
EMNW-4300W/600S		0.32	<1	<5	<1	0.03	6.65	0.9	420	1.31	0.06	1.27	0.06	30.8	3.3	30
EMNW-4300W/650S		0.30	56	<5	<1	0.02	6.12	1.2	440	1.34	0.07	1.37	0.05	32.5	3.3	29
EMNW-4300W/700S		0.46	1	<5	<1	0.01	6.44	1.2	490	1.48	0.07	1.64	0.06	35.9	3.3	26
EMNW-4300W/750S		0.40	<1	5	<1	0.01	5.90	<0.2	410	1.24	0.06	1.38	0.05	34.3	3.0	32
EMNW-4300W/800S		0.38	79	<5	<1	0.02	5.69	<0.2	510	1.18	0.07	1.28	0.05	29.6	2.3	23
EMNW-4300W/300S		0.42	<1	<5	<1	0.03	6.88	1.4	450	1.39	0.07	1.39	0.07	38.3	3.6	34
EMNW-4300W/150S		0.34	1	<5	<1	0.03	4.50	<0.2	540	0.82	0.10	0.87	0.06	29.9	0.9	14
EMNW-4300W/50N		0.28	<1	<5	<1	0.02	6.06	0.7	500	1.25	0.09	1.09	0.07	34.9	2.3	29
EMNW-4300W/200N		0.40	<1	<5	1	0.04	6.86	1.7	410	1.47	0.10	1.31	0.06	39.7	3.8	35
EMNW-4300W/250N		0.32	<1	<5	<1	0.04	6.05	2.1	460	1.13	0.11	1.14	0.08	32.2	2.9	32
EMNW-4300W/300N		0.38	<1	<5	<1	0.02	5.94	1.3	480	1.30	0.09	1.25	0.08	34.3	3.5	31
EMNW-4300W/350N		0.56	1	<5	<1	0.03	6.06	0.9	510	1.50	0.07	1.50	0.07	49.1	4.7	34
EMNW-4300W/400N		0.60	<1	5	<1	0.04	5.78	<0.2	510	1.31	0.07	1.28	0.06	40.8	3.1	25
EMNW-5600W/150S		0.38	<1	<5	<1	0.03	5.94	1.0	470	1.19	0.18	1.37	0.06	26.5	3.7	36
EMNW-5600W/200S		0.42	<1	<5	<1	0.04	7.56	2.6	360	1.33	0.12	1.14	0.06	37.5	3.7	48
EMNW-5600W/250S		0.42	1	<5	<1	<0.01	6.52	0.3	480	1.37	0.08	1.69	0.07	53.4	4.5	38
EMNW-5600W/300S		0.38	<1	<5	<1	0.03	6.36	1.9	540	1.35	0.10	1.40	0.08	29.5	4.1	37
EMNW-5600W/400S		0.38	3	<5	<1	0.01	5.51	0.4	520	1.24	0.09	1.18	0.05	29.1	2.4	29
EMNW-5600W/450S		0.32	21	<5	<1	0.09	5.54	<0.2	560	1.18	0.10	1.20	0.06	51.4	2.2	19
EMNW-5600W/500S		0.32	7	<5	<1	0.02	5.67	<0.2	550	1.32	0.08	1.32	0.04	36.7	2.9	24
EMNW-5600W/550S		0.44	14	<5	<1	0.09	5.53	1.1	550	1.41	0.24	1.13	0.07	36.5	2.8	31
EMNW-5600W/600S		0.46	1	<5	<1	0.03	6.81	1.0	520	1.77	0.06	1.38	0.07	46.7	4.7	39
EMNW-5600W/650S		0.54	1	<5	<1	0.06	6.22	<0.2	490	1.52	0.07	1.19	0.06	38.2	3.3	33
EMNW-5600W/700S		0.54	<1	<5	<1	0.02	5.81	0.8	480	1.84	0.08	1.22	0.06	45.6	3.2	31
EMNW-5600W/750S		0.32	<1	<5	<1	0.03	6.23	<0.2	480	1.55	0.06	1.20	0.05	62.1	2.8	28
EMNW-5600W/800S		0.26	4	<5	<1	0.02	5.56	<0.2	550	1.29	0.09	1.20	0.06	35.0	2.4	26
EMNW-5200W/150S		0.28	<1	6	<1	0.01	5.24	<0.2	550	1.04	0.10	1.14	0.06	36.3	2.0	22
EMNW-5200W/200S		0.44	1	<5	<1	0.01	6.26	0.6	500	1.51	0.08	1.43	0.06	42.7	3.8	31
EMNW-5200W/250S		0.42	3	<5	<1	<0.01	6.45	<0.2	570	1.78	0.08	1.51	0.09	52.0	4.1	40
EMNW-5200W/300S		0.42	1	<5	<1	0.03	6.81	1.1	410	1.42	0.10	1.01	0.05	37.3	3.0	44
EMNW-5200W/350S		0.34	5	<5	<1	0.04	5.64	<0.2	530	1.12	0.16	1.22	0.08	33.5	2.8	34
EMNW-5200W/400S		0.44	8	<5	<1	0.03	6.02	0.8	510	1.41	0.10	1.09	0.06	33.3	2.6	32
EMNW-5200W/450S		0.48	4	<5	<1	0.03	6.13	1.0	480	1.38	0.08	1.05	0.04	34.4	2.6	31
EMNW-5200W/500S		0.38	6	<5	<1	0.02	5.37	1.4	530	0.97	0.20	1.16	0.06	36.6	2.5	28
EMNW-5200W/700S		0.42	3	<5	<1	0.02	5.88	2.4	510	1.13	0.10	1.25	0.14	44.7	2.6	26
EMNW-5200W/800S		0.34	8	6	<1	0.03	5.46	2.2	560	0.93	0.15	1.01	0.06	36.2	2.4	30
EMNW-4900W/0		0.54	4	<5	<1	0.01	6.38	1.8	450	1.21	0.16	1.56	0.08	43.2	3.9	37

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMNW-4300W/450S		0.79	8.2	2.54	17.80	0.10	5.0	0.031	1.24	14.3	5.1	0.31	239	0.57	1.91	5.9
EMNW-4300W/500S		0.68	4.7	2.47	16.85	0.09	4.3	0.028	1.18	13.1	4.9	0.28	242	0.59	2.06	6.1
EMNW-4300W/550S		0.90	3.4	2.04	16.90	0.09	6.2	0.023	1.40	15.5	4.4	0.27	247	0.45	2.08	6.1
EMNW-4300W/600S		0.64	4.5	1.94	13.85	0.10	3.4	0.025	1.25	12.6	5.1	0.29	240	0.52	2.13	5.0
EMNW-4300W/650S		0.68	3.6	1.55	16.50	0.09	5.5	0.026	1.37	15.7	4.7	0.33	266	0.38	2.09	5.5
EMNW-4300W/700S		0.67	5.2	1.48	14.20	0.11	4.5	0.018	1.43	16.0	5.1	0.32	260	0.34	2.53	4.9
EMNW-4300W/750S		0.56	4.2	1.69	13.05	0.09	4.6	0.021	1.23	15.9	4.3	0.28	243	0.30	2.06	4.4
EMNW-4300W/800S		0.64	3.7	1.02	13.75	0.09	5.7	0.021	1.52	14.5	3.9	0.23	219	0.32	2.15	4.4
EMNW-4300W/300S		0.63	5.7	1.97	14.35	0.10	5.1	0.025	1.33	14.6	5.1	0.30	255	0.32	2.33	5.5
EMNW-4300W/150S		0.53	4.2	0.56	12.80	0.06	9.2	0.009	1.53	15.0	3.0	0.09	134	0.39	1.68	6.1
EMNW-4300W/50N		0.95	6.4	1.74	18.65	0.10	6.8	0.024	1.45	17.5	3.4	0.23	193	0.85	1.87	6.0
EMNW-4300W/200N		0.79	6.4	2.36	14.45	0.10	5.6	0.033	1.23	16.6	6.6	0.30	254	0.41	2.11	6.2
EMNW-4300W/250N		0.77	3.5	2.80	22.6	0.10	6.4	0.028	1.34	15.9	4.2	0.29	223	0.85	1.86	7.9
EMNW-4300W/300N		0.77	4.4	2.29	18.85	0.10	5.3	0.027	1.63	15.9	5.3	0.31	243	1.81	2.20	6.9
EMNW-4300W/350N		0.86	13.1	1.82	14.10	0.11	5.7	0.023	1.63	22.0	8.3	0.40	292	0.35	2.44	5.1
EMNW-4300W/400N		0.82	10.2	1.29	15.75	0.10	6.2	0.022	1.62	21.1	6.0	0.30	246	0.37	2.25	5.7
EMNW-5600W/150S		1.06	3.0	2.53	24.0	0.09	5.6	0.023	1.43	13.1	5.3	0.36	315	0.84	2.12	7.3
EMNW-5600W/200S		0.69	4.0	4.07	20.5	0.13	5.3	0.040	1.04	17.4	4.8	0.30	307	0.78	1.75	8.2
EMNW-5600W/250S		0.64	4.2	2.23	14.60	0.12	5.6	0.023	1.51	23.3	5.6	0.40	337	0.35	2.54	6.2
EMNW-5600W/300S		1.19	6.1	1.88	19.95	0.09	5.8	0.023	1.57	14.9	7.6	0.40	266	1.09	2.18	6.1
EMNW-5600W/400S		0.74	4.5	1.47	19.00	0.08	6.2	0.018	1.58	14.8	3.7	0.24	217	1.69	2.07	6.1
EMNW-5600W/450S		0.78	24.2	0.89	15.45	0.10	7.8	0.021	1.71	31.1	3.9	0.22	197	1.34	2.23	5.9
EMNW-5600W/500S		0.69	6.5	1.21	18.00	0.08	7.7	0.020	1.66	18.1	3.8	0.29	239	1.25	2.25	6.7
EMNW-5600W/550S		0.92	7.2	2.27	23.3	0.10	8.3	0.022	1.81	18.1	4.0	0.26	228	1.93	2.03	10.0
EMNW-5600W/600S		0.79	7.7	2.10	15.10	0.10	6.1	0.029	1.68	20.6	7.0	0.40	292	0.48	2.32	6.0
EMNW-5600W/650S		0.67	5.5	1.78	15.10	0.10	6.5	0.027	1.55	18.2	5.5	0.31	248	0.82	2.04	5.9
EMNW-5600W/700S		0.72	5.6	1.71	14.95	0.11	5.9	0.020	1.55	24.9	5.4	0.31	239	0.60	2.10	5.2
EMNW-5600W/750S		0.65	39.9	1.49	15.75	0.11	4.9	0.021	1.43	30.2	4.9	0.28	201	0.65	2.16	5.9
EMNW-5600W/800S		0.66	8.7	0.85	16.75	0.08	7.2	0.017	1.60	17.4	4.6	0.26	202	0.53	2.11	6.9
EMNW-5200W/150S		0.73	1.7	1.19	15.85	0.09	7.8	0.014	1.64	18.2	3.8	0.21	218	0.38	2.02	6.2
EMNW-5200W/200S		0.66	7.9	1.75	14.40	0.09	5.7	0.023	1.60	15.5	5.9	0.34	268	0.23	2.42	4.8
EMNW-5200W/250S		0.66	3.8	2.69	19.70	0.10	7.5	0.035	1.67	25.8	4.5	0.41	364	0.51	2.19	6.6
EMNW-5200W/300S		0.80	5.4	2.53	17.90	0.11	6.0	0.029	1.24	16.6	5.0	0.28	206	0.69	1.73	6.5
EMNW-5200W/350S		0.87	3.4	1.97	17.70	0.10	7.7	0.026	1.81	17.1	4.2	0.29	243	1.03	2.03	6.6
EMNW-5200W/400S		0.73	4.2	2.17	18.05	0.11	7.2	0.021	1.59	15.9	4.4	0.25	218	0.51	1.99	7.0
EMNW-5200W/450S		0.62	4.7	2.07	16.55	0.10	7.8	0.025	1.48	16.1	4.3	0.25	214	0.56	1.92	6.6
EMNW-5200W/500S		0.72	2.6	1.69	16.55	0.08	8.8	0.017	1.59	18.3	4.2	0.29	272	0.56	1.91	6.4
EMNW-5200W/700S		0.59	17.8	1.22	16.95	0.09	6.4	0.019	1.53	22.1	4.5	0.28	271	2.73	2.23	6.1
EMNW-5200W/800S		0.91	4.1	1.57	19.55	0.11	7.6	0.015	1.81	18.2	4.6	0.26	216	0.77	1.93	7.5
EMNW-4900W/0		0.74	3.7	1.66	20.3	0.11	6.7	0.027	1.37	21.0	5.2	0.42	424	0.81	2.26	7.3

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MSG1	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMNW-4300W/450S		11.5	920	18.5	44.3	<0.002	0.03	0.18	5.8	2	0.9	282	0.38	<0.05	5.3	0.221
EMNW-4300W/500S		7.6	650	15.4	41.1	<0.002	0.04	0.14	6.5	2	0.8	292	0.38	<0.05	4.6	0.200
EMNW-4300W/550S		7.4	390	15.7	49.8	<0.002	0.02	0.13	5.6	2	1.0	305	0.42	<0.05	4.8	0.225
EMNW-4300W/600S		7.8	540	13.6	43.4	<0.002	0.03	0.08	6.4	2	0.6	296	0.31	<0.05	4.5	0.162
EMNW-4300W/650S		8.0	380	14.5	47.3	<0.002	0.02	0.08	6.3	2	0.8	301	0.35	<0.05	4.4	0.197
EMNW-4300W/700S		7.9	470	13.3	50.3	<0.002	0.01	0.06	6.3	2	0.7	351	0.32	<0.05	3.4	0.158
EMNW-4300W/750S		7.5	460	12.6	43.7	<0.002	0.02	0.06	6.1	2	0.6	297	0.28	<0.05	4.3	0.147
EMNW-4300W/800S		6.6	280	16.0	53.0	<0.002	0.01	0.18	5.0	2	0.7	312	0.34	<0.05	4.2	0.161
EMNW-4300W/300S		8.7	360	14.3	43.9	<0.002	0.03	0.07	7.0	2	0.7	326	0.36	<0.05	5.1	0.187
EMNW-4300W/150S		3.2	190	16.7	49.7	<0.002	0.01	0.09	2.2	2	1.2	265	0.42	<0.05	6.3	0.251
EMNW-4300W/50N		6.7	180	18.4	49.2	<0.002	0.02	0.06	5.4	2	1.0	288	0.35	<0.05	4.9	0.231
EMNW-4300W/200N		8.7	570	14.2	41.6	<0.002	0.02	0.07	6.9	2	0.8	296	0.42	<0.05	6.2	0.202
EMNW-4300W/250N		7.5	690	18.9	45.7	<0.002	0.02	0.08	5.7	2	1.2	279	0.49	<0.05	5.0	0.255
EMNW-4300W/300N		8.9	330	16.1	55.5	<0.002	0.01	0.08	5.8	2	1.0	300	0.46	<0.05	5.0	0.214
EMNW-4300W/350N		12.0	390	15.0	57.2	<0.002	<0.01	0.08	6.7	2	0.8	340	0.39	<0.05	5.4	0.156
EMNW-4300W/400N		7.9	320	15.3	56.7	<0.002	0.01	0.05	5.6	2	0.9	312	0.38	<0.05	5.1	0.187
EMNW-5600W/150S		9.7	430	16.9	51.8	<0.002	0.01	0.11	6.5	2	1.4	307	0.48	<0.05	4.0	0.289
EMNW-5600W/200S		8.6	900	17.2	39.0	<0.002	0.08	0.10	7.1	2	1.0	257	0.54	<0.05	6.4	0.252
EMNW-5600W/250S		10.6	420	14.4	50.9	<0.002	0.01	0.05	7.2	2	0.8	366	0.39	<0.05	6.2	0.209
EMNW-5600W/300S		11.1	180	18.1	56.3	<0.002	0.01	0.08	6.3	2	1.1	327	0.48	<0.05	4.5	0.266
EMNW-5600W/400S		8.6	160	18.2	54.0	<0.002	0.01	0.05	4.8	2	1.1	305	0.37	<0.05	4.3	0.219
EMNW-5600W/450S		5.7	260	20.8	56.6	<0.002	0.01	0.08	4.6	2	1.1	317	0.42	<0.05	5.7	0.195
EMNW-5600W/500S		7.3	240	18.3	55.6	<0.002	0.01	0.05	5.5	2	1.2	328	0.42	<0.05	5.7	0.245
EMNW-5600W/550S		7.1	210	19.8	62.9	<0.002	0.01	0.08	5.3	2	1.9	279	0.69	0.12	6.5	0.338
EMNW-5600W/600S		11.6	230	16.4	57.7	<0.002	0.01	0.05	7.6	2	0.8	335	0.40	<0.05	6.0	0.174
EMNW-5600W/650S		8.4	240	16.6	53.9	<0.002	0.02	0.08	6.1	2	0.9	295	0.37	<0.05	6.5	0.187
EMNW-5600W/700S		8.4	200	16.4	53.7	<0.002	0.01	0.05	6.0	2	0.9	308	0.34	<0.05	6.4	0.172
EMNW-5600W/750S		7.5	250	13.9	48.9	<0.002	0.02	0.06	5.6	2	0.8	310	0.35	<0.05	4.9	0.181
EMNW-5600W/800S		6.8	280	17.1	54.3	<0.002	0.01	0.06	4.8	2	1.1	314	0.44	<0.05	5.3	0.217
EMNW-5200W/150S		5.9	160	17.9	55.7	<0.002	<0.01	0.08	4.0	2	1.1	305	0.41	<0.05	7.6	0.237
EMNW-5200W/200S		9.1	310	15.3	55.0	<0.002	0.01	0.06	6.4	2	0.7	339	0.31	<0.05	5.7	0.149
EMNW-5200W/250S		8.5	320	18.1	52.6	<0.002	0.01	0.07	8.7	2	2.0	385	0.39	<0.05	7.4	0.303
EMNW-5200W/300S		7.6	410	17.0	44.0	<0.002	0.02	0.06	6.2	2	0.9	255	0.41	<0.05	7.1	0.197
EMNW-5200W/350S		7.4	310	19.3	57.2	<0.002	0.01	0.07	5.5	2	1.2	306	0.46	<0.05	5.9	0.242
EMNW-5200W/400S		6.6	270	17.6	55.6	<0.002	0.03	0.08	5.2	2	1.1	284	0.47	<0.05	6.4	0.211
EMNW-5200W/450S		6.4	370	17.3	51.8	<0.002	0.02	0.06	5.3	2	1.0	264	0.46	<0.05	6.1	0.192
EMNW-5200W/500S		6.3	170	18.3	56.2	<0.002	0.01	0.18	5.4	2	1.4	281	0.44	<0.05	6.2	0.285
EMNW-5200W/700S		6.8	260	17.3	52.9	<0.002	0.02	0.18	5.7	2	1.1	304	0.45	<0.05	7.9	0.221
EMNW-5200W/800S		7.9	270	19.0	63.5	<0.002	0.01	0.22	4.6	2	1.7	254	0.53	<0.05	7.6	0.275
EMNW-4900W/0		8.7	360	16.4	49.5	<0.002	0.02	0.20	8.9	2	1.1	316	0.49	<0.05	5.9	0.294

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - D

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 30-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Ti	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMNW-4300W/450S		0.22	0.8	46	0.4	8.2	24	147.0	<10
EMNW-4300W/500S		0.22	0.8	42	0.4	8.5	12	128.5	<10
EMNW-4300W/550S		0.26	0.9	41	0.4	7.3	11	184.0	<10
EMNW-4300W/600S		0.25	0.7	33	0.3	8.2	12	104.0	<10
EMNW-4300W/650S		0.25	0.9	32	0.3	8.6	13	161.0	<10
EMNW-4300W/700S		0.27	0.8	29	0.3	11.1	12	140.0	<10
EMNW-4300W/750S		0.22	0.9	30	0.2	10.1	10	135.5	<10
EMNW-4300W/800S		0.25	0.8	22	0.3	7.3	8	170.0	<10
EMNW-4300W/300S		0.22	0.9	35	0.4	9.2	13	150.5	<10
EMNW-4300W/150S		0.26	1.1	21	0.6	3.9	2	270	<10
EMNW-4300W/50N		0.26	1.1	42	0.4	7.4	9	197.0	<10
EMNW-4300W/200N		0.21	1.0	39	0.4	9.8	14	165.5	<10
EMNW-4300W/250N		0.24	1.0	62	0.6	7.4	12	191.0	<10
EMNW-4300W/300N		0.26	1.1	46	0.5	8.6	13	158.0	<10
EMNW-4300W/350N		0.30	1.1	33	0.4	12.3	18	168.0	<10
EMNW-4300W/400N		0.29	1.0	26	0.4	10.6	12	179.5	<10
EMNW-5600W/150S		0.27	0.8	57	0.5	7.3	14	166.5	<10
EMNW-5600W/200S		0.22	0.9	66	0.7	10.1	15	156.0	<10
EMNW-5600W/250S		0.24	1.2	40	0.4	12.5	17	166.0	<10
EMNW-5600W/300S		0.29	0.9	45	0.5	7.4	18	174.5	<10
EMNW-5600W/400S		0.26	0.9	44	0.4	7.0	8	191.0	<10
EMNW-5600W/450S		0.31	1.8	20	0.5	9.6	8	224	<10
EMNW-5600W/500S		0.27	1.2	34	0.5	7.9	11	224	<10
EMNW-5600W/550S		0.31	1.1	70	0.7	8.0	10	242	<10
EMNW-5600W/600S		0.28	1.1	35	0.4	10.4	16	181.0	<10
EMNW-5600W/650S		0.26	1.1	33	0.5	8.1	13	193.0	<10
EMNW-5600W/700S		0.27	1.0	32	0.5	10.4	13	175.0	<10
EMNW-5600W/750S		0.25	1.1	29	0.3	15.0	14	150.0	<10
EMNW-5600W/800S		0.25	1.1	24	0.4	8.0	12	214	<10
EMNW-5200W/150S		0.29	1.3	32	0.4	6.1	6	231	<10
EMNW-5200W/200S		0.26	1.1	31	0.3	9.1	12	168.5	<10
EMNW-5200W/250S		0.26	0.9	57	0.4	11.3	19	221	<10
EMNW-5200W/300S		0.22	1.1	43	0.4	8.2	10	175.5	<10
EMNW-5200W/350S		0.29	1.2	42	0.5	7.7	11	220	<10
EMNW-5200W/400S		0.27	1.0	44	0.5	7.8	9	201	<10
EMNW-5200W/450S		0.26	1.1	36	0.4	9.1	10	218	<10
EMNW-5200W/500S		0.30	1.2	43	0.6	7.7	14	293	<10
EMNW-5200W/700S		0.28	1.2	24	1.0	9.1	15	212	<10
EMNW-5200W/800S		0.34	1.1	42	0.7	7.1	13	251	10
EMNW-4900W/0		0.26	1.2	36	0.4	12.0	19	225	20

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Vt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppb	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMNW-4900W/50N		0.28	6	<5	<1	0.12	7.71	3.6	420	1.02	0.08	1.15	0.11	34.7	2.7	39
EMNW-4900W/100N		0.40	6	5	1	0.04	6.58	2.4	480	1.23	0.17	1.19	0.05	37.8	2.7	30
EMNW-4900W/150N		0.38	3	<5	<1	0.03	6.83	2.1	490	1.20	0.06	1.30	0.06	44.8	3.1	37
EMNW-4900W/200N		0.40	2	<5	<1	0.05	5.90	2.7	480	1.00	0.09	1.16	0.07	31.2	2.7	32
EMNW-4900W/250N		0.42	<1	<5	<1	0.02	6.49	3.0	450	1.10	0.09	1.20	0.06	47.6	3.1	34
EMNW-4900W/300N		0.38	1	<5	<1	0.03	7.34	2.4	520	1.46	0.08	1.37	0.08	40.6	4.2	42
EMNW-4900W/350N		0.38	1	<5	<1	0.05	6.84	2.2	510	1.30	0.09	1.32	0.07	42.5	3.2	39
EMNW-4900W/400N		0.28	4	<5	<1	0.03	5.10	2.0	500	0.95	0.10	1.03	0.08	31.7	1.9	24
EMNW-5500W/350S		0.54	5	<5	<1	0.02	5.92	1.8	490	1.07	0.09	1.27	0.05	29.0	3.1	33
EMNW-5500W/400S		0.52	3	<5	<1	0.01	5.10	0.9	550	1.06	0.08	0.97	0.06	22.9	1.4	15
EMNW-5500W/450S		0.46	2	<5	<1	0.01	6.39	2.4	470	1.40	0.05	1.50	0.06	50.4	4.0	35
EMNW-5500W/500S		0.28	4	<5	<1	0.03	4.18	0.6	580	0.84	0.10	0.66	0.07	37.1	0.5	11
EMNW-5500W/550S		0.40	1	<5	<1	0.02	5.35	0.9	590	1.06	0.08	1.13	0.05	39.4	2.0	25
EMNW-5500W/600S		0.30	1	<5	<1	0.02	5.18	0.9	620	1.18	0.07	0.99	0.04	41.3	1.4	17
EMNW-5500W/650S		0.48	10	<5	<1	<0.01	5.43	0.7	590	1.18	0.10	0.91	0.05	39.8	1.5	19
EMNW-5500W/700S		0.42	130	<5	<1	0.02	4.68	0.8	580	0.90	0.10	0.78	0.04	37.1	0.8	11
EMNW-5500W/750S		0.36	3	<5	<1	0.07	5.31	1.1	590	1.17	0.11	0.86	0.04	31.3	1.6	18
EMNW-5500W/800S		0.48	13	<5	<1	0.01	5.09	0.7	580	1.11	0.10	1.00	0.05	33.2	1.9	21
EMNW-4400W/450S		0.50	2	<5	<1	0.03	7.23	1.5	520	1.62	0.05	1.55	0.07	46.3	4.1	32
EMNW-4400W/500S		0.52	3	<5	<1	0.01	6.48	1.6	480	1.31	0.08	1.51	0.06	45.3	3.8	29
EMNW-4400W/550S		0.38	<1	<5	<1	<0.01	6.32	1.3	480	1.40	0.04	1.55	0.05	39.4	3.9	26
EMNW-4400W/600S		0.36	<1	<5	<1	0.02	5.95	0.8	560	1.24	0.06	1.40	0.05	35.4	2.5	20
EMNW-4400W/650S		0.46	2	<5	<1	<0.01	5.40	0.6	560	1.08	0.10	1.17	0.05	24.8	1.8	17
EMNW-4400W/700S		0.36	2	<5	<1	0.08	5.85	0.7	530	1.26	0.05	1.31	0.05	28.2	2.3	21
EMNW-4400W/750S		0.50	<1	<5	1	0.05	6.41	1.6	440	1.25	0.03	1.45	0.05	33.2	3.4	27
EMNW-4400W/800S		0.36	<1	<5	<1	0.03	5.74	0.7	610	1.20	0.07	1.15	0.03	29.9	1.4	16
EMNW-4400W/200S		0.54	330	<5	<1	0.03	6.03	1.3	530	1.15	0.08	1.12	0.04	41.4	2.4	24
EMNW-4400W/250S		0.44	3	<5	<1	0.01	6.87	1.3	510	1.44	0.07	1.56	0.06	57.8	3.8	30
EMNW-4400W/300S		0.42	<1	<5	<1	0.03	6.73	1.1	490	1.40	0.10	1.58	0.06	42.5	3.7	28
EMNW-4700W/350S		0.46	3	<5	<1	0.01	5.33	1.0	540	1.08	0.07	1.03	0.05	34.2	1.7	22
EMNW-4700W/400S		0.68	2	<5	<1	0.02	6.35	0.8	550	1.38	3.03	1.68	0.07	43.6	4.4	33
EMNW-4700W/450S		0.62	4	<5	1	0.08	6.20	0.5	520	1.54	10.80	1.52	0.08	76.0	3.7	28
EMNW-4700W/500S		0.44	1	<5	<1	0.03	5.80	1.8	520	0.99	0.14	1.39	0.13	35.1	3.5	28
EMNW-4700W/550S		0.48	1	5	10	0.02	5.77	0.6	410	0.98	0.08	1.24	0.08	31.9	2.8	26
EMNW-4700W/600S		0.42	1	<5	<1	0.02	7.41	1.5	420	1.40	0.07	1.23	0.09	33.9	3.4	35
EMNW-4700W/650S		0.52	5	<5	<1	0.01	5.15	0.7	550	0.98	0.11	1.09	0.07	34.0	2.1	17
EMNW-4700W/700S		0.44	<1	<5	<1	0.01	5.20	0.9	510	0.99	0.12	1.16	0.04	31.2	2.5	22
EMNW-4700W/750S		0.40	1	<5	<1	<0.01	4.72	0.3	560	0.92	0.10	0.95	0.05	41.5	1.5	15
EMNW-4700W/800S		0.40	1	<5	<1	<0.01	5.26	0.6	550	1.08	0.09	1.13	0.05	39.4	2.4	20
EMNW-5300W/750S		0.34	7	<5	<1	0.09	5.81	1.9	470	1.01	0.10	1.00	0.10	31.8	2.3	28

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
EMNW-4900W/50N		0.79	5.5	3.27	20.2	0.11	4.6	0.033	1.19	18.2	4.9	0.27	203	0.71	1.80	6.2
EMNW-4900W/100N		0.71	3.0	2.01	17.65	0.11	6.5	0.026	1.38	19.0	4.4	0.28	226	0.35	2.01	5.8
EMNW-4900W/150N		0.70	2.9	2.46	18.10	0.12	6.5	0.025	1.43	21.3	5.0	0.32	250	0.37	2.14	6.2
EMNW-4900W/200N		0.65	2.8	2.66	20.8	0.10	6.8	0.020	1.40	15.4	4.6	0.25	276	0.56	1.95	6.7
EMNW-4900W/250N		0.63	3.2	2.65	20.0	0.11	6.7	0.021	1.33	24.1	5.0	0.28	283	1.08	1.96	6.5
EMNW-4900W/300N		0.91	5.6	2.55	18.15	0.11	6.2	0.026	1.58	18.0	8.0	0.36	285	0.40	2.26	6.5
EMNW-4900W/350N		0.77	3.6	2.62	19.30	0.12	7.7	0.025	1.52	19.8	5.8	0.31	306	0.58	2.19	7.2
EMNW-4900W/400N		0.52	2.3	1.72	18.40	0.10	8.9	0.015	1.42	15.9	3.7	0.19	195	0.43	1.84	6.5
EMNW-5500W/350S		0.71	2.8	2.03	20.5	0.10	6.9	0.018	1.45	14.6	5.1	0.30	268	0.40	2.01	6.1
EMNW-5500W/400S		0.63	1.7	0.87	13.15	0.07	7.4	0.007	1.69	11.9	4.0	0.13	196	0.50	1.92	4.1
EMNW-5500W/450S		0.65	5.2	2.25	15.80	0.12	5.8	0.021	1.48	20.8	6.5	0.39	331	0.79	2.51	5.4
EMNW-5500W/500S		0.49	3.7	0.42	11.50	0.09	10.9	<0.005	1.66	18.5	3.5	0.05	111	0.64	1.56	5.2
EMNW-5500W/550S		0.65	3.3	1.28	18.75	0.09	10.3	0.018	1.72	19.4	4.0	0.20	206	0.93	2.08	7.2
EMNW-5500W/600S		0.64	9.2	0.55	15.20	0.09	9.8	0.010	1.80	20.8	4.0	0.15	157	1.54	2.03	5.5
EMNW-5500W/650S		0.75	7.3	0.78	17.15	0.09	9.7	0.013	1.83	20.0	3.7	0.15	150	1.05	2.12	7.0
EMNW-5500W/700S		0.53	4.5	0.45	13.60	0.10	10.4	0.007	1.68	18.5	3.5	0.08	126	1.06	1.80	6.1
EMNW-5500W/750S		0.67	2.9	1.20	19.00	0.09	8.5	0.012	1.92	15.7	4.1	0.16	154	1.22	1.98	7.8
EMNW-5500W/800S		0.63	1.9	1.13	16.15	0.11	8.9	0.014	1.73	16.6	4.1	0.19	182	0.93	1.97	7.2
EMNW-4400W/450S		0.72	6.2	1.79	16.20	0.13	4.4	0.023	1.59	20.0	7.5	0.39	290	0.41	2.61	5.4
EMNW-4400W/500S		0.74	5.7	1.67	15.70	0.12	5.0	0.024	1.46	20.3	6.5	0.35	269	0.36	2.39	5.0
EMNW-4400W/550S		0.69	6.4	1.51	15.80	0.12	4.5	0.022	1.47	16.4	6.1	0.32	273	0.30	2.50	4.9
EMNW-4400W/600S		0.70	2.0	0.90	15.50	0.11	6.5	0.015	1.71	17.5	4.6	0.27	235	1.01	2.46	5.1
EMNW-4400W/650S		0.83	1.3	0.67	18.45	0.10	6.8	0.013	1.66	12.2	4.8	0.19	201	0.76	2.24	8.7
EMNW-4400W/700S		0.61	2.3	0.85	15.15	0.10	5.7	0.014	1.72	13.9	4.5	0.24	205	0.29	2.36	4.2
EMNW-4400W/750S		0.65	4.0	1.66	14.25	0.10	4.4	0.020	1.38	14.9	6.3	0.31	264	0.37	2.39	4.4
EMNW-4400W/800S		0.84	2.1	0.57	16.60	0.10	7.6	0.012	1.80	15.2	4.6	0.15	177	0.39	2.31	5.4
EMNW-4400W/200S		0.87	3.2	1.42	18.90	0.12	7.7	0.016	1.52	20.8	5.5	0.22	210	0.47	1.98	5.6
EMNW-4400W/250S		0.72	5.0	1.51	16.65	0.13	5.2	0.023	1.54	27.6	6.9	0.37	286	0.35	2.46	5.1
EMNW-4400W/300S		0.72	5.4	1.60	15.65	0.12	4.8	0.022	1.49	19.6	7.0	0.34	280	0.55	2.52	4.8
EMNW-4700W/350S		0.67	2.4	0.82	17.25	0.09	8.0	0.017	1.55	17.1	3.9	0.18	174	0.59	1.91	5.4
EMNW-4700W/400S		0.84	5.7	1.43	15.15	0.13	4.8	0.025	1.57	20.5	7.2	0.41	317	0.61	2.66	5.6
EMNW-4700W/450S		0.81	9.5	1.35	15.00	0.16	4.7	0.022	1.47	43.2	5.9	0.33	275	0.42	2.45	5.2
EMNW-4700W/500S		0.85	6.0	2.00	20.8	0.06	6.4	0.028	1.49	17.5	4.5	0.30	244	0.83	2.29	7.1
EMNW-4700W/550S		0.74	3.6	1.80	17.90	0.09	6.1	0.024	1.18	16.3	3.9	0.23	207	0.53	1.97	6.2
EMNW-4700W/600S		0.67	4.1	2.52	18.15	0.11	4.4	0.035	1.22	15.2	5.0	0.28	209	0.52	1.98	6.5
EMNW-4700W/650S		0.68	2.1	1.24	17.65	0.09	8.5	0.016	1.53	17.6	3.9	0.18	182	0.33	1.95	6.7
EMNW-4700W/700S		0.76	1.4	1.78	21.1	0.11	7.3	0.018	1.44	16.1	4.0	0.22	203	0.38	1.96	7.8
EMNW-4700W/750S		0.72	1.7	0.82	15.75	0.10	10.5	0.017	1.61	21.8	3.7	0.14	154	0.49	1.78	7.5
EMNW-4700W/800S		0.98	1.4	1.24	18.90	0.11	8.6	0.019	1.58	20.6	4.1	0.23	198	0.52	1.88	7.7
EMNW-5300W/750S		0.70	5.8	2.09	19.65	0.12	6.2	0.027	1.37	16.5	3.8	0.20	191	0.75	1.79	7.2

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Ta	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMNW-4900W/50N		6.1	560	15.0	39.9	<0.002	0.05	0.26	6.6	2	1.0	249	0.42	0.06	6.5	0.251
EMNW-4900W/100N		6.7	330	15.5	46.7	<0.002	0.02	0.21	6.1	2	0.9	289	0.37	<0.05	6.2	0.222
EMNW-4900W/150N		7.3	380	15.2	48.4	<0.002	0.02	0.11	6.8	2	1.0	305	0.40	<0.05	7.9	0.230
EMNW-4900W/200N		5.8	410	15.4	48.0	<0.002	0.01	0.23	5.4	2	1.1	282	0.42	<0.05	5.0	0.279
EMNW-4900W/250N		6.6	410	17.0	46.2	<0.002	0.02	0.15	6.1	2	1.0	282	0.41	<0.05	8.0	0.258
EMNW-4900W/300N		9.4	470	17.9	57.6	<0.002	0.04	0.15	7.7	2	1.0	319	0.41	<0.05	6.8	0.210
EMNW-4900W/350N		7.6	460	17.6	51.8	<0.002	0.02	0.17	6.8	2	1.2	314	0.49	<0.05	8.3	0.271
EMNW-4900W/400N		4.6	420	17.7	48.4	<0.002	0.01	0.14	4.2	2	1.1	272	0.45	<0.05	6.0	0.259
EMNW-5500W/350S		7.5	390	16.7	52.4	<0.002	0.01	0.14	5.8	2	1.1	288	0.40	<0.05	4.8	0.271
EMNW-5500W/400S		3.4	100	15.2	59.1	<0.002	0.01	0.10	3.1	2	0.9	273	0.30	<0.05	4.3	0.181
EMNW-5500W/450S		9.0	150	15.0	53.9	<0.002	0.01	0.13	7.6	2	0.8	342	0.36	<0.05	8.1	0.182
EMNW-5500W/500S		2.5	150	14.4	53.7	<0.002	0.01	0.20	1.6	2	1.0	225	0.40	<0.05	7.9	0.204
EMNW-5500W/550S		6.5	200	21.5	59.1	<0.002	0.01	0.15	4.4	2	1.3	307	0.47	<0.05	7.1	0.287
EMNW-5500W/600S		5.2	210	17.4	62.2	<0.002	0.01	0.11	3.3	1	1.1	298	0.38	<0.05	7.7	0.230
EMNW-5500W/650S		4.6	200	19.3	61.8	<0.002	0.01	0.11	4.1	2	1.5	257	0.55	<0.05	6.9	0.238
EMNW-5500W/700S		2.7	170	17.5	55.1	<0.002	0.01	0.10	2.5	2	1.1	248	0.43	<0.05	7.3	0.228
EMNW-5500W/750S		4.0	170	17.2	63.6	<0.002	0.01	0.13	4.0	2	1.5	248	0.57	<0.05	6.0	0.248
EMNW-5500W/800S		5.1	140	15.9	58.0	<0.002	0.01	0.13	4.3	2	1.4	271	0.54	<0.05	5.8	0.267
EMNW-4400W/450S		9.4	480	14.0	55.6	<0.002	0.02	0.09	7.8	2	0.8	354	0.54	<0.05	4.9	0.190
EMNW-4400W/500S		8.7	470	13.3	51.4	<0.002	0.01	0.20	7.2	2	0.8	324	0.50	<0.05	5.2	0.187
EMNW-4400W/550S		8.4	380	13.1	51.1	<0.002	0.01	0.10	6.7	2	0.8	337	0.39	<0.05	3.8	0.185
EMNW-4400W/600S		5.9	190	15.6	58.2	<0.002	0.01	0.12	5.5	2	0.8	343	0.40	<0.05	6.4	0.202
EMNW-4400W/650S		4.8	170	18.5	60.5	<0.002	0.01	0.10	3.8	2	1.5	300	0.50	<0.05	4.9	0.351
EMNW-4400W/700S		5.5	240	15.4	58.9	<0.002	0.01	0.11	5.1	2	0.7	327	0.30	<0.05	4.3	0.164
EMNW-4400W/750S		7.5	410	12.1	48.3	<0.002	0.01	0.12	6.7	2	0.6	323	0.28	<0.05	3.4	0.157
EMNW-4400W/800S		3.8	270	18.6	64.7	<0.002	0.01	0.10	3.7	2	1.0	334	0.37	<0.05	5.2	0.234
EMNW-4400W/200S		5.7	270	18.0	55.8	<0.002	0.02	0.15	5.3	2	1.1	284	0.39	<0.05	7.0	0.249
EMNW-4400W/250S		8.8	480	14.5	55.7	<0.002	0.01	0.11	7.6	2	0.8	341	0.34	<0.05	9.5	0.184
EMNW-4400W/300S		8.8	480	13.2	54.1	<0.002	0.02	0.10	7.3	2	0.7	338	0.33	<0.05	4.0	0.169
EMNW-4700W/350S		5.0	260	17.0	56.3	<0.002	0.02	0.16	4.6	2	1.2	282	0.36	<0.05	5.5	0.237
EMNW-4700W/400S		12.4	540	13.2	53.2	<0.002	0.01	0.38	6.8	2	0.8	354	0.34	0.05	5.5	0.193
EMNW-4700W/450S		9.1	430	13.4	51.1	<0.002	0.01	0.75	6.7	2	0.8	341	0.40	0.05	8.7	0.185
EMNW-4700W/500S		11.1	310	21.1	58.2	<0.002	0.02	0.15	5.7	2	1.1	328	0.48	0.05	5.2	0.246
EMNW-4700W/550S		6.7	430	15.6	45.5	<0.002	0.03	0.10	5.3	2	1.1	274	0.45	<0.05	4.8	0.242
EMNW-4700W/600S		8.4	690	16.7	47.0	<0.002	0.03	0.11	6.6	2	0.9	280	0.43	<0.05	5.4	0.183
EMNW-4700W/650S		5.6	220	19.3	58.3	<0.002	0.01	0.09	3.8	2	1.4	286	0.51	<0.05	6.2	0.268
EMNW-4700W/700S		6.1	380	17.3	54.3	0.002	0.01	0.09	4.5	2	1.5	284	0.56	<0.05	5.4	0.312
EMNW-4700W/750S		5.1	180	18.9	59.6	0.002	0.01	0.09	3.0	2	1.6	275	0.91	<0.05	8.0	0.275
EMNW-4700W/800S		7.1	360	22.5	61.8	<0.002	0.01	0.08	4.6	2	1.5	288	0.54	<0.05	7.0	0.279
EMNW-5300W/750S		7.4	400	18.5	53.9	<0.002	0.02	0.09	4.6	2	1.2	255	0.53	<0.05	5.7	0.209

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61	
		Ti	U	V	W	Y	Zn	Zr	B					
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	0.1	2	0.5	10				
EMNW-4900W/50N		0.23	0.9	54	0.8	7.7	18	155.0	10					
EMNW-4900W/100N		0.26	0.9	41	0.5	6.9	15	213	10					
EMNW-4900W/150N		0.24	1.0	47	0.5	8.0	17	221	20					
EMNW-4900W/200N		0.27	1.0	52	0.6	6.8	16	238	30					
EMNW-4900W/250N		0.25	1.0	53	0.6	7.8	17	222	30					
EMNW-4900W/300N		0.30	1.1	44	0.5	9.6	21	204	20					
EMNW-4900W/350N		0.27	1.2	50	0.6	8.6	20	257	20					
EMNW-4900W/400N		0.27	1.1	45	0.5	5.5	12	289	30					
EMNW-5500W/350S		0.28	0.9	49	0.4	6.7	16	231	40					
EMNW-5500W/400S		0.31	0.8	22	0.4	4.0	8	244	30					
EMNW-5500W/450S		0.25	1.1	37	0.4	9.8	18	178.0	20					
EMNW-5500W/500S		0.28	1.3	11	0.4	3.9	7	371	20					
EMNW-5500W/550S		0.30	1.2	42	0.6	6.4	12	346	30					
EMNW-5500W/600S		0.32	1.4	17	0.6	5.6	9	329	40					
EMNW-5500W/650S		0.31	1.4	21	0.6	7.9	9	314	30					
EMNW-5500W/700S		0.27	1.4	16	0.5	5.3	7	346	40					
EMNW-5500W/750S		0.32	1.1	35	0.7	6.2	10	276	40					
EMNW-5500W/800S		0.30	1.1	33	0.6	6.3	11	294	40					
EMNW-4400W/450S		0.27	1.0	34	0.3	12.4	20	148.5	30					
EMNW-4400W/500S		0.24	1.0	31	0.3	12.0	20	168.5	20					
EMNW-4400W/550S		0.26	0.9	30	0.3	11.2	20	153.0	30					
EMNW-4400W/600S		0.28	0.9	21	0.3	7.2	14	217	30					
EMNW-4400W/650S		0.29	0.8	26	0.4	4.7	11	231	40					
EMNW-4400W/700S		0.28	0.8	21	0.3	6.7	13	190.0	20					
EMNW-4400W/750S		0.24	0.8	30	0.3	10.7	16	148.0	20					
EMNW-4400W/800S		0.32	1.0	20	0.4	5.0	10	253	20					
EMNW-4400W/200S		0.29	1.0	35	0.5	7.6	12	257	30					
EMNW-4400W/250S		0.26	1.2	28	0.3	13.4	18	168.0	30					
EMNW-4400W/300S		0.27	0.9	29	0.2	12.6	20	153.5	30					
EMNW-4700W/350S		0.28	1.1	25	0.4	5.6	10	264	50					
EMNW-4700W/400S		0.28	1.2	31	0.5	13.3	26	162.5	<10					
EMNW-4700W/450S		0.28	1.7	29	0.4	17.4	20	161.5	<10					
EMNW-4700W/500S		0.29	1.2	50	0.6	8.8	18	200	<10					
EMNW-4700W/550S		0.24	1.4	37	0.4	8.2	13	194.0	<10					
EMNW-4700W/600S		0.22	1.0	41	0.4	8.6	15	148.0	<10					
EMNW-4700W/650S		0.28	1.3	36	0.5	5.8	9	279	<10					
EMNW-4700W/700S		0.28	1.2	51	0.5	6.8	11	234	<10					
EMNW-4700W/750S		0.30	1.5	28	0.6	5.4	8	342	<10					
EMNW-4700W/800S		0.31	1.4	36	0.6	7.4	11	287	<10					
EMNW-5300W/750S		0.25	1.1	43	0.6	6.8	12	199.0	<10					

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
EMNW-5300W/800S		0.36	14	<5	<1	0.04	6.55	1.1	470	1.17	0.10	1.38	0.06	37.5	5.5	62
EMNW-5300W/650S		0.54	80	<5	1	0.01	5.50	1.0	520	1.15	0.11	1.20	0.06	39.1	3.1	28
EMNW-5300W/450S		0.52	3	<5	<1	0.01	6.21	0.7	500	1.30	0.06	1.31	0.04	35.3	3.3	27
EMNW-5300W/500S		0.38	3	<5	<1	0.02	6.76	1.5	460	1.50	0.09	1.16	0.07	35.9	3.3	30
EMNW-5300W/550S		0.46	3	<5	<1	0.03	5.90	1.4	500	1.03	0.09	1.11	0.05	38.6	2.9	37
EMNW-5300W/250S		0.26	2	<5	<1	0.01	6.02	<0.2	540	1.26	0.04	1.41	0.03	33.3	3.1	22
EMNW-5300W/100S		0.52	2	<5	<1	0.07	7.10	4.4	490	1.24	0.16	1.56	0.15	38.0	7.7	60
EMNW-2800W/50S		0.28	3	<5	<1	0.17	5.57	2.8	450	0.94	0.11	1.43	0.08	31.1	4.5	27
EMNW-2800W/100S		0.32	<1	<5	<1	0.12	7.08	1.4	390	1.13	0.07	1.15	0.06	33.9	3.5	38
EMNW-2800W/150S		0.38	<1	<5	<1	0.02	5.47	0.8	450	0.98	0.07	1.23	0.04	29.1	2.8	23
EMNW-2800W/200S		0.32	2	<5	<1	0.04	5.36	1.0	490	0.81	0.09	1.18	0.05	29.6	2.7	25
EMNW-2800W/250S		0.32	2	<5	<1	0.01	6.69	0.9	480	1.20	0.08	1.48	0.06	47.4	4.5	38
EMNW-2800W/300S		0.36	2	<5	2	0.08	6.09	0.7	590	1.21	0.41	1.40	0.09	45.2	4.1	48
EMNW-2800W/350S		0.42	2	<5	1	0.08	7.12	3.5	450	1.33	0.06	1.57	0.11	52.1	5.9	47
EMNW-2900W/200N		0.32	2	<5	<1	0.01	6.28	1.6	510	1.06	0.10	1.32	0.05	35.2	3.5	36
EMNW-2900W/250N		0.30	<1	<5	<1	0.02	7.02	2.4	460	1.24	0.09	1.32	0.11	36.5	3.9	43
EMNW-2900W/300N		0.24	3	<5	1	0.04	7.38	2.8	470	1.37	0.07	1.33	0.05	41.1	4.3	42
EMNW-2900W/350N		0.28	3	<5	<1	0.06	7.15	3.1	430	1.39	0.31	1.26	0.10	43.9	3.6	50
EMNW-2900W/400N		0.34	1	<5	<1	0.02	5.77	1.1	470	1.00	0.10	1.28	0.05	37.8	3.4	34
EMNW-5400W/400S		0.46	40	<5	<1	0.27	5.39	1.1	530	1.26	0.09	0.95	0.04	33.2	2.1	19
EMNW-5400W/450S		0.52	2	<5	1	<0.01	6.20	0.5	510	1.25	0.05	1.41	0.07	40.5	3.2	21
EMNW-5400W/500S		0.40	2	<5	<1	0.09	5.34	1.1	560	1.01	0.08	1.14	0.07	37.6	2.4	22
EMNW-5400W/550S		0.38	13	<5	<1	0.01	4.76	0.9	530	0.89	0.10	0.90	0.04	36.5	2.2	21
EMNW-5400W/600S		0.40	7	<5	<1	0.06	4.44	0.6	570	0.81	0.09	0.76	0.05	36.3	0.9	10
EMNW-5400W/650S		0.30	12	<5	1	0.02	4.51	0.7	560	0.79	0.11	0.83	0.07	34.9	1.2	13
EMNW-5400W/700S		0.38	3	<5	<1	<0.01	4.59	0.4	550	0.77	0.12	0.94	0.05	35.2	1.6	20
EMNW-5400W/750S		0.50	1	<5	<1	0.01	5.57	1.8	530	1.05	0.09	1.11	0.04	35.8	2.6	29
EMNW-5400W/800S		0.46	7	<5	<1	0.02	6.39	1.5	500	1.30	0.09	1.21	0.05	37.7	3.3	35
EMNW-5400W/200S		0.38	2	<5	<1	0.04	5.90	1.3	480	1.36	0.10	1.40	0.07	47.9	4.1	33
EMNW-5400W/250S		0.44	2	5	<1	0.03	6.24	1.8	470	1.37	0.14	1.33	0.07	35.2	3.7	33
EMNW-5400W/300S		0.40	<1	<5	<1	0.04	5.97	0.4	450	1.42	0.08	1.52	0.06	74.5	4.4	34
EMNW-4500W/200S		0.58	<1	<5	<1	0.04	5.29	0.8	540	1.25	0.09	1.25	0.06	37.1	2.6	20
EMNW-4500W/250S		Not Recvd														
EMNW-4500W/300S		Not Recvd														
EMNW-4500W/350S		Not Recvd														
EMNW-4700W/150N		0.60	<1	<5	<1	0.03	6.08	1.2	500	1.40	0.08	1.56	0.07	52.8	3.5	28
EMNW-4700W/100N		0.50	4	<5	<1	0.04	5.64	0.7	540	1.40	0.07	1.37	0.07	42.1	3.0	23
EMNW-4700W/50N		0.48	<1	<5	<1	0.02	5.10	2.3	540	0.96	0.10	1.13	0.06	29.1	2.1	19
EMNW-4700W/0		0.42	2	<5	<1	0.04	5.55	2.7	480	1.12	0.11	1.27	0.07	27.8	3.6	29
EMNW-4700W/50S		0.42	1	<5	<1	0.02	5.88	0.2	460	1.27	0.05	1.62	0.07	38.2	5.0	28

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
EMNW-5300W/800S		0.93	10.2	2.67	20.7	0.13	6.8	0.039	1.37	18.4	9.2	0.54	267	0.64	1.94	7.5
EMNW-5300W/650S		0.87	2.5	1.80	20.8	0.12	7.6	0.023	1.64	20.4	4.8	0.30	242	0.83	2.12	8.8
EMNW-5300W/450S		0.75	3.6	1.45	16.75	0.09	6.0	0.022	1.54	17.6	4.9	0.31	222	0.52	2.16	5.7
EMNW-5300W/500S		0.71	6.7	2.18	19.30	0.11	4.9	0.026	1.46	16.5	5.4	0.29	217	0.58	2.04	6.1
EMNW-5300W/550S		0.84	3.7	2.15	21.7	0.13	8.2	0.024	1.43	20.1	4.6	0.27	202	0.77	1.86	7.9
EMNW-5300W/250S		0.77	1.8	0.88	17.15	0.10	5.8	0.021	1.58	16.7	4.8	0.31	248	0.69	2.41	5.4
EMNW-5300W/100S		1.76	14.5	3.40	21.7	0.14	5.6	0.040	1.32	18.6	18.1	0.61	353	0.90	2.23	8.2
EMNW-2800W/50S		0.76	5.0	2.52	22.5	0.11	6.9	0.033	1.32	15.5	4.5	0.33	325	0.76	2.13	9.7
EMNW-2800W/100S		0.72	7.6	2.62	18.10	0.11	5.1	0.039	1.15	16.4	4.5	0.30	222	0.58	1.73	6.7
EMNW-2800W/150S		0.75	2.8	1.85	21.5	0.09	5.8	0.022	1.29	14.9	3.9	0.27	230	0.55	1.95	6.3
EMNW-2800W/200S		0.78	2.4	1.94	21.2	0.10	7.6	0.022	1.40	15.2	3.9	0.26	219	0.41	1.91	7.1
EMNW-2800W/250S		0.80	4.6	2.31	17.30	0.13	6.2	0.027	1.38	21.5	6.1	0.40	290	0.42	2.24	7.3
EMNW-2800W/300S		9.95	7.4	1.62	18.05	0.13	8.4	0.022	1.64	24.1	18.8	0.55	281	3.09	2.34	6.6
EMNW-2800W/350S		1.01	20.8	2.71	16.10	0.15	4.4	0.033	1.36	24.0	10.0	0.50	319	1.03	2.26	5.6
EMNW-2900W/200N		0.95	3.3	2.38	20.5	0.12	7.1	0.024	1.50	17.9	5.4	0.32	265	0.55	2.07	7.4
EMNW-2900W/250N		0.88	5.1	2.46	17.85	0.10	5.9	0.031	1.40	17.8	5.7	0.34	262	0.42	2.06	6.0
EMNW-2900W/300N		0.80	5.7	2.56	17.35	0.15	5.6	0.037	1.33	19.5	6.5	0.35	272	0.47	2.03	6.5
EMNW-2900W/350N		0.72	5.3	3.03	17.05	0.15	5.5	0.032	1.29	20.6	6.1	0.35	285	0.43	1.97	6.2
EMNW-2900W/400N		0.80	1.9	2.28	19.85	0.12	6.4	0.035	1.36	19.6	4.9	0.31	247	0.45	1.94	6.3
EMNW-5400W/400S		0.68	12.4	1.58	20.1	0.10	8.5	0.024	1.63	16.7	4.2	0.18	183	0.92	2.10	8.8
EMNW-5400W/450S		0.63	30.2	1.15	15.00	0.09	5.8	0.024	1.61	19.6	5.7	0.33	245	0.48	2.47	5.4
EMNW-5400W/500S		0.77	9.4	1.28	18.40	0.10	7.6	0.022	1.62	19.6	3.8	0.23	188	1.11	2.00	7.1
EMNW-5400W/550S		0.76	4.4	1.44	18.40	0.09	10.3	0.018	1.61	18.9	4.5	0.21	181	1.17	1.80	8.7
EMNW-5400W/600S		0.61	3.2	0.58	13.20	0.08	10.9	0.009	1.63	18.9	3.2	0.08	121	0.97	1.62	7.0
EMNW-5400W/650S		0.68	8.5	0.69	14.95	0.07	10.0	0.009	1.57	18.2	3.1	0.11	135	1.05	1.65	8.1
EMNW-5400W/700S		0.61	1.6	1.10	14.90	0.09	10.5	0.014	1.60	18.4	3.4	0.16	164	1.13	1.70	8.5
EMNW-5400W/750S		0.75	2.8	2.05	21.2	0.12	7.3	0.019	1.59	19.6	4.4	0.26	212	1.09	2.02	8.4
EMNW-5400W/800S		0.76	5.9	2.10	17.40	0.12	6.5	0.025	1.53	18.3	5.2	0.30	237	0.60	2.06	6.4
EMNW-5400W/200S		1.01	2.6	1.78	17.50	0.19	6.3	0.025	1.39	19.2	5.6	0.35	284	0.69	2.24	7.0
EMNW-5400W/250S		0.87	2.1	2.47	20.5	0.23	5.5	0.027	1.38	17.7	5.0	0.33	309	0.61	2.12	7.2
EMNW-5400W/300S		0.84	20.9	1.22	15.10	0.25	5.0	0.021	1.34	35.8	8.3	0.41	354	0.38	2.33	6.6
EMNW-4500W/200S		0.95	1.7	0.87	15.60	0.20	5.5	0.018	1.61	18.9	3.9	0.26	203	0.72	2.20	5.5
EMNW-4500W/250S																
EMNW-4500W/300S																
EMNW-4500W/350S																
EMNW-4700W/150N		0.71	5.4	1.51	16.50	0.25	5.3	0.022	1.39	27.8	5.1	0.33	242	0.64	2.52	6.2
EMNW-4700W/100N		0.81	3.7	1.14	16.50	0.19	6.7	0.018	1.53	23.0	4.5	0.31	229	0.44	2.35	6.5
EMNW-4700W/50N		0.63	1.3	1.19	17.35	0.16	6.1	0.012	1.53	14.8	3.3	0.21	175	0.41	2.04	6.3
EMNW-4700W/0		0.87	3.0	2.10	16.30	0.21	4.4	0.022	1.38	13.7	4.6	0.30	258	1.76	2.07	6.0
EMNW-4700W/50S		0.79	8.2	1.22	15.55	0.24	4.2	0.023	1.42	20.0	7.5	0.44	332	1.66	2.47	6.1

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMNW-5300W/800S		23.6	310	19.3	52.5	0.002	0.02	0.09	7.0	2	1.2	291	0.49	0.10	6.1	0.262
EMNW-5300W/650S		7.9	210	19.0	64.9	<0.002	0.01	0.09	5.5	2	1.5	297	0.60	<0.05	7.2	0.269
EMNW-5300W/450S		8.3	280	17.2	59.9	<0.002	0.01	0.06	5.8	2	0.9	304	0.43	<0.05	5.0	0.176
EMNW-5300W/500S		7.8	250	17.6	59.0	0.002	0.02	0.06	6.1	2	1.0	280	0.43	0.05	4.4	0.161
EMNW-5300W/550S		7.6	310	20.8	55.3	0.002	0.02	0.07	5.1	1	1.5	281	0.61	0.07	7.0	0.282
EMNW-5300W/250S		7.7	180	15.7	61.1	<0.002	0.02	0.06	6.2	2	0.9	346	0.38	<0.05	5.0	0.181
EMNW-5300W/100S		20.4	520	18.0	55.1	0.002	0.02	0.13	8.2	2	1.4	334	0.62	0.05	5.9	0.329
EMNW-2800W/50S		8.3	420	18.3	51.5	0.002	0.01	0.09	7.1	2	1.8	288	0.69	0.05	7.0	0.373
EMNW-2800W/100S		8.8	490	17.8	44.1	<0.002	0.03	0.07	6.9	2	1.1	250	0.48	<0.05	5.7	0.229
EMNW-2800W/150S		7.6	310	17.6	49.0	<0.002	0.02	0.08	5.3	1	1.1	282	0.51	<0.05	4.3	0.246
EMNW-2800W/200S		7.4	370	19.5	52.5	0.002	0.01	0.07	4.9	2	1.2	282	0.64	<0.05	5.2	0.261
EMNW-2800W/250S		10.7	430	16.6	50.8	<0.002	0.01	0.07	7.2	2	1.1	324	0.52	<0.05	7.2	0.249
EMNW-2800W/300S		11.4	370	21.7	68.1	<0.002	0.01	0.05	6.9	2	2.3	366	0.51	0.06	8.5	0.273
EMNW-2800W/350S		14.5	550	15.9	55.3	0.002	0.02	0.11	9.0	2	0.8	328	0.37	<0.05	7.5	0.183
EMNW-2900W/200N		8.8	270	18.7	55.6	<0.002	0.01	0.09	6.1	2	1.3	309	0.52	0.05	6.2	0.275
EMNW-2900W/250N		9.7	530	19.1	55.0	<0.002	0.04	0.08	6.6	2	1.0	298	0.43	0.05	6.9	0.198
EMNW-2900W/300N		10.1	590	18.4	53.2	0.003	0.03	0.06	7.5	2	0.9	291	0.46	0.05	6.8	0.184
EMNW-2900W/350N		10.6	740	17.8	46.7	<0.002	0.02	0.19	6.9	1	0.8	290	0.38	<0.05	9.1	0.207
EMNW-2900W/400N		8.1	350	18.4	51.1	<0.002	0.02	0.07	5.9	2	1.2	287	0.48	0.05	6.4	0.251
EMNW-5400W/400S		5.0	200	16.6	58.5	<0.002	0.01	0.08	4.6	2	1.2	248	0.69	0.07	5.7	0.213
EMNW-5400W/450S		7.6	320	14.7	58.2	0.002	0.01	0.05	5.7	2	0.8	323	0.42	0.05	4.8	0.151
EMNW-5400W/500S		7.0	290	23.1	59.7	<0.002	0.02	0.08	4.5	2	1.3	298	0.49	<0.05	5.7	0.249
EMNW-5400W/550S		5.9	180	17.0	59.9	0.002	0.01	0.08	3.9	1	1.6	234	0.68	<0.05	6.9	0.278
EMNW-5400W/600S		3.7	180	19.8	57.7	<0.002	0.01	0.08	2.1	2	1.4	238	0.52	<0.05	7.1	0.231
EMNW-5400W/650S		3.9	240	24.1	56.9	<0.002	0.01	0.08	2.6	2	1.5	246	0.63	0.05	6.5	0.271
EMNW-5400W/700S		5.0	190	21.3	56.4	<0.002	0.01	0.07	3.2	2	1.7	260	0.74	0.05	6.8	0.292
EMNW-5400W/750S		6.8	330	18.8	57.3	0.003	0.01	0.10	4.8	1	1.4	288	0.62	0.06	6.4	0.265
EMNW-5400W/800S		9.2	400	19.7	56.6	0.002	0.01	0.07	5.7	2	1.1	296	0.48	0.06	6.7	0.200
EMNW-5400W/200S		10.2	230	14.9	51.7	0.002	0.01	0.12	7.5	1	1.1	310	0.45	0.06	8.9	0.253
EMNW-5400W/250S		8.7	190	17.9	51.8	<0.002	0.02	0.08	7.3	1	1.3	308	0.44	0.06	6.4	0.254
EMNW-5400W/300S		11.7	490	15.0	50.1	<0.002	0.03	0.06	8.4	2	1.0	328	0.42	<0.05	13.9	0.205
EMNW-4500W/200S		6.9	140	16.6	59.1	<0.002	<0.01	0.05	5.3	1	1.0	313	0.39	0.06	6.5	0.186
EMNW-4500W/250S																
EMNW-4500W/300S																
EMNW-4500W/350S																
EMNW-4700W/150N		8.8	430	13.8	49.2	0.002	0.01	<0.05	7.3	2	0.9	346	0.39	<0.05	6.3	0.192
EMNW-4700W/100N		8.4	330	15.8	53.0	<0.002	0.01	0.05	6.1	2	1.0	337	0.51	<0.05	9.0	0.211
EMNW-4700W/50N		5.8	220	18.2	51.7	<0.002	0.01	0.06	4.0	1	1.1	300	0.38	<0.05	5.2	0.228
EMNW-4700W/0		7.9	210	16.5	48.8	<0.002	0.01	0.06	5.8	1	1.0	301	0.38	<0.05	4.4	0.217
EMNW-4700W/50S		11.8	400	14.4	51.1	<0.002	0.03	0.05	7.7	1	0.9	339	0.40	0.05	5.7	0.202

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMNW-5300W/800S		0.26	1.2	54	0.6	9.3	22	212	<10
EMNW-5300W/650S		0.31	1.3	59	0.7	7.9	13	252	<10
EMNW-5300W/450S		0.30	1.2	34	0.4	9.8	13	192.0	<10
EMNW-5300W/500S		0.27	1.0	40	0.4	10.8	13	155.5	<10
EMNW-5300W/550S		0.27	1.5	55	0.6	7.4	12	273	<10
EMNW-5300W/250S		0.29	1.1	21	0.4	9.1	13	182.5	<10
EMNW-5300W/100S		0.28	1.1	72	0.7	9.9	46	183.5	<10
EMNW-2800W/50S		0.25	1.2	62	0.8	11.0	19	222	<10
EMNW-2800W/100S		0.22	1.1	47	0.5	9.0	15	168.0	<10
EMNW-2800W/150S		0.24	1.0	50	0.5	7.2	12	184.5	<10
EMNW-2800W/200S		0.26	1.2	49	0.5	7.0	12	237	<10
EMNW-2800W/250S		0.26	1.2	46	0.5	10.2	21	195.5	<10
EMNW-2800W/300S		0.38	1.7	43	1.3	8.3	22	270	<10
EMNW-2800W/350S		0.27	1.5	49	0.6	14.7	22	146.0	<10
EMNW-2900W/200N		0.29	1.3	57	0.7	8.3	14	229	<10
EMNW-2900W/250N		0.27	1.3	46	0.4	9.0	15	193.0	<10
EMNW-2900W/300N		0.27	1.2	43	0.4	10.4	15	181.0	<10
EMNW-2900W/350N		0.24	1.1	52	0.4	9.5	20	172.0	<10
EMNW-2900W/400N		0.26	1.2	52	0.5	8.3	14	208	<10
EMNW-5400W/400S		0.27	1.3	37	0.7	8.3	13	280	<10
EMNW-5400W/450S		0.27	1.2	21	0.3	13.3	16	180.5	<10
EMNW-5400W/500S		0.29	1.4	37	0.6	7.9	11	240	<10
EMNW-5400W/550S		0.27	1.6	41	0.8	8.1	11	334	<10
EMNW-5400W/600S		0.28	1.6	20	0.6	5.3	6	363	<10
EMNW-5400W/650S		0.27	1.5	26	0.7	5.1	7	329	<10
EMNW-5400W/700S		0.29	1.5	39	0.7	5.5	8	336	<10
EMNW-5400W/750S		0.28	1.2	51	0.7	7.3	12	247	<10
EMNW-5400W/800S		0.27	1.3	41	0.6	8.5	14	212	<10
EMNW-5400W/200S		0.26	1.2	44	0.6	8.7	16	202	<10
EMNW-5400W/250S		0.26	0.9	54	0.9	8.8	15	175.5	<10
EMNW-5400W/300S		0.28	1.8	32	0.7	16.5	23	157.5	<10
EMNW-4500W/200S		0.29	0.9	22	0.4	6.9	12	178.0	<10
EMNW-4500W/250S									
EMNW-4500W/300S									
EMNW-4500W/350S									
EMNW-4700W/150N		0.24	1.3	30	0.3	15.2	15	170.0	<10
EMNW-4700W/100N		0.29	1.2	27	0.4	10.6	14	219	<10
EMNW-4700W/50N		0.28	0.8	36	0.6	5.3	9	202	<10
EMNW-4700W/0		0.26	0.8	47	1.1	7.1	15	142.5	<10
EMNW-4700W/50S		0.28	1.8	28	0.3	12.5	22	133.0	<10

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMNW-4700W/100S		0.42	80	<5	<1	0.05	4.79	1.6	530	0.96	0.24	1.05	0.08	26.6	2.1	23
EMNW-4700W/150S		0.46	<1	<5	1	0.04	4.85	1.0	540	0.99	0.11	0.96	0.05	26.9	1.6	16
EMNW-4700W/200S		0.58	4	<5	<1	0.06	5.62	2.8	500	1.05	0.15	1.37	0.07	29.1	4.1	39
EMNW-4700W/250S		0.48	<1	<5	<1	0.14	6.57	1.3	420	1.55	0.06	1.27	0.09	28.8	3.1	32
EMNW-4700W/300S		0.52	4	<5	<1	0.04	5.51	1.5	540	0.99	0.13	1.16	0.07	29.8	2.7	29
EMNW-5300W/0		0.48	4	<5	<1	0.05	5.93	1.0	510	1.25	0.09	1.48	0.07	45.6	5.3	39
EMNW-5300W/50N		0.34	<1	<5	<1	0.20	5.51	9.6	470	1.25	0.28	1.20	0.09	32.9	3.2	38
EMNW-5300W/100N		0.28	<1	<5	<1	0.09	6.10	1.1	480	1.19	0.10	1.23	0.09	41.6	3.7	39
EMNW-5300W/150N		0.36	1	<5	<1	0.03	5.34	0.7	520	1.51	0.10	1.16	0.06	22.9	2.6	21
EMNW-5300W/200N		0.36	<1	10	<1	0.06	5.52	2.0	490	1.03	0.11	1.36	0.07	32.4	4.5	37
EMNW-5300W/250N		0.34	<1	5	<1	0.05	5.65	1.5	440	1.15	0.13	1.16	0.06	42.3	3.5	45
EMNW-5300W/350N		0.40	<1	<5	<1	0.07	5.04	0.8	490	0.80	0.08	1.01	0.07	24.9	2.3	24
EMNW-5300W/400N		0.36	<1	<5	<1	0.05	5.74	0.8	460	1.29	0.09	1.34	0.07	31.4	3.4	31
EMNW-4400W/150S		0.30	<1	<5	<1	0.06	6.75	1.6	450	1.38	0.08	1.39	0.08	40.4	4.2	41
EMNW-4400W/100S		0.30	<1	<5	<1	0.05	5.77	0.4	440	1.14	0.07	1.61	0.09	32.0	3.5	30
EMNW-4400W/50S		0.36	<1	<5	<1	0.12	5.19	1.2	510	1.04	0.10	1.26	0.07	29.2	3.3	26
EMNW-4400W/0		0.48	<1	<5	<1	0.04	6.39	1.5	450	1.44	0.08	1.46	0.07	32.7	4.6	27
EMNW-4400W/50N		0.36	1	<5	<1	0.05	5.37	0.8	530	1.31	0.11	1.36	0.10	33.1	4.2	29
EMNW-4400W/100N		0.42	<1	<5	<1	0.04	6.18	1.5	520	1.31	0.08	1.77	0.06	47.7	6.3	28
EMNW-4400W/150N		0.42	<1	6	<1	0.08	6.18	2.9	430	1.46	0.13	1.27	0.10	50.0	4.4	46
EMNW-4400W/200N		0.28	<1	<5	<1	0.05	4.89	0.9	520	1.22	0.09	0.96	0.09	32.5	1.5	16
EMNW-4400W/250N		0.28	<1	<5	<1	0.05	6.55	1.8	450	1.31	0.09	1.24	0.07	37.0	3.5	40
EMNW-4400W/300N		0.42	<1	<5	<1	0.03	6.27	1.0	470	1.49	0.07	1.41	0.09	33.1	4.7	34
EMNW-4300W/0		0.36	<1	5	<1	0.08	7.13	2.5	370	1.28	0.08	1.12	0.10	26.9	3.4	53
EMNW-4300W/100S		0.34	<1	<5	<1	0.05	5.69	1.0	480	1.05	0.09	1.18	0.07	29.8	2.6	25
EMNW-4300W/200S		0.48	<1	<5	<1	0.10	6.05	0.9	440	1.35	0.05	1.47	0.06	31.2	3.0	24
EMNW-2800W/0		0.26	<1	<5	1	0.09	6.60	2.0	410	1.38	0.07	1.32	0.08	43.8	4.2	39

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMNW-4700W/100S		0.70	1.3	1.26	16.45	0.16	6.7	0.014	1.53	13.7	3.4	0.19	188	0.48	1.86	5.8
EMNW-4700W/150S		0.76	1.2	0.99	18.35	0.15	7.1	0.013	1.53	13.9	3.1	0.15	151	0.38	1.81	6.9
EMNW-4700W/200S		1.11	2.2	2.33	23.3	0.22	5.9	0.022	1.42	14.7	5.9	0.36	258	1.26	2.14	8.7
EMNW-4700W/250S		0.61	3.1	1.87	15.20	0.19	3.2	0.026	1.23	12.9	4.6	0.26	202	0.45	2.15	5.2
EMNW-4700W/300S		0.72	1.8	1.62	18.75	0.21	6.9	0.021	1.55	14.7	3.9	0.25	219	0.45	1.97	6.9
EMNW-5300W/0		1.11	4.6	2.09	19.45	0.23	5.9	0.026	1.46	22.8	10.3	0.51	325	1.06	2.16	8.0
EMNW-5300W/50N		1.04	5.3	2.35	21.6	0.21	5.6	0.024	1.25	17.3	5.9	0.30	210	0.85	1.87	6.9
EMNW-5300W/100N		0.97	5.5	2.57	19.15	0.20	6.1	0.033	1.33	21.1	6.6	0.34	262	0.57	1.93	6.9
EMNW-5300W/150N		0.82	1.2	1.32	17.75	0.19	5.3	0.018	1.52	11.8	3.8	0.25	199	0.25	2.01	5.5
EMNW-5300W/200N		1.16	2.6	2.48	22.0	0.20	5.7	0.025	1.40	16.2	5.5	0.39	310	0.55	2.02	7.0
EMNW-5300W/250N		0.85	2.5	2.66	20.4	0.24	5.9	0.025	1.30	21.7	5.1	0.32	283	0.44	1.78	7.0
EMNW-5300W/350N		0.74	3.9	1.48	14.35	0.17	5.7	0.011	1.37	13.1	3.7	0.22	183	0.61	1.70	5.2
EMNW-5300W/400N		0.74	1.6	2.11	17.50	0.23	6.6	0.028	1.39	14.7	4.3	0.31	303	0.39	2.13	7.1
EMNW-4400W/150S		0.79	4.8	2.64	17.00	0.26	5.1	0.033	1.36	18.6	6.0	0.37	267	0.58	2.18	6.8
EMNW-4400W/100S		0.72	6.5	1.08	15.05	0.18	4.3	0.022	1.29	14.7	5.1	0.32	278	0.37	2.51	5.2
EMNW-4400W/50S		0.78	1.6	1.82	19.85	0.20	6.0	0.019	1.46	14.9	4.3	0.30	243	0.51	2.01	7.7
EMNW-4400W/0		0.76	8.1	1.96	15.50	0.22	3.2	0.026	1.22	14.1	7.5	0.33	244	0.93	2.46	5.5
EMNW-4400W/50N		0.94	2.6	2.10	22.8	0.24	6.1	0.024	1.53	17.1	4.5	0.36	241	2.00	2.11	7.1
EMNW-4400W/100N		0.94	11.8	1.87	15.85	0.22	3.9	0.025	1.39	19.6	8.5	0.40	294	0.44	2.77	5.7
EMNW-4400W/150N		0.95	5.8	2.99	18.45	0.25	5.7	0.025	1.30	23.7	6.3	0.35	310	0.66	1.95	7.3
EMNW-4400W/200N		0.64	1.7	0.85	15.20	0.21	7.2	0.015	1.44	17.1	3.1	0.16	150	0.64	1.74	5.9
EMNW-4400W/250N		0.68	4.1	2.10	15.25	0.19	4.6	0.024	1.37	15.3	5.8	0.33	240	0.47	2.08	5.8
EMNW-4400W/300N		0.73	4.0	1.71	14.25	0.20	4.6	0.021	1.47	14.8	8.1	0.40	283	0.51	2.37	5.1
EMNW-4300W/0		0.60	5.7	2.76	19.20	0.24	4.0	0.032	1.11	13.0	3.9	0.32	221	0.49	1.74	6.0
EMNW-4300W/100S		0.73	1.7	1.76	16.60	0.22	5.4	0.020	1.40	14.1	3.8	0.23	207	0.32	2.01	5.8
EMNW-4300W/200S		0.62	3.1	1.46	14.30	0.19	4.4	0.019	1.27	14.8	4.4	0.28	225	0.32	2.36	5.0
EMNW-2800W/0		0.74	6.8	2.15	14.05	0.21	4.0	0.024	1.30	20.1	5.5	0.37	271	0.42	2.10	5.1

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMNW-4700W/100S		5.9	190	18.4	53.5	<0.002	0.01	0.07	4.1	1	1.2	275	0.38	<0.05	5.7	0.230
EMNW-4700W/150S		4.5	310	20.3	54.5	<0.002	0.01	0.05	3.6	1	1.4	269	0.43	<0.05	5.0	0.254
EMNW-4700W/200S		9.9	250	16.7	51.9	<0.002	0.01	0.08	6.4	1	1.5	306	0.55	0.05	5.2	0.350
EMNW-4700W/250S		10.1	400	12.5	43.9	<0.002	0.02	0.05	6.1	2	0.7	296	0.34	0.05	3.5	0.153
EMNW-4700W/300S		6.9	230	19.0	54.8	<0.002	0.01	0.12	5.4	1	1.5	289	0.46	0.05	5.5	0.274
EMNW-5300W/0		13.4	210	16.6	52.1	<0.002	0.01	0.06	8.2	1	1.3	312	0.59	<0.05	8.8	0.308
EMNW-5300W/50N		8.4	590	17.4	45.6	<0.002	0.02	0.07	5.5	1	1.4	287	0.59	<0.05	6.0	0.288
EMNW-5300W/100N		10.5	500	17.2	47.0	<0.002	0.02	0.09	6.6	1	1.4	290	0.44	<0.05	7.7	0.252
EMNW-5300W/150N		6.5	180	18.2	53.6	<0.002	0.01	0.05	4.8	1	1.1	292	0.34	<0.05	3.9	0.213
EMNW-5300W/200N		10.7	360	18.0	50.8	<0.002	0.01	0.08	6.7	1	1.4	293	0.44	<0.05	5.8	0.284
EMNW-5300W/250N		8.6	390	17.7	48.0	<0.002	0.02	0.08	6.7	2	1.2	261	0.46	<0.05	9.3	0.276
EMNW-5300W/350N		6.1	280	13.4	41.1	<0.002	0.02	0.06	3.8	1	1.0	250	0.32	<0.05	4.3	0.248
EMNW-5300W/400N		8.7	310	16.9	52.5	0.002	0.01	0.08	6.7	2	1.1	306	0.46	0.07	5.1	0.212
EMNW-4400W/150S		11.5	450	15.2	49.3	<0.002	0.02	0.06	7.6	2	0.9	302	0.41	<0.05	6.8	0.192
EMNW-4400W/100S		11.0	220	12.0	44.6	<0.002	0.02	0.05	6.9	2	0.8	328	0.37	<0.05	3.0	0.191
EMNW-4400W/50S		7.6	420	17.4	51.6	<0.002	0.01	0.06	5.3	1	1.3	290	0.46	0.06	5.4	0.279
EMNW-4400W/0		9.9	200	12.1	42.5	0.002	0.01	0.11	6.6	1	0.8	335	0.31	<0.05	3.7	0.185
EMNW-4400W/50N		12.0	100	19.8	54.9	<0.002	0.01	0.06	5.9	2	1.5	305	0.44	0.05	5.0	0.328
EMNW-4400W/100N		12.6	570	13.2	46.6	<0.002	<0.01	0.05	7.2	1	0.9	370	0.35	<0.05	4.5	0.208
EMNW-4400W/150N		9.6	720	18.8	48.8	0.002	0.01	0.07	7.5	2	1.1	284	0.46	0.08	10.4	0.242
EMNW-4400W/200N		4.9	340	16.5	47.6	<0.002	0.01	0.07	3.6	2	1.2	262	0.42	<0.05	5.9	0.224
EMNW-4400W/250N		8.7	480	14.9	45.9	<0.002	0.02	0.07	6.7	2	0.9	289	0.38	0.06	6.1	0.189
EMNW-4400W/300N		10.9	170	14.9	51.8	<0.002	0.02	<0.05	7.4	1	0.8	324	0.32	<0.05	5.2	0.158
EMNW-4300W/0		9.7	370	13.8	38.8	0.002	0.04	0.08	8.1	2	0.8	240	0.44	<0.05	3.8	0.189
EMNW-4300W/100S		6.1	310	15.3	49.1	<0.002	0.01	0.08	5.2	2	1.1	284	0.37	0.06	5.3	0.221
EMNW-4300W/200S		6.9	420	12.8	43.4	<0.002	0.01	0.07	6.0	1	0.7	319	0.29	<0.05	4.0	0.164
EMNW-2800W/0		11.2	390	17.1	47.8	<0.002	0.02	0.08	7.0	1	0.7	288	0.30	<0.05	9.2	0.161



Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	8-MS61
	Analyte	Ti	U	V	W	Y	Zn	Zr	B
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.1	1	0.1	0.1	2	0.5	10
EMNW-4700W/100S		0.29	1.0	39	0.5	5.3	9	223	<10
EMNW-4700W/150S		0.29	0.9	34	0.5	4.6	7	243	<10
EMNW-4700W/200S		0.26	0.9	79	0.8	6.8	18	187.5	<10
EMNW-4700W/250S		0.22	0.7	33	0.3	8.3	13	107.5	<10
EMNW-4700W/300S		0.29	0.9	46	0.7	6.1	11	222	<10
EMNW-5300W/0		0.29	1.1	48	0.9	9.4	29	193.5	<10
EMNW-5300W/50N		0.22	1.0	58	0.6	6.4	19	182.0	<10
EMNW-5300W/100N		0.27	1.1	50	0.5	7.7	22	200	<10
EMNW-5300W/150N		0.27	0.8	35	0.4	5.2	11	171.0	<10
EMNW-5300W/200N		0.26	0.9	66	0.6	8.5	21	182.5	<10
EMNW-5300W/250N		0.27	1.1	56	0.6	7.8	15	184.5	<10
EMNW-5300W/350N		0.21	0.8	41	0.4	4.4	11	202	<10
EMNW-5300W/400N		0.27	1.0	41	0.5	9.1	14	199.0	<10
EMNW-4400W/150S		0.25	1.0	41	0.4	10.2	18	159.5	<10
EMNW-4400W/100S		0.23	0.7	26	0.2	10.6	17	138.0	<10
EMNW-4400W/50S		0.27	0.9	55	0.5	8.2	15	195.5	<10
EMNW-4400W/0		0.22	0.7	35	0.5	9.3	22	102.5	<10
EMNW-4400W/50N		0.29	1.0	76	0.7	6.9	17	204	<10
EMNW-4400W/100N		0.25	1.0	40	0.4	12.0	25	126.5	<10
EMNW-4400W/150N		0.25	1.2	56	0.7	10.2	20	180.5	<10
EMNW-4400W/200N		0.26	1.1	23	0.5	5.4	11	232	<10
EMNW-4400W/250N		0.23	1.0	37	0.4	8.3	17	150.0	<10
EMNW-4400W/300N		0.28	0.8	30	0.3	9.0	25	144.5	<10
EMNW-4300W/0		0.21	0.7	50	0.3	8.7	14	129.0	<10
EMNW-4300W/100S		0.24	0.8	40	0.3	6.7	11	172.0	<10
EMNW-4300W/200S		0.23	0.8	28	0.3	10.0	13	133.0	<10
EMNW-2800W/0		0.24	1.1	35	0.5	9.9	20	136.5	<10

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095403

CERTIFICATE COMMENTS

Method

ME-MS61

REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 30-SEP-2009
Account: MVR

CERTIFICATE SD09095404

Project: EASTMAIN MINE

P.O. No.:

This report is for 123 Soil samples submitted to our lab in Sudbury, ON, Canada on 3-SEP-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
DRY-22	Drying - Maximum Temp 60C

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
EMNW-4900W/100S		0.40	<1	<5	1	0.05	5.69	1.5	460	1.06	0.18	1.31	0.06	40.2	5.0	52
EMNW-4900W/150S		0.36	2	<5	1	0.04	5.20	0.7	480	0.94	0.11	1.01	0.04	28.0	1.9	24
EMNW-4900W/200S		0.50	4	9	<1	0.14	7.20	3.0	390	1.24	0.11	1.13	0.12	42.5	4.7	49
EMNW-4900W/250S		0.40	3	<5	<1	0.06	5.32	4.3	480	0.93	0.13	1.14	0.11	33.5	2.8	40
EMNW-4900W/300S		0.32	6	<5	1	0.04	4.68	0.9	520	0.95	0.07	0.94	0.08	32.4	1.8	26
EMNW-4900W/350S		0.36	3	5	<1	0.04	4.71	1.4	510	0.91	0.14	1.02	0.06	25.3	2.1	23
EMNW-4900W/400S		0.32	7	<5	<1	0.03	5.14	2.6	480	1.02	0.13	1.15	0.07	64.3	2.8	37
EMNW-4900W/450S		0.22	2	<5	1	0.03	4.70	1.8	500	0.90	0.14	1.08	0.05	30.9	2.1	25
EMNW-5000W/300S		0.36	2	<5	1	0.03	5.33	1.0	490	1.21	0.06	1.14	0.07	33.1	2.4	23
EMNW-5000W/350S		0.32	1	<5	<1	0.02	5.02	1.6	570	0.91	0.11	1.02	0.06	23.7	1.8	20
EMNW-5000W/400S		0.38	17	<5	1	0.03	5.15	1.2	580	1.02	0.14	0.97	0.05	22.3	1.7	20
EMNW-5000W/450S		0.30	4	<5	<1	0.03	6.16	2.4	480	1.23	0.09	1.16	0.10	44.4	3.0	37
EMNW-5000W/550S		0.16	11	30	2	0.06	2.80	1.5	240	0.61	0.03	0.74	0.21	29.2	1.8	18
EMNW-5000W/0		0.28	4	8	1	0.05	5.82	1.3	470	1.04	0.10	1.10	0.05	27.3	2.6	28
EMNW-5000W/100N		0.32	2	<5	1	0.05	5.64	1.1	570	1.13	0.09	1.15	0.07	29.6	2.1	22
EMNW-5000W/150N		0.30	3	<5	1	0.06	5.53	1.6	530	1.35	0.08	1.21	0.06	29.6	2.7	28
EMNW-5000W/200N		0.34	2	<5	<1	0.03	5.31	2.1	510	1.02	0.15	1.16	0.05	27.8	2.7	27
EMNW-5000W/300N		0.40	2	<5	<1	0.02	6.34	3.7	450	1.02	0.16	1.18	0.06	27.9	3.5	39
EMNW-5000W/350N		0.40	7	<5	1	0.09	6.91	3.7	470	1.05	0.19	1.37	0.09	45.7	4.9	60
EMNW-5000W/400N		0.30	4	<5	<1	0.06	5.19	1.6	550	0.79	0.14	1.16	0.04	39.4	2.4	28
EMNW-5500W/200S		0.34	2	<5	1	0.04	5.93	0.9	510	0.87	0.10	1.27	0.08	32.6	2.9	30
EMNW-5500W/250S		0.40	9	12	<1	0.09	7.10	5.1	410	0.91	0.24	1.39	0.08	67.0	5.4	62
EMNW-5500W/300S		0.46	3	<5	1	0.07	5.70	2.6	500	0.74	0.17	1.36	0.07	32.0	4.2	36
EMNW-3400W/150N		0.32	1	<5	<1	0.03	5.65	0.3	510	0.99	0.10	1.24	0.07	29.9	2.3	21
EMNW-3400W/350N		0.46	3	<5	<1	0.02	5.97	0.6	520	1.16	0.06	1.34	0.05	36.3	2.9	28
EMNW-3900W/50N		0.50	2	<5	<1	0.05	6.22	1.6	540	0.98	0.08	1.67	0.07	56.5	4.3	25
EMNW-3900W/150N	Not Recvd															
EMNW-3700W/700S		0.36	3	<5	1	0.02	5.36	<0.2	540	0.98	0.08	1.19	0.05	34.8	2.2	25
EMNW-3500W/250N		0.06	11	<5	<1	0.23	3.16	0.6	290	1.24	0.10	0.98	0.22	42.0	3.0	47
EMNW-3500W/400N		0.34	2	6	<1	0.05	6.21	1.9	480	1.13	0.09	1.41	0.08	37.4	3.7	31
EMNW-3300W/750S		0.50	3	<5	1	0.02	5.76	<0.2	510	1.20	0.08	1.39	0.06	33.5	3.1	26
EMNW-5600W/100S		0.36	3	<5	<1	0.04	6.12	0.8	500	1.06	0.08	1.14	0.07	52.2	2.7	28
EMNW-5600W/50S		0.26	2	<5	1	0.05	6.54	2.9	500	1.26	0.12	1.30	0.06	42.7	3.6	38
EMNW-5600W/0		0.40	2	<5	1	0.05	7.44	2.0	500	1.32	0.07	1.42	0.06	45.5	4.2	42
EMNW-5600W/50N		0.36	2	<5	1	0.04	5.67	0.5	580	1.02	0.13	1.34	0.06	46.6	3.7	34
EMNW-5600W/100N		0.64	46	7	3	0.09	7.10	5.7	460	1.07	0.17	1.70	0.12	56.1	7.4	65
EMNW-5600W/150N		0.42	2	<5	1	0.16	7.36	3.7	450	1.00	0.14	1.18	0.09	37.6	4.6	51
EMNW-5600W/200N		0.46	3	6	1	0.07	6.46	2.7	480	1.00	0.14	1.25	0.06	41.2	3.7	43
EMNW-5600W/250N		0.46	2	<5	2	0.14	7.64	7.4	440	1.12	0.23	1.41	0.14	88.3	7.0	84
EMNW-5600W/300N		0.32	2	<5	<1	0.07	6.79	1.8	470	1.18	0.08	1.29	0.09	33.2	4.6	37

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095404

Sample Description	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	
	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	
	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	
EMNW-4900W/100S	1.92	5.7	2.10	17.15	0.09	6.2	0.025	1.35	20.9	11.0	0.54	298	0.53	1.95	5.7	
EMNW-4900W/150S	0.59	1.8	1.26	15.45	0.08	6.7	0.017	1.39	14.4	3.4	0.19	181	0.25	1.75	5.2	
EMNW-4900W/200S	0.89	9.5	2.90	17.40	0.11	4.5	0.030	1.07	20.2	9.7	0.39	267	0.52	1.86	6.6	
EMNW-4900W/250S	0.72	4.1	2.59	20.4	0.11	6.5	0.018	1.39	17.1	4.6	0.29	240	0.68	1.84	6.4	
EMNW-4900W/300S	0.59	2.4	1.15	13.65	0.08	7.5	0.011	1.51	16.7	3.1	0.15	180	0.25	1.74	4.5	
EMNW-4900W/350S	0.69	1.7	1.37	16.25	0.07	7.9	0.014	1.47	13.1	3.5	0.20	201	0.40	1.77	6.6	
EMNW-4900W/400S	0.67	1.9	2.49	19.20	0.13	8.1	0.021	1.41	32.5	3.8	0.27	298	0.58	1.88	7.2	
EMNW-4900W/450S	0.64	1.9	1.55	15.45	0.10	7.2	0.014	1.47	15.7	3.7	0.20	238	0.33	1.82	6.9	
EMNW-5000W/300S	0.61	9.3	1.07	14.95	0.10	4.7	0.017	1.41	17.4	4.1	0.24	187	0.43	2.06	4.4	
EMNW-5000W/350S	0.67	2.5	1.10	18.30	0.09	5.9	0.014	1.63	12.2	3.4	0.19	160	0.52	2.01	6.0	
EMNW-5000W/400S	1.08	3.0	0.89	15.90	0.09	7.4	0.012	1.89	11.4	3.6	0.18	183	0.66	2.10	6.0	
EMNW-5000W/450S	0.73	11.5	2.16	16.85	0.12	6.4	0.024	1.46	20.4	4.7	0.29	258	0.54	2.05	6.4	
EMNW-5000W/550S	0.52	9.7	0.54	7.46	0.09	1.9	0.009	0.62	14.8	3.7	0.15	101	1.08	1.02	2.5	
EMNW-5000W/0	0.74	2.8	1.73	18.55	0.10	6.3	0.024	1.37	13.7	3.6	0.26	224	0.35	1.86	5.8	
EMNW-5000W/100N	0.72	1.8	1.30	17.60	0.10	7.4	0.018	1.61	14.8	3.8	0.22	203	0.43	2.17	6.8	
EMNW-5000W/150N	0.80	2.3	1.76	15.90	0.10	6.7	0.019	1.52	14.7	4.2	0.27	244	0.28	2.09	5.3	
EMNW-5000W/200N	0.69	1.9	2.04	21.4	0.10	7.6	0.021	1.47	13.9	4.1	0.28	250	0.40	1.94	7.6	
EMNW-5000W/300N	0.68	2.3	3.32	26.1	0.11	5.9	0.030	1.25	14.2	5.1	0.33	262	0.59	1.88	8.3	
EMNW-5000W/350N	1.04	10.8	3.32	18.20	0.13	6.5	0.034	1.37	22.4	7.2	0.44	324	0.71	2.12	7.7	
EMNW-5000W/400N	0.65	2.9	2.04	22.4	0.09	8.5	0.023	1.54	19.9	3.0	0.25	218	0.50	1.92	8.4	
EMNW-5500W/200S	0.95	4.3	2.16	19.65	0.09	6.8	0.026	1.44	15.9	3.3	0.30	230	0.36	2.00	6.0	
EMNW-5500W/250S	1.13	9.7	3.60	22.3	0.15	7.2	0.033	1.09	35.2	7.0	0.46	322	0.80	1.92	8.5	
EMNW-5500W/300S	1.10	4.0	2.72	24.6	0.11	7.8	0.024	1.41	15.9	4.8	0.39	306	0.60	1.95	8.9	
EMNW-3400W/150N	1.02	5.2	1.06	15.45	0.09	6.4	0.020	1.52	15.1	3.4	0.23	209	0.52	2.15	5.4	
EMNW-3400W/350N	0.78	5.0	1.20	15.10	0.10	5.6	0.024	1.58	17.4	3.6	0.28	230	0.30	2.22	4.9	
EMNW-3900W/50N	0.74	6.3	1.71	16.35	0.12	4.5	0.025	1.43	24.2	5.3	0.36	263	0.51	2.74	5.6	
EMNW-3900W/150N																
EMNW-3700W/700S	0.80	2.5	0.75	16.80	0.10	6.8	0.024	1.57	17.4	3.1	0.23	193	0.29	2.11	5.8	
EMNW-3500W/250N	0.64	16.5	1.15	8.67	0.12	4.4	0.043	0.74	21.5	4.8	0.41	235	2.01	0.98	5.1	
EMNW-3500W/400N	0.92	4.6	2.15	16.40	0.12	5.3	0.027	1.52	16.6	4.7	0.35	263	1.13	2.22	5.7	
EMNW-3300W/750S	0.72	4.0	1.25	14.30	0.09	5.9	0.018	1.61	16.1	3.8	0.32	251	0.32	2.29	4.4	
EMNW-5600W/100S	0.85	4.9	1.65	16.15	0.14	8.5	0.023	1.45	23.2	4.8	0.25	216	0.75	1.99	6.6	
EMNW-5600W/50S	0.88	4.5	2.86	22.9	0.11	7.2	0.030	1.51	20.1	4.4	0.35	266	0.71	2.08	7.7	
EMNW-5600W/0	0.80	7.3	2.51	18.50	0.14	5.4	0.032	1.55	20.5	5.4	0.38	265	0.60	2.29	6.4	
EMNW-5600W/50N	0.88	3.2	1.88	19.05	0.14	7.4	0.022	1.73	23.1	4.7	0.36	259	0.59	2.16	7.2	
EMNW-5600W/100N	1.59	10.1	4.00	23.7	0.17	5.2	0.040	1.22	27.6	12.7	0.65	366	1.02	2.22	8.5	
EMNW-5600W/150N	1.14	9.9	3.48	24.3	0.12	6.3	0.038	1.16	18.2	7.6	0.40	262	0.88	1.67	8.2	
EMNW-5600W/200N	0.87	5.1	3.20	25.8	0.13	7.0	0.035	1.37	20.0	4.9	0.36	264	0.62	1.86	8.5	
EMNW-5600W/250N	2.20	20.0	4.86	24.3	0.16	5.6	0.046	1.18	32.8	13.9	0.58	353	0.98	1.90	9.4	
EMNW-5600W/300N	0.94	5.6	2.47	19.45	0.10	5.4	0.027	1.33	16.2	5.0	0.35	247	0.73	2.06	6.3	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units LOR	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMNW-4900W/100S		16.6	440	16.1	54.9	<0.002	0.02	0.07	7.7	2	1.4	306	0.41	<0.05	7.9	0.268
EMNW-4900W/150S		5.1	340	16.7	43.3	<0.002	0.01	0.06	4.4	2	1.0	264	0.34	<0.05	5.7	0.213
EMNW-4900W/200S		11.2	740	13.9	36.9	<0.002	0.05	0.11	7.5	2	0.9	257	0.41	<0.05	9.7	0.245
EMNW-4900W/250S		6.2	420	16.8	48.0	0.002	0.01	0.08	5.3	2	1.1	306	0.41	0.05	6.6	0.234
EMNW-4900W/300S		4.9	210	14.1	48.3	0.002	0.01	0.07	3.4	2	0.8	269	0.35	<0.05	6.8	0.183
EMNW-4900W/350S		5.4	280	15.7	48.0	<0.002	0.01	0.09	4.3	2	1.3	272	0.50	<0.05	5.1	0.273
EMNW-4900W/400S		7.0	310	17.0	47.3	0.002	0.01	0.08	5.7	2	1.4	287	0.45	0.05	12.8	0.297
EMNW-4900W/450S		5.9	170	17.1	48.9	<0.002	<0.01	0.14	4.5	2	1.4	279	0.46	<0.05	6.1	0.262
EMNW-5000W/300S		6.6	310	13.0	45.0	<0.002	0.02	0.05	5.0	2	0.6	302	0.26	<0.05	4.3	0.153
EMNW-5000W/350S		5.4	190	19.9	52.5	<0.002	0.01	0.06	3.9	2	1.2	302	0.38	<0.05	4.7	0.230
EMNW-5000W/400S		4.3	140	18.7	63.6	<0.002	0.01	0.07	4.3	2	1.2	279	0.42	<0.05	4.5	0.199
EMNW-5000W/450S		7.9	250	16.3	47.8	<0.002	0.01	0.06	6.7	2	0.9	295	0.41	<0.05	7.5	0.213
EMNW-5000W/550S		8.0	320	6.2	21.5	<0.002	0.17	0.05	3.4	3	0.4	151.5	0.39	<0.05	2.4	0.087
EMNW-5000W/0		6.7	270	17.6	43.5	<0.002	0.02	0.07	5.8	2	1.1	277	0.37	<0.05	4.6	0.234
EMNW-5000W/100N		5.8	310	17.1	50.8	<0.002	0.01	0.07	4.8	2	1.1	323	0.55	<0.05	5.5	0.233
EMNW-5000W/150N		6.8	240	15.1	47.9	<0.002	0.01	0.07	5.7	2	0.9	315	0.36	<0.05	5.6	0.202
EMNW-5000W/200N		7.1	390	19.1	47.3	<0.002	0.01	0.07	5.6	2	1.2	302	0.45	<0.05	4.8	0.275
EMNW-5000W/300N		8.2	640	17.2	41.0	<0.002	0.02	0.10	6.4	2	1.2	284	0.49	<0.05	4.9	0.301
EMNW-5000W/350N		13.6	540	19.6	50.7	<0.002	0.03	0.15	7.4	1	1.2	310	0.58	<0.05	9.0	0.264
EMNW-5000W/400N		7.0	300	19.5	51.8	<0.002	0.01	0.05	4.3	2	1.5	296	0.59	<0.05	7.2	0.320
EMNW-5500W/200S		7.9	350	18.3	50.3	<0.002	0.01	0.05	5.3	2	1.1	298	0.45	<0.05	5.4	0.232
EMNW-5500W/250S		14.9	820	16.6	39.2	<0.002	0.04	0.10	7.2	2	1.3	280	0.63	<0.05	13.7	0.372
EMNW-5500W/300S		11.1	360	19.4	50.6	<0.002	0.01	0.05	6.0	2	1.5	287	0.60	<0.05	5.4	0.376
EMNW-3400W/150N		6.2	250	17.2	54.7	<0.002	0.01	<0.05	4.6	2	1.0	304	0.38	<0.05	4.9	0.217
EMNW-3400W/350N		8.0	360	15.6	59.2	<0.002	0.01	<0.05	5.5	2	0.8	319	0.38	<0.05	4.4	0.162
EMNW-3900W/50N		9.6	500	14.1	48.0	<0.002	0.01	<0.05	6.0	2	0.8	380	0.38	<0.05	7.3	0.203
EMNW-3900W/150N																
EMNW-3700W/700S		6.6	230	17.5	56.7	<0.002	0.01	<0.05	4.8	1	1.0	306	0.41	<0.05	5.8	0.206
EMNW-3500W/250N		15.3	1050	12.2	30.0	<0.002	0.14	0.09	9.7	2	1.6	167.0	0.35	<0.05	8.8	0.195
EMNW-3500W/400N		9.2	520	16.0	56.5	<0.002	0.02	<0.05	6.2	2	0.9	316	0.40	<0.05	5.5	0.202
EMNW-3300W/750S		8.2	260	16.2	59.0	<0.002	0.01	<0.05	5.7	1	0.7	322	0.33	<0.05	5.1	0.151
EMNW-5600W/100S		7.9	390	16.2	51.1	<0.002	0.02	<0.05	5.0	2	1.0	291	0.53	<0.05	8.3	0.216
EMNW-5600W/50S		8.6	630	19.9	56.1	<0.002	0.02	<0.05	6.0	2	1.2	308	0.51	<0.05	7.0	0.258
EMNW-5600W/0		10.7	700	18.2	58.1	<0.002	0.03	<0.05	7.4	2	0.9	329	0.48	<0.05	7.0	0.179
EMNW-5600W/50N		10.1	250	20.5	64.8	<0.002	0.01	<0.05	5.8	1	1.4	312	0.50	<0.05	7.7	0.265
EMNW-5600W/100N		18.6	820	18.5	47.7	<0.002	0.02	0.13	8.6	2	1.5	342	0.61	0.06	10.0	0.356
EMNW-5600W/150N		11.8	870	17.3	42.3	<0.002	0.03	0.09	7.2	2	1.6	265	0.57	<0.05	8.1	0.351
EMNW-5600W/200N		10.1	510	19.4	50.0	<0.002	0.03	0.05	6.6	2	1.3	279	0.57	<0.05	6.9	0.299
EMNW-5600W/250N		19.4	910	19.9	48.0	<0.002	0.04	0.13	8.5	2	1.5	280	0.67	<0.05	17.5	0.379
EMNW-5600W/300N		11.1	280	15.0	50.6	<0.002	0.02	<0.05	6.6	2	0.9	292	0.41	<0.05	4.8	0.214

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 30-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl ppm 0.02	U ppm 0.1	V ppm 1	W ppm 0.1	Y ppm 0.1	Zn ppm 2	Zr ppm 0.5	B ppm 10
EMNW-4900W/100S		0.33	1.4	50	0.6	8.5	23	200	10
EMNW-4900W/150S		0.25	1.0	31	0.4	5.3	11	213	10
EMNW-4900W/200S		0.22	1.2	52	0.5	8.7	24	146.5	10
EMNW-4900W/250S		0.27	1.2	60	0.5	6.0	15	207	10
EMNW-4900W/300S		0.27	1.2	25	0.4	5.0	11	238	20
EMNW-4900W/350S		0.27	1.1	45	0.5	5.0	11	247	20
EMNW-4900W/400S		0.27	1.4	63	0.7	7.9	14	260	20
EMNW-4900W/450S		0.28	1.1	38	0.6	5.6	10	226	30
EMNW-5000W/300S		0.25	1.0	22	0.2	8.3	13	156.5	20
EMNW-5000W/350S		0.30	0.9	38	0.5	4.2	10	191.0	20
EMNW-5000W/400S		0.34	1.0	25	0.6	6.3	9	232	20
EMNW-5000W/450S		0.26	1.5	44	0.4	9.5	14	204	20
EMNW-5000W/550S		0.15	1.3	18	1.4	6.6	9	67.1	30
EMNW-5000W/0		0.23	0.9	42	0.4	6.6	13	198.5	30
EMNW-5000W/100N		0.28	1.0	36	0.5	5.6	12	235	30
EMNW-5000W/150N		0.26	1.0	34	0.3	6.6	14	208	30
EMNW-5000W/200N		0.27	1.1	52	0.6	6.6	14	231	30
EMNW-5000W/300N		0.25	0.9	72	0.7	6.7	18	187.5	30
EMNW-5000W/350N		0.26	1.3	62	1.0	9.4	25	212	<10
EMNW-5000W/400N		0.28	1.2	63	0.8	5.9	12	282	<10
EMNW-5500W/200S		0.26	1.1	46	0.4	7.1	13	224	<10
EMNW-5500W/250S		0.20	1.2	75	0.9	9.1	27	233	<10
EMNW-5500W/300S		0.27	1.2	78	0.8	7.6	19	258	<10
EMNW-3400W/150N		0.29	1.0	27	0.5	6.0	10	212	<10
EMNW-3400W/350N		0.28	0.9	26	0.3	8.9	11	187.5	<10
EMNW-3900W/50N		0.25	1.1	38	0.6	12.2	18	149.5	<10
EMNW-3900W/150N									
EMNW-3700W/700S		0.27	1.1	23	0.5	6.0	9	231	<10
EMNW-3500W/250N		0.17	2.0	25	0.5	13.0	35	144.5	<10
EMNW-3500W/400N		0.28	1.0	35	0.4	8.7	17	172.0	<10
EMNW-3300W/750S		0.29	1.0	25	0.3	7.9	12	189.0	<10
EMNW-5600W/100S		0.26	1.9	33	0.5	10.6	13	275	<10
EMNW-5600W/50S		0.26	1.2	58	0.6	9.1	15	241	<10
EMNW-5600W/0		0.29	1.1	44	0.6	10.4	15	172.0	<10
EMNW-5600W/50N		0.31	1.2	45	0.7	8.7	15	239	10
EMNW-5600W/100N		0.25	1.1	83	1.0	10.1	38	172.5	10
EMNW-5600W/150N		0.24	1.2	67	0.8	8.2	26	206	10
EMNW-5600W/200N		0.25	1.1	71	0.7	8.9	17	231	10
EMNW-5600W/250N		0.27	1.6	87	1.3	10.4	39	183.0	10
EMNW-5600W/300N		0.25	0.9	52	0.4	7.8	18	179.5	20

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMNW-5600W/350N		0.32	2	<5	<1	0.09	6.30	2.2	480	1.13	0.13	1.34	0.07	41.5	4.1	48
EMNW-5600W/400N		0.38	3	<5	1	0.03	6.96	1.7	470	1.37	0.10	1.58	0.10	49.1	5.0	52
EMNW-3700W/50N		0.36	2	5	1	0.03	5.89	0.2	430	1.20	0.03	1.65	0.09	47.4	4.8	30
EMNW-3700W/50S		0.36	2	5	1	0.05	5.91	0.6	520	0.96	0.10	1.32	0.07	33.2	2.9	27
EMNW-3700W/100S		0.32	2	<5	1	0.03	7.19	1.0	470	1.26	0.07	1.19	0.07	32.7	3.2	34
EMNW-3700W/200S		0.32	16	<5	<1	0.05	5.45	13.1	540	1.00	0.20	1.36	0.05	65.0	5.3	75
EMNW-3700W/300S		0.40	2	<5	1	0.03	6.26	4.8	470	1.34	0.07	1.54	0.05	58.7	3.8	32
EMNW-3700W/350S		0.38	36	<5	1	0.04	5.31	0.5	520	0.99	0.10	1.30	0.06	48.3	3.1	30
EMNW-3700W/400S		0.40	4	<5	1	0.02	5.35	<0.2	580	1.12	0.09	1.11	0.03	29.0	1.7	19
EMNW-4200W/150S		0.40	2	<5	1	0.04	6.37	0.8	440	1.94	0.06	1.64	0.06	43.8	5.5	31
EMNW-4200W/200S		0.44	3	<5	<1	0.05	6.95	1.4	460	1.27	0.12	1.41	0.11	38.3	4.0	36
EMNW-4200W/250S		0.40	2	<5	1	0.03	6.04	0.7	460	1.28	0.05	1.61	0.06	38.8	4.4	28
EMNW-4200W/300S		0.38	3	<5	<1	0.02	6.47	1.3	490	1.39	0.09	1.34	0.09	41.0	3.6	33
EMNW-4200W/50S		0.34	2	<5	<1	0.05	6.16	0.7	520	1.18	0.11	1.47	0.06	37.6	4.4	33
EMNW-4200W/0		0.38	9	<5	<1	0.03	6.22	1.8	470	1.23	0.10	1.34	0.09	41.8	3.8	31
EMNW-4200W/50N		0.54	8	<5	3	0.02	6.62	5.2	380	1.17	0.18	1.41	0.13	45.4	7.1	83
EMNW-4200W/150N		0.36	2	<5	1	0.04	5.15	0.6	560	1.07	0.09	1.22	0.07	30.3	2.5	24
EMNW-4200W/250N		0.30	3	<5	1	0.02	6.37	1.4	430	1.28	0.04	1.27	0.08	27.3	3.2	34
EMNW-4200W/300N		0.62	3	5	<1	0.01	6.25	0.3	490	1.31	0.05	1.46	0.07	31.9	3.3	27
EMNW-4200W/350N		0.42	<1	<5	<1	0.01	5.98	0.6	480	1.40	0.06	1.41	0.09	38.6	4.1	34
EMNW-4200W/400N		0.44	3	<5	1	0.03	6.01	0.3	440	1.31	0.04	1.27	0.07	32.5	3.0	33
EMNW-5500W/150S		0.26	4	7	1	0.01	6.12	<0.2	430	1.30	0.04	1.19	0.09	34.0	3.0	28
EMNW-5500W/100S		0.44	1	<5	1	<0.01	6.39	0.4	450	1.36	0.07	1.23	0.06	30.9	3.0	35
EMNW-5500W/50S		0.36	3	<5	<1	0.06	6.05	0.3	490	1.44	0.08	1.20	0.07	34.7	3.0	38
EMNW-5500W/0		0.32	2	<5	<1	0.08	6.26	1.3	490	1.85	0.12	1.27	0.09	38.5	4.1	40
EMNW-5500W/50N		0.32	27	<5	<1	0.01	6.43	0.7	490	1.44	0.07	1.17	0.08	38.7	3.2	35
EMNW-5500W/100N		0.36	2	<5	<1	0.03	5.34	<0.2	520	1.17	0.08	1.09	0.05	38.4	2.2	27
EMNW-5500W/150N		0.46	3	<5	1	0.02	6.29	0.2	480	1.33	0.06	1.27	0.05	26.8	3.4	33
EMNW-5500W/200N		0.40	4	<5	1	0.06	5.97	2.4	460	0.99	0.15	1.30	0.07	32.4	4.2	46
EMNW-5500W/250N		0.42	4	<5	1	0.04	6.78	5.1	430	1.22	0.09	1.27	0.09	35.1	4.4	61
EMNW-5500W/300N		0.40	24	<5	1	0.05	7.43	6.4	380	1.28	0.13	1.25	0.10	64.5	5.9	80
EMNW-5500W/350N		0.68	4	5	1	0.27	7.36	6.2	370	1.50	0.20	1.64	0.14	103.0	10.1	91
EMNW-5500W/400N		0.36	3	<5	1	0.03	5.12	<0.2	520	1.04	0.10	1.07	0.06	26.0	1.9	21
EMNW-4100W/200S		0.50	3	5	<1	<0.01	5.37	<0.2	500	1.15	0.12	1.31	0.07	40.2	3.0	28
EMNW-4100W/150S		0.58	2	<5	<1	<0.01	5.33	<0.2	520	1.20	0.10	1.25	0.07	27.9	2.5	22
EMNW-4100W/100S		0.40	2	<5	1	0.02	5.12	<0.2	510	1.17	0.09	1.09	0.08	33.4	2.0	20
EMNW-4100W/50S		0.54	2	5	1	0.01	5.93	0.4	550	1.48	0.05	1.65	0.06	39.1	3.8	28
EMNW-4100W/0		0.58	4	<5	1	0.01	5.90	0.2	520	1.32	0.05	1.27	0.08	34.3	3.0	25
EMNW-4100W/50N		0.48	1	<5	<1	0.01	5.90	0.5	490	1.20	0.09	1.28	0.06	36.8	3.0	29
EMNW-4100W/100N		0.46	11	<5	1	0.04	5.60	0.5	510	1.17	0.06	1.24	0.06	27.8	2.6	28

Comments: B results from ME-MS61 are semi-quantitative



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMNW-5600W/350N		1.05	4.4	3.57	27.9	0.13	7.4	0.037	1.37	20.7	5.1	0.38	291	0.72	1.92	9.2
EMNW-5600W/400N		0.76	3.4	3.36	17.60	0.15	6.4	0.034	1.37	21.2	5.7	0.43	430	0.48	2.32	8.4
EMNW-3700W/50N		0.86	5.2	1.44	14.70	0.14	4.5	0.025	1.29	22.9	7.8	0.47	355	1.17	2.38	4.9
EMNW-3700W/50S		0.89	3.3	1.81	17.60	0.11	5.9	0.025	1.47	15.4	4.5	0.28	229	0.42	2.10	6.2
EMNW-3700W/100S		0.76	5.8	2.62	21.6	0.15	5.5	0.032	1.29	15.9	4.5	0.30	214	0.58	1.80	6.9
EMNW-3700W/200S		1.10	4.5	5.35	25.8	0.17	10.2	0.026	1.51	33.2	5.4	0.42	424	1.50	1.98	11.2
EMNW-3700W/300S		0.67	11.9	1.92	15.55	0.14	6.2	0.024	1.45	29.5	4.8	0.33	278	0.69	2.35	5.3
EMNW-3700W/350S		0.96	2.4	1.24	17.95	0.11	10.0	0.025	1.54	24.2	4.2	0.31	280	0.66	2.03	7.2
EMNW-3700W/400S		0.69	1.9	0.58	14.90	0.11	7.5	0.013	1.74	14.4	3.3	0.17	182	0.88	2.13	5.5
EMNW-4200W/150S		0.76	8.9	1.95	15.15	0.12	5.1	0.029	1.33	14.1	6.7	0.38	322	0.27	2.46	5.7
EMNW-4200W/200S		0.79	5.2	2.58	18.50	0.15	6.1	0.029	1.30	16.8	6.3	0.33	261	0.42	2.21	7.1
EMNW-4200W/250S		0.61	5.5	1.68	14.70	0.13	4.9	0.025	1.40	15.0	5.1	0.34	289	0.24	2.47	5.1
EMNW-4200W/300S		0.79	4.0	2.12	16.95	0.13	5.8	0.026	1.44	18.7	5.0	0.29	241	0.41	2.23	6.2
EMNW-4200W/50S		1.10	4.4	1.77	20.1	0.12	6.7	0.028	1.46	18.2	6.8	0.42	327	2.38	2.21	7.5
EMNW-4200W/0		0.93	3.9	2.67	20.5	0.14	7.0	0.028	1.38	20.2	5.9	0.36	281	2.01	2.09	7.4
EMNW-4200W/50N		1.55	8.8	4.75	20.3	0.11	3.8	0.032	1.02	23.5	13.6	0.61	441	1.70	1.83	8.2
EMNW-4200W/150N		0.89	3.0	1.62	18.05	0.09	6.5	0.016	1.60	15.6	4.1	0.26	220	2.58	2.05	6.8
EMNW-4200W/250N		0.57	3.7	3.10	16.60	0.09	3.7	0.029	1.30	12.7	6.1	0.32	250	1.79	2.07	6.4
EMNW-4200W/300N		0.66	3.3	1.86	15.65	0.08	3.7	0.031	1.32	13.3	5.7	0.30	241	0.42	2.54	5.7
EMNW-4200W/350N		0.63	6.9	1.93	13.95	0.10	5.0	0.021	1.49	18.2	7.1	0.37	292	0.50	2.38	5.2
EMNW-4200W/400N		0.66	4.9	1.80	13.75	0.09	3.6	0.023	1.36	16.3	5.5	0.32	231	0.63	2.04	4.3
EMNW-5500W/150S		0.57	6.9	1.71	16.00	0.08	4.9	0.029	1.25	16.8	4.9	0.31	226	0.69	1.91	5.3
EMNW-5500W/100S		0.80	2.5	2.41	18.65	0.08	4.9	0.027	1.29	14.5	4.6	0.29	271	0.55	1.97	6.1
EMNW-5500W/50S		0.67	2.7	2.38	17.20	0.09	5.8	0.023	1.45	16.3	5.2	0.31	250	0.57	2.06	6.7
EMNW-5500W/0		0.84	6.5	2.43	19.50	0.11	6.9	0.029	1.52	18.2	7.4	0.33	256	0.78	2.12	7.7
EMNW-5500W/50N		0.72	3.4	2.53	18.60	0.10	5.2	0.025	1.49	16.3	6.0	0.32	231	0.53	2.05	7.5
EMNW-5500W/100N		0.70	1.9	1.57	14.70	0.09	7.4	0.015	1.56	18.9	4.2	0.23	229	0.42	2.01	5.8
EMNW-5500W/150N		0.75	2.9	1.88	16.00	0.08	4.2	0.023	1.39	12.0	5.4	0.32	205	0.43	2.16	5.6
EMNW-5500W/200N		0.98	5.3	3.15	20.7	0.11	6.1	0.029	1.28	16.4	7.4	0.41	282	0.65	1.83	7.3
EMNW-5500W/250N		0.82	3.6	4.35	19.20	0.11	6.0	0.035	1.23	16.8	6.0	0.41	324	1.26	1.85	8.2
EMNW-5500W/300N		1.03	6.5	4.75	21.6	0.12	5.6	0.037	1.08	32.9	9.5	0.53	366	0.75	1.70	9.1
EMNW-5500W/350N		1.65	28.1	5.21	18.35	0.18	4.0	0.043	0.99	46.1	22.8	0.80	502	1.40	2.02	8.9
EMNW-5500W/400N		0.66	1.1	1.38	16.55	0.08	7.8	0.015	1.47	13.0	4.2	0.20	196	0.33	1.90	6.1
EMNW-4100W/200S		0.83	1.4	1.91	16.90	0.10	6.1	0.016	1.53	20.1	4.7	0.28	295	0.58	2.07	6.6
EMNW-4100W/150S		0.74	1.5	1.04	17.75	0.09	5.9	0.017	1.52	13.6	4.2	0.27	241	0.58	2.08	6.1
EMNW-4100W/100S		0.75	2.1	0.92	16.10	0.08	5.6	0.014	1.50	16.7	4.0	0.21	222	0.63	1.92	6.1
EMNW-4100W/50S		0.72	6.6	1.34	14.35	0.11	4.9	0.022	1.57	20.1	7.4	0.38	263	0.59	2.65	5.6
EMNW-4100W/0		0.67	4.2	1.45	14.00	0.09	5.0	0.019	1.46	16.9	6.3	0.23	210	0.41	2.28	5.0
EMNW-4100W/50N		0.76	3.7	1.71	15.75	0.09	5.3	0.022	1.37	16.4	5.5	0.27	214	0.37	2.17	6.0
EMNW-4100W/100N		0.64	1.5	2.02	19.30	0.09	5.7	0.021	1.47	13.9	4.0	0.27	213	0.38	2.07	6.5

Comments: B results from ME-MS61 are semi-quantitative



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMNW-5600W/350N		10.4	540	19.9	51.6	<0.002	0.02	0.06	6.9	2	1.4	287	0.60	<0.05	7.7	0.337
EMNW-5600W/400N		11.9	430	15.5	51.1	<0.002	0.02	<0.05	9.1	2	1.1	336	0.55	<0.05	6.8	0.270
EMNW-3700W/50N		12.8	250	13.8	50.4	<0.002	0.04	0.06	7.7	2	0.7	324	0.31	<0.05	8.9	0.187
EMNW-3700W/50S		7.4	400	15.6	50.7	<0.002	0.01	<0.05	5.0	1	1.1	306	0.43	<0.05	5.2	0.249
EMNW-3700W/100S		8.2	420	15.6	47.2	<0.002	0.03	<0.05	6.1	2	1.0	277	0.43	<0.05	4.8	0.230
EMNW-3700W/200S		13.8	170	18.9	57.4	<0.002	0.01	0.06	7.0	2	1.5	306	0.71	<0.05	13.8	0.437
EMNW-3700W/300S		8.7	470	16.5	55.2	<0.002	0.01	0.07	6.6	2	0.7	335	0.36	<0.05	6.4	0.167
EMNW-3700W/350S		8.1	230	20.9	56.9	<0.002	0.01	<0.05	5.9	2	1.2	298	0.54	<0.05	9.3	0.289
EMNW-3700W/400S		4.6	180	19.3	54.7	<0.002	0.01	0.06	3.5	2	1.0	299	0.41	<0.05	6.1	0.221
EMNW-4200W/150S		13.3	310	13.1	48.3	<0.002	0.01	<0.05	7.6	1	0.8	324	0.86	<0.05	3.7	0.203
EMNW-4200W/200S		9.2	590	16.1	48.3	<0.002	0.02	0.05	7.0	2	1.0	312	0.48	<0.05	6.0	0.243
EMNW-4200W/250S		9.5	340	14.0	50.8	<0.002	<0.01	<0.05	7.0	2	0.7	332	0.35	<0.05	4.1	0.172
EMNW-4200W/300S		8.4	530	16.7	54.8	<0.002	0.02	<0.05	6.6	2	1.0	317	0.43	<0.05	6.6	0.208
EMNW-4200W/50S		11.5	220	17.4	54.3	<0.002	0.02	<0.05	7.2	2	1.1	317	0.51	<0.05	7.0	0.307
EMNW-4200W/0		9.3	180	17.0	51.1	<0.002	0.02	<0.05	6.7	2	1.1	304	0.50	<0.05	8.3	0.275
EMNW-4200W/50N		16.9	450	15.4	37.2	<0.002	0.03	0.18	9.3	2	1.2	266	0.53	<0.05	8.3	0.372
EMNW-4200W/150N		6.3	120	17.4	49.2	<0.002	0.01	0.09	4.4	1	1.1	298	0.44	<0.05	4.8	0.303
EMNW-4200W/250N		7.3	250	13.2	40.9	<0.002	0.02	0.15	6.0	1	0.7	288	0.39	<0.05	4.3	0.195
EMNW-4200W/300N		7.3	220	12.3	38.7	<0.002	0.01	0.07	5.9	1	0.8	342	0.34	<0.05	3.8	0.220
EMNW-4200W/350N		9.3	260	14.7	48.5	<0.002	0.01	0.09	6.7	2	0.7	315	0.35	<0.05	7.4	0.166
EMNW-4200W/400N		7.3	370	13.3	45.2	<0.002	0.03	0.08	6.1	2	0.7	283	0.31	<0.05	4.8	0.140
EMNW-5500W/150S		7.7	340	13.5	38.8	<0.002	0.03	0.09	6.2	2	0.8	269	0.33	<0.05	4.4	0.201
EMNW-5500W/100S		7.1	500	17.3	41.5	<0.002	0.03	0.10	6.3	2	1.0	279	0.38	<0.05	5.3	0.235
EMNW-5500W/50S		7.5	420	16.4	44.1	<0.002	0.02	0.10	5.9	1	1.0	286	0.44	<0.05	5.8	0.220
EMNW-5500W/0		9.9	400	21.1	57.5	<0.002	0.01	0.15	7.1	2	1.1	298	0.53	0.06	6.9	0.202
EMNW-5500W/50N		7.7	700	18.2	47.2	<0.002	0.03	0.11	6.0	2	1.0	271	0.51	<0.05	6.3	0.200
EMNW-5500W/100N		5.3	150	15.8	48.8	<0.002	0.01	0.10	4.8	1	1.0	276	0.41	<0.05	7.0	0.201
EMNW-5500W/150N		8.7	460	15.2	42.8	<0.002	0.02	0.07	6.1	2	0.8	296	0.35	<0.05	3.7	0.193
EMNW-5500W/200N		10.4	610	16.4	40.7	<0.002	0.02	0.14	6.5	2	1.2	268	0.46	<0.05	6.4	0.341
EMNW-5500W/250N		11.0	690	15.8	40.6	<0.002	0.03	0.14	7.3	2	1.1	269	0.51	0.05	6.4	0.297
EMNW-5500W/300N		14.5	760	18.5	36.5	<0.002	0.05	0.11	8.7	2	1.3	239	0.59	<0.05	17.8	0.350
EMNW-5500W/350N		24.7	360	15.4	36.6	<0.002	0.04	0.10	12.3	2	1.1	287	0.57	0.05	14.8	0.360
EMNW-5500W/400N		5.1	160	17.0	45.3	<0.002	0.01	0.06	4.1	1	1.1	276	0.40	<0.05	5.2	0.249
EMNW-4100W/200S		6.7	170	17.5	50.8	<0.002	<0.01	0.10	5.6	2	1.2	291	0.42	<0.05	10.3	0.277
EMNW-4100W/150S		6.4	150	19.8	48.9	<0.002	0.01	0.09	5.1	2	1.1	294	0.41	<0.05	5.2	0.255
EMNW-4100W/100S		5.5	160	19.6	48.2	<0.002	0.01	0.08	4.5	2	1.1	273	0.42	<0.05	7.8	0.254
EMNW-4100W/50S		9.7	490	14.3	48.5	<0.002	0.01	0.07	6.1	2	0.8	370	0.36	<0.05	5.0	0.183
EMNW-4100W/0		6.8	260	13.9	45.3	<0.002	0.01	0.07	5.0	2	0.8	317	0.33	<0.05	4.4	0.187
EMNW-4100W/50N		7.6	350	14.7	42.9	<0.002	0.01	0.12	5.1	2	1.1	303	0.40	<0.05	5.0	0.246
EMNW-4100W/100N		7.1	340	16.7	45.8	<0.002	0.01	0.07	5.0	2	1.0	298	0.40	<0.05	4.6	0.245

Comments: B results from ME-MS61 are semi-quantitative



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	B ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMNW-5600W/350N		0.25	1.2	85	0.7	8.7	20	246	30
EMNW-5600W/400N		0.24	1.2	60	0.7	14.5	21	204	30
EMNW-3700W/50N		0.25	1.2	32	0.9	11.7	25	149.0	30
EMNW-3700W/50S		0.26	1.0	41	0.4	7.1	14	195.0	30
EMNW-3700W/100S		0.24	1.0	60	0.5	7.9	16	183.5	30
EMNW-3700W/200S		0.28	1.6	127	2.7	10.2	23	345	30
EMNW-3700W/300S		0.29	1.8	38	2.5	15.4	14	195.0	30
EMNW-3700W/350S		0.29	1.5	36	0.5	7.5	13	322	30
EMNW-3700W/400S		0.31	1.0	16	0.4	4.9	6	245	40
EMNW-4200W/150S		0.25	0.9	39	0.3	11.2	18	163.0	30
EMNW-4200W/200S		0.23	1.1	48	0.6	9.8	15	196.0	40
EMNW-4200W/250S		0.24	0.9	34	0.3	10.7	14	160.5	50
EMNW-4200W/300S		0.27	1.0	42	0.4	9.5	13	188.0	40
EMNW-4200W/50S		0.28	1.1	39	0.7	9.6	21	218	50
EMNW-4200W/0		0.26	1.3	50	1.0	8.9	19	226	40
EMNW-4200W/50N		0.19	1.0	99	0.7	9.8	37	142.5	<10
EMNW-4200W/150N		0.26	0.9	53	0.8	5.7	14	234	<10
EMNW-4200W/250N		0.19	0.7	46	0.4	7.6	19	141.5	<10
EMNW-4200W/300N		0.18	0.7	36	0.3	8.3	17	136.5	<10
EMNW-4200W/350N		0.22	0.9	32	0.4	9.7	19	181.5	<10
EMNW-4200W/400N		0.20	0.9	27	0.3	8.6	15	125.5	<10
EMNW-5500W/150S		0.20	0.9	31	0.4	8.0	16	179.5	<10
EMNW-5500W/100S		0.21	0.8	47	0.3	8.1	15	177.0	<10
EMNW-5500W/50S		0.20	0.9	44	0.5	7.6	16	205	<10
EMNW-5500W/0		0.30	1.2	43	0.6	8.7	15	217	<10
EMNW-5500W/50N		0.23	0.9	41	0.5	8.7	18	181.0	<10
EMNW-5500W/100N		0.23	1.1	32	0.4	7.7	12	261	<10
EMNW-5500W/150N		0.21	0.7	39	0.3	6.7	16	150.5	<10
EMNW-5500W/200N		0.20	1.0	67	0.6	7.1	26	220	<10
EMNW-5500W/250N		0.20	1.0	77	1.1	8.5	23	213	<10
EMNW-5500W/300N		0.18	1.6	87	1.6	11.0	30	199.0	<10
EMNW-5500W/350N		0.19	1.8	87	0.9	19.3	43	140.5	<10
EMNW-5500W/400N		0.23	0.9	38	0.5	5.0	11	266	20
EMNW-4100W/200S		0.25	1.0	48	0.4	7.2	15	219	30
EMNW-4100W/150S		0.23	0.9	26	0.4	5.8	13	208	30
EMNW-4100W/100S		0.23	0.9	25	0.6	5.7	11	201	30
EMNW-4100W/50S		0.25	1.0	29	0.6	11.5	19	178.0	20
EMNW-4100W/0		0.23	0.9	28	0.3	7.2	15	176.0	20
EMNW-4100W/50N		0.22	0.9	38	0.4	7.0	16	183.0	20
EMNW-4100W/100N		0.24	0.9	51	0.4	6.2	14	205	30

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMNW-4100W/150N		0.34	2	<5	1	0.01	5.78	0.6	480	1.40	0.08	1.09	0.06	26.8	2.5	33
EMNW-4100W/200N		0.20	2	<5	1	0.04	5.27	9.4	360	0.95	0.10	1.29	0.13	45.0	10.1	53
EMNW-4100W/250N		0.38	1	<5	<1	<0.01	5.21	0.2	560	1.25	0.07	1.09	0.08	35.6	1.8	23
EMNW-4100W/300N		0.42	2	<5	1	<0.01	4.81	<0.2	600	1.12	0.10	1.02	0.05	29.0	1.8	26
EMNW-4100W/350N		0.40	2	<5	1	0.07	5.89	3.0	510	1.57	0.11	1.40	0.09	37.3	4.3	42
EMNW-4100W/400N		0.56	1	<5	1	0.04	5.82	0.3	500	1.45	0.07	1.56	0.07	36.9	4.4	31
EMNW-4100W/250S		0.58	1	<5	2	0.01	5.36	<0.2	570	1.32	0.09	1.25	0.05	37.1	2.2	22
EMNW-4100W/300S		0.48	3	<5	1	0.04	5.88	<0.2	540	1.41	0.04	1.51	0.04	30.6	3.2	23
EMNW-4100W/350S		0.38	4	<5	<1	27.3	5.28	0.3	610	1.17	0.06	1.11	0.06	27.9	1.6	19
EMNW-4100W/400S		0.54	1	<5	1	0.02	5.71	0.3	530	1.42	0.09	1.49	0.05	41.1	3.2	24
EMNW-4100W/450S		0.46	2	<5	2	0.04	5.84	5.1	540	1.22	0.15	1.54	0.08	37.0	4.9	49
EMNW-4100W/500S		0.56	2	<5	<1	0.04	6.07	4.6	420	1.12	0.09	1.69	0.09	29.5	4.4	34
EMNW-4100W/550S		0.64	3	<5	1	0.03	6.10	3.8	420	1.23	0.06	1.73	0.07	31.7	4.3	33
EMNW-4100W/600S		0.70	<1	<5	1	0.04	5.93	0.6	450	1.08	0.05	1.64	0.07	38.7	3.9	28
EMNW-4100W/650S		0.62	1	<5	1	0.06	6.17	1.1	500	1.20	0.05	1.63	0.09	45.4	4.0	31
EMNW-4100W/700S		0.54	<1	<5	1	0.03	5.90	<0.2	560	1.10	0.09	1.44	0.07	32.8	3.5	35
EMNW-4100W/750S		0.44	1	<5	<1	0.06	6.26	1.2	460	1.27	0.05	1.40	0.12	30.3	4.1	33
EMNW-4100W/800S		0.50	1	<5	1	0.01	5.04	<0.2	570	0.89	0.08	1.02	0.05	23.3	1.4	20
EMNW-4200W/350S		0.46	2	<5	1	0.02	6.77	1.3	470	1.17	0.06	1.53	0.08	41.7	3.7	31
EMNW-4200W/400S		0.38	1	<5	1	0.02	5.67	<0.2	500	0.93	0.07	1.24	0.07	31.7	2.5	28
EMNW-4200W/450S		0.34	<1	5	<1	0.03	7.27	0.8	430	1.22	0.07	1.25	0.07	29.7	3.1	35
EMNW-4200W/500S		0.36	1	<5	<1	0.01	6.89	0.5	460	1.28	0.08	1.32	0.06	33.2	3.2	29
EMNW-4200W/550S		0.42	2	<5	1	0.02	7.32	1.3	460	1.29	0.05	1.39	0.06	37.3	3.6	34
EMNW-4200W/600S		0.38	1	<5	2	0.01	6.59	0.7	480	1.31	0.06	1.31	0.08	28.9	3.1	34
EMNW-4200W/650S		0.36	1	<5	1	<0.01	5.43	<0.2	550	0.98	0.08	1.26	0.06	25.6	2.1	17
EMNW-4200W/700S		0.48	3	<5	1	0.01	5.60	<0.2	550	1.19	0.08	1.27	0.04	21.7	1.9	19
EMNW-4200W/750S		0.46	1	<5	<1	<0.01	5.61	<0.2	570	1.17	0.08	1.20	0.04	34.3	1.6	17
EMNW-4200W/800S		0.32	1	<5	1	0.02	6.21	0.4	450	1.27	0.04	1.38	0.06	38.5	3.2	33
EMNW-4800W/600S		0.40	4	<5	<1	0.01	5.01	<0.2	630	0.95	0.07	1.00	0.06	25.8	1.2	15
EMNW-4800W/650S		0.52	4	<5	1	<0.01	5.93	<0.2	550	1.10	0.04	1.41	0.04	20.7	1.8	16
EMNW-4800W/700S		0.38	3	5	1	0.03	5.45	0.6	530	0.96	0.08	1.21	0.07	31.4	2.2	23
EMNW-4800W/750S		0.34	2	<5	1	0.11	6.25	2.1	530	1.48	0.77	1.20	0.84	31.3	4.1	27
EMNW-4800W/450S		0.40	1	<5	1	0.01	6.48	1.3	510	1.42	0.05	1.46	0.08	47.6	4.3	35
EMNW-4800W/150S		0.48	1	<5	1	0.05	6.39	0.6	500	1.00	0.16	2.04	0.12	30.6	8.1	57
EMNW-4800W/200S		0.32	1	<5	<1	0.02	5.20	<0.2	550	0.90	0.10	1.10	0.06	28.5	2.0	21
EMNW-4800W/250S		0.30	3	13	<1	0.02	5.65	1.1	500	0.93	0.15	1.37	0.07	34.6	4.2	41
EMNW-4800W/300S		0.36	5	<5	<1	0.01	5.21	<0.2	560	0.98	0.08	1.22	0.06	41.8	2.4	25
EMNW-4800W/350S		0.24	2	<5	<1	0.01	5.98	0.8	530	1.12	0.12	1.34	0.09	32.7	2.8	27
EMNW-3900W/100N		0.58	2	<5	1	0.03	6.81	5.1	480	1.24	0.13	1.83	0.13	48.5	13.0	64
EMNW-3700W/550S		0.30	2	<5	2	0.03	6.32	<0.2	470	1.18	0.06	1.31	0.07	36.6	3.3	30

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095404

Method Analyte Units LOR	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm
Sample Description	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMNW-4100W/150N	0.69	1.6	1.76	15.95	0.11	6.0	0.023	1.36	13.2	4.4	0.25	190	0.30	1.85	6.7
EMNW-4100W/200N	1.12	18.5	8.70	15.10	0.15	2.8	0.023	0.99	22.4	9.6	0.54	346	14.65	1.73	5.9
EMNW-4100W/250N	0.69	18.1	0.66	12.65	0.07	7.0	0.017	1.58	18.3	4.0	0.19	176	0.79	2.05	4.9
EMNW-4100W/300N	0.73	3.2	0.61	12.25	0.08	7.6	0.010	1.70	14.6	3.1	0.19	162	2.14	1.96	5.1
EMNW-4100W/350N	0.77	4.8	2.27	16.45	0.10	5.9	0.022	1.53	16.8	6.3	0.37	284	1.71	2.26	13.1
EMNW-4100W/400N	0.80	6.0	1.49	14.05	0.12	4.8	0.020	1.53	17.1	9.8	0.41	286	0.57	2.47	5.2
EMNW-4100W/250S	0.90	2.1	0.83	15.75	0.08	6.4	0.017	1.65	18.7	3.9	0.23	203	1.95	2.27	6.2
EMNW-4100W/300S	0.76	2.7	0.94	16.80	0.10	5.6	0.022	1.61	15.1	5.5	0.32	247	1.27	2.55	5.7
EMNW-4100W/350S	0.84	3.5	0.57	14.20	0.08	7.1	0.015	1.75	14.3	3.3	0.16	170	2.12	2.21	5.6
EMNW-4100W/400S	0.74	1.4	1.03	15.40	0.10	5.2	0.019	1.60	20.5	5.3	0.32	277	1.55	2.53	6.2
EMNW-4100W/450S	1.28	7.0	2.35	19.10	0.11	6.4	0.026	1.44	19.0	6.8	0.45	295	2.77	2.24	7.2
EMNW-4100W/500S	0.75	6.6	1.93	13.60	0.10	3.6	0.021	1.30	11.7	6.4	0.38	291	0.53	2.37	4.2
EMNW-4100W/550S	0.71	6.7	2.15	14.60	0.12	4.3	0.023	1.33	12.0	6.0	0.38	324	0.73	2.41	4.4
EMNW-4100W/600S	0.67	9.0	1.60	13.65	0.11	5.1	0.019	1.39	18.2	5.7	0.35	291	0.57	2.38	4.6
EMNW-4100W/650S	0.73	7.7	1.75	14.30	0.11	5.2	0.020	1.52	20.1	6.5	0.39	315	0.45	2.48	4.9
EMNW-4100W/700S	1.00	3.1	1.43	15.30	0.09	7.3	0.023	1.70	16.1	5.6	0.40	285	0.51	2.32	5.6
EMNW-4100W/750S	0.65	5.8	1.85	13.65	0.12	3.9	0.021	1.43	13.4	6.7	0.34	271	0.29	2.22	6.0
EMNW-4100W/800S	0.77	2.2	0.70	13.00	0.08	6.8	0.011	1.71	11.4	3.6	0.16	173	0.30	1.93	4.1
EMNW-4200W/350S	0.70	5.4	2.11	15.10	0.10	5.0	0.023	1.43	18.5	5.4	0.32	272	0.34	2.38	5.4
EMNW-4200W/400S	0.78	5.2	1.86	14.55	0.09	8.1	0.019	1.42	15.9	6.0	0.25	232	0.40	2.06	5.6
EMNW-4200W/450S	0.73	2.8	2.66	19.05	0.09	4.8	0.032	1.23	13.3	5.2	0.30	226	0.40	1.96	6.1
EMNW-4200W/500S	0.89	2.5	2.41	19.40	0.11	4.8	0.029	1.35	15.2	5.5	0.31	238	0.42	2.13	6.1
EMNW-4200W/550S	0.72	3.4	2.37	16.65	0.11	3.9	0.027	1.37	16.6	5.9	0.33	261	0.50	2.31	5.4
EMNW-4200W/600S	0.75	4.9	2.01	15.45	0.09	4.9	0.029	1.39	13.1	6.8	0.31	238	0.44	2.22	5.3
EMNW-4200W/650S	0.90	1.2	0.77	16.65	0.09	6.6	0.019	1.65	12.7	4.2	0.23	206	0.30	2.18	6.0
EMNW-4200W/700S	0.76	1.7	0.67	14.95	0.07	6.3	0.016	1.62	10.7	3.8	0.21	188	0.27	2.36	4.1
EMNW-4200W/750S	0.72	1.3	0.60	14.20	0.08	7.1	0.014	1.77	16.9	3.7	0.18	191	0.28	2.32	4.3
EMNW-4200W/800S	0.64	5.5	1.67	14.75	0.10	4.0	0.022	1.38	17.5	5.3	0.31	245	0.37	2.22	4.4
EMNW-4800W/600S	0.70	2.8	0.49	14.60	0.07	8.0	0.012	1.78	12.7	3.7	0.12	146	1.02	2.05	5.5
EMNW-4800W/650S	0.71	1.4	0.68	14.75	0.08	5.9	0.015	1.57	10.3	3.7	0.20	200	0.79	2.64	5.4
EMNW-4800W/700S	0.69	1.8	1.51	16.20	0.09	6.5	0.017	1.57	15.2	4.1	0.22	217	0.37	2.10	5.9
EMNW-4800W/750S	0.79	4.7	1.54	18.85	0.11	6.1	0.023	1.54	14.6	5.1	0.25	187	0.36	2.13	5.4
EMNW-4800W/450S	0.70	6.3	1.94	14.55	0.10	5.6	0.021	1.57	16.9	7.1	0.37	288	0.35	2.50	5.2
EMNW-4800W/150S	1.95	4.6	2.82	19.60	0.12	6.4	0.032	1.41	15.5	9.3	0.82	491	5.44	2.39	8.1
EMNW-4800W/200S	0.78	1.1	1.45	16.80	0.11	8.2	0.013	1.56	14.1	4.3	0.19	198	0.40	1.92	6.4
EMNW-4800W/250S	0.96	3.5	2.99	24.2	0.13	6.8	0.026	1.41	16.9	7.3	0.39	292	0.57	2.02	8.1
EMNW-4800W/300S	0.73	0.9	1.54	15.40	0.11	8.6	0.017	1.62	21.0	3.9	0.23	239	0.44	2.01	6.2
EMNW-4800W/350S	0.89	2.3	2.13	19.70	0.11	6.1	0.026	1.56	15.8	4.9	0.28	242	0.46	2.22	6.6
EMNW-3900W/100N	2.09	22.7	3.27	19.05	0.15	4.6	0.037	1.35	22.8	23.3	0.89	409	2.40	2.39	7.0
EMNW-3700W/550S	0.76	4.9	1.74	16.50	0.12	6.1	0.026	1.36	17.5	5.9	0.34	225	0.49	2.10	5.8

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMNW-4100W/150N		7.7	380	17.2	42.8	<0.002	0.02	0.07	5.0	2	1.0	271	0.46	<0.05	4.8	0.236
EMNW-4100W/200N		21.6	690	12.8	33.5	<0.002	0.04	0.10	6.6	2	0.9	246	0.36	<0.05	5.2	0.224
EMNW-4100W/250N		6.7	160	16.4	48.6	<0.002	0.01	0.06	4.2	2	0.8	297	0.33	<0.05	6.0	0.186
EMNW-4100W/300N		6.0	150	18.3	53.9	<0.002	<0.01	0.09	3.2	2	0.9	285	0.38	<0.05	6.2	0.194
EMNW-4100W/350N		11.0	220	17.3	50.1	<0.002	0.01	0.13	6.4	2	1.1	318	1.08	<0.05	6.6	0.254
EMNW-4100W/400N		11.7	420	17.3	50.8	<0.002	0.01	0.09	6.6	2	0.8	343	0.36	<0.05	4.4	0.176
EMNW-4100W/250S		6.0	140	18.9	54.2	<0.002	0.01	0.12	4.7	2	1.1	320	0.43	<0.05	8.4	0.236
EMNW-4100W/300S		7.6	200	16.7	53.1	<0.002	0.01	0.07	5.9	2	0.9	353	0.36	<0.05	5.2	0.202
EMNW-4100W/350S		5.1	130	18.7	58.8	<0.002	0.01	0.08	3.6	2	0.9	312	0.88	<0.05	5.6	0.190
EMNW-4100W/400S		8.4	180	16.9	53.8	<0.002	0.01	0.07	5.9	2	0.9	350	0.43	<0.05	9.4	0.214
EMNW-4100W/450S		13.6	260	17.8	49.0	<0.002	0.01	0.30	7.6	2	1.3	343	0.46	<0.05	5.6	0.333
EMNW-4100W/500S		11.6	330	13.1	42.4	<0.002	0.01	0.16	6.4	2	0.6	315	0.30	0.05	3.0	0.161
EMNW-4100W/550S		11.0	340	13.2	44.1	<0.002	0.01	0.12	6.7	2	0.7	322	0.29	<0.05	3.3	0.198
EMNW-4100W/600S		9.1	310	13.4	45.7	<0.002	0.01	0.12	6.4	2	0.6	318	0.31	<0.05	4.6	0.195
EMNW-4100W/650S		9.9	400	15.1	50.3	<0.002	0.01	0.10	6.5	2	0.7	348	0.57	<0.05	7.1	0.183
EMNW-4100W/700S		9.3	200	16.0	57.7	<0.002	0.01	0.11	6.1	1	1.1	337	0.40	<0.05	5.4	0.250
EMNW-4100W/750S		10.3	450	14.8	48.3	<0.002	0.01	0.11	6.1	2	0.6	308	0.49	<0.05	3.7	0.156
EMNW-4100W/800S		4.3	150	16.1	55.3	<0.002	0.01	0.10	3.0	2	0.9	283	0.31	<0.05	4.6	0.191
EMNW-4200W/350S		9.0	480	15.7	48.2	<0.002	0.02	0.07	6.3	2	0.8	331	0.36	<0.05	6.1	0.195
EMNW-4200W/400S		6.2	220	14.0	45.6	<0.002	0.01	0.12	5.0	2	0.9	296	0.44	<0.05	5.8	0.263
EMNW-4200W/450S		7.6	710	17.8	43.3	<0.002	0.03	0.11	6.6	2	0.9	280	0.42	<0.05	4.5	0.210
EMNW-4200W/500S		7.2	990	16.4	46.2	<0.002	0.03	0.09	6.2	2	0.9	305	0.39	<0.05	5.1	0.233
EMNW-4200W/550S		8.5	860	14.9	46.0	<0.002	0.04	0.16	6.6	2	0.7	317	0.36	<0.05	6.1	0.190
EMNW-4200W/600S		7.6	310	14.1	46.3	<0.002	0.02	0.08	6.3	2	0.7	314	0.33	<0.05	4.3	0.187
EMNW-4200W/650S		5.1	130	18.5	56.7	<0.002	0.01	0.10	4.5	2	1.0	314	0.38	<0.05	4.7	0.248
EMNW-4200W/700S		5.3	160	16.4	54.3	<0.002	0.01	0.11	4.1	2	0.7	332	0.27	<0.05	4.2	0.171
EMNW-4200W/750S		4.1	200	18.6	60.7	<0.002	0.01	0.09	3.7	2	0.7	318	0.31	<0.05	8.5	0.161
EMNW-4200W/800S		7.9	470	14.2	49.3	<0.002	0.02	0.07	6.4	2	0.6	310	0.28	<0.05	4.5	0.147
EMNW-4800W/600S		3.9	160	18.1	57.9	<0.002	0.01	0.07	2.9	2	1.0	299	0.45	<0.05	5.4	0.226
EMNW-4800W/650S		4.4	110	14.8	52.7	<0.002	0.01	0.05	4.3	2	0.8	364	0.39	<0.05	3.6	0.188
EMNW-4800W/700S		5.1	240	16.8	53.7	<0.002	0.01	0.06	4.6	2	1.1	298	0.45	<0.05	6.5	0.237
EMNW-4800W/750S		8.3	330	19.2	53.4	<0.002	0.02	0.08	5.3	2	0.9	310	0.40	<0.05	5.0	0.196
EMNW-4800W/450S		10.3	390	15.7	53.7	<0.002	0.01	0.08	7.0	2	0.7	352	0.34	<0.05	6.2	0.159
EMNW-4800W/150S		21.9	110	15.4	53.4	<0.002	0.01	0.11	10.4	2	1.3	338	0.61	<0.05	5.1	0.438
EMNW-4800W/200S		5.0	220	18.1	51.8	<0.002	0.01	0.08	3.8	2	1.1	280	0.41	<0.05	5.6	0.268
EMNW-4800W/250S		10.9	390	17.9	49.2	<0.002	0.01	0.10	6.2	2	1.3	295	0.52	<0.05	6.1	0.349
EMNW-4800W/300S		6.0	170	17.3	54.1	<0.002	0.01	0.07	4.9	2	1.1	298	0.41	<0.05	8.3	0.262
EMNW-4800W/350S		6.2	320	17.9	54.8	<0.002	0.01	0.12	5.5	2	1.2	312	0.47	0.05	6.0	0.272
EMNW-3900W/100N		26.8	410	16.3	48.2	<0.002	0.02	0.10	10.0	2	1.1	337	0.50	0.05	6.8	0.304
EMNW-3700W/550S		8.0	400	14.5	46.0	<0.002	0.02	0.11	6.5	2	0.9	299	0.37	<0.05	5.0	0.215

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Ti	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMNW-4100W/150N		0.23	0.8	39	0.4	5.6	13	214	20
EMNW-4100W/200N		0.19	1.3	150	5.1	10.0	48	101.0	30
EMNW-4100W/250N		0.25	1.3	16	0.5	5.8	10	244	30
EMNW-4100W/300N		0.26	1.0	18	0.6	4.5	8	260	40
EMNW-4100W/350N		0.25	1.1	50	0.8	8.4	20	205	30
EMNW-4100W/400N		0.26	0.9	29	0.4	10.9	24	166.0	20
EMNW-4100W/250S		0.26	1.0	27	0.5	6.0	11	220	30
EMNW-4100W/300S		0.27	0.9	23	1.2	7.9	16	194.5	40
EMNW-4100W/350S		0.29	1.0	15	1.5	4.9	8	246	40
EMNW-4100W/400S		0.26	0.8	23	1.6	7.7	16	182.0	30
EMNW-4100W/450S		0.25	1.3	64	2.5	7.9	24	223	30
EMNW-4100W/500S		0.21	0.7	41	0.8	9.4	21	120.0	20
EMNW-4100W/550S		0.22	0.8	47	0.7	9.8	18	142.0	10
EMNW-4100W/600S		0.23	0.9	34	0.3	10.8	17	170.5	10
EMNW-4100W/650S		0.25	1.1	34	0.2	12.0	21	172.0	<10
EMNW-4100W/700S		0.28	1.0	37	0.5	6.8	19	232	10
EMNW-4100W/750S		0.22	0.7	33	0.2	9.1	21	133.0	10
EMNW-4100W/800S		0.27	0.9	20	0.3	4.1	11	220	10
EMNW-4200W/350S		0.23	1.0	41	0.3	10.6	18	160.0	10
EMNW-4200W/400S		0.23	1.1	39	0.4	7.2	14	259	10
EMNW-4200W/450S		0.22	0.9	45	0.5	8.4	18	152.0	10
EMNW-4200W/500S		0.22	0.8	48	0.4	8.6	17	153.0	20
EMNW-4200W/550S		0.21	0.8	46	0.4	9.0	20	128.0	20
EMNW-4200W/600S		0.22	0.9	37	0.3	8.2	16	158.5	20
EMNW-4200W/650S		0.28	0.9	23	0.4	5.5	12	213	30
EMNW-4200W/700S		0.25	1.0	17	0.3	5.3	10	191.5	30
EMNW-4200W/750S		0.27	1.1	15	0.3	5.5	10	217	40
EMNW-4200W/800S		0.24	0.8	31	0.2	11.2	16	133.5	30
EMNW-4800W/600S		0.27	1.0	18	0.4	4.3	9	265	30
EMNW-4800W/650S		0.26	0.7	15	0.3	6.4	10	184.5	30
EMNW-4800W/700S		0.27	1.0	34	0.4	7.3	12	205	30
EMNW-4800W/750S		1.60	1.6	36	0.3	6.7	17	186.0	30
EMNW-4800W/450S		0.28	1.1	33	0.5	10.4	20	177.0	30
EMNW-4800W/150S		0.27	0.9	79	0.7	10.0	38	202	30
EMNW-4800W/200S		0.26	1.1	42	0.5	5.3	11	262	50
EMNW-4800W/250S		0.24	1.1	80	2.3	7.8	22	219	50
EMNW-4800W/300S		0.26	1.2	37	0.5	7.4	13	275	40
EMNW-4800W/350S		0.28	0.9	47	0.5	7.2	16	197.5	40
EMNW-3900W/100N		0.31	1.2	64	2.5	13.2	56	144.5	30
EMNW-3700W/550S		0.22	1.0	38	0.4	9.3	18	192.5	40

Comments: 8 results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt.	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMNW-3700W/600S		0.52	1	<5	1	<0.01	6.15	0.7	470	1.29	0.05	1.49	0.07	41.0	3.5	29
EMNW-3700W/800S		0.36	1	7	1	0.02	6.33	0.5	480	1.36	0.05	1.60	0.07	36.1	3.7	30
EMNW-5000W/250N		0.42	2	<5	1	0.03	7.18	1.2	450	1.27	0.09	1.30	0.07	31.6	3.5	39

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMNW-3700W/600S		0.75	4.2	1.65	15.25	0.12	5.8	0.024	1.47	18.6	5.3	0.35	289	0.33	2.28	5.4
EMNW-3700W/800S		0.74	4.4	1.74	14.30	0.10	5.6	0.021	1.51	16.6	5.8	0.36	303	0.25	2.44	4.8
EMNW-5000W/250N		0.67	2.8	3.05	18.80	0.11	4.9	0.032	1.31	13.9	5.5	0.34	274	0.48	2.15	6.5

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMNW-3700W/600S		8.2	410	15.5	51.3	<0.002	0.01	0.09	6.8	2	0.7	319	0.36	<0.05	7.0	0.189
EMNW-3700W/800S		8.8	430	14.8	53.0	<0.002	0.01	0.08	6.7	2	0.7	345	0.31	<0.05	4.7	0.161
EMNW-5000W/250N		8.0	500	15.9	45.3	<0.002	0.04	0.07	6.7	2	0.8	302	0.41	0.05	4.6	0.216

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - D

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 30-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	Tl	U	V	W	Y	Zn	Zr	B
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.1	1	0.1	0.1	2	0.5	10
EMNW-3700W/600S		0.25	1.2	31	0.3	11.1	17	185.0	50
EMNW-3700W/800S		0.26	0.9	31	0.2	12.1	17	179.0	50
EMNW-5000W/250N		0.22	0.8	51	0.5	9.4	19	154.5	40

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 26-SEP-2009
Account: MVR

CERTIFICATE SD09095405

Project: EASTMAIN MINE

P.O. No.:

This report is for 120 Soil samples submitted to our lab in Sudbury, ON, Canada on 3-SEP-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
DRY-22	Drying - Maximum Temp 60C


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23			ME-MS61		ME-MS61		ME-MS61		ME-MS61		ME-MS61		ME-MS61	
		Recvd Vt.	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	
		kg	ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm		
		0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	
EMNW-5200W/0		0.28	<1	<5	<1	0.01	6.19	1.3	490	0.98	0.09	1.14	0.04	33.6	2.5	30	
EMNW-5200W/50S		0.50	<1	<5	<1	0.01	6.14	0.9	530	1.30	0.05	1.36	0.04	29.0	2.8	22	
EMNW-5200W/100S		0.22	3	<5	<1	0.03	5.92	1.8	500	0.89	0.14	1.32	0.06	27.2	2.8	26	
EMNW-5200W/100N		0.34	<1	<5	<1	0.05	6.38	1.0	490	1.08	0.08	1.06	0.04	30.2	2.1	27	
EMNW-5200W/150N		0.26	3	<5	<1	0.01	4.97	0.9	480	0.80	0.09	1.07	0.06	28.2	2.0	24	
EMNW-5200W/250N		0.42	<1	<5	<1	0.06	6.41	3.4	440	0.98	0.12	1.37	0.06	25.2	4.7	49	
EMNW-5200W/300N		0.38	2	<5	<1	0.04	6.37	1.6	440	1.31	0.13	1.44	0.06	39.0	3.5	34	
EMNW-5200W/350N		0.42	<1	<5	<1	<0.01	5.69	0.5	540	1.07	0.10	1.18	0.03	24.8	2.1	24	
EMNW-5200W/400N		0.24	1	<5	<1	0.03	6.30	2.6	470	1.04	0.14	1.14	0.07	36.1	3.1	41	
EMNW-2900W/150N		0.50	<1	<5	<1	0.04	6.13	6.5	470	1.30	0.06	1.70	0.04	57.0	4.2	33	
EMNW-2900W/100N		0.26	<1	<5	<1	0.03	5.92	1.1	460	1.10	0.14	1.34	0.04	37.0	2.3	27	
EMNW-2900W/50N		0.36	<1	<5	<1	0.01	6.53	1.6	390	1.13	0.07	1.21	0.05	32.5	2.9	33	
EMNW-2900W/0		0.32	<1	<5	<1	<0.01	5.67	1.2	430	1.35	0.11	1.22	0.06	30.8	3.0	46	
EMNW-2900W/50S		0.28	<1	<5	<1	0.02	7.11	1.9	440	1.40	0.15	1.33	0.06	38.3	3.5	39	
EMNW-2900W/100S		0.32	1	<5	<1	0.02	7.19	1.9	430	1.24	0.09	1.20	0.07	28.2	3.0	39	
EMNW-2900W/150S		0.44	<1	<5	<1	0.05	7.36	5.9	420	1.24	0.09	1.32	0.07	33.1	4.1	44	
EMNW-2900W/200S		0.30	<1	<5	<1	0.04	5.98	4.6	470	0.95	0.15	1.26	0.05	28.3	4.1	51	
EMNW-2900W/250S		0.32	1	<5	<1	0.03	5.67	3.4	500	0.85	0.13	1.23	0.05	40.8	3.3	32	
EMNW-2900W/300S		0.50	1	<5	<1	0.02	6.12	3.3	490	0.99	0.09	1.49	0.07	42.8	3.9	35	
EMNW-2900W/350S		0.52	2	<5	<1	0.03	6.20	1.9	530	1.22	0.09	1.51	0.06	36.0	4.2	33	
EMNW-2900W/400S		0.30	<1	<5	<1	0.01	5.56	0.8	560	0.94	0.09	1.05	0.03	26.0	1.6	24	
EMNW-2900W/450S		0.36	2	<5	<1	0.02	6.22	8.9	510	1.27	0.12	1.26	0.04	96.0	3.3	36	
EMNW-2900W/500S		0.34	1	<5	<1	0.04	6.49	2.1	400	0.96	0.08	1.20	0.05	40.6	4.3	49	
EMNW-2900W/600S		0.28	<1	<5	<1	0.03	6.84	4.2	440	1.11	0.13	1.20	0.06	28.7	3.4	42	
EMNW-3700W/150S		0.42	5	<5	<1	0.06	6.48	4.8	430	1.00	0.20	1.45	0.06	45.5	5.6	61	
EMNW-3700W/450S		0.32	<1	<5	<1	0.06	6.83	4.2	380	1.12	0.06	1.15	0.05	27.7	2.9	40	
EMNW-4300W/250S		0.36	1	<5	1	0.04	5.88	1.1	490	0.91	0.11	1.28	0.05	30.8	3.1	25	
EMNW-4300W/300S		0.38	2	<5	1	0.03	6.56	1.6	460	1.07	0.09	1.35	0.05	30.7	3.6	31	
EMNW-4300W/350S		0.44	3	<5	<1	0.04	6.81	1.2	450	1.10	0.07	1.39	0.06	41.4	3.9	31	
EMNW-3600W/0		0.32	1	<5	<1	0.04	6.29	4.3	500	0.92	0.11	1.32	0.11	30.5	3.8	38	
EMNW-3600W/50S		0.28	9	<5	1	0.05	6.27	2.6	510	1.18	0.14	1.59	0.08	62.7	6.2	74	
EMNW-3600W/100S		0.28	1	<5	<1	0.05	6.72	1.8	420	1.00	0.07	1.22	0.06	31.7	3.7	44	
EMNW-3600W/150S		0.32	2	<5	<1	0.02	6.80	1.5	480	1.07	0.12	1.21	0.06	33.8	3.6	42	
EMNW-3600W/350S		0.32	2	<5	2	0.01	6.27	2.3	560	1.28	0.06	1.66	0.04	44.2	3.9	26	
EMNW-3600W/750S		0.40	1	<5	<1	0.02	6.30	1.3	420	1.08	0.06	1.47	0.05	34.2	3.8	32	
EMNW-3600W/800S		0.44	1	<5	1	0.02	6.24	0.9	520	1.08	0.09	1.37	0.04	35.1	3.3	31	
EMNW-5400W/150S		0.34	2	<5	<1	0.06	5.55	1.3	510	1.02	0.11	1.21	0.05	34.7	2.5	29	
EMNW-5400W/100S		0.52	1	<5	<1	0.02	6.17	0.2	470	1.18	0.09	1.30	0.06	29.7	2.7	22	
EMNW-5400W/50S		0.44	1	<5	1	0.01	6.64	0.4	470	1.24	0.05	1.30	0.04	29.3	3.0	25	
EMNW-5400W/0		0.34	1	<5	1	0.08	6.17	1.1	500	0.85	0.07	1.20	0.04	22.6	2.5	25	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - B

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 26-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095405

Sample Description	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Cs ppm 0.05	Cu ppm 0.2	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.1	In ppm 0.005	K % 0.01	La ppm 0.5	Li ppm 0.2	Mg % 0.01	Mn ppm 5	Mo ppm 0.05	Na % 0.01	Nb ppm 0.1
EMNW-5200W/0	0.62	3.7	2.12	20.1	0.07	7.3	0.022	1.44	16.1	4.0	0.27	207	0.47	1.84	6.1
EMNW-5200W/50S	0.76	3.6	0.99	16.75	0.07	4.7	0.016	1.56	14.6	5.5	0.30	213	0.80	2.32	4.7
EMNW-5200W/100S	0.97	2.7	1.63	20.3	0.05	5.9	0.019	1.45	13.7	4.6	0.31	250	0.42	2.08	5.9
EMNW-5200W/100N	0.67	2.9	1.83	18.55	0.08	7.3	0.022	1.39	15.1	3.6	0.22	187	0.33	1.80	5.7
EMNW-5200W/150N	0.60	2.0	1.74	18.80	0.06	6.5	0.015	1.38	14.0	3.4	0.23	211	0.32	1.75	5.9
EMNW-5200W/250N	1.16	5.3	3.03	23.4	0.08	5.2	0.027	1.22	11.8	10.0	0.47	301	0.74	1.86	6.9
EMNW-5200W/300N	0.60	4.8	1.70	14.65	0.08	3.6	0.017	1.40	14.7	5.3	0.35	302	0.29	2.34	4.6
EMNW-5200W/350N	0.79	2.4	0.81	17.90	0.08	6.3	0.018	1.51	12.0	4.3	0.25	195	0.72	2.04	5.4
EMNW-5200W/400N	0.81	3.4	3.20	22.8	0.09	5.8	0.026	1.36	17.2	4.9	0.29	260	0.57	1.80	7.6
EMNW-2900W/150N	0.54	19.2	1.77	15.45	0.13	5.3	0.018	1.46	38.5	5.5	0.38	337	0.59	2.49	4.7
EMNW-2900W/100N	0.73	7.6	1.24	17.95	0.08	5.8	0.021	1.31	17.5	4.5	0.23	227	1.12	1.96	6.0
EMNW-2900W/50N	0.58	4.3	2.27	16.95	0.09	2.7	0.022	1.19	14.4	4.3	0.29	223	0.75	1.97	4.8
EMNW-2900W/0	0.84	3.7	2.49	19.70	0.08	5.9	0.021	1.27	14.9	4.4	0.32	250	0.41	1.87	5.4
EMNW-2900W/50S	0.56	5.1	2.38	16.80	0.09	4.9	0.024	1.38	17.8	5.1	0.33	259	0.34	2.13	4.8
EMNW-2900W/100S	0.70	5.3	2.78	21.8	0.09	5.0	0.028	1.24	13.4	4.7	0.31	223	0.44	1.88	6.3
EMNW-2900W/150S	0.70	5.2	2.67	16.40	0.09	5.8	0.032	1.27	15.1	5.2	0.36	294	0.49	2.03	6.5
EMNW-2900W/200S	1.03	4.0	2.78	22.4	0.12	5.4	0.026	1.39	14.0	6.3	0.41	253	0.54	1.99	7.8
EMNW-2900W/250S	0.88	4.3	2.76	21.3	0.12	7.1	0.025	1.42	19.9	4.3	0.31	243	0.69	1.91	7.0
EMNW-2900W/300S	0.71	5.8	1.76	13.15	0.07	4.8	0.018	1.55	16.7	5.1	0.43	303	0.35	2.33	4.2
EMNW-2900W/350S	0.87	4.9	1.34	15.50	0.08	6.5	0.022	1.65	17.4	5.9	0.42	320	0.52	2.42	5.3
EMNW-2900W/400S	0.84	5.4	0.60	15.45	0.08	6.6	0.014	1.57	13.2	3.4	0.18	161	0.91	2.04	5.4
EMNW-2900W/450S	0.84	44.5	3.24	15.40	0.19	6.4	0.021	1.43	42.5	4.7	0.29	228	6.04	2.11	5.7
EMNW-2900W/500S	0.63	12.7	1.98	16.25	0.11	4.6	0.027	1.13	20.0	4.4	0.42	227	0.81	1.73	5.7
EMNW-2900W/600S	0.78	5.2	3.06	21.1	0.10	4.5	0.025	1.38	13.8	4.8	0.30	236	0.66	1.97	6.8
EMNW-3700W/150S	1.05	12.2	3.09	19.10	0.13	8.0	0.034	1.28	22.6	7.3	0.53	342	1.22	1.93	7.3
EMNW-3700W/450S	0.58	5.7	2.05	13.05	0.08	3.6	0.024	1.18	13.0	4.3	0.27	216	0.54	1.90	4.7
EMNW-4300W/250S	0.88	7.7	1.39	16.90	0.08	5.1	0.022	1.35	15.9	5.1	0.29	222	0.48	2.11	5.5
EMNW-4300W/300S	0.67	5.2	2.05	17.00	0.10	5.1	0.022	1.35	13.4	4.8	0.31	241	0.42	2.29	5.5
EMNW-4300W/350S	0.64	5.9	2.09	15.40	0.09	4.3	0.024	1.30	17.5	5.3	0.32	246	0.32	2.26	5.2
EMNW-3600W/0	0.98	4.5	3.28	24.6	0.10	5.6	0.025	1.44	15.0	5.0	0.36	265	0.99	2.12	7.0
EMNW-3600W/50S	1.72	4.7	3.25	24.4	0.14	8.4	0.035	1.45	30.8	9.8	0.66	402	1.16	2.18	10.4
EMNW-3600W/100S	0.72	4.3	3.10	19.65	0.10	4.9	0.031	1.20	15.1	5.5	0.36	244	0.69	1.87	6.5
EMNW-3600W/150S	0.90	5.8	2.26	17.95	0.11	5.6	0.024	1.42	14.0	8.0	0.32	238	0.61	1.99	5.9
EMNW-3600W/350S	0.83	18.7	1.07	15.80	0.12	5.4	0.018	1.57	19.6	7.7	0.38	264	0.79	2.75	5.7
EMNW-3600W/750S	0.59	9.5	1.71	14.40	0.08	4.2	0.022	1.33	16.1	4.6	0.34	275	0.31	2.25	5.0
EMNW-3600W/800S	0.85	6.9	1.16	18.70	0.11	6.2	0.021	1.51	17.5	5.2	0.33	242	0.41	2.27	6.2
EMNW-5400W/150S	0.96	2.7	1.93	19.70	0.06	8.0	0.021	1.51	17.4	4.7	0.29	219	0.53	2.01	6.8
EMNW-5400W/100S	0.76	2.4	1.29	16.00	0.05	5.2	0.019	1.47	14.3	4.8	0.28	251	0.52	2.21	4.9
EMNW-5400W/50S	0.72	2.4	1.32	16.00	0.05	4.7	0.023	1.41	12.2	5.2	0.31	240	0.53	2.29	4.9
EMNW-5400W/0	0.60	1.7	1.85	20.6	0.11	6.6	0.020	1.48	12.4	3.2	0.27	226	0.39	2.01	7.0

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095405

Sample Description	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Ti %
	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMNW-5200W/0	6.8	360	17.0	49.0	<0.002	0.02	<0.05	5.0	2	1.1	274	0.36	<0.05	5.3	0.257
EMNW-5200W/50S	7.5	180	14.3	55.7	<0.002	0.02	<0.05	5.0	1	0.8	322	0.28	<0.05	3.5	0.195
EMNW-5200W/100S	7.3	230	16.5	52.7	<0.002	0.01	<0.05	5.3	2	1.3	281	0.36	<0.05	5.1	0.286
EMNW-5200W/100N	5.8	430	16.7	46.9	<0.002	0.02	<0.05	4.7	2	1.0	267	0.31	<0.05	5.2	0.228
EMNW-5200W/150N	5.5	450	15.4	49.3	<0.002	0.01	<0.05	4.2	1	1.1	263	0.37	<0.05	5.2	0.241
EMNW-5200W/250N	11.5	450	13.8	44.6	<0.002	0.02	<0.05	7.1	2	1.4	277	0.41	<0.05	4.4	0.337
EMNW-5200W/300N	8.7	250	13.0	54.2	<0.002	0.01	<0.05	6.9	2	0.7	318	0.24	<0.05	5.1	0.148
EMNW-5200W/350N	6.4	280	16.0	53.5	<0.002	0.02	<0.05	4.6	2	1.0	296	0.32	<0.05	4.3	0.244
EMNW-5200W/400N	7.9	640	17.8	47.5	<0.002	0.02	<0.05	5.6	2	1.3	273	0.45	<0.05	8.4	0.297
EMNW-2900W/150N	9.5	490	13.4	53.5	<0.002	0.01	<0.05	7.1	2	0.7	347	0.25	<0.05	7.4	0.181
EMNW-2900W/100N	6.3	300	14.9	46.7	<0.002	0.02	<0.05	5.3	2	1.2	286	0.31	<0.05	5.4	0.285
EMNW-2900W/50N	7.4	470	13.1	42.4	<0.002	0.02	<0.05	5.7	2	0.7	266	0.24	<0.05	5.8	0.162
EMNW-2900W/0	7.9	380	14.8	45.2	<0.002	0.02	<0.05	5.9	2	1.0	275	0.31	<0.05	5.6	0.241
EMNW-2900W/50S	8.6	540	16.4	51.0	<0.002	0.02	<0.05	7.0	2	0.7	295	0.25	<0.05	7.3	0.160
EMNW-2900W/100S	8.0	680	16.6	44.4	<0.002	0.03	<0.05	6.5	2	1.0	269	0.52	<0.05	4.5	0.235
EMNW-2900W/150S	9.5	750	15.3	47.7	<0.002	0.03	0.13	7.4	1	0.8	284	0.51	<0.05	5.8	0.202
EMNW-2900W/200S	12.1	620	16.5	53.0	<0.002	0.01	0.09	6.3	2	1.4	287	0.51	<0.05	5.0	0.301
EMNW-2900W/250S	7.8	560	15.9	53.5	<0.002	0.01	0.10	5.8	2	1.3	288	0.57	<0.05	7.3	0.277
EMNW-2900W/300S	9.9	350	13.3	52.1	<0.002	0.01	0.05	5.9	1	0.7	327	0.30	<0.05	6.0	0.167
EMNW-2900W/350S	10.9	340	14.5	58.8	<0.002	0.01	0.06	7.3	2	0.8	338	0.53	<0.05	5.7	0.178
EMNW-2900W/400S	5.5	190	15.9	58.3	<0.002	0.02	0.05	3.8	1	0.9	292	0.37	<0.05	4.5	0.209
EMNW-2900W/450S	8.3	420	14.3	53.4	<0.002	0.02	0.06	6.0	2	0.9	305	0.37	<0.05	6.6	0.207
EMNW-2900W/500S	11.4	490	13.0	42.4	<0.002	0.04	0.06	6.9	2	0.8	255	0.36	<0.05	5.8	0.197
EMNW-2900W/600S	7.4	620	16.5	53.8	<0.002	0.02	0.10	6.1	1	1.0	283	0.44	<0.05	5.5	0.214
EMNW-3700W/150S	15.3	470	14.3	51.2	<0.002	0.03	0.07	8.9	2	1.1	287	0.49	<0.05	8.6	0.276
EMNW-3700W/450S	7.1	480	11.5	46.0	<0.002	0.03	0.07	6.7	2	0.6	265	0.30	<0.05	4.9	0.135
EMNW-4300W/250S	7.7	280	13.4	51.2	<0.002	0.02	0.05	5.7	2	0.9	291	0.37	<0.05	4.9	0.216
EMNW-4300W/300S	8.0	300	12.8	50.0	<0.002	0.02	0.07	6.2	1	0.9	308	0.39	<0.05	4.4	0.196
EMNW-4300W/350S	8.6	290	12.7	49.0	<0.002	0.01	0.05	6.5	1	0.8	310	0.35	<0.05	6.2	0.182
EMNW-3600W/0	9.1	250	15.0	54.4	<0.002	0.01	0.18	6.2	1	1.1	306	0.43	<0.05	5.3	0.263
EMNW-3600W/50S	15.1	420	18.9	59.0	<0.002	0.01	0.11	9.7	2	2.4	316	0.57	<0.05	13.0	0.442
EMNW-3600W/100S	9.3	520	11.4	44.5	<0.002	0.02	0.06	6.4	2	0.8	271	0.39	<0.05	5.5	0.217
EMNW-3600W/150S	8.8	690	16.0	56.6	<0.002	0.02	0.08	6.9	2	1.0	290	0.38	<0.05	6.0	0.218
EMNW-3600W/350S	11.7	370	13.2	60.1	<0.002	0.01	0.05	6.2	1	0.8	377	0.34	<0.05	6.2	0.185
EMNW-3600W/750S	8.6	440	11.7	51.6	<0.002	0.02	<0.05	6.7	2	0.7	302	0.46	<0.05	4.5	0.155
EMNW-3600W/800S	8.4	400	15.1	59.9	<0.002	0.01	0.05	6.0	2	0.9	324	0.37	<0.05	6.0	0.204
EMNW-5400W/150S	6.8	190	18.3	49.9	<0.002	0.01	0.07	5.0	2	1.2	290	0.78	<0.05	6.4	0.280
EMNW-5400W/100S	6.4	180	15.4	49.8	<0.002	0.01	<0.05	5.5	2	0.8	301	0.34	<0.05	5.0	0.181
EMNW-5400W/50S	7.6	170	14.3	48.8	<0.002	0.03	0.05	6.3	2	0.8	308	0.34	<0.05	3.3	0.166
EMNW-5400W/0	6.1	400	17.4	46.9	<0.002	0.02	0.07	5.2	2	1.1	302	0.48	<0.05	3.7	0.247

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 26-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	0-MS61
	Analyte	Tl	U	V	W	Y	Zn	Zr	B
	Units LOR	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMNW-5200W/0		0.25	1.0	49	0.5	6.6	14	218	<10
EMNW-5200W/50S		0.29	0.9	24	1.1	6.9	14	141.5	<10
EMNW-5200W/100S		0.26	0.8	44	0.5	5.6	14	177.5	<10
EMNW-5200W/100N		0.23	1.0	38	0.4	6.2	14	222	<10
EMNW-5200W/150N		0.23	0.9	42	0.4	5.4	14	202	<10
EMNW-5200W/250N		0.23	0.9	68	0.7	8.3	25	155.0	<10
EMNW-5200W/300N		0.23	0.8	29	0.3	8.7	15	111.5	<10
EMNW-5200W/350N		0.25	0.9	24	0.5	5.2	13	192.0	<10
EMNW-5200W/400N		0.23	1.1	59	1.1	7.0	18	175.5	<10
EMNW-2900W/150N		0.27	4.5	32	2.7	24.6	17	160.0	<10
EMNW-2900W/100N		0.23	1.2	39	0.8	7.8	12	179.5	<10
EMNW-2900W/50N		0.19	0.7	36	0.3	7.5	13	84.3	<10
EMNW-2900W/0		0.22	1.1	51	0.6	7.1	15	180.5	<10
EMNW-2900W/50S		0.23	1.0	38	0.5	9.4	15	149.5	<10
EMNW-2900W/100S		0.21	0.8	51	0.5	7.3	15	148.5	<10
EMNW-2900W/150S		0.23	1.0	44	0.5	9.7	18	182.5	80
EMNW-2900W/200S		0.25	1.0	62	0.6	7.9	17	171.0	90
EMNW-2900W/250S		0.25	1.1	52	0.5	8.0	15	224	90
EMNW-2900W/300S		0.23	0.9	32	0.3	9.1	18	160.5	80
EMNW-2900W/350S		0.29	1.1	27	0.4	10.6	19	197.0	80
EMNW-2900W/400S		0.27	0.9	15	0.5	5.2	8	213	80
EMNW-2900W/450S		0.24	1.8	53	0.8	16.3	17	202	70
EMNW-2900W/500S		0.20	1.2	40	0.5	10.0	16	151.0	70
EMNW-2900W/600S		0.23	0.9	53	0.5	8.4	14	143.0	70
EMNW-3700W/150S		0.24	1.7	57	0.9	11.6	22	246	70
EMNW-3700W/450S		0.20	0.8	33	0.3	9.2	12	114.0	70
EMNW-4300W/250S		0.25	0.8	30	0.4	7.9	13	162.5	70
EMNW-4300W/300S		0.22	0.9	37	0.4	8.9	15	162.5	70
EMNW-4300W/350S		0.23	0.8	36	0.3	9.4	16	138.0	80
EMNW-3600W/0		0.26	0.9	71	0.5	7.9	21	174.5	70
EMNW-3600W/50S		0.30	1.4	92	0.9	14.2	28	270	70
EMNW-3600W/100S		0.20	0.9	65	0.5	8.5	17	157.5	60
EMNW-3600W/150S		0.25	1.1	43	0.4	8.2	15	181.0	70
EMNW-3600W/350S		0.26	9.6	24	0.8	12.9	21	171.0	<10
EMNW-3600W/750S		0.22	0.8	31	1.2	11.3	15	133.5	<10
EMNW-3600W/800S		0.26	1.1	28	0.4	9.2	14	196.0	<10
EMNW-5400W/150S		0.26	1.2	50	0.6	6.3	11	236	50
EMNW-5400W/100S		0.25	0.8	27	0.4	7.1	10	154.5	40
EMNW-5400W/50S		0.24	0.8	24	0.3	7.2	12	141.0	30
EMNW-5400W/0		0.22	0.9	46	0.4	5.9	12	234	70

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
EMNW-5400W/50N		0.42	4	<5	<1	0.05	5.02	1.4	550	0.80	0.25	1.07	0.05	28.3	2.3	25
EMNW-5400W/100N		0.28	22	<5	<1	0.08	6.01	2.6	480	0.88	0.16	1.11	0.07	32.4	2.8	35
EMNW-5400W/150N		0.40	7	<5	1	0.02	4.70	1.1	540	0.74	0.15	1.03	0.04	28.5	1.9	22
EMNW-5400W/200N		0.44	2	<5	<1	0.04	5.50	1.3	480	0.84	0.12	1.14	0.05	38.8	2.7	33
EMNW-5400W/250N		0.54	1	<5	1	0.05	5.21	1.1	500	0.88	0.13	1.21	0.05	28.8	2.6	27
EMNW-5400W/300N		0.36	1	<5	<1	0.03	5.04	2.6	520	0.85	0.15	1.22	0.04	34.5	3.4	35
EMNW-5400W/350N		0.56	2	<5	<1	0.04	5.99	3.5	450	0.78	0.18	1.20	0.06	40.1	4.3	48
EMNW-5400W/400N		0.34	2	<5	<1	0.06	5.02	1.3	510	0.77	0.22	1.21	0.06	47.9	3.4	35
EMNW-5100W/0		0.28	<1	<5	<1	0.05	4.43	0.3	530	0.73	0.12	0.96	0.04	46.7	1.7	18
EMNW-5100W/50S		0.42	1	<5	<1	0.02	5.28	0.5	490	0.92	0.08	1.29	0.04	18.95	2.5	19
EMNW-4800W/50S		0.42	2	<5	<1	0.04	5.05	0.3	530	0.86	0.13	1.17	0.06	23.4	2.1	20
EMNW-4800W/50N		0.28	3	5	<1	0.01	4.61	0.7	520	0.84	0.11	0.97	0.06	33.2	2.1	20
EMNW-4800W/100N		0.42	1	<5	1	0.02	4.67	0.2	540	0.77	0.10	0.95	0.05	38.9	1.6	20
EMNW-4800W/150N		0.36	1	<5	<1	0.01	4.35	0.5	530	0.80	0.11	0.90	0.05	31.4	1.4	16
EMNW-4800W/200N		0.32	2	<5	1	0.03	4.59	0.6	500	0.86	0.11	1.01	0.05	37.1	2.1	25
EMNW-4800W/250N		0.52	3	<5	<1	0.02	6.45	2.2	400	1.05	0.13	1.27	0.07	32.4	5.3	50
EMNW-4800W/300N		0.38	1	<5	<1	0.01	4.99	<0.2	530	1.04	0.09	1.17	0.04	37.7	1.7	17
EMNW-4600W/250N		0.54	2	<5	<1	0.04	6.24	1.0	460	1.22	0.06	1.29	0.09	38.3	3.8	29
EMNW-4600W/300N		0.38	1	<5	1	0.03	5.48	1.0	480	0.90	0.12	1.13	0.04	30.0	2.5	28
EMNW-4600W/350N		0.48	5	<5	<1	0.02	4.33	0.4	520	0.65	0.10	0.88	0.04	28.5	1.3	18
EMNW-4600W/400N		0.44	2	<5	<1	0.05	6.58	1.3	470	1.27	0.09	1.18	0.06	41.0	3.3	35
EMNW-4700W/200N		0.52	1	<5	<1	0.03	6.19	1.0	490	1.22	0.06	1.19	0.06	45.5	2.8	30
EMNW-4700W/250N		0.66	2	<5	<1	0.02	5.97	0.7	520	1.23	0.06	1.52	0.06	42.7	3.8	31
EMNW-4700W/300N		0.54	4	<5	1	<0.01	5.10	0.9	550	1.02	0.11	1.09	0.08	29.1	2.1	24
EMNW-4700W/350N		0.50	1	<5	<1	0.10	5.18	1.0	560	0.96	0.08	1.06	0.08	31.6	2.1	24
EMNW-4700W/400N		0.60	6	<5	1	0.03	6.00	1.1	480	1.35	0.08	1.31	0.07	43.3	3.6	32
EMNW-2600W/250S		0.34	2	<5	1	0.04	6.45	1.1	440	1.19	0.08	1.45	0.10	38.5	4.7	37
EMNW-2600W/300S		0.42	1	<5	1	0.03	6.68	1.3	390	1.10	0.07	1.31	0.08	29.8	3.9	36
EMNW-2600W/350S		0.36	2	<5	1	0.03	6.74	1.4	430	1.37	0.08	1.24	0.07	29.2	3.9	37
EMNW-2600W/400S		0.16	<1	<5	<1	0.04	5.07	2.0	470	0.91	0.14	1.20	0.11	23.5	2.9	30
EMNW-2600W/450S		0.22	1	<5	<1	0.03	5.06	0.7	520	0.91	0.13	1.24	0.06	31.7	2.8	28
EMNW-2600W/500S		0.60	1	<5	<1	0.03	6.00	1.0	460	1.25	0.07	1.61	0.09	41.3	4.5	33
EMNW-2600W/750S		0.50	4	<5	<1	0.04	6.08	1.8	470	1.21	0.06	1.40	0.07	36.9	3.7	33
EMNW-3600W/400S		0.34	1	<5	1	0.03	6.07	1.8	470	1.45	0.06	1.47	0.06	44.5	3.7	31
EMNW-3600W/450S		0.44	2	<5	1	0.03	5.96	1.1	430	1.10	0.06	1.51	0.07	40.0	4.1	34
EMNW-3600W/500S		0.44	7	<5	1	0.02	5.41	1.1	560	1.13	0.12	1.24	0.04	27.9	2.4	22
EMNW-3600W/550S		0.44	2	<5	<1	0.03	6.17	1.9	510	1.24	0.08	1.69	0.05	38.8	4.2	32
EMNW-3600W/600S		0.36	1	<5	<1	0.02	5.66	0.3	540	1.20	0.07	1.17	0.05	35.0	2.1	21
EMNW-3600W/650S		0.36	3	<5	<1	0.03	6.06	1.1	500	1.36	0.08	1.82	0.06	59.7	4.9	33
EMNW-4600W/50S		0.50	2	<5	<1	0.05	6.11	0.8	530	1.20	0.09	1.53	0.05	29.3	3.1	25

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte Units LOR	Cs ppm 0.05	Cu ppm 0.2	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.1	In ppm 0.005	K % 0.01	La ppm 0.5	Li ppm 0.2	Mg % 0.01	Mn ppm 5	Mo ppm 0.05	Na % 0.01	Nb ppm 0.1
EMNW-5400W/50N		0.87	2.7	1.60	20.4	0.08	9.1	0.021	1.58	14.0	3.7	0.24	180	0.56	1.95	6.8
EMNW-5400W/100N		0.87	4.5	2.42	20.0	0.10	6.8	0.031	1.37	15.6	4.6	0.29	204	0.59	1.88	6.9
EMNW-5400W/150N		0.70	1.5	1.35	17.65	0.09	8.2	0.017	1.57	13.8	3.2	0.20	191	0.40	1.88	6.5
EMNW-5400W/200N		0.68	2.6	2.45	21.8	0.09	8.3	0.025	1.40	18.9	3.6	0.27	237	0.52	1.85	7.7
EMNW-5400W/250N		0.64	1.7	1.73	18.00	0.09	6.6	0.019	1.53	14.0	3.5	0.26	240	0.43	2.10	6.2
EMNW-5400W/300N		0.77	3.4	2.42	20.4	0.10	8.8	0.024	1.54	16.4	4.4	0.34	262	0.86	2.01	7.9
EMNW-5400W/350N		1.04	5.5	3.06	24.0	0.11	8.3	0.029	1.27	18.9	6.5	0.42	265	1.39	1.89	8.4
EMNW-5400W/400N		0.81	2.2	2.02	16.90	0.10	8.7	0.032	1.48	24.4	4.0	0.31	278	0.65	1.92	6.4
EMNW-5100W/D		0.79	1.9	0.95	15.65	0.10	10.8	0.020	1.57	21.7	4.0	0.18	166	0.51	1.77	6.9
EMNW-5100W/50S		1.06	3.0	1.15	13.40	0.08	4.1	0.019	1.53	9.4	4.5	0.28	197	2.22	2.28	4.6
EMNW-4800W/50S		0.84	2.6	0.77	15.45	0.09	6.6	0.017	1.61	11.5	3.8	0.24	228	1.43	2.13	5.0
EMNW-4800W/50N		0.59	1.8	1.16	14.55	0.10	8.8	0.016	1.53	15.9	4.0	0.20	178	0.61	1.85	5.8
EMNW-4800W/100N		0.57	1.6	1.00	15.25	0.11	10.2	0.015	1.56	18.7	3.2	0.16	164	0.41	1.81	5.9
EMNW-4800W/150N		0.55	1.4	0.85	14.40	0.09	10.3	0.014	1.55	15.2	3.1	0.15	153	0.53	1.79	6.2
EMNW-4800W/200N		0.53	1.2	1.43	16.30	0.11	8.3	0.016	1.51	18.0	3.6	0.21	201	0.53	1.85	6.4
EMNW-4800W/250N		1.12	6.3	3.09	20.7	0.12	6.5	0.032	1.13	15.3	9.1	0.46	284	0.62	1.93	7.5
EMNW-4800W/300N		0.84	1.6	0.66	15.00	0.10	6.3	0.014	1.57	19.3	3.6	0.19	202	1.64	2.37	5.8
EMNW-4600W/250N		0.61	5.0	1.81	13.65	0.11	5.2	0.026	1.43	13.6	5.4	0.32	273	0.44	2.27	8.0
EMNW-4600W/300N		0.58	2.2	2.36	23.7	0.11	7.8	0.023	1.41	14.6	4.1	0.26	205	0.87	1.86	7.8
EMNW-4600W/350N		0.51	1.1	0.90	13.85	0.10	10.1	0.015	1.52	13.9	3.0	0.15	152	0.77	1.73	6.6
EMNW-4600W/400N		0.68	3.0	2.35	18.65	0.12	6.3	0.033	1.44	17.5	5.9	0.32	231	0.70	2.08	7.3
EMNW-4700W/200N		0.70	5.2	1.83	15.75	0.13	6.0	0.027	1.43	21.1	5.0	0.27	206	0.75	2.15	6.0
EMNW-4700W/250N		0.64	5.4	1.62	14.25	0.11	5.5	0.023	1.66	19.7	5.7	0.38	271	0.50	2.47	5.2
EMNW-4700W/300N		0.77	1.2	1.47	18.30	0.10	7.3	0.019	1.64	13.6	3.5	0.22	184	0.73	2.07	6.9
EMNW-4700W/350N		0.81	2.8	1.46	16.40	0.10	7.3	0.016	1.71	16.9	4.4	0.21	182	0.89	2.09	6.2
EMNW-4700W/400N		0.78	5.4	1.96	14.80	0.12	5.1	0.028	1.51	20.7	6.6	0.35	235	0.62	2.23	5.0
EMNW-2600W/250S		0.78	6.6	2.30	15.80	0.12	5.2	0.031	1.34	14.7	7.4	0.41	288	0.31	2.31	6.4
EMNW-2600W/300S		0.69	8.2	2.32	15.10	0.10	4.3	0.033	1.18	11.9	5.3	0.36	257	0.42	2.04	5.2
EMNW-2600W/350S		0.74	6.5	2.31	16.65	0.09	4.1	0.032	1.21	11.3	5.9	0.34	231	0.51	2.04	5.6
EMNW-2600W/400S		0.75	4.7	2.93	27.5	0.11	6.0	0.025	1.40	11.6	3.9	0.29	213	0.80	1.92	8.3
EMNW-2600W/450S		0.95	1.7	1.47	18.45	0.11	7.2	0.022	1.52	15.2	4.5	0.31	233	0.58	2.03	7.0
EMNW-2600W/500S		0.70	11.3	1.74	14.30	0.10	4.5	0.022	1.46	16.2	6.5	0.40	294	0.33	2.42	5.4
EMNW-2600W/750S		0.72	10.2	1.71	14.70	0.10	5.1	0.024	1.41	13.5	6.2	0.36	259	0.43	2.28	5.3
EMNW-3600W/400S		0.61	5.0	1.64	14.30	0.12	5.8	0.021	1.51	16.5	5.6	0.33	263	0.36	2.36	5.1
EMNW-3600W/450S		0.68	5.5	1.73	13.10	0.12	5.3	0.024	1.35	17.1	6.6	0.39	292	0.37	2.28	4.9
EMNW-3600W/500S		0.92	1.5	0.92	14.05	0.10	6.6	0.018	1.75	14.5	4.0	0.25	224	0.77	2.20	5.7
EMNW-3600W/550S		0.74	4.4	1.62	14.80	0.13	5.4	0.026	1.59	17.9	6.4	0.45	297	1.58	2.46	5.6
EMNW-3600W/600S		0.92	5.0	0.96	15.60	0.11	6.9	0.016	1.61	20.6	5.4	0.23	192	0.53	2.10	5.7
EMNW-3600W/650S		0.82	9.6	1.36	14.25	0.16	5.7	0.026	1.55	28.4	7.8	0.48	306	0.93	2.51	5.9
EMNW-4600W/50S		0.81	2.1	1.13	15.35	0.12	4.8	0.021	1.66	14.6	4.3	0.32	300	1.73	2.55	5.8

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMNW-5400W/50N		7.1	260	18.7	53.2	<0.002	0.01	0.20	4.0	1	1.4	282	0.41	<0.05	5.1	0.290
EMNW-5400W/100N		7.7	400	16.2	49.3	<0.002	0.02	0.14	5.2	1	1.2	269	0.43	0.05	5.8	0.267
EMNW-5400W/150N		5.9	240	17.2	53.3	<0.002	0.01	0.11	3.8	1	1.3	269	0.38	<0.05	5.6	0.272
EMNW-5400W/200N		7.1	350	16.2	49.0	<0.002	0.02	0.09	5.3	1	1.2	266	0.45	<0.05	7.5	0.275
EMNW-5400W/250N		6.5	160	16.3	54.4	<0.002	0.01	0.09	4.7	1	1.1	287	0.35	<0.05	5.2	0.237
EMNW-5400W/300N		9.4	230	15.8	53.9	<0.002	0.01	0.10	5.5	1	1.3	273	0.51	<0.05	6.4	0.323
EMNW-5400W/350N		11.9	310	15.3	46.1	<0.002	0.02	0.14	6.6	1	1.6	246	0.54	<0.05	7.8	0.387
EMNW-5400W/400N		8.8	160	15.3	53.2	0.002	0.01	0.11	5.2	1	1.5	272	0.62	<0.05	8.6	0.320
EMNW-5100W/0		5.1	160	17.3	53.1	<0.002	0.01	0.08	3.5	1	1.2	250	0.43	<0.05	10.4	0.277
EMNW-5100W/50S		7.0	170	13.0	53.8	<0.002	0.01	0.07	4.3	1	0.8	298	0.29	<0.05	3.1	0.187
EMNW-4800W/50S		6.0	100	16.1	57.7	<0.002	0.01	0.09	4.3	1	1.1	284	0.32	<0.05	4.1	0.217
EMNW-4800W/50N		5.6	220	15.1	51.6	<0.002	0.01	0.14	3.5	1	1.3	255	0.39	<0.05	5.8	0.238
EMNW-4800W/100N		5.0	220	16.2	52.2	<0.002	0.01	0.09	3.3	1	1.3	263	0.42	<0.05	7.3	0.238
EMNW-4800W/150N		4.2	200	15.9	52.6	<0.002	0.01	0.10	2.9	1	1.3	251	0.41	<0.05	6.1	0.240
EMNW-4800W/200N		5.8	220	14.8	53.1	<0.002	0.01	0.10	3.9	1	1.3	256	0.40	<0.05	7.6	0.262
EMNW-4800W/250N		12.7	420	13.1	40.6	<0.002	0.03	0.22	7.0	1	1.2	252	0.49	<0.05	5.7	0.320
EMNW-4800W/300N		4.2	120	14.6	57.4	<0.002	0.01	0.11	3.7	1	1.0	307	0.42	<0.05	7.0	0.207
EMNW-4600W/250N		8.2	410	12.9	49.3	<0.002	0.01	0.07	6.1	1	0.8	292	1.14	<0.05	4.5	0.147
EMNW-4600W/300N		6.6	370	16.4	47.7	<0.002	0.01	0.10	4.7	1	1.4	265	0.53	<0.05	5.5	0.331
EMNW-4600W/350N		4.3	160	15.1	49.6	<0.002	0.01	0.08	3.2	1	1.3	240	0.48	<0.05	5.3	0.254
EMNW-4600W/400N		8.5	410	16.0	50.0	<0.002	0.02	0.09	6.4	1	1.2	271	0.47	<0.05	6.3	0.233
EMNW-4700W/200N		7.4	330	14.7	50.9	<0.002	0.02	0.07	5.9	2	0.9	294	0.39	<0.05	6.1	0.186
EMNW-4700W/250N		9.7	490	14.0	57.5	<0.002	0.01	0.06	6.2	1	0.8	329	0.34	<0.05	5.5	0.158
EMNW-4700W/300N		6.7	290	17.2	55.8	<0.002	0.01	0.07	4.2	1	1.3	283	0.45	<0.05	5.0	0.258
EMNW-4700W/350N		6.7	180	15.2	60.9	<0.002	0.01	0.07	4.0	1	1.2	282	0.43	<0.05	5.1	0.219
EMNW-4700W/400N		9.3	410	13.6	53.1	<0.002	0.02	0.06	6.1	2	0.8	298	0.32	<0.05	4.9	0.150
EMNW-2600W/250S		11.9	510	14.7	47.0	<0.002	0.02	0.08	7.1	1	0.9	299	0.56	<0.05	5.9	0.216
EMNW-2600W/300S		10.0	570	13.6	41.5	<0.002	0.02	0.08	6.4	1	0.8	267	0.32	<0.05	4.2	0.193
EMNW-2600W/350S		10.0	590	15.0	43.7	<0.002	0.04	0.07	6.5	1	0.9	266	0.35	<0.05	3.9	0.197
EMNW-2600W/400S		7.2	570	16.7	49.7	<0.002	0.01	0.11	4.9	1	1.4	269	0.48	<0.05	4.1	0.332
EMNW-2600W/450S		7.5	230	17.6	52.7	<0.002	0.01	0.09	5.3	1	1.4	277	0.41	<0.05	5.6	0.336
EMNW-2600W/500S		12.3	460	15.0	50.6	<0.002	0.01	0.09	6.7	1	0.7	321	0.37	<0.05	5.1	0.177
EMNW-2600W/750S		10.7	360	15.0	49.3	0.002	0.01	0.07	6.4	1	0.8	309	0.33	<0.05	4.3	0.188
EMNW-3600W/400S		9.5	310	14.8	54.9	<0.002	0.01	0.07	6.4	1	0.7	324	0.33	<0.05	5.0	0.140
EMNW-3600W/450S		10.4	480	12.7	47.0	0.002	0.01	0.13	6.8	2	0.7	302	0.29	<0.05	6.1	0.178
EMNW-3600W/500S		5.9	170	16.2	60.9	<0.002	0.01	0.18	4.4	1	1.1	295	0.43	<0.05	5.3	0.240
EMNW-3600W/550S		10.9	470	13.3	53.3	<0.002	0.01	0.10	7.2	1	0.9	346	0.38	<0.05	4.9	0.196
EMNW-3600W/600S		6.0	260	16.5	55.7	<0.002	0.01	0.10	4.6	2	1.1	292	0.40	<0.05	6.1	0.247
EMNW-3600W/650S		12.8	480	13.4	56.5	<0.002	0.01	0.08	7.4	1	0.9	346	0.41	<0.05	7.7	0.198
EMNW-4600W/50S		8.2	110	15.3	56.6	<0.002	<0.01	0.07	6.0	1	1.0	358	0.38	<0.05	4.5	0.208

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Ti	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMNW-5400W/50N		0.27	1.1	49	0.5	5.5	13	287	<10
EMNW-5400W/100N		0.25	1.1	55	0.6	6.6	20	218	<10
EMNW-5400W/150N		0.27	1.0	43	0.5	5.4	11	261	<10
EMNW-5400W/200N		0.23	1.3	63	0.6	7.6	14	267	<10
EMNW-5400W/250N		0.28	0.9	53	0.5	6.0	12	206	<10
EMNW-5400W/300N		0.27	1.2	67	0.8	7.7	18	279	<10
EMNW-5400W/350N		0.25	1.3	79	1.1	8.3	23	268	<10
EMNW-5400W/400N		0.26	1.3	58	1.1	6.9	17	266	<10
EMNW-5100W/0		0.28	1.5	34	0.4	6.0	10	327	<10
EMNW-5100W/50S		0.26	0.7	27	1.9	5.0	12	130.0	<10
EMNW-4800W/50S		0.28	0.7	23	0.4	5.1	10	210	<10
EMNW-4800W/50N		0.26	1.2	33	0.6	5.5	10	273	<10
EMNW-4800W/100N		0.26	1.4	28	0.5	5.9	8	323	<10
EMNW-4800W/150N		0.26	1.1	27	0.5	4.9	8	319	<10
EMNW-4800W/200N		0.26	1.2	41	0.5	5.8	11	266	<10
EMNW-4800W/250N		0.22	1.0	65	0.7	8.3	25	203	<10
EMNW-4800W/300N		0.28	0.9	19	0.4	5.8	9	199.0	<10
EMNW-4600W/250N		0.25	0.9	28	0.3	11.2	17	157.0	<10
EMNW-4600W/300N		0.25	1.0	61	0.6	6.3	14	238	<10
EMNW-4600W/350N		0.27	1.2	30	0.5	5.0	8	307	<10
EMNW-4600W/400N		0.24	1.1	44	0.5	9.2	17	202	<10
EMNW-4700W/200N		0.25	1.2	34	0.4	11.4	13	191.0	<10
EMNW-4700W/250N		0.27	1.0	31	0.3	12.9	17	170.0	<10
EMNW-4700W/300N		0.28	1.0	42	0.5	6.2	11	230	<10
EMNW-4700W/350N		0.29	1.0	35	0.5	7.3	11	227	<10
EMNW-4700W/400N		0.25	1.0	31	0.4	12.3	18	165.5	<10
EMNW-2600W/250S		0.23	0.9	43	0.4	9.3	21	163.5	<10
EMNW-2600W/300S		0.19	0.8	46	0.4	8.3	18	137.0	<10
EMNW-2600W/350S		0.22	0.8	43	0.5	8.2	17	132.5	<10
EMNW-2600W/400S		0.24	0.8	90	0.8	5.8	14	194.0	<10
EMNW-2600W/450S		0.27	1.0	49	0.5	7.1	14	231	<10
EMNW-2600W/500S		0.25	0.9	35	0.4	11.4	21	142.0	<10
EMNW-2600W/750S		0.24	0.9	34	0.4	9.0	16	160.5	<10
EMNW-3600W/400S		0.28	1.0	29	0.3	10.5	14	177.0	<10
EMNW-3600W/450S		0.22	1.1	33	0.3	11.0	17	167.5	<10
EMNW-3600W/500S		0.27	1.0	26	0.6	5.5	10	220	10
EMNW-3600W/550S		0.24	1.1	35	0.4	12.1	20	177.5	<10
EMNW-3600W/600S		0.27	1.3	31	0.5	8.2	10	226	<10
EMNW-3600W/650S		0.26	2.7	36	0.5	14.1	23	187.5	<10
EMNW-4600W/50S		0.24	0.7	27	0.5	7.2	15	154.0	<10

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Recvd Wt. kg 0.02	Au ppb 1	Pt ppb 5	Pd ppb 1	Ag ppm 0.01	Al % 0.01	As ppm 0.2	Ba ppm 10	Be ppm 0.05	Bi ppm 0.01	Ca % 0.01	Cd ppm 0.02	Ce ppm 0.01	Co ppm 0.1	Cr ppm 1
EMNW-4600W/100S		0.40	4	<5	<1	0.07	5.37	0.4	580	0.90	0.09	1.13	0.06	29.9	2.1	27
EMNW-4600W/150S		0.36	3	<5	<1	0.03	4.76	<0.2	540	0.86	0.10	0.99	0.03	27.0	1.6	17
EMNW-4600W/200S		0.60	2	<5	1	0.16	6.39	0.7	490	1.15	0.06	1.63	0.08	32.9	3.9	31
EMNW-4600W/250S		0.66	2	<5	<1	0.04	5.14	<0.2	540	0.91	0.09	1.16	0.06	34.3	2.2	24
EMNW-4600W/50N		0.40	2	<5	<1	0.04	6.42	2.0	480	1.29	0.10	1.25	0.08	41.6	3.3	41
EMNW-4600W/100N		0.42	2	<5	1	0.04	6.89	1.6	470	1.45	0.09	1.29	0.09	31.9	3.7	40
EMNW-4600W/150N		0.28	2	<5	<1	0.03	4.74	0.9	520	0.86	0.09	0.98	0.06	34.4	1.5	20
EMNW-4600W/200N		0.44	1	<5	<1	0.05	5.87	1.3	490	1.05	0.13	1.12	0.05	26.4	2.6	30
EMNW-4600W/750S		0.54	1	<5	1	0.04	6.06	1.9	470	1.25	0.07	1.63	0.07	35.3	3.9	26
EMNW-4600W/800S		0.62	3	<5	<1	0.02	6.03	1.1	520	1.27	0.07	1.55	0.06	33.2	3.3	25
EMNW-2600W/350N		0.20	2	<5	1	0.03	6.07	1.1	570	1.17	0.03	1.54	0.07	41.9	3.9	25
EMNW-2600W/400N		0.42	1	<5	<1	0.04	4.73	0.2	560	0.88	0.09	0.95	0.04	24.3	1.1	14
EMNW-2600W/50N		0.18	3	<5	<1	0.04	5.83	0.6	550	1.10	0.06	1.40	0.07	36.5	3.2	29
EMNW-2600W/100N		0.34	1	<5	1	0.05	5.97	<0.2	510	1.09	0.05	1.57	0.05	34.9	3.5	29
EMNW-2600W/150N		0.26	2	<5	<1	0.04	5.21	1.4	470	0.90	0.09	1.05	0.06	28.3	2.0	26
EMNW-2600W/200N		0.28	2	<5	<1	0.08	5.24	0.8	510	0.89	0.11	1.22	0.14	26.4	3.0	33
EMNW-2600W/250N		0.34	2	<5	<1	0.05	5.19	1.1	540	0.99	0.11	1.18	0.06	32.5	2.5	30
EMNW-2600W/50S		0.36	1	<5	<1	0.19	6.01	0.4	500	1.28	0.07	1.62	0.07	42.3	4.0	36
EMNW-2600W/150S		0.46	<1	<5	<1	0.11	6.58	1.3	450	1.33	0.06	1.56	0.07	35.6	3.9	34
EMNW-2600W/200S		0.34	<1	<5	<1	0.08	6.53	1.1	430	1.14	0.05	1.44	0.08	32.2	3.8	32
EMNW-5100W/100S		0.32	14	<5	<1	0.07	5.41	1.9	510	1.20	0.15	1.21	0.05	38.5	3.0	36
EMNW-5100W/150S		0.50	<1	<5	<1	0.09	7.01	3.7	420	1.11	0.15	1.20	0.10	35.7	4.4	52
EMNW-5100W/200S		0.36	<1	<5	<1	0.14	6.75	1.7	390	1.09	0.08	1.22	0.11	38.0	3.1	39
EMNW-5100W/50N		0.30	<1	<5	<1	0.06	4.71	0.5	530	0.82	0.12	0.94	0.04	30.4	1.5	21
EMNW-5100W/100N		0.22	<1	<5	<1	0.07	7.76	1.2	400	1.31	0.06	1.08	0.07	28.6	2.9	36
EMNW-5100W/150N		0.38	<1	<5	<1	0.05	6.55	1.4	450	1.11	0.06	1.16	0.06	27.6	2.9	35
EMNW-5100W/200N		0.32	2	<5	<1	0.06	6.86	1.4	470	1.37	0.05	1.46	0.07	35.9	4.0	37
EMNW-5100W/250N		0.42	1	<5	<1	0.05	6.39	3.3	470	1.05	0.08	1.42	0.06	35.9	3.4	39
EMNW-5100W/300N		0.46	<1	<5	<1	0.03	6.18	0.7	480	1.22	0.06	1.43	0.05	45.6	3.3	30
EMNW-5100W/400N		0.54	6	<5	<1	0.06	6.78	3.3	430	1.22	0.12	1.50	0.09	43.9	4.9	53
EMNW-4600W/300S		0.50	<1	<5	<1	0.03	5.30	0.7	510	0.99	0.12	1.25	0.08	22.3	2.5	24
EMNW-4600W/350S		0.50	<1	<5	<1	0.04	5.91	3.0	510	1.23	0.26	1.24	0.08	37.2	2.7	24
EMNW-4600W/400S		0.46	1	<5	<1	0.01	5.36	2.7	590	1.13	0.08	1.09	0.04	29.2	1.6	15
EMNW-4600W/450S		0.46	<1	<5	<1	0.06	5.57	4.8	490	1.44	0.07	1.31	0.07	29.1	2.9	24
EMNW-4600W/500S		0.54	11	<5	<1	0.04	5.78	2.0	540	1.22	0.14	1.31	0.05	30.9	2.8	21
EMNW-4600W/550S		0.40	<1	<5	<1	0.06	6.42	2.1	420	1.23	0.10	1.07	0.08	26.7	2.2	23
EMNW-4600W/600S		0.46	<1	<5	<1	0.01	6.99	2.4	440	1.36	0.07	1.36	0.06	37.0	3.6	31
EMNW-4600W/650S		0.52	1	<5	<1	<0.01	6.51	3.7	430	1.27	0.13	1.19	0.06	28.4	2.6	29
EMNW-4600W/700S		0.72	<1	<5	<1	0.01	6.48	4.7	460	1.33	0.05	1.53	0.05	38.3	3.6	27
EMNW-2600W/550S		0.36	<1	<5	<1	0.02	4.56	2.7	550	0.93	0.12	0.97	0.03	28.8	1.5	16

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMNW-4600W/100S		0.75	1.6	1.46	14.90	0.12	6.7	0.016	1.69	15.5	3.2	0.22	184	0.65	2.04	5.6
EMNW-4600W/150S		0.76	1.4	0.79	13.15	0.10	7.1	0.011	1.58	14.0	3.4	0.17	165	0.35	1.88	5.7
EMNW-4600W/200S		0.82	5.7	1.79	14.80	0.13	3.6	0.023	1.38	15.5	6.3	0.37	258	0.61	2.47	5.5
EMNW-4600W/250S		0.79	1.9	1.14	14.45	0.11	8.6	0.020	1.62	17.9	3.2	0.24	217	0.37	1.96	6.0
EMNW-4600W/50N		0.74	3.6	2.36	18.10	0.13	5.8	0.028	1.47	20.1	5.2	0.31	241	0.65	2.10	6.3
EMNW-4600W/100N		0.75	4.3	2.60	16.10	0.12	5.2	0.032	1.47	15.1	7.0	0.34	264	0.56	2.18	6.2
EMNW-4600W/150N		0.50	1.2	1.10	15.05	0.12	8.1	0.015	1.53	17.5	3.0	0.16	164	0.47	1.85	7.1
EMNW-4600W/200N		0.66	1.9	2.20	19.45	0.13	5.5	0.024	1.54	13.4	4.5	0.27	212	0.51	1.98	7.3
EMNW-4600W/750S		0.76	4.8	1.44	14.20	0.12	3.8	0.025	1.40	16.6	6.4	0.36	277	0.85	2.50	4.8
EMNW-4600W/800S		0.71	2.5	1.35	15.55	0.11	5.2	0.021	1.53	15.6	4.9	0.34	251	1.09	2.48	5.4
EMNW-2600W/350N		0.78	21.0	0.93	15.50	0.14	5.7	0.021	1.67	20.9	5.9	0.37	253	1.03	2.62	5.7
EMNW-2600W/400N		0.56	1.8	0.54	13.60	0.11	7.4	0.012	1.60	12.2	2.8	0.12	131	0.54	1.93	6.1
EMNW-2600W/50N		0.77	17.7	0.84	14.85	0.13	5.3	0.022	1.64	17.3	4.9	0.34	237	1.26	2.41	6.0
EMNW-2600W/100N		0.67	6.3	1.14	14.80	0.14	5.0	0.023	1.51	16.8	5.4	0.40	277	1.14	2.43	5.7
EMNW-2600W/150N		0.74	2.0	1.88	18.55	0.11	6.1	0.020	1.38	14.1	3.0	0.20	186	0.51	1.83	7.2
EMNW-2600W/200N		0.94	2.2	1.80	18.15	0.12	5.7	0.021	1.51	13.3	4.2	0.29	218	0.73	2.00	6.2
EMNW-2600W/250N		0.71	1.7	1.75	16.95	0.12	6.7	0.017	1.55	16.7	3.5	0.26	217	0.46	2.04	7.2
EMNW-2600W/50S		0.86	5.0	1.23	14.90	0.14	6.1	0.022	1.53	21.0	5.8	0.43	309	0.88	2.40	5.8
EMNW-2600W/150S		0.69	6.7	1.84	13.90	0.13	4.4	0.023	1.39	16.6	5.1	0.37	269	0.51	2.40	5.0
EMNW-2600W/200S		0.70	3.8	1.91	14.95	0.13	3.7	0.030	1.33	14.9	5.2	0.35	260	0.30	2.28	4.7
EMNW-5100W/100S		0.89	1.9	2.15	23.1	0.13	7.7	0.022	1.50	19.2	4.7	0.31	234	0.41	1.98	7.0
EMNW-5100W/150S		1.03	5.0	3.62	20.2	0.13	6.3	0.033	1.20	17.8	6.7	0.39	350	0.67	1.78	8.0
EMNW-5100W/200S		0.65	5.6	2.44	16.10	0.13	3.7	0.026	1.16	18.3	4.6	0.30	232	0.59	1.94	5.9
EMNW-5100W/50N		0.66	1.9	1.15	15.80	0.12	7.9	0.016	1.53	16.0	3.1	0.17	152	0.31	1.72	6.6
EMNW-5100W/100N		0.72	4.4	2.80	17.00	0.14	4.1	0.034	1.16	13.7	5.1	0.29	191	0.39	1.78	5.8
EMNW-5100W/150N		0.68	3.1	2.29	17.25	0.13	5.1	0.029	1.33	14.6	4.3	0.30	209	0.46	1.94	6.1
EMNW-5100W/200N		0.68	3.7	2.33	14.05	0.13	4.9	0.027	1.43	15.0	5.7	0.39	290	0.41	2.40	6.1
EMNW-5100W/250N		0.71	1.9	3.10	18.60	0.12	4.8	0.025	1.41	17.8	4.7	0.37	309	0.67	2.21	7.1
EMNW-5100W/300N		0.74	2.7	1.23	14.00	0.14	3.9	0.023	1.45	21.3	5.0	0.36	259	0.38	2.33	4.7
EMNW-5100W/400N		0.89	5.3	4.12	21.8	0.15	5.8	0.033	1.28	20.5	7.0	0.49	368	0.92	2.12	8.6
EMNW-4600W/300S		0.77	1.5	1.28	15.60	0.11	6.0	0.018	1.53	11.4	3.2	0.27	217	0.59	2.08	5.7
EMNW-4600W/350S		0.72	5.9	1.59	18.95	0.12	6.9	0.022	1.54	18.7	4.2	0.26	217	0.75	2.06	6.1
EMNW-4600W/400S		0.78	2.0	0.67	16.90	0.11	9.2	0.012	1.71	15.2	3.6	0.17	180	0.40	2.01	5.9
EMNW-4600W/450S		0.68	3.8	1.29	17.40	0.07	5.6	0.021	1.43	13.9	4.5	0.31	210	0.44	2.18	5.3
EMNW-4600W/500S		1.12	4.5	0.94	21.7	0.12	7.0	0.022	1.59	16.0	5.1	0.30	224	0.76	2.23	7.6
EMNW-4600W/550S		0.71	6.8	2.10	18.50	0.10	5.4	0.018	1.21	13.4	4.2	0.22	174	0.84	1.76	5.3
EMNW-4600W/600S		0.61	3.9	2.06	17.70	0.11	5.2	0.024	1.29	14.5	5.2	0.32	252	0.41	2.21	6.1
EMNW-4600W/650S		0.56	3.1	2.56	22.2	0.12	5.8	0.025	1.26	13.6	4.1	0.24	195	0.84	1.90	7.1
EMNW-4600W/700S		0.59	5.0	1.81	16.25	0.12	4.5	0.018	1.36	17.1	5.1	0.33	250	0.40	2.42	5.3
EMNW-2600W/550S		0.70	1.5	0.71	15.05	0.05	8.4	0.012	1.58	14.4	3.3	0.17	155	0.34	1.73	6.0

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMNW-4600W/100S		5.9	170	17.0	56.9	<0.002	0.01	0.08	4.1	1	1.1	291	0.71	<0.05	6.0	0.230
EMNW-4600W/150S		4.5	190	15.3	52.8	<0.002	0.01	0.07	3.2	1	1.1	266	0.38	0.05	5.6	0.235
EMNW-4600W/200S		10.9	590	12.3	47.3	<0.002	0.01	0.07	6.5	1	0.8	335	0.56	<0.05	3.7	0.202
EMNW-4600W/250S		5.7	250	16.5	54.2	<0.002	0.01	0.06	4.6	1	1.2	283	0.45	<0.05	6.6	0.254
EMNW-4600W/50N		8.0	390	15.7	50.9	<0.002	0.02	0.08	6.1	1	1.0	296	0.54	<0.05	8.3	0.220
EMNW-4600W/100N		8.5	440	15.2	51.0	<0.002	0.03	0.08	6.7	2	0.9	298	0.43	<0.05	4.7	0.193
EMNW-4600W/150N		4.0	310	15.1	49.5	<0.002	0.01	0.08	3.2	1	1.3	268	0.56	<0.05	6.6	0.271
EMNW-4600W/200N		6.4	450	16.0	53.5	<0.002	0.02	0.08	4.9	1	1.3	267	0.51	<0.05	5.0	0.274
EMNW-4600W/750S		9.0	350	12.6	49.4	<0.002	0.01	0.07	6.2	2	0.9	344	0.33	<0.05	5.1	0.185
EMNW-4600W/800S		8.5	220	14.3	51.6	<0.002	0.01	0.06	5.9	1	0.9	344	0.35	<0.05	4.7	0.214
EMNW-2600W/350N		10.1	190	13.8	57.2	0.002	0.03	0.07	6.1	1	0.8	371	0.42	<0.05	6.4	0.204
EMNW-2600W/400N		3.3	270	17.2	50.6	<0.002	0.01	0.07	2.7	1	1.3	269	0.42	<0.05	4.9	0.247
EMNW-2600W/50N		9.3	240	13.6	55.0	<0.002	0.05	0.06	6.0	1	0.8	343	0.40	<0.05	5.6	0.210
EMNW-2600W/100N		10.0	330	13.2	49.4	<0.002	0.01	0.06	6.6	1	0.9	338	0.38	<0.05	4.9	0.214
EMNW-2600W/150N		5.4	390	16.6	45.9	<0.002	0.02	0.08	4.0	1	1.2	263	0.92	<0.05	5.8	0.273
EMNW-2600W/200N		8.1	210	16.1	53.4	<0.002	0.01	0.08	5.1	1	1.2	286	0.41	<0.05	4.8	0.249
EMNW-2600W/250N		7.3	220	17.1	50.3	<0.002	0.01	0.07	4.4	1	1.2	295	0.53	<0.05	6.4	0.271
EMNW-2600W/50S		12.6	370	15.7	54.2	<0.002	0.01	0.09	6.8	1	0.9	345	0.38	<0.05	7.0	0.221
EMNW-2600W/150S		10.0	510	12.9	49.0	<0.002	0.01	0.07	6.8	2	0.8	323	0.32	<0.05	4.9	0.175
EMNW-2600W/200S		9.1	500	13.0	45.7	<0.002	0.01	0.07	5.9	1	0.7	310	0.33	<0.05	5.2	0.191
EMNW-5100W/100S		9.0	300	15.0	54.2	<0.002	0.01	0.05	5.4	2	1.2	288	0.39	<0.05	6.9	0.263
EMNW-5100W/150S		10.9	510	15.0	44.2	<0.002	0.03	0.11	7.3	2	1.4	249	0.54	0.06	6.9	0.351
EMNW-5100W/200S		7.8	540	13.7	41.6	<0.002	0.03	0.07	5.8	2	0.8	266	0.38	<0.05	7.2	0.194
EMNW-5100W/50N		4.7	430	18.5	50.4	<0.002	0.01	0.07	3.4	1	1.2	259	0.49	<0.05	5.9	0.262
EMNW-5100W/100N		6.9	570	11.9	40.5	<0.002	0.05	0.06	7.0	2	0.8	253	0.38	<0.05	4.8	0.198
EMNW-5100W/150N		7.1	370	14.1	45.0	<0.002	0.03	0.07	5.8	2	0.9	275	0.39	<0.05	4.8	0.203
EMNW-5100W/200N		9.7	530	12.8	49.9	<0.002	0.04	0.08	7.6	1	0.8	325	0.39	<0.05	4.4	0.185
EMNW-5100W/250N		8.3	400	14.0	46.7	<0.002	0.02	0.09	6.2	1	0.9	313	0.44	<0.05	6.4	0.251
EMNW-5100W/300N		8.7	400	13.7	50.8	<0.002	0.02	0.05	6.3	1	0.7	319	0.30	<0.05	9.4	0.161
EMNW-5100W/400N		12.2	480	15.1	44.8	<0.002	0.03	0.10	8.1	2	1.2	296	0.55	<0.05	8.4	0.310
EMNW-4600W/300S		6.2	250	15.9	51.5	<0.002	0.01	0.08	4.7	1	1.3	286	0.41	<0.05	3.9	0.289
EMNW-4600W/350S		6.8	240	19.5	52.5	<0.002	0.01	0.25	6.0	2	1.4	295	0.39	<0.05	6.4	0.253
EMNW-4600W/400S		4.7	200	16.8	57.1	<0.002	0.01	0.17	4.1	2	1.2	296	0.41	<0.05	5.5	0.233
EMNW-4600W/450S		8.3	310	15.3	45.9	<0.002	0.02	0.59	5.8	2	0.8	305	0.31	<0.05	4.9	0.185
EMNW-4600W/500S		7.2	180	18.2	55.7	<0.002	0.01	0.13	6.3	2	1.2	321	0.52	<0.05	6.3	0.277
EMNW-4600W/550S		5.5	510	12.6	39.2	<0.002	0.03	0.12	6.0	2	0.9	254	0.33	<0.05	4.4	0.207
EMNW-4600W/600S		8.4	630	12.5	42.3	0.002	0.02	0.11	8.0	2	0.8	304	0.34	<0.05	5.0	0.197
EMNW-4600W/650S		6.2	590	14.5	42.1	0.002	0.03	0.11	6.3	2	1.0	269	0.39	<0.05	4.4	0.234
EMNW-4600W/700S		7.8	430	9.7	45.9	0.002	0.01	0.08	7.7	2	0.7	325	0.32	<0.05	4.7	0.189
EMNW-2600W/550S		5.1	240	16.8	50.9	<0.002	0.01	0.40	3.5	2	1.2	265	0.47	<0.05	5.9	0.248

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	8-MS61
		Tl	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMNW-4600W/100S		0.27	1.0	39	0.5	5.3	11	224	<10
EMNW-4600W/150S		0.25	1.0	24	0.3	4.5	9	238	<10
EMNW-4600W/200S		0.22	0.8	35	0.3	10.5	20	113.0	<10
EMNW-4600W/250S		0.25	1.3	29	0.6	6.7	11	288	<10
EMNW-4600W/50N		0.22	1.0	45	0.6	8.2	15	191.5	<10
EMNW-4600W/100N		0.22	0.9	42	0.5	9.0	16	167.5	<10
EMNW-4600W/150N		0.23	1.2	35	0.5	5.3	9	268	<10
EMNW-4600W/200N		0.25	0.9	49	0.6	6.7	13	182.5	<10
EMNW-4600W/750S		0.22	0.9	31	0.4	9.9	18	123.0	<10
EMNW-4600W/800S		0.24	0.9	36	0.6	8.6	16	172.5	<10
EMNW-2600W/350N		0.26	2.8	21	0.7	9.8	18	190.5	<10
EMNW-2600W/400N		0.24	1.0	21	0.5	4.3	7	247	<10
EMNW-2600W/50N		0.25	1.4	22	0.4	8.8	15	179.5	<10
EMNW-2600W/100N		0.22	1.1	25	0.5	9.4	18	163.5	<10
EMNW-2600W/150N		0.21	0.9	52	0.6	5.4	10	204	<10
EMNW-2600W/200N		0.25	1.1	48	0.4	6.2	13	184.5	<10
EMNW-2600W/250N		0.24	1.0	52	1.1	5.5	12	224	<10
EMNW-2600W/50S		0.24	1.2	27	0.4	10.8	19	203	<10
EMNW-2600W/150S		0.22	1.0	34	0.4	11.0	17	141.5	<10
EMNW-2600W/200S		0.22	0.7	36	0.3	8.0	18	119.5	<10
EMNW-5100W/100S		0.27	1.1	52	0.5	6.6	14	232	<10
EMNW-5100W/150S		0.21	1.2	72	1.0	9.3	22	209	10
EMNW-5100W/200S		0.19	1.1	43	0.4	8.9	15	120.0	<10
EMNW-5100W/50N		0.24	1.2	35	0.5	4.7	8	255	<10
EMNW-5100W/100N		0.18	0.7	43	0.4	7.4	15	133.5	<10
EMNW-5100W/150N		0.21	0.8	45	0.4	7.1	14	164.0	<10
EMNW-5100W/200N		0.21	0.8	40	0.4	9.4	17	158.5	10
EMNW-5100W/250N		0.21	0.9	58	0.6	8.1	17	155.0	10
EMNW-5100W/300N		0.22	1.1	28	0.3	10.0	17	129.0	20
EMNW-5100W/400N		0.20	1.3	76	1.4	11.0	27	193.0	20
EMNW-4600W/300S		0.23	0.9	37	0.5	5.7	12	197.5	50
EMNW-4600W/350S		0.28	1.1	38	0.6	7.7	17	216	<10
EMNW-4600W/400S		0.31	1.1	21	0.5	5.1	11	287	<10
EMNW-4600W/450S		0.28	0.9	30	0.4	7.3	16	193.5	<10
EMNW-4600W/500S		0.30	1.0	29	0.5	6.7	15	221	<10
EMNW-4600W/550S		0.22	1.0	36	0.4	7.1	14	167.5	<10
EMNW-4600W/600S		0.23	0.9	37	0.4	8.8	18	160.5	<10
EMNW-4600W/650S		0.22	0.9	49	0.5	7.3	13	183.0	<10
EMNW-4600W/700S		0.24	0.9	31	0.2	10.6	16	136.5	<10
EMNW-2600W/550S		0.29	1.1	29	0.4	4.4	8	286	10

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 26-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095405

Method

CERTIFICATE COMMENTS

ME-MS61

REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 20-SEP-2009
Account: MVR

CERTIFICATE SD09095407

Project: EASTMAIN MINE

P.O. No.:

This report is for 8 Soil samples submitted to our lab in Sudbury, ON, Canada on 3-SEP-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
DRY-22	Drying - Maximum Temp 60C

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095407

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMNW-3100W/100S		0.34	1	<5	1	0.08	6.82	2.4	410	1.30	0.15	1.20	0.09	32.4	3.4	53
EMNW-3100W/150S		0.34	3	<5	<1	0.03	5.08	0.6	490	0.98	0.09	1.09	0.05	51.5	2.2	23
EMNW-3100W/200S		0.46	2	<5	<1	0.03	7.13	2.2	430	1.49	0.20	1.30	0.07	45.9	3.9	44
EMNW-3100W/250S		Not Recvd														
EMNW-3100W/300S		Not Recvd														
EMNW-3100W/500S		0.34	2	<5	<1	0.02	6.17	<0.2	520	1.30	0.04	1.62	0.05	40.3	3.7	25
EMNW-3100W/650S		0.50	1	<5	1	0.01	6.17	1.5	460	1.24	0.08	1.35	0.07	41.5	3.3	38
EMNW-3100W/800S		0.40	1	<5	<1	0.01	6.59	1.4	470	1.59	0.07	1.27	0.06	39.5	3.5	35

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095407

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs ppm	Cu ppm	Fe %	Ge ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMNW-3100W/100S		0.62	6.0	2.70	17.90	0.07	5.1	0.026	1.32	15.4	4.9	0.32	242	0.50	1.90	6.2
EMNW-3100W/150S		0.65	2.4	1.47	16.85	0.08	7.5	0.015	1.53	26.6	4.1	0.23	223	0.30	1.83	5.6
EMNW-3100W/200S		0.71	4.8	2.31	15.10	0.10	5.7	0.031	1.39	19.4	6.1	0.36	266	0.38	2.08	5.6
EMNW-3100W/250S																
EMNW-3100W/300S																
EMNW-3100W/500S		0.67	5.2	1.03	15.40	0.08	4.8	0.023	1.56	18.5	7.3	0.40	267	0.28	2.62	5.6
EMNW-3100W/650S		1.06	12.8	2.05	15.50	0.08	5.0	0.029	1.38	20.0	7.7	0.34	254	0.62	2.06	7.4
EMNW-3100W/800S		0.69	3.2	2.14	17.75	0.06	5.1	0.025	1.47	17.1	5.7	0.33	225	0.37	2.13	6.3

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 20-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095407

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMNW-3100W/100S		9.2	550	18.7	49.7	<0.002	0.02	0.19	6.4	2	0.9	269	0.52	<0.05	5.5	0.220
EMNW-3100W/150S		5.6	320	17.7	56.8	<0.002	0.01	0.12	4.4	2	1.0	263	0.41	<0.05	10.4	0.232
EMNW-3100W/200S		9.7	550	17.2	53.1	<0.002	0.04	0.09	8.1	2	0.7	288	0.37	<0.05	6.4	0.171
EMNW-3100W/250S																
EMNW-3100W/300S																
EMNW-3100W/500S		9.9	380	14.8	56.1	<0.002	0.01	0.06	6.4	2	0.7	355	0.47	<0.05	4.7	0.174
EMNW-3100W/650S		8.1	450	15.5	53.7	<0.002	0.02	0.06	6.5	2	0.7	293	0.59	<0.05	6.2	0.184
EMNW-3100W/800S		8.7	370	17.8	53.9	<0.002	0.02	0.07	6.2	2	0.9	298	0.48	0.05	5.4	0.200

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 20-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09095407

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	Tl	U	V	W	Y	Zn	Zr	B
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.02	0.1	1	0.1	0.1	2	0.5	10
EMNW-3100W/100S		0.24	1.0	52	0.8	7.7	17	153.5	<10
EMNW-3100W/150S		0.25	1.2	35	0.5	6.7	10	231	<10
EMNW-3100W/200S		0.25	1.1	36	0.5	10.7	15	168.0	<10
EMNW-3100W/250S									
EMNW-3100W/300S									
EMNW-3100W/500S		0.27	1.2	23	0.7	11.5	17	147.5	<10
EMNW-3100W/650S		0.26	1.3	37	0.5	10.7	12	153.5	<10
EMNW-3100W/800S		0.26	1.0	41	0.4	7.9	14	157.0	<10

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 1-OCT-2009
Account: MVR

CERTIFICATE SD09097670

Project: EASTMAIN MINE

P.O. No.:

This report is for 107 Soil samples submitted to our lab in Sudbury, ON, Canada on 9-SEP-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMNW-3500W/50N		0.50	10	<5	1	0.06	6.15	1.6	540	1.40	0.12	1.53	0.06	99.9	3.8	32
EMNW-3500W/100N		Not Recvd														
EMNW-3500W/150N		0.56	3	<5	1	0.05	6.09	1.3	560	1.38	0.10	1.60	0.07	57.3	4.1	33
EMNW-3500W/200N		0.42	3	<5	1	0.04	6.02	0.4	480	1.17	0.09	1.40	0.06	34.1	3.0	29
EMNW-3500W/300N		0.40	2	<5	1	0.02	6.12	1.1	520	1.21	0.07	1.30	0.06	36.5	3.2	37
EMNW-3500W/350N		0.24	3	<5	1	0.04	5.05	2.1	510	0.92	0.16	0.98	0.05	38.9	2.0	28
EMNW-3500W/450S		0.34	2	<5	1	0.04	5.80	1.1	460	1.20	0.10	1.38	0.10	35.7	3.3	29
EMNW-3500W/550S		0.42	3	<5	1	0.03	6.26	1.3	480	1.34	0.08	1.28	0.08	39.2	3.5	32
EMNW-3500W/600S		0.42	2	<5	1	0.04	5.60	0.5	460	1.11	0.08	1.35	0.08	42.2	4.1	28
EMNW-3500W/650S		0.36	3	<5	<1	0.04	6.17	0.8	480	1.28	0.08	1.28	0.08	41.1	3.7	34
EMNW-3500W/700S		0.46	3	<5	1	0.03	5.91	1.1	490	1.22	0.09	1.38	0.07	42.7	3.8	31
EMNW-3500W/750S		0.32	3	<5	<1	0.04	5.91	0.9	480	1.26	0.07	1.37	0.08	43.7	4.0	33
EMNW-3900W/350S		0.34	3	<5	<1	0.03	6.74	1.1	430	1.40	0.07	1.22	0.07	39.8	3.5	37
EMNW-3900W/400S		0.26	3	<5	1	0.05	6.90	1.4	430	1.25	0.08	1.18	0.07	39.1	3.5	45
EMNW-3900W/450S		0.38	3	<5	1	0.05	6.80	1.5	470	1.35	0.09	1.36	0.07	56.2	4.4	40
EMNW-3900W/500S		0.32	12	<5	1	0.04	6.81	2.0	410	1.30	0.10	1.18	0.07	41.5	3.4	37
EMNW-3900W/550S		0.38	2	<5	<1	0.03	6.07	1.2	460	1.32	0.07	1.37	0.08	48.1	3.6	31
EMNW-3900W/600S		0.30	3	<5	<1	0.07	5.59	1.9	510	1.07	0.09	1.27	0.08	49.7	2.6	28
EMNW-3900W/650S		0.34	3	<5	<1	0.08	6.12	1.1	500	1.30	0.08	1.46	0.06	50.0	4.2	34
EMNW-3900W/700S		0.34	22	<5	2	0.04	5.70	6.1	510	1.11	0.18	1.52	0.05	42.1	5.2	45
EMNW-3900W/750S		0.22	10	5	1	0.02	6.54	5.0	450	1.31	0.08	1.25	0.08	49.0	3.4	37
EMNW-3900W/800S		0.26	2	<5	1	0.05	6.30	0.9	540	1.34	0.06	1.46	0.13	44.7	3.7	34
EMNW-4000W/0		0.40	2	<5	1	0.05	6.66	1.5	470	1.40	0.08	1.21	0.08	42.7	3.9	36
EMNW-4000W/50S		0.44	3	<5	1	0.02	5.19	0.5	540	0.99	0.13	1.16	0.06	36.7	2.2	26
EMNW-4000W/100S		0.42	3	<5	1	0.09	6.04	1.5	490	1.04	0.19	1.43	0.07	38.2	4.6	43
EMNW-3400W/200N		0.48	2	<5	<1	0.03	5.58	0.2	470	1.20	0.06	1.35	0.06	37.3	3.2	29
EMNW-3400W/400N		0.30	2	<5	1	0.05	5.84	0.8	440	1.19	0.07	1.28	0.07	38.3	2.8	33
EMNW-3400W/100S		0.54	4	<5	<1	0.04	6.15	0.9	500	1.40	0.33	1.41	0.06	48.9	4.2	35
EMNW-3400W/150S		0.26	3	<5	1	0.02	6.14	1.1	460	1.35	0.08	1.50	0.11	46.8	4.5	35
EMNW-3400W/500S		0.40	2	<5	1	0.03	5.70	1.1	560	1.29	0.08	1.51	0.07	47.2	3.4	26
EMNW-3400W/550S		0.36	3	<5	<1	0.02	5.04	0.2	600	1.05	0.10	1.03	0.07	34.6	1.5	15
EMNW-3400W/600S		0.34	33	<5	1	0.01	5.51	0.3	530	1.25	0.07	1.34	0.05	37.6	2.9	25
EMNW-3400W/650S		0.52	4	<5	1	0.02	5.58	<0.2	490	1.32	0.07	1.51	0.05	44.2	3.2	26
EMNW-3400W/750S		0.30	5	8	1	0.03	5.60	0.2	480	1.23	0.07	1.29	0.06	38.0	3.1	30
EMNW-3400W/800S		0.38	5	<5	1	0.03	5.67	0.2	620	1.17	0.13	1.39	0.05	20.2	3.6	43
EMNW-3900W/150N		0.28	3	<5	1	0.08	5.83	1.9	480	1.12	0.13	1.17	0.08	34.8	3.0	34
EMNW-3900W/250N		0.28	3	<5	1	0.04	5.22	0.3	560	1.23	0.09	1.05	0.06	33.5	1.9	21
EMNW-3900W/300N		0.46	3	<5	<1	0.04	6.15	1.7	520	1.24	0.05	1.58	0.06	47.3	3.7	34
EMNW-3900W/350N		0.38	3	<5	<1	0.05	5.96	1.4	450	1.16	0.04	1.37	0.06	31.3	3.0	31
EMNW-3900W/400N		0.34	2	<5	<1	0.05	6.46	1.8	470	1.35	0.03	1.41	0.06	42.6	3.4	32

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMNW-3500W/50N		0.80	16.8	1.46	15.35	0.13	6.8	0.022	1.56	49.4	5.7	0.37	273	0.96	2.46	5.6
EMNW-3500W/100N																
EMNW-3500W/150N		0.84	7.5	1.60	15.10	0.12	6.8	0.019	1.67	25.5	5.3	0.39	304	0.62	2.53	5.2
EMNW-3500W/200N		0.72	5.9	1.51	13.20	0.11	4.6	0.020	1.46	16.7	4.4	0.32	257	0.40	2.20	4.1
EMNW-3500W/300N		0.91	5.1	1.58	15.30	0.11	5.6	0.022	1.51	16.1	4.7	0.32	240	0.32	2.21	4.7
EMNW-3500W/350N		0.80	3.0	1.24	15.55	0.10	7.7	0.018	1.39	19.8	3.6	0.20	173	0.53	1.74	5.7
EMNW-3500W/450S		0.72	7.0	1.87	14.35	0.12	4.5	0.025	1.43	17.1	4.2	0.33	256	0.55	2.23	4.3
EMNW-3500W/550S		0.76	4.8	1.76	15.30	0.09	5.6	0.024	1.47	16.8	4.6	0.32	246	0.33	2.21	5.2
EMNW-3500W/600S		0.70	10.3	1.42	12.90	0.11	4.8	0.019	1.42	16.4	5.1	0.36	250	0.26	2.22	4.2
EMNW-3500W/650S		0.80	8.0	1.71	14.30	0.10	5.7	0.023	1.45	16.0	5.0	0.33	253	0.33	2.19	5.0
EMNW-3500W/700S		0.80	6.1	1.57	14.50	0.11	5.0	0.025	1.49	19.4	5.0	0.37	268	0.31	2.28	4.8
EMNW-3500W/750S		0.84	9.1	1.71	14.75	0.11	5.7	0.022	1.47	19.4	5.3	0.38	265	0.33	2.23	5.2
EMNW-3900W/350S		0.71	4.2	2.19	16.10	0.09	4.9	0.027	1.26	16.5	4.7	0.31	226	0.40	2.03	5.8
EMNW-3900W/400S		0.72	5.8	2.65	17.30	0.11	5.4	0.035	1.25	17.2	5.2	0.33	241	0.50	1.96	6.0
EMNW-3900W/450S		0.76	5.4	2.25	15.80	0.12	5.7	0.029	1.36	24.5	6.6	0.36	257	0.32	2.19	5.9
EMNW-3900W/500S		0.70	4.5	2.37	17.05	0.11	4.8	0.030	1.22	19.3	4.9	0.30	227	0.38	1.92	6.8
EMNW-3900W/550S		0.68	4.6	1.72	13.60	0.12	5.5	0.022	1.41	20.8	5.4	0.34	281	0.30	2.30	4.5
EMNW-3900W/600S		0.77	4.3	1.51	15.20	0.11	6.4	0.019	1.48	23.9	4.5	0.27	233	0.58	2.12	5.1
EMNW-3900W/650S		0.82	6.3	1.45	14.75	0.09	5.0	0.023	1.44	22.5	7.9	0.40	272	0.77	2.43	5.5
EMNW-3900W/700S		1.33	4.3	2.42	22.3	0.12	6.4	0.028	1.41	20.8	6.6	0.50	342	1.33	2.21	9.2
EMNW-3900W/750S		0.68	3.4	2.47	16.20	0.14	5.4	0.027	1.24	23.0	4.9	0.33	230	0.55	2.00	6.6
EMNW-3900W/800S		0.71	4.2	1.82	14.40	0.12	5.8	0.024	1.49	18.5	5.9	0.39	252	0.41	2.50	5.7
EMNW-4000W/0		0.84	4.9	2.00	15.60	0.11	4.6	0.029	1.38	18.3	6.3	0.35	243	0.42	2.08	5.4
EMNW-4000W/50S		0.86	1.9	1.29	18.90	0.11	7.8	0.022	1.55	18.6	3.5	0.23	207	0.32	1.97	6.6
EMNW-4000W/100S		0.98	4.2	2.43	21.7	0.12	7.0	0.025	1.29	19.4	5.6	0.45	327	0.49	2.19	6.8
EMNW-3400W/200N		0.65	3.5	1.36	14.45	0.11	5.4	0.021	1.41	18.2	4.5	0.34	254	0.35	2.13	4.7
EMNW-3400W/400N		0.59	4.7	1.32	12.75	0.10	3.7	0.025	1.35	18.5	4.4	0.30	237	0.36	2.04	4.3
EMNW-3400W/100S		1.03	12.1	1.58	14.70	0.11	6.1	0.024	1.53	21.9	7.2	0.39	262	0.32	2.29	4.8
EMNW-3400W/150S		0.79	4.5	1.95	14.20	0.12	3.5	0.025	1.44	20.8	6.3	0.40	377	0.32	2.37	7.0
EMNW-3400W/500S		0.83	5.2	0.97	15.50	0.10	6.3	0.023	1.58	22.7	5.8	0.35	255	1.95	2.58	5.8
EMNW-3400W/550S		1.00	2.1	0.63	14.80	0.09	8.0	0.013	1.68	17.6	3.4	0.16	153	0.50	2.00	5.4
EMNW-3400W/600S		0.76	4.1	0.88	13.90	0.10	6.1	0.020	1.55	18.7	5.0	0.30	232	0.57	2.21	4.5
EMNW-3400W/650S		0.67	4.5	1.01	13.95	0.11	6.5	0.020	1.53	20.9	5.3	0.34	274	0.28	2.41	4.5
EMNW-3400W/750S		0.71	3.3	1.23	14.40	0.11	4.3	0.019	1.49	18.2	4.7	0.31	249	0.26	2.22	4.5
EMNW-3400W/800S		1.56	3.8	1.14	17.05	0.07	5.7	0.023	1.57	10.5	6.9	0.43	200	0.61	2.31	5.2
EMNW-3900W/150N		0.96	4.0	2.37	18.25	0.11	7.0	0.027	1.31	17.2	6.7	0.32	206	1.28	1.90	7.6
EMNW-3900W/250N		0.86	2.9	0.94	16.85	0.08	7.7	0.018	1.58	17.3	4.0	0.21	179	1.88	1.98	6.3
EMNW-3900W/300N		0.77	5.7	1.65	13.95	0.11	5.2	0.016	1.62	21.7	5.4	0.38	293	0.38	2.40	5.1
EMNW-3900W/350N		0.59	2.9	1.78	12.70	0.11	4.2	0.013	1.38	14.6	4.7	0.32	249	0.52	2.17	4.5
EMNW-3900W/400N		0.71	3.2	1.69	13.05	0.11	4.8	0.012	1.48	18.1	5.1	0.35	266	0.34	2.29	4.6

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.005	
EMNW-3500W/50N		9.3	420	16.2	60.1	<0.002	0.01	0.14	6.5	2	0.8	349	0.36	<0.05	7.9	0.195
EMNW-3500W/100N																
EMNW-3500W/150N		10.5	400	16.6	65.5	<0.002	0.01	0.10	6.5	2	0.8	355	0.35	<0.05	6.7	0.183
EMNW-3500W/200N		7.5	400	14.2	58.3	<0.002	0.01	0.08	5.8	2	0.6	306	0.30	<0.05	4.3	0.136
EMNW-3500W/300N		8.5	320	15.8	58.7	<0.002	0.01	0.08	6.1	2	0.8	311	0.30	<0.05	5.8	0.170
EMNW-3500W/350N		5.7	370	16.1	52.9	<0.002	0.02	0.24	4.0	1	1.0	260	0.39	<0.05	6.5	0.225
EMNW-3500W/450S		8.1	330	14.5	56.0	<0.002	0.01	0.08	6.0	2	0.7	310	0.28	<0.05	6.2	0.142
EMNW-3500W/550S		7.9	290	16.1	56.8	<0.002	0.02	0.09	6.2	1	0.8	305	0.38	<0.05	5.6	0.176
EMNW-3500W/600S		10.3	320	14.0	53.5	<0.002	0.01	0.09	6.0	1	0.6	300	0.28	<0.05	4.6	0.143
EMNW-3500W/650S		9.2	340	15.4	56.1	<0.002	0.02	0.09	6.8	1	0.8	298	0.32	<0.05	6.7	0.169
EMNW-3500W/700S		9.8	340	14.8	55.9	<0.002	0.01	0.08	5.9	1	0.7	307	0.33	<0.05	5.9	0.161
EMNW-3500W/750S		10.1	390	15.1	56.1	<0.002	0.01	0.08	6.3	1	0.8	304	0.32	<0.05	5.4	0.172
EMNW-3900W/350S		8.4	450	15.7	47.4	<0.002	0.04	0.07	6.8	1	0.8	280	0.37	<0.05	4.7	0.184
EMNW-3900W/400S		8.9	800	17.3	47.9	<0.002	0.03	0.10	7.1	2	0.8	269	0.39	<0.05	6.2	0.199
EMNW-3900W/450S		11.1	590	16.2	52.8	<0.002	0.03	0.10	7.1	2	0.8	303	0.37	<0.05	6.1	0.194
EMNW-3900W/500S		7.7	1040	17.0	47.4	<0.002	0.03	0.11	6.2	1	0.9	264	0.84	<0.05	8.0	0.189
EMNW-3900W/550S		8.2	380	14.9	54.5	<0.002	0.01	0.10	6.3	1	0.7	317	0.29	<0.05	6.3	0.152
EMNW-3900W/600S		6.8	230	17.2	57.3	<0.002	0.01	0.08	5.2	1	0.9	302	0.38	<0.05	9.7	0.194
EMNW-3900W/650S		11.3	340	14.8	54.4	<0.002	0.01	0.12	6.6	1	0.8	334	0.40	<0.05	8.4	0.187
EMNW-3900W/700S		13.3	190	18.0	58.4	<0.002	0.01	0.17	7.6	1	1.5	326	0.59	<0.05	9.2	0.367
EMNW-3900W/750S		8.2	500	13.6	47.6	<0.002	0.02	0.19	6.3	2	0.8	280	0.41	<0.05	6.7	0.200
EMNW-3900W/800S		9.4	420	14.1	54.6	<0.002	0.01	0.09	6.2	2	0.8	348	0.35	<0.05	5.2	0.180
EMNW-4000W/0		9.6	620	16.2	54.6	<0.002	0.02	0.12	6.7	2	0.8	288	0.34	<0.05	6.1	0.183
EMNW-4000W/50S		7.2	300	21.6	59.0	<0.002	0.01	0.11	4.4	2	1.3	292	0.41	<0.05	6.6	0.277
EMNW-4000W/100S		10.9	430	15.2	52.0	<0.002	0.01	0.20	6.9	2	1.5	299	0.47	<0.05	6.5	0.355
EMNW-3400W/200N		7.6	370	13.7	56.0	<0.002	0.01	0.09	6.3	2	0.7	297	0.30	0.06	5.3	0.155
EMNW-3400W/400N		7.4	520	13.5	52.9	<0.002	0.02	0.08	5.8	2	0.6	286	0.27	<0.05	5.7	0.128
EMNW-3400W/100S		11.8	460	16.5	64.3	<0.002	0.01	0.13	6.7	2	0.8	318	0.32	<0.05	6.6	0.155
EMNW-3400W/150S		10.2	310	15.0	58.9	<0.002	<0.01	0.09	7.5	1	1.0	332	13.00	<0.05	6.8	0.171
EMNW-3400W/500S		8.7	180	15.3	58.8	<0.002	0.02	0.08	5.9	1	0.8	358	0.39	<0.05	5.7	0.201
EMNW-3400W/550S		4.4	160	19.2	65.2	<0.002	0.01	0.12	3.1	1	1.1	292	0.36	<0.05	6.7	0.230
EMNW-3400W/600S		7.9	310	15.1	62.2	<0.002	0.01	0.10	5.6	1	0.7	307	0.32	<0.05	4.8	0.170
EMNW-3400W/650S		7.8	450	15.3	59.8	<0.002	0.01	0.09	6.2	1	0.7	331	0.43	<0.05	5.8	0.155
EMNW-3400W/750S		7.6	310	15.5	59.2	<0.002	0.01	0.09	5.5	1	0.7	306	0.31	<0.05	7.1	0.148
EMNW-3400W/800S		10.4	250	16.1	57.5	<0.002	0.01	0.10	6.3	1	0.9	349	0.36	<0.05	4.5	0.217
EMNW-3900W/150N		7.5	480	17.5	51.5	<0.002	0.02	0.15	5.3	2	1.2	276	0.57	0.05	7.1	0.243
EMNW-3900W/250N		5.3	210	18.3	62.2	<0.002	0.01	0.08	4.1	1	1.3	291	0.39	<0.05	5.0	0.245
EMNW-3900W/300N		9.8	500	16.3	57.9	<0.002	0.01	0.14	7.1	2	0.7	345	0.34	<0.05	6.8	0.162
EMNW-3900W/350N		7.5	420	13.7	47.7	<0.002	0.01	0.07	6.2	2	0.6	307	0.28	<0.05	4.2	0.144
EMNW-3900W/400N		8.8	370	15.3	51.4	<0.002	0.01	0.07	6.6	2	0.6	323	0.29	<0.05	5.7	0.146

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	B ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMNW-3500W/50N		0.27	3.1	31	0.4	19.8	20	199.5	60
EMNW-3500W/100N									
EMNW-3500W/150N		0.29	1.7	33	0.4	15.3	19	199.0	60
EMNW-3500W/200N		0.24	0.9	25	0.2	9.4	14	143.5	60
EMNW-3500W/300N		0.26	1.0	31	0.3	8.2	15	167.0	50
EMNW-3500W/350N		0.24	1.2	32	0.5	6.0	11	229	50
EMNW-3500W/450S		0.24	1.2	30	0.3	9.1	14	135.5	50
EMNW-3500W/550S		0.25	1.0	36	0.4	8.6	15	165.0	40
EMNW-3500W/600S		0.24	1.0	28	0.5	9.0	15	143.5	50
EMNW-3500W/650S		0.25	1.2	33	0.5	8.4	16	172.0	60
EMNW-3500W/700S		0.24	1.0	32	0.4	10.1	15	147.5	60
EMNW-3500W/750S		0.23	1.1	34	0.5	10.3	17	174.5	60
EMNW-3900W/350S		0.21	0.9	37	0.4	9.0	15	143.0	60
EMNW-3900W/400S		0.23	1.1	45	0.4	8.6	18	160.0	60
EMNW-3900W/450S		0.24	1.2	39	0.4	11.0	17	169.5	70
EMNW-3900W/500S		0.22	1.1	44	0.4	8.7	16	146.0	70
EMNW-3900W/550S		0.25	1.1	30	0.3	9.8	17	165.0	80
EMNW-3900W/600S		0.26	1.2	33	0.5	7.3	12	190.5	90
EMNW-3900W/650S		0.24	1.2	31	0.5	10.9	21	153.5	70
EMNW-3900W/700S		0.25	1.2	82	1.2	8.9	22	193.5	90
EMNW-3900W/750S		0.22	1.0	44	0.7	10.5	17	166.0	90
EMNW-3900W/800S		0.25	1.0	34	0.3	9.5	20	172.5	100
EMNW-4000W/0		0.25	1.0	36	0.4	8.5	18	143.5	90
EMNW-4000W/50S		0.29	1.2	37	0.4	6.2	11	234	110
EMNW-4000W/100S		0.25	1.3	64	0.6	8.0	22	210	110
EMNW-3400W/200N		0.24	1.1	24	20.7	9.6	13	167.5	100
EMNW-3400W/400N		0.23	1.1	25	1.0	9.8	13	116.5	100
EMNW-3400W/100S		0.28	1.4	31	0.4	11.6	16	181.0	110
EMNW-3400W/150S		0.25	0.9	34	0.4	12.1	18	112.0	90
EMNW-3400W/500S		0.28	1.2	26	0.5	10.2	18	190.5	90
EMNW-3400W/550S		0.29	1.1	23	0.5	4.7	8	239	110
EMNW-3400W/600S		0.25	1.0	20	0.3	8.5	14	180.5	120
EMNW-3400W/650S		0.25	1.1	22	0.2	11.5	16	192.0	110
EMNW-3400W/750S		0.24	1.0	24	0.3	8.6	13	132.5	90
EMNW-3400W/800S		0.25	1.1	34	0.5	5.3	15	178.0	100
EMNW-3900W/150N		0.23	1.3	47	0.5	7.3	19	206	100
EMNW-3900W/250N		0.27	1.1	29	0.5	4.6	10	225	110
EMNW-3900W/300N		0.26	1.1	31	0.3	12.7	18	167.5	<10
EMNW-3900W/350N		0.21	0.9	30	0.3	9.4	14	138.5	<10
EMNW-3900W/400N		0.25	0.9	30	0.3	9.1	16	156.0	<10

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMNW-3900W/0		0.36	7	<5	1	0.04	6.10	1.4	510	1.24	0.04	1.53	0.06	45.4	3.5	30
EMNW-3900W/50S		0.28	2	<5	<1	0.05	6.08	0.9	470	1.18	0.05	1.43	0.09	41.0	3.7	28
EMNW-3900W/100S		0.30	4	<5	<1	0.06	6.95	17.5	440	1.14	0.06	1.34	0.07	50.6	3.8	41
EMNW-3900W/150S		0.24	4	<5	1	0.05	5.59	1.5	470	0.87	0.08	1.16	0.06	29.0	2.5	29
EMNW-3900W/200S		0.18	3	<5	1	0.05	6.69	1.5	440	1.12	0.14	1.22	0.06	32.4	3.0	38
EMNW-3900W/250S		0.32	2	<5	1	0.05	6.94	1.4	480	0.97	0.07	1.26	0.06	47.6	3.2	45
EMNW-3900W/300S		0.24	3	<5	1	0.05	6.98	2.1	430	1.10	0.05	1.29	0.09	34.8	3.5	36
EMNW-3800W/600S		0.40	2	<5	<1	0.03	5.98	0.8	460	1.09	0.04	1.45	0.05	38.4	3.1	30
EMNW-3800W/650S		0.44	3	<5	<1	0.03	6.29	1.4	490	1.16	0.04	1.66	0.05	56.6	3.9	30
EMNW-3800W/700S		0.28	3	<5	1	0.04	5.43	0.3	520	1.01	0.20	1.10	0.03	26.4	2.0	32
EMNW-3800W/750S		0.34	2	<5	<1	0.02	5.69	0.4	550	1.08	0.06	1.20	0.04	28.6	2.2	28
EMNW-3800W/800S		0.38	3	<5	1	0.05	7.05	1.8	430	1.32	0.05	1.39	0.09	36.9	3.8	33
EMNW-3800W/50N		0.28	3	<5	1	0.07	5.42	1.1	500	0.97	0.08	1.12	0.07	32.2	2.8	37
EMNW-3800W/100N		0.30	2	<5	1	0.02	6.47	0.4	500	1.13	0.11	1.53	0.06	42.4	4.5	32
EMNW-3800W/150N		0.40	2	<5	<1	0.04	5.68	0.7	540	0.98	0.10	1.22	0.06	25.3	2.2	23
EMNW-3800W/200N		0.44	3	<5	<1	0.09	5.83	<0.2	570	1.16	0.08	1.47	0.05	35.6	3.0	24
EMNW-3800W/250N		0.34	4	<5	1	0.09	5.87	0.3	510	1.06	0.09	1.35	0.06	37.1	2.8	28
EMNW-3800W/300N		0.54	3	<5	1	0.06	5.41	0.5	500	1.58	0.08	1.15	0.05	28.6	2.0	30
EMNW-3800W/350N		0.48	2	<5	1	0.05	5.84	0.3	480	1.09	0.03	1.35	0.05	40.3	2.4	24
EMNW-3800W/400N		0.38	3	<5	1	0.04	5.99	0.2	500	1.11	0.05	1.34	0.06	35.7	2.5	28
EMNW-3300W/0		0.36	4	<5	<1	0.08	5.90	0.8	500	1.03	0.06	1.31	0.05	37.1	3.0	31
EMNW-3300W/50N		0.10	9	<5	3	0.09	5.42	<0.2	460	0.90	0.06	1.48	0.07	32.2	4.1	38
EMNW-3300W/100N		0.14	13	<5	2	0.09	4.54	0.7	410	1.09	0.04	0.95	0.09	26.8	1.4	24
EMNW-3300W/150N		0.10	5	<5	2	0.10	5.25	0.5	480	1.07	0.10	1.31	0.09	44.8	4.0	55
EMNW-3300W/200N		0.48	1	<5	1	0.05	6.00	0.5	490	1.14	0.04	1.51	0.06	34.0	3.3	30
EMNW-3300W/250N		0.46	2	<5	1	0.03	5.55	0.5	500	1.03	0.06	1.23	0.05	29.7	2.3	28
EMNW-3300W/300N		0.54	1	<5	<1	0.03	6.42	0.8	440	1.21	0.03	1.45	0.05	37.2	3.2	30
EMNW-3300W/350N		0.52	1	<5	<1	0.04	6.30	1.4	460	1.22	0.03	1.54	0.06	41.4	3.6	32
EMNW-3300W/400N		0.40	1	<5	<1	0.04	5.89	0.5	480	1.03	0.06	1.22	0.06	28.6	2.3	28
EMNW-3300W/50S		0.30	2	<5	<1	0.04	5.10	0.7	530	0.86	0.07	1.00	0.05	50.3	1.6	21
EMNW-3300W/100S		0.38	2	<5	<1	0.05	5.24	1.2	530	0.91	0.11	1.17	0.07	42.4	2.8	33
EMNW-3800W/0		0.30	2	<5	<1	0.08	6.31	2.6	450	1.03	0.08	1.24	0.07	31.3	3.3	37
EMNW-3800W/50S		0.34	2	<5	1	0.07	6.10	2.7	490	1.05	0.09	1.31	0.09	40.7	3.6	35
EMNW-3800W/100S		0.38	2	<5	1	0.06	6.55	7.2	510	1.30	0.20	1.56	0.12	62.1	8.3	41
EMNW-3800W/150S		0.34	5	<5	1	0.06	6.09	1.1	470	1.08	0.24	1.80	0.09	29.9	7.3	58
EMNW-3800W/200S		0.52	1	<5	<1	0.10	6.59	3.6	470	1.36	0.10	1.74	0.12	101.0	7.3	47
EMNW-3800W/250S		0.46	1	<5	<1	0.04	5.99	1.8	500	1.39	0.04	1.57	0.06	57.6	3.9	32
EMNW-3800W/300S		0.44	1	<5	1	0.04	6.27	1.5	460	1.27	0.06	1.48	0.10	48.1	4.0	35
EMNW-3800W/350S		0.32	2	<5	1	0.05	6.47	2.0	420	1.36	0.07	1.15	0.07	36.6	2.9	35
EMNW-3800W/400S		0.34	1	<5	<1	0.06	6.27	1.7	430	1.16	0.08	1.21	0.07	39.1	3.1	36

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 3 - B

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 1-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
EMNW-3900W/0		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
EMNW-3900W/50S		0.65	6.0	1.70	14.05	0.14	5.5	0.012	1.54	21.8	4.9	0.36	285	0.50	2.44
EMNW-3900W/100S		0.72	4.2	1.64	13.70	0.10	4.0	0.014	1.43	17.9	6.0	0.34	274	0.28	2.34
EMNW-3900W/150S		0.76	4.6	2.22	14.35	0.13	5.4	0.022	1.32	21.4	6.6	0.35	273	0.38	2.12
EMNW-3900W/200S		0.68	2.5	2.33	19.90	0.11	6.0	0.018	1.32	14.5	4.5	0.26	240	0.53	1.86
EMNW-3900W/250S		0.74	3.4	2.38	15.90	0.11	4.8	0.030	1.29	14.8	4.9	0.31	230	0.55	1.99
EMNW-3900W/300S		0.75	3.9	2.64	15.75	0.13	5.4	0.022	1.28	22.5	5.3	0.33	248	0.59	1.97
EMNW-3800W/600S		0.81	4.6	2.36	14.55	0.11	3.9	0.020	1.26	15.0	6.0	0.32	240	0.44	2.04
EMNW-3800W/650S		0.76	3.5	1.42	14.05	0.11	5.6	0.015	1.38	18.5	4.7	0.33	279	0.31	2.27
EMNW-3800W/700S		0.79	6.4	1.76	13.80	0.15	4.6	0.014	1.48	27.3	5.5	0.38	301	0.29	2.52
EMNW-3800W/750S		0.69	2.3	0.86	14.45	0.09	5.4	0.012	1.55	13.4	5.0	0.24	189	0.33	2.03
EMNW-3800W/800S		0.95	2.4	0.85	15.80	0.10	5.9	0.011	1.62	14.5	3.8	0.24	188	0.28	2.10
EMNW-3800W/850S		0.80	4.4	2.21	14.45	0.12	4.1	0.022	1.31	13.7	5.9	0.33	299	0.83	2.26
EMNW-3800W/900S		1.21	4.1	2.01	17.95	0.11	6.4	0.014	1.42	16.3	8.1	0.30	205	0.46	1.83
EMNW-3800W/950S		0.79	9.1	1.76	15.00	0.14	3.8	0.017	1.32	18.9	7.3	0.36	248	0.38	2.53
EMNW-3800W/1000S		0.90	3.3	1.21	15.90	0.11	6.1	0.010	1.55	12.8	4.0	0.24	192	1.16	2.08
EMNW-3800W/1050S		0.90	2.1	0.96	15.40	0.10	6.5	0.012	1.64	17.5	4.7	0.35	256	1.18	2.55
EMNW-3800W/1100S		0.84	3.0	1.20	14.90	0.12	5.7	0.014	1.51	18.4	4.3	0.30	241	0.36	2.24
EMNW-3800W/1150S		0.71	2.3	0.98	15.35	0.11	4.9	0.015	1.50	14.2	3.5	0.22	193	0.30	2.03
EMNW-3800W/1200S		0.64	2.5	1.17	12.10	0.12	4.3	0.011	1.42	18.9	3.7	0.28	229	0.24	2.26
EMNW-3800W/1250S		0.66	2.3	1.23	14.05	0.12	4.2	0.013	1.53	17.2	3.8	0.27	225	0.29	2.29
EMNW-3300W/0		0.86	3.0	1.45	15.45	0.11	6.0	0.017	1.48	18.6	4.3	0.31	268	0.42	2.12
EMNW-3300W/50N		1.03	5.6	1.53	12.00	0.12	5.3	0.013	1.38	16.6	4.2	0.42	320	1.45	2.08
EMNW-3300W/100N		0.95	8.7	0.89	9.35	0.10	3.4	0.006	1.19	14.3	2.7	0.16	146	1.25	1.63
EMNW-3300W/150N		1.65	5.9	1.41	13.00	0.12	5.2	0.015	1.38	23.0	9.4	0.48	279	1.80	1.91
EMNW-3300W/200N		0.76	3.7	1.48	13.20	0.14	5.0	0.014	1.53	16.1	4.7	0.37	285	0.29	2.34
EMNW-3300W/250N		0.72	2.5	1.03	13.35	0.11	5.3	0.012	1.54	14.5	3.7	0.25	226	0.29	2.07
EMNW-3300W/300N		0.72	4.1	1.40	12.55	0.12	4.0	0.013	1.39	17.5	4.5	0.32	254	0.33	2.26
EMNW-3300W/350N		0.70	4.4	1.75	13.20	0.16	5.3	0.011	1.46	19.1	4.7	0.36	285	0.38	2.35
EMNW-3300W/400N		0.80	2.7	1.20	14.25	0.11	5.2	0.013	1.42	14.1	3.9	0.25	214	0.31	2.02
EMNW-3300W/450N		0.88	2.1	0.82	15.85	0.13	7.6	0.006	1.49	24.3	3.4	0.17	154	0.80	1.83
EMNW-3300W/500N		1.12	3.2	1.71	15.40	0.11	7.1	0.011	1.51	21.6	4.3	0.28	229	0.56	1.88
EMNW-3800W/0		0.79	2.6	3.21	19.95	0.12	4.8	0.023	1.28	15.3	4.7	0.34	246	0.79	1.92
EMNW-3800W/50S		1.15	4.9	2.05	17.45	0.13	4.7	0.013	1.42	20.5	6.2	0.36	252	1.11	2.08
EMNW-3800W/100S		1.35	24.9	2.78	15.90	0.13	3.9	0.030	1.43	25.8	11.2	0.50	291	3.85	2.47
EMNW-3800W/150S		1.65	5.3	2.16	20.2	0.09	6.2	0.028	1.31	15.4	9.2	0.72	377	2.67	2.29
EMNW-3800W/200S		0.93	15.6	2.29	15.20	0.16	6.6	0.026	1.40	45.6	11.1	0.50	466	0.94	2.51
EMNW-3800W/250S		0.64	7.1	1.66	13.45	0.13	5.9	0.022	1.54	26.4	5.3	0.37	296	0.28	2.51
EMNW-3800W/300S		0.72	5.8	1.71	13.50	0.11	5.2	0.023	1.44	20.0	5.6	0.38	291	0.26	2.39
EMNW-3800W/350S		0.76	4.3	2.30	16.70	0.10	5.7	0.028	1.27	16.7	4.5	0.28	234	0.65	1.88
EMNW-3800W/400S		0.72	7.2	2.48	18.20	0.11	4.5	0.030	1.29	17.1	4.7	0.30	233	0.56	1.95

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn %	Sr ppm	Te ppm	Te ppm	Th ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.005
EMNW-3900W/0		8.2	380	15.6	52.4	<0.002	<0.01	0.05	6.8	2	0.7	352	0.32	<0.05	0.159
EMNW-3900W/50S		8.8	390	14.7	49.3	<0.002	0.01	0.06	6.7	2	0.7	333	0.33	<0.05	0.168
EMNW-3900W/100S		10.5	610	16.0	46.2	<0.002	0.03	0.09	7.6	2	0.8	299	0.38	<0.05	0.190
EMNW-3900W/150S		6.4	430	16.4	43.6	<0.002	0.01	0.06	5.6	2	1.1	277	0.47	<0.05	0.259
EMNW-3900W/200S		7.8	500	15.4	43.1	<0.002	0.04	0.06	6.6	2	0.8	285	0.45	<0.05	0.211
EMNW-3900W/250S		8.1	650	16.4	42.3	<0.002	0.03 ⁴	0.06	7.1	2	0.9	285	0.38	<0.05	0.223
EMNW-3900W/300S		8.9	620	15.7	43.2	<0.002	0.05	0.10	6.5	2	0.7	288	0.35	<0.05	0.179
EMNW-3800W/600S		7.4	390	13.9	47.3	<0.002	0.01	0.05	6.8	2	0.7	318	0.33	<0.05	0.186
EMNW-3800W/650S		9.7	470	14.3	50.0	<0.002	<0.01	0.08	7.1	2	0.7	350	0.32	<0.05	0.179
EMNW-3800W/700S		7.0	250	18.1	55.1	<0.002	0.02	<0.05	4.6	2	0.9	296	0.39	<0.05	0.198
EMNW-3800W/750S		6.5	270	18.1	56.9	<0.002	0.01	<0.05	4.9	2	0.9	306	0.35	<0.05	0.207
EMNW-3800W/800S		8.9	520	14.7	45.9	<0.002	0.04	0.06	7.7	2	0.7	309	0.35	<0.05	0.185
EMNW-3800W/50N		8.4	330	17.5	49.2	<0.002	0.01	0.08	5.2	2	1.0	279	0.38	<0.05	0.244
EMNW-3800W/100N		10.5	270	12.5	42.9	<0.002	0.01	0.06	7.0	2	0.8	355	0.34	<0.05	0.200
EMNW-3800W/150N		6.2	140	17.8	53.2	<0.002	0.01	0.08	4.9	2	0.9	309	0.34	<0.05	0.223
EMNW-3800W/200N		8.2	140	17.0	56.7	<0.002	<0.01	0.08	6.2	2	0.9	367	0.36	<0.05	0.206
EMNW-3800W/250N		7.8	400	15.9	53.6	<0.002	0.01	0.05	6.1	2	0.8	323	0.35	<0.05	0.186
EMNW-3800W/300N		5.5	340	16.8	52.6	<0.002	0.02	0.06	4.9	2	0.8	291	0.37	<0.05	0.203
EMNW-3800W/350N		6.1	360	13.9	46.1	<0.002	0.01	<0.05	5.3	2	0.6	321	0.24	<0.05	0.149
EMNW-3800W/400N		6.7	420	15.0	51.7	<0.002	0.01	0.05	5.8	2	0.7	323	0.31	<0.05	0.165
EMNW-3300W/0		8.1	380	16.2	54.4	<0.002	0.02 ⁴	0.05	6.7	2	0.8	310	0.36	0.05	0.202
EMNW-3300W/50N		10.4	530	13.1	50.4	<0.002	0.05	0.06	7.9	2	0.8	295	0.37	<0.05	0.209
EMNW-3300W/100N		5.3	840	11.6	43.9	<0.002	0.08	<0.05	5.2	2	0.6	241	0.28	<0.05	0.117
EMNW-3300W/150N		12.8	660	14.3	54.0	<0.002	0.06	0.06	7.5	2	1.0	283	0.39	<0.05	0.203
EMNW-3300W/200N		8.7	440	14.8	53.4	<0.002	0.01	<0.05	6.8	2	0.7	332	0.33	<0.05	0.167
EMNW-3300W/250N		6.1	310	15.9	54.2	<0.002	0.01	<0.05	5.3	2	0.7	294	0.32	<0.05	0.178
EMNW-3300W/300N		8.3	470	13.4	49.7	<0.002	0.02	<0.05	6.6	2	0.6	314	0.27	<0.05	0.142
EMNW-3300W/350N		8.7	480	14.4	51.5	<0.002	0.01	0.05	7.2	2	0.7	326	0.30	<0.05	0.159
EMNW-3300W/400N		6.6	300	16.2	49.8	<0.002	0.02	<0.05	5.5	2	0.8	293	0.33	<0.05	0.190
EMNW-3300W/50S		5.5	190	19.2	50.2	<0.002	0.02	0.05	3.5	2	1.2	269	0.42	<0.05	0.281
EMNW-3300W/100S		7.6	250	16.8	53.2	<0.002	0.01	0.08	5.3	2	1.1	285	0.42	<0.05	0.271
EMNW-3800W/0		8.6	460	15.4	44.0	<0.002	0.02	0.12	6.4	2	0.9	285	0.50	<0.05	0.232
EMNW-3800W/50S		9.9	240	18.2	50.9	<0.002	0.01	0.11	6.2	2	1.0	301	0.42	<0.05	0.245
EMNW-3800W/100S		17.4	340	17.3	53.5	<0.002	0.01	0.17	8.0	2	0.9	348	0.36	<0.05	0.211
EMNW-3800W/150S		21.5	140	18.5	52.5	<0.002	0.01	0.19	10.0	2	1.5	324	0.50	0.05	0.397
EMNW-3800W/200S		16.6	530	16.8	52.5	<0.002	0.01	0.09	9.9	2	1.0	357	0.51	<0.05	0.281
EMNW-3800W/250S		10.5	390	15.4	57.1	<0.002	<0.01	0.06	7.0	2	0.7	352	0.31	<0.05	0.162
EMNW-3800W/300S		10.3	330	14.6	52.9	<0.002	0.01	0.08	7.2	2	0.7	328	0.30	<0.05	0.168
EMNW-3800W/350S		7.9	630	17.5	46.3	<0.002	0.03	0.09	6.4	2	0.9	268	0.40	<0.05	0.201
EMNW-3800W/400S		8.1	680	16.9	46.7	<0.002	0.03	0.09	6.3	2	1.0	274	0.45	<0.05	0.237

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Ti ppm 0.02	U ppm 0.1	V ppm 1	W ppm 0.1	Y ppm 0.1	Zn ppm 2	Zr ppm 0.5	B ppm 10
EMNW-3900W/0		0.27	1.2	32	0.3	12.2	16	178.5	<10
EMNW-3900W/50S		0.22	0.9	30	0.3	9.8	17	132.5	<10
EMNW-3900W/100S		0.21	1.2	37	0.5	10.1	19	177.5	<10
EMNW-3900W/150S		0.19	0.9	48	0.6	6.9	14	196.5	<10
EMNW-3900W/200S		0.19	0.9	43	0.4	7.5	15	157.5	<10
EMNW-3900W/250S		0.18	1.2	47	0.4	8.6	17	175.0	<10
EMNW-3900W/300S		0.20	0.8	38	0.4	8.3	18	131.0	<10
EMNW-3800W/600S		0.20	1.0	28	0.3	10.2	15	187.5	<10
EMNW-3800W/650S		0.23	0.9	33	0.3	12.9	18	149.0	<10
EMNW-3800W/700S		0.23	0.9	21	0.3	5.3	13	178.0	<10
EMNW-3800W/750S		0.26	1.0	24	0.3	5.6	11	193.0	10
EMNW-3800W/800S		0.19	0.9	36	0.4	9.8	17	134.0	10
EMNW-3800W/50N		0.23	1.1	46	0.4	6.2	15	217	10
EMNW-3800W/100N		0.21	0.9	34	0.3	11.7	20	128.5	10
EMNW-3800W/150N		0.25	0.9	36	0.5	5.4	11	204	10
EMNW-3800W/200N		0.27	1.0	23	0.4	7.8	16	213	20
EMNW-3800W/250N		0.25	1.0	25	0.3	9.3	14	186.5	20
EMNW-3800W/300N		0.22	0.9	23	0.4	6.3	11	161.0	20
EMNW-3800W/350N		0.20	1.1	22	0.2	8.8	13	146.0	20
EMNW-3800W/400N		0.24	0.8	23	0.2	9.3	13	140.0	20
EMNW-3300W/0		0.24	1.1	30	0.4	9.2	14	197.5	20
EMNW-3300W/50N		0.22	1.2	31	0.4	8.1	17	172.5	20
EMNW-3300W/100N		0.20	1.4	13	0.4	6.4	9	116.0	30
EMNW-3300W/150N		0.26	1.6	30	0.6	8.3	22	173.0	30
EMNW-3300W/200N		0.24	1.0	27	0.3	10.3	17	162.5	30
EMNW-3300W/250N		0.25	0.9	22	0.4	7.4	11	171.5	30
EMNW-3300W/300N		0.21	0.9	28	0.3	11.1	15	134.5	30
EMNW-3300W/350N		0.23	1.1	32	0.4	12.4	15	172.5	30
EMNW-3300W/400N		0.23	0.9	29	0.4	7.1	11	174.0	40
EMNW-3300W/50S		0.25	1.3	31	0.4	5.7	9	254	40
EMNW-3300W/100S		0.25	1.2	44	0.4	7.2	13	237	40
EMNW-3800W/0		0.20	0.9	60	0.6	7.4	16	157.5	40
EMNW-3800W/50S		0.24	1.1	49	0.7	7.1	18	151.5	40
EMNW-3800W/100S		0.31	1.4	56	3.5	11.6	34	127.0	40
EMNW-3800W/150S		0.25	1.1	70	1.5	7.7	29	198.5	30
EMNW-3800W/200S		0.25	2.0	43	2.1	20.8	30	200	30
EMNW-3800W/250S		0.26	1.3	32	0.5	14.3	17	184.5	30
EMNW-3800W/300S		0.23	1.0	30	0.4	9.5	19	164.5	40
EMNW-3800W/350S		0.22	1.2	44	0.5	8.1	18	178.5	40
EMNW-3800W/400S		0.21	0.9	49	0.5	8.3	16	142.0	40

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - A

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 1-OCT-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMNW-3800W/450S		0.28	14	<5	1	0.04	6.78	2.1	390	1.25	0.04	1.20	0.09	33.6	3.2	37
EMNW-3800W/500S		0.32	1	<5	<1	0.03	5.45	1.1	440	1.10	0.17	1.13	0.06	27.5	2.4	25
EMNW-4000W/700S		0.32	4	<5	1	0.04	5.37	0.5	530	0.97	0.07	1.12	0.06	26.5	2.2	23
EMNW-4000W/800S		0.54	1	<5	1	0.05	6.13	0.7	530	1.44	0.04	1.57	0.11	59.6	4.0	30
EMNW-4000W/50N		0.52	2	<5	1	0.05	6.34	2.0	440	1.28	0.09	1.24	0.07	37.3	3.5	39
EMNW-4000W/100N		0.44	3	<5	<1	0.09	6.18	3.8	480	1.08	0.20	1.57	0.08	43.5	5.5	50
EMNW-4000W/150N		0.54	1	<5	<1	0.05	6.25	0.5	500	1.12	0.05	1.41	0.07	37.2	3.2	25
EMNW-4000W/200N		0.48	1	<5	1	0.06	6.32	0.7	490	1.28	0.04	1.62	0.07	43.8	4.0	30
EMNW-4000W/250N		0.30	5	<5	1	0.05	5.77	0.9	510	1.45	0.08	1.37	0.09	39.8	4.4	51
EMNW-4000W/300N		0.38	1	<5	1	0.04	5.54	0.4	540	1.33	0.06	1.31	0.08	41.4	2.9	27
EMNW-4000W/350N		0.48	1	<5	<1	0.06	6.31	1.8	480	1.47	0.03	1.33	0.07	44.9	3.2	36
EMNW-4000W/400N		0.36	1	<5	1	0.06	6.59	1.7	410	1.30	0.05	1.14	0.08	39.2	2.6	39
EMNW-3700W/350S		0.36	7	<5	1	0.05	6.20	0.5	470	1.37	0.02	1.47	0.05	46.9	3.3	32
EMNW-3700W/500S		0.40	1	<5	1	0.03	6.06	0.7	460	1.67	0.01	1.44	0.04	30.6	2.9	25
EMNW-3700W/650S		0.34	6	<5	<1	0.03	6.00	1.0	470	1.33	0.02	1.47	0.05	49.1	3.4	31
EMNW-3700W/750S		0.26	1	<5	1	0.03	5.42	0.3	550	1.08	0.04	1.08	0.04	34.4	1.6	21
EMNW-3700W/100N		0.46	3	<5	1	0.02	5.75	1.0	540	1.43	0.13	1.46	0.06	41.3	4.1	42
EMNW-3700W/150N		0.40	2	<5	1	0.03	5.46	2.0	570	1.17	0.12	1.38	0.05	47.6	3.5	41
EMNW-3700W/200N		0.34	3	<5	1	0.03	5.63	3.0	520	1.15	0.06	1.41	0.05	40.5	3.4	40
EMNW-3700W/250N		0.36	2	<5	<1	0.04	5.50	1.6	500	1.09	0.09	1.14	0.08	46.7	2.5	29
EMNW-3700W/300N		0.34	1	<5	1	0.03	5.28	0.6	520	1.20	0.05	1.11	0.06	37.1	2.5	23
EMNW-3700W/400N		0.36	1	<5	1	0.03	5.65	0.2	480	1.18	0.04	1.18	0.05	33.1	2.5	28
EMNW-35W/50S		0.36	1	<5	<1	0.02	5.08	0.9	540	1.03	0.12	1.14	0.06	32.9	2.6	29
EMNW-3500W/250S		0.44	2	<5	<1	0.04	5.24	0.9	520	1.02	0.08	1.15	0.05	28.2	2.5	27
EMNW-3500W/350S		0.40	1	<5	<1	0.04	6.20	4.1	450	1.28	0.05	1.33	0.06	47.0	4.0	41
EMNW-3800W/550S		0.32	1	<5	1	0.03	6.24	0.9	450	1.25	0.03	1.42	0.06	36.0	3.4	31
EMNW-4000W/750S		0.50	1	<5	1	0.02	5.78	0.2	510	1.30	0.03	1.52	0.08	46.7	3.1	24

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMNW-3800W/450S		0.68	4.2	2.49	16.50	0.10	4.6	0.031	1.18	15.5	4.5	0.30	244	0.49	1.92	5.7
EMNW-3800W/500S		0.73	3.3	1.63	16.45	0.09	5.9	0.019	1.28	14.4	4.5	0.24	211	0.38	1.89	5.6
EMNW-4000W/700S		0.85	2.1	1.36	18.80	0.09	6.0	0.019	1.51	13.5	3.5	0.24	177	0.60	1.96	5.9
EMNW-4000W/800S		0.77	4.0	1.45	14.35	0.12	5.0	0.022	1.63	29.5	7.3	0.39	306	0.36	2.56	4.8
EMNW-4000W/50N		0.83	4.1	2.50	17.45	0.10	5.0	0.028	1.30	17.7	5.5	0.35	263	0.50	1.98	6.6
EMNW-4000W/100N		1.23	5.0	3.34	26.8	0.13	7.2	0.030	1.36	22.4	7.4	0.55	360	0.92	2.14	9.0
EMNW-4000W/150N		0.83	3.2	1.56	16.05	0.11	4.0	0.022	1.40	16.7	4.9	0.29	232	0.45	2.44	5.4
EMNW-4000W/200N		0.83	6.0	1.73	15.30	0.11	3.8	0.025	1.35	19.7	6.0	0.35	250	0.58	2.57	5.4
EMNW-4000W/250N		1.47	16.7	1.31	14.80	0.11	5.7	0.026	1.45	20.6	13.5	0.47	251	1.46	2.19	5.9
EMNW-4000W/300N		0.94	5.6	1.13	14.20	0.11	6.1	0.019	1.65	20.5	4.7	0.32	250	1.54	2.25	5.3
EMNW-4000W/350N		0.67	5.7	1.76	14.35	0.13	4.8	0.025	1.53	21.2	5.0	0.32	259	1.38	2.25	4.9
EMNW-4000W/400N		0.73	6.1	2.44	15.10	0.13	4.0	0.028	1.27	19.9	4.8	0.29	201	0.77	1.90	5.0
EMNW-3700W/350S		0.60	3.8	1.56	12.45	0.11	5.3	0.020	1.43	22.6	4.5	0.34	266	0.31	2.34	4.5
EMNW-3700W/500S		0.66	3.8	1.18	12.40	0.10	3.8	0.017	1.43	14.4	4.7	0.30	239	0.33	2.38	4.3
EMNW-3700W/650S		0.70	5.1	1.67	13.50	0.12	4.9	0.021	1.47	23.3	4.7	0.33	254	0.31	2.32	4.8
EMNW-3700W/750S		0.82	1.8	0.65	14.70	0.09	7.1	0.018	1.59	18.0	3.2	0.19	168	0.31	2.04	5.4
EMNW-3700W/100N		1.03	6.1	1.26	14.95	0.12	6.0	0.032	1.63	20.0	7.0	0.43	272	1.24	2.39	5.4
EMNW-3700W/150N		1.54	3.0	1.37	16.55	0.12	7.6	0.021	1.64	25.1	5.8	0.37	240	3.41	2.16	6.5
EMNW-3700W/200N		0.85	3.0	2.02	17.85	0.13	6.6	0.022	1.51	20.3	4.5	0.39	253	2.73	2.24	7.0
EMNW-3700W/250N		1.12	2.8	1.47	17.65	0.11	6.7	0.024	1.43	25.1	4.7	0.26	209	0.66	1.87	6.4
EMNW-3700W/300N		0.73	2.4	1.23	14.55	0.10	7.3	0.019	1.52	17.4	4.3	0.22	191	0.30	2.02	5.7
EMNW-3700W/400N		0.78	4.0	0.95	14.30	0.10	5.1	0.020	1.46	16.7	3.9	0.26	204	0.30	2.02	4.8
EMNW-350W/50S		1.26	3.6	1.02	15.20	0.11	7.7	0.017	1.54	17.7	4.9	0.28	193	1.22	1.91	6.0
EMNW-3500W/250S		0.99	2.2	1.81	18.05	0.10	6.9	0.021	1.50	14.7	4.2	0.25	196	0.95	1.96	6.9
EMNW-3500W/350S		0.86	7.1	2.24	15.25	0.12	5.6	0.027	1.30	23.6	5.9	0.39	272	0.56	2.08	5.9
EMNW-3800W/550S		0.75	4.2	1.77	14.05	0.11	4.3	0.020	1.36	16.2	5.3	0.33	259	0.36	2.27	4.7
EMNW-4000W/750S		0.70	12.6	0.96	13.55	0.12	5.6	0.017	1.52	23.8	5.1	0.33	256	1.21	2.47	4.4

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09097670

Method Analyte Units LOR	ME-MS61 Ni ppm	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %
Sample Description	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMNW-3800W/450S	8.2	570	14.9	43.9	<0.002	0.05	0.07	7.0	2	0.7	263	0.36	<0.05	5.7	0.202
EMNW-3800W/500S	6.2	240	16.5	46.0	<0.002	0.01	0.11	5.1	2	0.9	267	0.41	<0.05	4.5	0.233
EMNW-4000W/700S	6.4	180	19.5	55.9	<0.002	0.01	0.05	4.7	2	1.1	288	0.35	<0.05	4.3	0.232
EMNW-4000W/800S	10.7	420	16.3	59.9	<0.002	0.01	0.06	6.8	2	0.7	364	0.31	<0.05	10.0	0.163
EMNW-4000W/50N	9.8	620	17.0	47.1	<0.002	0.03	0.10	6.8	2	0.9	285	0.48	<0.05	5.4	0.227
EMNW-4000W/100N	14.7	580	16.9	52.0	<0.002	0.01	0.25	8.5	2	1.7	302	0.59	<0.05	7.2	0.483
EMNW-4000W/150N	7.9	280	14.1	49.2	<0.002	0.01	0.06	6.1	2	0.8	337	0.37	0.06	4.5	0.213
EMNW-4000W/200N	10.3	530	12.4	46.3	<0.002	0.01	0.07	6.9	2	0.7	352	0.35	<0.05	4.3	0.198
EMNW-4000W/250N	14.4	450	16.9	55.9	<0.002	0.02	0.06	7.4	2	0.8	324	0.52	<0.05	5.5	0.208
EMNW-4000W/300N	6.0	240	17.7	61.7	<0.002	0.01	0.07	5.9	2	0.8	326	0.35	<0.05	6.7	0.186
EMNW-4000W/350N	8.4	320	15.6	56.3	<0.002	0.01	0.07	7.0	2	0.7	317	0.31	<0.05	9.4	0.154
EMNW-4000W/400N	6.8	400	17.3	49.2	<0.002	0.02	0.08	6.2	2	0.7	268	0.36	<0.05	7.3	0.156
EMNW-3700W/350S	8.1	450	13.6	49.4	<0.002	0.01	0.06	6.6	2	0.6	324	0.29	<0.05	7.0	0.153
EMNW-3700W/500S	7.3	400	13.3	52.4	<0.002	0.01	<0.05	5.8	2	0.6	325	0.27	<0.05	3.5	0.130
EMNW-3700W/650S	8.8	450	15.0	55.8	<0.002	0.01	0.06	6.6	2	0.7	324	0.30	<0.05	6.2	0.154
EMNW-3700W/750S	5.4	270	17.1	58.1	<0.002	0.02	0.06	4.1	2	0.9	296	0.37	<0.05	6.4	0.207
EMNW-3700W/100N	12.6	290	16.4	61.8	<0.002	0.01	0.05	6.9	2	0.8	343	0.35	<0.05	6.0	0.202
EMNW-3700W/150N	9.7	250	18.5	63.9	<0.002	0.01	0.09	6.0	2	1.2	321	0.45	<0.05	8.3	0.281
EMNW-3700W/200N	9.1	260	16.1	55.1	<0.002	0.01	0.09	7.0	2	1.0	329	0.52	<0.05	6.7	0.250
EMNW-3700W/250N	6.9	340	17.4	53.1	<0.002	0.02	0.09	5.5	2	1.2	281	0.41	<0.05	7.6	0.271
EMNW-3700W/300N	6.5	320	16.5	53.8	<0.002	0.01	0.05	4.8	1	0.9	286	0.37	<0.05	5.7	0.212
EMNW-3700W/400N	6.9	320	15.8	56.1	<0.002	0.02	<0.05	5.5	2	0.7	283	0.31	<0.05	4.9	0.173
EMNW-35W/50S	8.0	130	17.3	60.4	<0.002	0.01	0.05	4.6	2	1.3	288	0.40	<0.05	5.3	0.256
EMNW-3500W/250S	6.8	240	17.3	53.8	<0.002	0.01	0.10	4.6	2	1.1	285	0.46	<0.05	4.8	0.261
EMNW-3500W/350S	10.1	540	14.1	49.1	<0.002	0.03	0.08	7.5	2	0.8	298	0.37	<0.05	6.4	0.212
EMNW-3800W/550S	8.4	350	13.3	50.4	<0.002	0.01	0.06	6.6	2	0.7	311	0.29	<0.05	4.8	0.166
EMNW-4000W/750S	8.3	400	14.2	53.0	<0.002	0.02	0.05	5.9	2	0.6	348	0.29	<0.05	5.7	0.165

Comments: B results from ME-MS61 are semi-quantitative



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMNW-3800W/450S		0.20	1.0	42	0.4	8.8	15	144.5	50
EMNW-3800W/500S		0.21	1.2	39	0.4	5.9	13	183.5	50
EMNW-4000W/700S		0.26	0.9	42	0.4	5.3	11	189.5	70
EMNW-4000W/800S		0.27	1.2	28	0.3	11.6	22	157.5	60
EMNW-4000W/50N		0.21	1.0	51	0.5	8.9	22	158.0	60
EMNW-4000W/100N		0.26	1.4	99	1.2	8.7	27	231	70
EMNW-4000W/150N		0.23	0.9	34	0.3	8.9	16	128.5	80
EMNW-4000W/200N		0.22	0.9	34	0.3	11.6	21	122.5	70
EMNW-4000W/250N		0.25	1.6	30	0.7	9.0	22	179.0	90
EMNW-4000W/300N		0.29	1.2	25	0.5	7.8	14	193.0	90
EMNW-4000W/350N		0.25	1.2	32	0.5	10.8	16	150.0	100
EMNW-4000W/400N		0.22	1.3	40	0.4	8.5	13	123.0	100
EMNW-3700W/350S		0.23	1.0	30	0.3	10.3	16	169.0	80
EMNW-3700W/500S		0.22	0.8	22	0.2	9.4	14	125.5	100
EMNW-3700W/650S		0.26	1.1	30	0.3	12.0	17	156.0	90
EMNW-3700W/750S		0.25	1.2	22	0.5	5.5	9	223	100
EMNW-3700W/100N		0.28	1.1	31	0.7	9.0	22	187.5	90
EMNW-3700W/150N		0.29	1.4	43	1.1	7.1	17	244	90
EMNW-3700W/200N		0.24	1.2	54	0.8	8.4	20	215	80
EMNW-3700W/250N		0.25	1.4	44	0.4	6.8	14	218	90
EMNW-3700W/300N		0.26	1.1	28	0.5	7.1	12	236	90
EMNW-3700W/400N		0.24	1.1	22	0.3	7.0	12	157.5	90
EMNW-35W/50S		0.29	1.2	38	0.7	5.8	12	237	100
EMNW-3500W/250S		0.25	1.0	52	0.5	5.6	13	221	90
EMNW-3500W/350S		0.23	1.3	42	0.4	11.0	19	171.5	90
EMNW-3800W/550S		0.22	0.9	35	0.3	9.0	16	135.5	100
EMNW-4000W/750S		0.23	1.3	21	0.3	10.6	16	175.5	120

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09097670

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 1

Finalized Date: 12-SEP-2009

Account: MVR

CERTIFICATE SD09090060

Project: EASTMAIN MINE

P.O. No.:

This report is for 81 Soil samples submitted to our lab in Sudbury, ON, Canada on 25-AUG-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
DRY-22	Drying - Maximum Temp 60C

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMS-2900E/1750S		0.42	2	<5	<1	0.02	6.44	5.3	580	1.50	0.10	1.94	0.06	57.8	6.8	36
EMS-2900E/1800S		0.20	6	<5	<1	0.01	6.44	2.1	570	1.48	0.07	1.82	0.05	60.3	4.6	28
EMS-2900E/1850S		0.42	1	<5	<1	0.01	6.38	2.9	560	1.51	0.13	1.78	0.05	51.4	4.1	25
EMS-2900E/1900S		0.36	1	<5	<1	0.02	6.46	2.3	520	1.55	0.06	1.59	0.08	43.1	4.6	31
EMS-2900E/1950S		0.28	1	<5	<1	0.01	5.88	1.2	580	1.24	0.09	1.39	0.05	23.2	2.8	20
EMS-2900E/2000S		0.34	3	<5	<1	0.03	6.55	1.9	530	1.70	0.06	1.54	0.09	43.9	5.7	41
EMS-2000E/1750S		0.44	6	<5	<1	<0.01	6.23	1.1	520	1.43	0.06	1.53	0.05	41.4	3.2	29
EMS-2000E/1800S		0.36	3	<5	<1	<0.01	6.02	0.9	560	1.40	0.07	1.57	0.04	40.0	3.3	28
EMS-2000E/1850S		0.28	2	<5	<1	<0.01	6.17	1.2	550	1.37	0.05	1.49	0.05	32.3	3.0	27
EMS-2000E/1950S		0.28	1	<5	<1	<0.01	6.32	1.1	520	1.67	0.04	1.78	0.05	45.9	3.9	28
EMS-2000E/2000S		0.32	1	<5	<1	0.02	6.43	0.9	540	1.49	0.05	1.91	0.07	54.6	4.5	28
EMS-2100E/1300S		0.44	1	<5	<1	<0.01	6.14	1.0	520	1.44	0.08	1.36	0.04	26.4	2.3	27
EMS-2100E/1350S		0.52	<1	<5	<1	0.01	6.70	1.7	500	1.55	0.06	1.63	0.07	46.1	3.8	28
EMS-2100E/1400S		0.50	1	<5	<1	0.01	6.51	2.0	490	1.51	0.06	1.52	0.08	54.2	3.9	33
EMS-2100E/1450S		0.58	1	<5	<1	<0.01	6.22	0.8	510	1.43	0.03	1.54	0.05	31.4	3.2	21
EMS-2100E/1500S		0.32	1	<5	<1	0.01	6.19	7.4	470	1.56	0.05	1.70	0.07	66.3	6.5	34
EMS-2100E/1550S		0.46	9	<5	<1	0.02	6.63	1.5	470	1.45	0.07	1.62	0.08	45.9	4.2	32
EMS-2100E/1600S		0.58	1	<5	<1	<0.01	5.92	1.2	520	1.36	0.04	1.43	0.05	27.5	3.4	32
EMS-2100E/1650S		0.46	1	<5	<1	<0.01	6.27	1.2	510	1.52	0.05	1.69	0.05	46.1	3.8	30
EMS-2100E/1700S		0.54	1	<5	<1	0.01	6.36	1.0	520	1.60	0.06	1.72	0.06	58.6	4.0	32
EMS-2100E/1750S		0.52	1	<5	<1	0.01	6.34	1.4	470	1.55	0.04	1.45	0.09	28.9	3.3	23
EMS-2200E/1300S		0.58	1	<5	<1	<0.01	6.05	1.2	500	1.57	0.04	1.63	0.06	45.4	4.0	26
EMS-2200E/1450S		0.42	1	<5	<1	<0.01	6.49	1.2	460	1.40	0.05	1.44	0.06	29.2	3.2	26
EMS-2200E/1500S		0.56	<1	<5	<1	0.07	6.57	1.0	500	1.66	0.08	1.38	0.05	37.6	3.5	27
EMS-2200E/1600S		0.34	1	<5	<1	0.05	6.76	1.3	500	1.49	0.08	1.53	0.08	43.3	3.9	30
EMS-2200E/1650S		0.44	1	<5	<1	0.05	6.45	0.7	480	1.29	0.07	1.55	0.07	38.5	3.7	35
EMS-2200E/1900S		0.54	2	<5	<1	0.01	5.16	<0.2	560	1.40	0.09	1.06	0.03	23.7	1.1	13
EMS-2200E/1950S		0.28	1	<5	<1	0.05	6.05	0.8	470	1.17	0.12	1.40	0.07	36.6	3.4	27
EMS-2300E/1500S	Not Recvd															
EMS-2300E/1550S		0.46	1	<5	<1	0.04	6.53	1.2	470	1.48	0.08	1.46	0.06	46.0	3.5	28
EMS-2300E/1600S		0.48	1	<5	<1	0.03	6.28	1.0	490	1.38	0.07	1.34	0.06	32.6	3.5	28
EMS-2300E/1650S		0.46	4	<5	<1	0.03	6.68	1.2	490	1.55	0.08	1.47	0.08	40.4	4.2	33
EMS-2300E/1700S		0.38	<1	<5	<1	0.03	6.42	1.1	480	1.35	0.08	1.55	0.09	53.0	4.0	31
EMS-2300E/1750S		0.52	2	<5	1	0.02	6.29	0.9	490	1.61	0.09	1.54	0.05	41.1	3.7	31
EMS-2300E/1800S		0.60	3	<5	<1	0.01	6.18	1.1	520	1.44	0.08	1.62	0.06	51.2	4.1	23
EMS-2300E/1850S		0.56	1	<5	<1	0.03	6.06	0.4	510	1.36	0.09	1.50	0.07	64.0	3.2	26
EMS-2300E/1900S		0.46	1	<5	<1	0.02	6.28	0.9	470	1.38	0.08	1.33	0.06	49.9	3.1	29
EMS-1500E/1950S		0.52	1	<5	<1	0.03	6.44	0.7	550	1.37	0.08	1.85	0.06	55.4	5.0	30
EMS-1500E/2000S		0.34	2	<5	<1	0.04	5.82	<0.2	520	1.26	0.08	1.41	0.05	35.0	2.9	26
EMS-1900E/1600S		0.46	1	<5	<1	<0.01	6.29	0.3	520	1.42	0.07	1.72	0.06	59.1	3.8	25

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMS-2900E/1750S		0.90	8.8	1.53	16.25	0.19	6.3	0.022	1.59	26.3	9.1	0.53	326	1.11	2.82	6.7
EMS-2900E/1800S		0.72	5.1	1.17	15.95	0.21	7.1	0.020	1.59	26.8	6.8	0.42	323	0.56	2.80	6.6
EMS-2900E/1850S		0.74	6.1	1.22	15.55	0.21	5.9	0.026	1.56	22.5	7.5	0.40	279	0.31	2.74	5.8
EMS-2900E/1900S		0.77	4.1	1.68	14.85	0.17	5.6	0.022	1.55	17.8	7.5	0.42	285	0.28	2.55	6.0
EMS-2900E/1950S		0.86	2.6	1.21	17.15	0.16	3.7	0.016	1.54	11.1	4.6	0.28	223	0.24	2.38	5.0
EMS-2900E/2000S		0.75	5.9	2.16	15.80	0.17	6.1	0.024	1.48	16.8	9.1	0.46	278	0.27	2.48	6.2
EMS-2000E/1750S		0.71	2.2	1.58	15.50	0.17	6.9	0.020	1.52	18.9	5.2	0.33	270	0.38	2.49	6.0
EMS-2000E/1800S		0.72	2.1	1.38	16.25	0.18	7.8	0.020	1.61	20.1	4.4	0.34	290	0.31	2.53	6.5
EMS-2000E/1850S		0.68	3.9	1.26	15.45	0.18	7.3	0.020	1.58	16.3	4.0	0.31	259	0.26	2.45	5.3
EMS-2000E/1950S		0.67	5.2	1.30	15.65	0.18	5.4	0.020	1.53	20.2	6.4	0.39	308	0.57	2.78	5.5
EMS-2000E/2000S		1.09	6.0	1.41	15.80	0.22	6.9	0.020	1.55	24.3	8.8	0.42	328	0.44	2.79	6.4
EMS-2100E/1300S		0.67	2.0	0.94	16.55	0.16	5.0	0.016	1.54	13.3	3.6	0.25	251	0.21	2.39	6.1
EMS-2100E/1350S		0.73	3.5	1.79	15.15	0.18	3.5	0.019	1.48	20.0	6.8	0.36	320	0.28	2.64	5.9
EMS-2100E/1400S		0.70	3.3	2.00	16.30	0.18	4.3	0.021	1.43	22.8	5.8	0.36	315	0.38	2.52	6.7
EMS-2100E/1450S		0.65	2.9	0.99	15.30	0.18	4.8	0.017	1.52	14.7	5.7	0.32	256	0.23	2.61	4.7
EMS-2100E/1500S		0.72	6.4	2.20	15.05	0.23	5.8	0.020	1.39	30.5	8.4	0.42	415	7.39	2.59	8.0
EMS-2100E/1550S		0.69	3.9	1.80	14.75	0.20	5.0	0.023	1.40	20.0	6.5	0.38	315	0.42	2.52	6.9
EMS-2100E/1600S		0.75	2.1	1.03	15.30	0.15	6.8	0.015	1.52	13.7	4.5	0.30	236	0.56	2.43	5.6
EMS-2100E/1650S		0.66	3.0	1.63	15.15	0.19	6.2	0.021	1.48	21.8	6.1	0.37	294	0.28	2.56	6.0
EMS-2100E/1700S		0.66	5.1	2.11	15.65	0.19	5.5	0.019	1.53	26.2	6.0	0.39	315	1.52	2.71	6.0
EMS-2100E/1750S		0.72	3.5	1.38	14.80	0.15	2.6	0.019	1.36	12.5	6.7	0.30	241	0.34	2.48	5.2
EMS-2200E/1300S		0.71	4.9	1.44	14.95	0.18	5.9	0.017	1.48	19.7	6.3	0.37	291	0.38	2.55	6.3
EMS-2200E/1450S		0.67	3.4	1.66	15.20	0.16	3.8	0.017	1.35	12.7	6.0	0.32	294	0.33	2.38	7.0
EMS-2200E/1500S		0.79	2.1	1.75	16.00	0.07	3.9	0.022	1.50	13.7	6.0	0.32	233	0.42	2.38	6.0
EMS-2200E/1600S		0.71	2.4	1.99	16.00	0.08	5.6	0.026	1.47	18.3	6.0	0.36	278	0.37	2.43	6.6
EMS-2200E/1650S		0.70	8.3	2.04	14.50	0.08	5.7	0.024	1.40	16.9	5.3	0.37	284	0.40	2.38	6.5
EMS-2200E/1900S		0.87	0.6	0.45	14.85	0.05	6.8	0.013	1.70	11.7	3.1	0.12	149	0.43	2.19	6.1
EMS-2200E/1950S		0.88	1.4	2.02	18.95	0.08	6.1	0.022	1.39	18.5	5.2	0.31	299	0.38	2.18	6.9
EMS-2300E/1500S		0.79	2.2	1.79	16.90	0.08	3.4	0.022	1.42	23.2	5.8	0.32	263	0.45	2.40	6.8
EMS-2300E/1550S		0.79	2.2	1.79	16.90	0.08	3.4	0.022	1.42	23.2	5.8	0.32	263	0.45	2.40	6.8
EMS-2300E/1600S		0.66	1.3	1.88	16.75	0.08	5.3	0.023	1.42	14.7	5.5	0.31	238	0.39	2.21	6.5
EMS-2300E/1650S		0.69	1.7	2.22	17.30	0.08	6.0	0.027	1.43	18.3	6.3	0.37	275	0.45	2.32	7.2
EMS-2300E/1700S		0.73	1.6	1.95	16.40	0.09	5.9	0.024	1.46	24.2	5.5	0.35	296	0.41	2.39	7.0
EMS-2300E/1750S		0.72	1.6	1.81	17.20	0.09	7.0	0.029	1.44	19.1	5.3	0.35	286	0.39	2.33	7.0
EMS-2300E/1800S		0.77	5.1	1.29	15.65	0.09	5.1	0.020	1.55	22.8	6.5	0.35	255	0.36	2.59	5.7
EMS-2300E/1850S		0.72	0.3	1.54	18.20	0.11	9.5	0.023	1.51	31.8	4.6	0.31	362	0.45	2.32	8.2
EMS-2300E/1900S		0.73	1.1	1.99	17.45	0.08	5.7	0.023	1.38	22.4	4.6	0.29	257	0.52	2.19	7.4
EMS-1500E/1950S		0.77	6.1	1.69	16.45	0.09	5.9	0.021	1.61	25.0	7.8	0.43	316	0.48	2.75	6.8
EMS-1500E/2000S		0.64	0.6	0.83	16.35	0.07	6.6	0.018	1.53	16.4	4.6	0.29	250	0.19	2.37	6.3
EMS-1900E/1600S		0.73	0.6	1.94	15.65	0.10	5.6	0.020	1.52	28.6	6.7	0.37	315	0.41	2.58	6.9

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.05	0.05	0.05	0.2	0.005
EMS-2900E/1750S		13.7	600	13.8	57.4	<0.002	0.11	0.07	7.0	1	0.9	380	0.51	<0.05	5.2	0.218
EMS-2900E/1800S		10.6	570	14.6	56.6	<0.002	0.02	<0.05	6.6	2	0.9	386	0.40	<0.05	9.4	0.223
EMS-2900E/1850S		10.2	540	14.1	56.7	<0.002	<0.01	<0.05	6.1	2	0.8	373	0.38	<0.05	6.1	0.187
EMS-2900E/1900S		11.3	500	14.0	56.5	<0.002	0.01	<0.05	6.4	1	0.8	346	0.39	<0.05	4.7	0.190
EMS-2900E/1950S		7.2	470	15.8	57.4	<0.002	0.01	<0.05	4.6	2	0.9	327	0.33	<0.05	3.3	0.176
EMS-2900E/2000S		15.2	540	14.2	52.3	<0.002	0.01	<0.05	7.2	2	0.9	339	0.38	<0.05	4.6	0.204
EMS-2000E/1750S		8.0	280	14.3	55.7	<0.002	0.01	<0.05	5.8	2	0.8	343	0.38	<0.05	5.4	0.205
EMS-2000E/1800S		8.1	190	16.0	59.2	<0.002	0.01	<0.05	5.9	2	0.9	353	0.41	<0.05	7.2	0.225
EMS-2000E/1850S		7.7	230	15.3	56.9	<0.002	0.01	<0.05	5.5	2	0.8	339	0.32	<0.05	5.2	0.200
EMS-2000E/1950S		9.8	460	13.7	54.8	<0.002	<0.01	<0.05	6.2	2	0.8	377	0.32	<0.05	5.9	0.182
EMS-2000E/2000S		10.7	510	13.7	56.9	<0.002	<0.01	0.06	6.6	2	0.9	384	0.39	<0.05	5.8	0.215
EMS-2100E/1300S		5.5	250	16.3	55.8	<0.002	0.02	<0.05	5.0	2	0.9	333	0.47	<0.05	5.1	0.207
EMS-2100E/1350S		8.9	450	13.5	53.9	<0.002	0.01	0.05	6.0	2	0.8	364	0.34	<0.05	6.9	0.188
EMS-2100E/1400S		8.9	280	14.5	52.9	<0.002	0.01	0.05	6.5	1	0.8	347	0.43	<0.05	8.2	0.201
EMS-2100E/1450S		7.9	410	13.7	56.7	<0.002	0.01	<0.05	5.5	2	0.7	358	0.28	<0.05	3.8	0.150
EMS-2100E/1500S		11.7	360	13.3	53.1	<0.002	0.92	0.06	7.4	2	1.0	364	0.44	<0.05	8.9	0.244
EMS-2100E/1550S		9.5	520	13.5	52.1	<0.002	0.01	<0.05	6.8	2	0.8	348	0.38	<0.05	5.6	0.207
EMS-2100E/1600S		9.7	200	13.6	56.1	<0.002	0.01	0.14	5.2	2	0.8	335	0.34	<0.05	4.8	0.211
EMS-2100E/1650S		9.4	500	13.4	55.8	<0.002	0.01	0.05	6.4	2	0.8	354	0.35	<0.05	7.3	0.191
EMS-2100E/1700S		9.7	540	13.6	55.5	<0.002	<0.01	<0.05	6.4	2	0.8	372	0.36	<0.05	4.9	0.196
EMS-2100E/1750S		8.1	290	12.5	52.9	<0.002	0.01	0.06	5.2	2	0.7	332	0.32	<0.05	3.4	0.153
EMS-2200E/1300S		9.3	460	13.9	55.9	<0.002	<0.01	0.07	6.3	2	0.8	350	0.42	<0.05	5.5	0.180
EMS-2200E/1450S		7.5	510	13.0	48.9	<0.002	0.01	0.05	5.7	2	0.8	323	0.41	<0.05	4.2	0.190
EMS-2200E/1500S		8.5	270	13.6	53.2	<0.002	0.02	0.07	6.9	2	0.8	326	0.35	<0.05	5.2	0.175
EMS-2200E/1600S		9.3	520	13.5	51.5	<0.002	0.01	0.07	7.2	2	0.8	336	0.41	<0.05	5.3	0.199
EMS-2200E/1650S		8.8	330	11.9	48.5	<0.002	0.01	0.07	7.3	2	0.8	326	0.38	<0.05	5.3	0.199
EMS-2200E/1900S		3.8	170	16.6	59.6	<0.002	0.01	0.07	3.1	2	1.0	299	0.36	<0.05	5.0	0.218
EMS-2200E/1950S		8.4	240	14.8	51.1	<0.002	0.01	0.10	6.7	2	1.0	301	0.93	<0.05	5.0	0.262
EMS-2300E/1500S		8.3	250	13.6	51.5	<0.002	0.01	0.08	7.3	2	0.8	330	0.42	<0.05	6.2	0.178
EMS-2300E/1550S		8.3	250	13.6	51.5	<0.002	0.01	0.08	7.3	2	0.8	330	0.42	<0.05	6.2	0.178
EMS-2300E/1600S		8.4	480	13.6	50.4	<0.002	0.01	0.11	6.3	2	0.9	305	0.38	<0.05	4.7	0.190
EMS-2300E/1650S		9.9	480	14.0	50.3	0.003	0.01	0.13	7.4	2	0.9	318	0.42	<0.05	6.1	0.213
EMS-2300E/1700S		9.4	420	13.9	51.9	<0.002	0.01	0.08	7.6	2	0.9	333	0.41	<0.05	8.1	0.214
EMS-2300E/1750S		10.0	350	13.2	50.5	<0.002	0.01	0.08	8.9	2	0.8	326	0.46	<0.05	5.9	0.209
EMS-2300E/1800S		11.0	470	13.4	55.1	<0.002	<0.01	0.17	6.5	2	0.8	354	0.33	<0.05	5.9	0.165
EMS-2300E/1850S		8.3	300	18.0	54.4	<0.002	0.01	0.09	7.6	2	1.1	332	0.49	<0.05	12.3	0.268
EMS-2300E/1900S		7.9	320	14.1	49.7	<0.002	0.02	0.14	6.8	2	1.0	302	0.46	<0.05	8.3	0.220
EMS-1500E/1950S		12.6	590	13.4	55.7	<0.002	<0.01	0.06	8.2	2	0.9	378	0.43	<0.05	5.3	0.205
EMS-1500E/2000S		8.1	290	13.9	54.1	<0.002	0.01	0.05	6.5	2	0.8	324	0.50	<0.05	5.2	0.194
EMS-1900E/1600S		8.8	480	13.1	53.4	<0.002	0.01	0.09	7.4	2	0.8	361	0.48	<0.05	5.3	0.201

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61	
		Tl	U	V	W	Y	Zn	Zr	B				
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10				
EMS-2900E/1750S		0.27	1.0	56	0.5	15.4	29	189.0	10				
EMS-2900E/1800S		0.26	1.3	31	0.9	15.5	19	213	<10				
EMS-2900E/1850S		0.26	1.1	28	0.3	14.0	18	176.5	<10				
EMS-2900E/1900S		0.25	0.9	34	0.4	11.1	23	167.5	<10				
EMS-2900E/1950S		0.28	0.5	27	0.3	6.7	12	114.0	<10				
EMS-2900E/2000S		0.23	0.9	43	0.3	10.2	25	181.5	<10				
EMS-2000E/1750S		0.27	1.0	35	0.4	9.6	14	203	<10				
EMS-2000E/1800S		0.27	1.1	34	0.4	8.8	15	228	<10				
EMS-2000E/1850S		0.25	0.9	30	0.3	7.8	14	215	<10				
EMS-2000E/1950S		0.25	0.9	34	0.2	12.2	18	159.5	<10				
EMS-2000E/2000S		0.26	1.2	38	0.3	15.3	20	204	<10				
EMS-2100E/1300S		0.25	0.8	23	0.4	6.3	10	151.0	<10				
EMS-2100E/1350S		0.24	0.8	34	0.3	10.4	19	109.5	<10				
EMS-2100E/1400S		0.24	0.9	38	0.4	10.6	18	129.0	<10				
EMS-2100E/1450S		0.25	0.8	21	0.2	9.6	14	143.0	<10				
EMS-2100E/1500S		0.28	1.5	39	0.6	17.5	22	164.0	<10				
EMS-2100E/1550S		0.25	0.8	34	0.4	12.5	18	152.5	<10				
EMS-2100E/1600S		0.25	0.8	25	0.4	7.2	12	203	<10				
EMS-2100E/1650S		0.24	0.8	32	0.4	11.8	16	182.5	<10				
EMS-2100E/1700S		0.26	1.0	37	0.5	14.9	18	163.0	10				
EMS-2100E/1750S		0.24	0.5	28	0.3	8.8	15	76.6	<10				
EMS-2200E/1300S		0.23	1.1	31	0.3	13.2	16	167.0	<10				
EMS-2200E/1450S		0.22	1.5	32	0.4	9.2	15	114.5	<10				
EMS-2200E/1500S		0.25	0.8	34	0.4	9.0	14	120.0	<10				
EMS-2200E/1600S		0.24	0.9	38	0.4	10.1	19	172.5	<10				
EMS-2200E/1650S		0.22	1.0	37	0.4	10.6	16	176.5	<10				
EMS-2200E/1900S		0.28	0.8	17	0.4	4.0	5	212	<10				
EMS-2200E/1950S		0.25	0.8	46	0.5	8.2	15	189.0	<10				
EMS-2300E/1500S													
EMS-2300E/1550S		0.24	0.8	33	0.4	14.1	14	107.5	<10				
EMS-2300E/1600S		0.24	0.8	38	0.4	8.4	16	160.5	<10				
EMS-2300E/1650S		0.25	1.0	42	0.5	10.2	19	181.0	<10				
EMS-2300E/1700S		0.25	1.1	37	0.5	11.9	17	182.0	<10				
EMS-2300E/1750S		0.24	1.2	35	0.4	11.7	15	203	<10				
EMS-2300E/1800S		0.26	1.1	28	0.3	12.8	17	153.5	<10				
EMS-2300E/1850S		0.26	1.5	33	0.7	12.8	14	289	<10				
EMS-2300E/1900S		0.23	1.1	43	0.5	9.6	13	172.0	<10				
EMS-1500E/1950S		0.26	1.3	36	0.3	16.2	20	180.5	<10				
EMS-1500E/2000S		0.23	0.9	20	0.3	9.4	12	202	<10				
EMS-1900E/1600S		0.25	1.0	37	0.3	15.7	17	167.0	<10				

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	0.02
EMS-1900E/1650S		0.26	3	<5	<1	0.01	5.98	<0.2	510	1.35	0.08	1.56	0.04	37.1	3.2	22
EMS-1900E/1700S		0.20	2	<5	<1	0.02	6.06	0.4	520	1.48	0.06	1.77	0.05	41.6	4.7	23
EMS-1900E/1750S		0.24	2	<5	1	0.01	6.37	0.9	520	1.41	0.07	1.78	0.07	48.5	5.7	22
EMS-1900E/1800S		0.22	2	<5	<1	0.02	6.27	0.8	520	1.32	0.06	1.74	0.07	40.4	4.3	21
EMS-1900E/1850S		0.34	1	<5	1	0.02	6.75	0.7	470	1.39	0.07	1.60	0.07	42.2	4.0	32
EMS-1900E/1900S		0.40	1	<5	<1	0.01	6.47	0.9	470	1.45	0.06	1.50	0.06	38.8	3.8	28
EMS-1900E/1950S		0.28	3	<5	<1	0.01	6.49	0.2	530	1.41	0.06	1.79	0.05	45.9	3.9	22
EMS-1900E/2000S		0.34	2	5	1	0.01	6.66	0.3	550	1.45	0.07	1.93	0.06	58.8	4.9	29
EMS-1900E/1000S		0.40	2	<5	<1	<0.01	6.68	1.2	510	1.46	0.08	1.88	0.06	67.0	5.0	36
EMS-1900E/1050S		0.38	1	<5	1	<0.01	6.40	0.9	490	1.32	0.07	1.86	0.06	62.8	4.6	32
EMS-1900E/1100S		0.40	2	<5	<1	0.01	6.84	1.0	530	1.45	0.07	1.69	0.07	47.7	4.2	24
EMS-1900E/1150S		0.36	2	<5	<1	0.02	6.64	1.1	530	1.45	0.06	1.66	0.06	44.4	3.9	22
EMS-1900E/1200S		0.28	7	<5	1	0.01	6.66	1.6	490	1.46	0.08	1.57	0.08	51.4	4.0	28
EMS-1900E/1250S		0.30	11	<5	<1	0.01	6.63	1.3	500	1.58	0.08	1.69	0.09	54.6	4.5	33
EMS-1900E/1300S		0.40	2	<5	<1	<0.01	5.95	0.3	470	1.34	0.05	1.65	0.12	51.4	4.2	27
EMS-1900E/1350S		0.34	2	<5	<1	<0.01	6.61	0.3	470	1.47	0.07	1.86	0.07	59.2	4.6	32
EMS-1900E/1400S		0.50	1	<5	<1	0.02	6.62	1.1	510	1.51	0.08	1.78	0.08	70.1	5.3	35
EMS-1900E/1450S		0.30	2	<5	1	0.01	6.74	1.1	490	1.50	0.07	1.49	0.08	39.5	4.0	30
EMS-1900E/1500S		0.40	2	<5	<1	0.01	6.60	1.0	500	1.54	0.08	1.74	0.06	56.0	4.7	37
EMS-1900E/1550S		0.32	2	<5	<1	<0.01	6.25	0.6	490	1.39	0.07	1.67	0.05	43.6	3.9	25
EMS-2000E/1000S		0.30	1	<5	<1	0.02	6.96	1.0	510	1.41	0.20	1.80	0.06	56.5	4.3	37
EMS-2000E/1050S		0.36	1	<5	<1	0.01	6.73	1.4	510	1.56	0.08	1.96	0.06	71.2	4.6	37
EMS-2000E/1100S		0.22	2	<5	<1	0.01	6.89	1.3	520	1.51	0.08	1.90	0.06	57.3	4.4	34
EMS-2000E/1150S		0.50	15	<5	<1	0.88	6.83	1.2	510	1.52	0.07	2.01	0.07	72.5	4.9	41
EMS-2000E/1200S		0.30	1	<5	<1	0.01	6.63	1.6	500	1.48	0.04	1.77	0.06	50.5	4.0	37
EMS-2000E/1250S		0.26	2	<5	<1	<0.01	6.77	3.1	530	1.67	0.04	1.82	0.06	51.8	3.9	30
EMS-2000E/1300S		0.28	2	<5	<1	0.01	7.00	1.5	490	1.52	0.04	1.38	0.05	40.4	3.1	26
EMS-2000E/1350S		0.26	1	<5	1	0.01	7.22	1.8	480	1.51	0.05	1.47	0.07	39.6	3.3	28
EMS-2000E/1400S		0.34	4	<5	<1	0.01	6.51	0.4	520	1.47	0.03	1.63	0.05	43.5	3.2	26
EMS-2000E/1450S		0.22	2	<5	1	0.01	6.83	1.2	500	2.02	0.05	1.86	0.08	53.4	4.2	29
EMS-2000E/1500S		0.30	2	<5	<1	<0.01	7.27	1.2	530	1.59	0.05	1.91	0.08	44.6	4.2	35
EMS-2000E/1550S		0.28	1	5	<1	0.01	6.93	1.8	540	1.45	0.06	1.77	0.06	41.5	3.4	27
EMS-2000E/1600S		0.32	1	<5	1	0.01	7.30	1.8	570	1.62	0.10	1.90	0.06	37.8	3.7	30
EMS-2000E/1650S		0.34	2	<5	<1	0.02	7.05	0.9	540	1.71	0.05	1.76	0.09	37.5	3.7	29
EMS-2100E/1000S		0.56	1	<5	<1	0.01	7.00	1.3	530	1.53	0.05	1.96	0.07	67.7	4.3	38
EMS-2100E/1050S		0.52	2	<5	<1	0.02	6.81	4.2	560	1.59	0.05	1.90	0.06	49.9	4.0	34
EMS-2100E/1100S		0.54	2	<5	<1	0.01	6.99	1.9	530	1.57	0.03	1.90	0.06	51.5	4.0	34
EMS-2100E/1150S		0.44	1	<5	<1	0.03	7.02	2.2	480	1.47	0.04	1.58	0.06	37.5	3.3	33
EMS-2100E/1200S		0.54	1	<5	<1	0.01	6.93	1.0	520	1.61	0.05	2.01	0.06	71.5	4.4	45
EMS-1300E/1000S		0.32	2	<5	<1	0.01	6.46	1.4	570	1.47	0.08	1.53	0.06	28.0	2.6	26

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs ppm 0.05	Cu ppm 0.2	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.1	In ppm 0.005	K % 0.01	La ppm 0.5	Li ppm 0.2	Mg % 0.01	Mn ppm 5	Mo ppm 0.05	Na % 0.01	Nb ppm 0.1
EMS-1900E/1650S		0.76	3.0	0.93	15.75	0.06	5.2	0.020	1.53	17.2	5.8	0.32	249	0.28	2.51	5.7
EMS-1900E/1700S		0.70	1.7	1.39	15.50	0.09	5.7	0.018	1.55	18.7	7.0	0.39	283	0.40	2.63	5.9
EMS-1900E/1750S		0.76	3.7	1.21	16.30	0.08	5.1	0.021	1.55	22.0	7.6	0.41	340	0.46	2.71	7.8
EMS-1900E/1800S		0.71	7.5	1.03	15.25	0.08	5.0	0.018	1.52	18.6	5.8	0.35	292	0.42	2.67	5.5
EMS-1900E/1850S		0.72	2.5	1.90	16.05	0.08	5.1	0.022	1.39	18.8	5.9	0.36	270	0.39	2.44	6.4
EMS-1900E/1900S		0.68	4.0	1.81	15.65	0.08	3.9	0.024	1.36	17.7	5.3	0.33	239	0.34	2.32	5.6
EMS-1900E/1950S		0.77	3.6	1.18	15.90	0.08	3.8	0.019	1.58	21.0	7.0	0.38	301	0.38	2.77	5.4
EMS-1900E/2000S		0.80	3.6	1.30	16.65	0.10	6.9	0.021	1.61	27.0	7.4	0.45	329	0.32	2.78	7.2
EMS-1900E/1000S		0.72	3.5	2.41	16.50	0.12	6.3	0.025	1.52	30.2	6.3	0.46	400	0.47	2.60	8.3
EMS-1900E/1050S		0.70	2.8	2.19	15.25	0.10	7.1	0.022	1.48	29.2	5.8	0.43	384	0.41	2.54	8.0
EMS-1900E/1100S		0.79	4.0	1.62	16.10	0.09	3.5	0.018	1.63	20.6	6.5	0.37	294	0.33	2.76	6.3
EMS-1900E/1150S		0.78	3.4	1.34	15.70	0.08	3.0	0.018	1.60	18.7	6.4	0.36	295	0.29	2.71	5.7
EMS-1900E/1200S		0.74	2.1	1.99	16.45	0.09	4.7	0.024	1.45	21.6	5.9	0.37	320	0.37	2.48	8.3
EMS-1900E/1250S		0.77	3.1	1.73	16.10	0.10	5.8	0.022	1.50	24.3	6.8	0.39	365	0.42	2.59	7.8
EMS-1900E/1300S		0.62	3.0	1.22	15.60	0.09	5.9	0.021	1.36	26.0	5.6	0.38	411	0.69	2.50	7.5
EMS-1900E/1350S		0.68	1.8	1.66	16.45	0.10	6.0	0.027	1.40	27.1	6.4	0.43	410	0.46	2.63	9.0
EMS-1900E/1400S		0.69	3.0	2.20	16.70	0.12	8.7	0.026	1.51	30.0	6.3	0.44	421	0.48	2.66	9.2
EMS-1900E/1450S		0.72	2.1	1.94	15.35	0.09	5.1	0.024	1.45	17.4	6.3	0.36	278	0.38	2.42	6.5
EMS-1900E/1500S		0.69	1.9	2.85	15.95	0.11	6.6	0.023	1.49	23.6	6.4	0.40	396	0.39	2.57	7.8
EMS-1900E/1550S		0.69	1.7	1.50	15.50	0.10	5.1	0.019	1.46	20.1	5.9	0.37	310	0.30	2.52	6.2
EMS-2000E/1000S		0.87	5.1	2.27	17.15	0.09	5.4	0.026	1.60	25.7	6.3	0.44	357	0.40	2.60	7.0
EMS-2000E/1050S		0.83	4.7	2.32	16.70	0.10	7.7	0.028	1.56	33.0	6.6	0.47	417	0.43	2.67	8.1
EMS-2000E/1100S		0.86	3.7	1.87	17.10	0.09	6.4	0.027	1.61	27.1	6.7	0.46	402	0.27	2.71	7.9
EMS-2000E/1150S		0.79	4.2	2.79	16.95	0.12	8.6	0.027	1.59	33.6	6.5	0.49	445	0.44	2.69	9.2
EMS-2000E/1200S		0.78	3.5	2.26	16.10	0.10	5.1	0.022	1.53	24.2	5.9	0.42	347	0.34	2.53	6.8
EMS-2000E/1250S		0.80	3.8	2.11	16.05	0.11	4.8	0.022	1.63	24.8	6.3	0.42	310	0.34	2.69	6.1
EMS-2000E/1300S		0.87	2.9	1.69	17.40	0.08	2.1	0.021	1.50	18.9	6.3	0.31	229	0.27	2.38	4.9
EMS-2000E/1350S		0.78	2.5	1.88	18.25	0.08	4.1	0.026	1.47	18.4	6.2	0.34	271	0.34	2.37	6.4
EMS-2000E/1400S		0.78	3.7	1.48	15.40	0.09	4.9	0.018	1.61	20.4	6.5	0.34	296	0.31	2.61	5.4
EMS-2000E/1450S		0.83	3.6	1.76	16.60	0.10	4.8	0.027	1.54	27.7	7.1	0.45	432	1.30	2.75	8.8
EMS-2000E/1500S		0.78	2.9	2.08	16.45	0.10	6.3	0.027	1.63	19.1	6.7	0.44	375	0.35	2.80	7.4
EMS-2000E/1550S		0.80	2.9	1.73	15.50	0.10	3.7	0.021	1.62	19.1	6.0	0.38	288	0.31	2.74	5.2
EMS-2000E/1600S		0.77	2.3	1.96	16.70	0.08	5.3	0.020	1.72	17.1	6.0	0.41	321	0.35	2.88	7.8
EMS-2000E/1650S		0.85	2.0	1.87	16.20	0.10	5.7	0.023	1.64	15.8	6.6	0.40	299	0.33	2.71	6.2
EMS-2100E/1000S		0.76	3.8	2.38	16.25	0.12	6.9	0.026	1.57	32.9	6.3	0.48	469	0.38	2.64	8.8
EMS-2100E/1050S		0.84	3.8	1.75	18.15	0.11	5.7	0.023	1.63	23.7	7.3	0.46	379	0.31	2.70	6.9
EMS-2100E/1100S		0.78	3.1	2.18	16.60	0.12	6.6	0.024	1.63	24.7	6.0	0.44	380	0.34	2.70	7.6
EMS-2100E/1150S		0.68	2.3	2.30	14.75	0.12	5.2	0.026	1.41	18.2	5.5	0.38	307	0.44	2.40	6.5
EMS-2100E/1200S		0.74	4.9	2.64	16.35	0.13	8.6	0.027	1.58	33.0	6.0	0.49	453	0.45	2.67	8.8
EMS-1300E/1000S		0.84	1.3	0.90	16.20	0.08	5.9	0.018	1.72	13.9	4.4	0.33	261	0.58	2.56	5.4

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
		0.2	10	0.5	0.1	<0.002	0.01	0.05	6.6	2	0.8	341	0.36	<0.05	5.1	0.179
EMS-1900E/1650S		8.4	440	13.6	53.6	<0.002	0.01	0.05	6.6	2	0.8	341	0.36	<0.05	5.1	0.179
EMS-1900E/1700S		10.2	540	12.7	52.1	<0.002	0.01	0.05	7.1	2	0.8	354	0.37	<0.05	4.9	0.183
EMS-1900E/1750S		11.5	510	12.9	55.6	<0.002	0.03	0.06	8.1	2	0.8	372	0.83	<0.05	5.8	0.201
EMS-1900E/1800S		9.9	370	12.4	55.1	<0.002	0.02	0.05	7.4	2	0.7	369	0.32	<0.05	4.0	0.173
EMS-1900E/1850S		10.2	520	12.6	50.2	<0.002	0.01	0.05	7.5	2	0.8	339	0.40	<0.05	5.2	0.180
EMS-1900E/1900S		8.9	450	11.5	49.2	<0.002	0.01	0.05	7.5	2	0.7	318	0.34	<0.05	4.7	0.161
EMS-1900E/1950S		9.9	490	13.0	54.8	<0.002	<0.01	0.05	7.3	2	0.7	377	0.33	<0.05	6.8	0.174
EMS-1900E/2000S		13.3	540	14.1	55.7	<0.002	<0.01	0.07	8.5	2	0.9	385	0.42	<0.05	5.7	0.230
EMS-1900E/1000S		11.6	660	13.8	54.3	<0.002	0.01	0.06	9.6	2	1.0	363	0.47	<0.05	8.9	0.243
EMS-1900E/1050S		10.5	620	13.2	51.9	<0.002	<0.01	0.05	8.9	2	0.9	360	0.45	<0.05	9.5	0.234
EMS-1900E/1100S		9.9	430	13.6	56.7	<0.002	0.01	0.05	7.5	2	0.8	373	0.39	<0.05	6.3	0.175
EMS-1900E/1150S		9.2	350	13.1	55.5	<0.002	0.01	0.05	7.5	2	0.7	370	0.33	<0.05	7.8	0.164
EMS-1900E/1200S		9.7	460	13.7	51.3	<0.002	0.01	0.07	8.3	2	0.9	341	0.48	<0.05	8.4	0.208
EMS-1900E/1250S		13.8	390	13.9	54.3	<0.002	0.01	0.06	8.6	2	0.9	358	0.45	<0.05	8.6	0.213
EMS-1900E/1300S		9.8	210	12.7	47.5	<0.002	0.03	0.06	9.1	2	0.8	348	0.44	<0.05	11.3	0.235
EMS-1900E/1350S		10.8	580	13.0	50.4	<0.002	0.01	0.05	10.3	2	1.0	370	0.80	<0.05	7.9	0.246
EMS-1900E/1400S		11.6	370	14.1	54.2	<0.002	0.01	0.06	10.1	2	1.0	372	0.53	<0.05	9.9	0.267
EMS-1900E/1450S		9.8	470	13.0	51.3	<0.002	0.02	0.06	7.9	2	0.7	332	0.38	<0.05	5.2	0.183
EMS-1900E/1500S		10.7	370	13.2	53.0	<0.002	0.01	0.05	8.9	2	0.9	358	0.44	<0.05	7.0	0.216
EMS-1900E/1550S		9.1	500	12.5	50.6	<0.002	0.01	<0.05	7.8	2	0.8	349	0.36	<0.05	6.4	0.187
EMS-2000E/1000S		11.4	540	16.1	55.2	<0.002	0.01	0.11	8.0	2	1.0	357	0.45	<0.05	7.0	0.214
EMS-2000E/1050S		11.2	650	15.4	52.7	<0.002	<0.01	0.09	8.7	2	1.1	366	0.49	<0.05	9.8	0.261
EMS-2000E/1100S		10.5	620	15.3	53.8	<0.002	0.01	0.08	8.8	2	1.1	374	0.49	<0.05	7.6	0.243
EMS-2000E/1150S		11.5	700	15.8	53.6	<0.002	<0.01	0.07	9.1	2	1.3	374	0.59	<0.05	10.6	0.285
EMS-2000E/1200S		10.0	610	14.5	50.9	<0.002	0.01	0.06	7.7	2	0.9	346	0.41	<0.05	6.6	0.215
EMS-2000E/1250S		9.9	580	15.1	55.4	<0.002	0.01	0.06	7.2	3	0.9	369	0.38	<0.05	8.8	0.190
EMS-2000E/1300S		7.5	570	16.0	51.8	<0.002	0.02	0.07	5.7	2	0.7	319	0.33	<0.05	6.7	0.149
EMS-2000E/1350S		8.1	640	16.0	49.7	<0.002	0.02	0.08	6.5	3	0.9	321	0.40	<0.05	6.0	0.195
EMS-2000E/1400S		7.9	430	14.2	53.3	<0.002	<0.01	<0.05	6.4	2	0.7	358	0.36	<0.05	6.2	0.166
EMS-2000E/1450S		9.7	240	13.5	51.8	0.002	0.06	0.06	8.7	3	0.9	379	0.44	<0.05	7.8	0.217
EMS-2000E/1500S		10.0	450	14.7	52.3	<0.002	0.01	0.07	8.2	2	1.0	386	0.47	<0.05	5.6	0.242
EMS-2000E/1550S		8.6	500	13.8	52.2	<0.002	0.01	0.05	6.4	2	0.7	373	0.33	<0.05	5.0	0.169
EMS-2000E/1600S		9.0	560	14.7	55.1	<0.002	0.01	0.08	7.1	3	0.8	389	0.51	<0.05	4.4	0.200
EMS-2000E/1650S		8.8	480	14.2	52.7	<0.002	0.01	0.07	7.2	2	0.9	371	0.41	<0.05	4.1	0.204
EMS-2100E/1000S		9.5	690	15.0	50.6	<0.002	0.01	0.07	9.3	2	1.1	368	0.55	<0.05	10.9	0.288
EMS-2100E/1050S		9.7	590	14.5	52.0	<0.002	<0.01	0.06	8.2	2	0.9	368	0.44	<0.05	6.3	0.231
EMS-2100E/1100S		9.4	560	15.1	52.3	<0.002	0.01	0.05	8.3	2	1.0	373	0.46	<0.05	8.7	0.238
EMS-2100E/1150S		7.8	570	12.4	45.6	<0.002	0.02	0.09	7.3	3	0.8	319	0.41	<0.05	5.6	0.210
EMS-2100E/1200S		10.2	690	14.7	49.9	<0.002	0.01	0.06	9.6	2	1.1	376	0.55	<0.05	10.2	0.295
EMS-1300E/1000S		6.8	200	14.9	54.6	<0.002	0.01	0.07	6.4	2	0.8	351	0.36	<0.05	4.4	0.195

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 3 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 12-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMS-1900E/1650S		0.26	0.9	23	0.3	10.7	15	159.5	<10
EMS-1900E/1700S		0.25	0.9	30	0.3	12.7	19	168.0	<10
EMS-1900E/1750S		0.25	0.9	26	0.2	14.7	23	153.5	<10
EMS-1900E/1800S		0.26	0.9	24	0.2	12.4	18	152.0	<10
EMS-1900E/1850S		0.24	0.9	34	0.4	11.8	17	156.5	<10
EMS-1900E/1900S		0.22	0.8	33	0.3	10.8	14	116.5	<10
EMS-1900E/1950S		0.26	0.9	29	0.7	12.9	18	116.5	<10
EMS-1900E/2000S		0.27	1.3	37	0.4	16.4	23	212	<10
EMS-1900E/1000S		0.24	1.4	42	1.0	17.4	21	194.0	<10
EMS-1900E/1050S		0.24	1.4	40	0.4	16.9	20	212	<10
EMS-1900E/1100S		0.27	0.9	31	0.3	11.6	18	103.0	<10
EMS-1900E/1150S		0.26	1.0	27	0.3	10.4	16	97.1	<10
EMS-1900E/1200S		0.26	1.2	37	0.5	12.7	19	142.0	<10
EMS-1900E/1250S		0.26	1.3	32	0.4	15.0	17	172.5	<10
EMS-1900E/1300S		0.22	1.2	25	0.4	12.7	19	178.5	<10
EMS-1900E/1350S		0.22	1.3	36	0.8	18.7	20	182.0	<10
EMS-1900E/1400S		0.25	1.5	40	0.5	19.6	20	261	<10
EMS-1900E/1450S		0.24	0.9	35	0.4	10.8	17	150.5	<10
EMS-1900E/1500S		0.25	1.2	38	0.5	15.4	18	199.0	<10
EMS-1900E/1550S		0.25	1.0	28	0.8	12.6	18	156.0	<10
EMS-2000E/1000S		0.29	1.1	41	0.4	15.8	23	169.5	<10
EMS-2000E/1050S		0.27	1.5	43	0.8	20.4	24	232	<10
EMS-2000E/1100S		0.28	1.3	39	0.5	18.1	22	199.0	<10
EMS-2000E/1150S		0.27	1.6	52	0.9	20.7	24	260	<10
EMS-2000E/1200S		0.27	1.1	46	1.4	15.9	20	165.5	<10
EMS-2000E/1250S		0.28	1.1	33	0.3	15.4	19	152.5	<10
EMS-2000E/1300S		0.26	0.7	31	0.3	8.5	17	72.2	<10
EMS-2000E/1350S		0.25	0.8	35	0.3	10.2	16	129.5	<10
EMS-2000E/1400S		0.26	1.1	29	0.4	12.6	17	155.0	<10
EMS-2000E/1450S		0.26	1.1	37	1.3	16.0	25	146.0	<10
EMS-2000E/1500S		0.26	1.1	39	0.4	15.7	21	199.0	<10
EMS-2000E/1550S		0.26	0.9	30	1.0	12.9	18	119.0	<10
EMS-2000E/1600S		0.28	1.0	35	0.4	14.8	19	164.5	<10
EMS-2000E/1650S		0.27	0.9	36	0.4	12.8	20	179.0	<10
EMS-2100E/1000S		0.26	1.5	46	0.5	19.3	22	223	<10
EMS-2100E/1050S		0.27	1.1	40	0.3	16.3	21	178.5	<10
EMS-2100E/1100S		0.26	1.4	39	0.9	16.5	21	205	<10
EMS-2100E/1150S		0.23	1.0	38	0.4	12.1	19	169.5	<10
EMS-2100E/1200S		0.26	1.8	51	2.2	21.9	23	276	<10
EMS-1300E/1000S		0.27	0.9	24	0.3	8.5	16	189.0	<10

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt.	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
EMS-2500E/1550S		0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	44

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - B

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 12-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
EMS-2500E/1550S		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
		0.90	3.9	2.36	16.85	0.12	7.2	0.026	1.78	21.3	7.6	0.48	309	0.35	2.60	6.8

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - C

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 12-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
EMS-2500E/1550S		11.9	640	16.6	56.2	<0.002	0.02	0.09	8.5	3	1.0	364	0.42	<0.05	7.1	0.220

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 12-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
EMS-2500E/1550S		0.02	0.1	1	0.1	0.1	2	0.5	10
		0.29	1.2	43	0.5	11.0	26	228	<10

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 17-SEP-2009
Account: MVR

CERTIFICATE SD09090061

Project: EASTMAIN MINE

P.O. No.:

This report is for 143 Soil samples submitted to our lab in Sudbury, ON, Canada on 25-AUG-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
DRY-22	Drying - Maximum Temp 60C

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090061

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PGM-ICP23 Au ppb	PGM-ICP23 Pt ppb	PGM-ICP23 Pd ppb	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm
Sample Description	0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMS-3000E/1000S	0.42	1	<5	1	<0.01	6.72	2.6	520	1.17	0.08	1.50	0.06	30.1	3.5	30
EMS-3000E/1050S	0.36	<1	<5	1	0.02	6.56	1.4	480	1.28	0.08	1.46	0.05	30.4	3.9	31
EMS-3000E/1100S	0.34	<1	<5	1	0.01	6.52	1.0	490	1.32	0.07	1.41	0.05	28.8	4.2	28
EMS-3000E/1150S	0.30	<1	<5	1	0.01	6.57	0.8	550	1.36	0.06	1.40	0.06	37.4	4.4	32
EMS-3000E/1200S	0.40	<1	<5	1	0.02	6.67	0.6	500	1.41	0.07	1.51	0.05	37.5	5.0	33
EMS-3000E/1250S	0.34	<1	<5	1	0.01	6.48	1.0	490	1.50	0.07	1.37	0.06	27.3	3.4	28
EMS-3000E/1300S	0.38	1	<5	1	<0.01	6.41	0.5	510	1.29	0.06	1.40	0.06	32.4	3.3	27
EMS-3000E/1350S	0.32	<1	<5	<1	0.01	6.83	1.0	460	1.36	0.08	1.44	0.07	36.3	4.2	37
EMS-3000E/1400S	0.36	<1	<5	1	0.02	6.69	0.8	490	1.24	0.07	1.45	0.06	36.0	3.9	32
EMS-3000E/1450S	0.38	1	<5	<1	0.02	6.56	1.1	540	1.31	0.06	1.56	0.06	40.6	5.1	36
EMS-3000E/1500S	0.36	<1	<5	<1	0.01	6.48	0.8	500	1.25	0.07	1.55	0.06	36.9	4.4	31
EMS-3000E/1550S	0.30	<1	<5	<1	0.02	6.68	1.0	520	1.47	0.07	1.51	0.07	36.8	5.8	41
EMS-3000E/1600S	0.34	<1	<5	<1	<0.01	6.38	0.5	520	1.38	0.07	1.41	0.07	29.6	3.3	29
EMS-2600E/1000S	0.38	<1	<5	<1	0.03	6.59	0.8	550	1.37	0.09	1.48	0.08	38.0	5.1	40
EMS-2600E/1050S	0.56	<1	<5	<1	0.01	6.88	1.7	460	1.40	0.10	1.51	0.08	39.9	4.4	39
EMS-2600E/1100S	0.44	<1	<5	1	0.11	6.83	0.6	480	1.05	0.06	1.47	0.04	31.5	3.0	36
EMS-2600E/1150S	0.46	<1	<5	<1	0.06	6.52	0.5	480	1.22	0.07	1.36	0.05	34.6	3.1	25
EMS-2600E/1300S	0.44	1	<5	<1	0.03	6.80	1.0	510	1.27	0.08	1.61	0.07	45.5	4.0	38
EMS-2600E/1350S	0.42	<1	<5	<1	0.02	6.97	1.8	460	1.36	0.07	1.61	0.08	43.9	4.7	37
EMS-2600E/1400S	0.54	<1	<5	<1	0.02	6.58	0.8	580	1.58	0.07	1.69	0.07	52.0	6.0	42
EMS-2600E/1450S	0.54	1	<5	<1	0.02	6.35	<0.2	530	1.24	0.06	1.54	0.06	43.6	4.3	30
EMS-2600E/1500S	0.46	<1	<5	<1	0.01	6.29	0.7	550	1.18	0.07	1.41	0.05	35.4	3.9	37
EMS-2600E/1550S	0.62	<1	<5	<1	0.01	6.37	0.5	550	1.32	0.07	1.62	0.05	51.6	5.0	35
EMS-2600E/1600S	0.34	<1	<5	<1	0.01	6.49	0.7	490	1.49	0.06	1.65	0.05	41.7	3.9	35
EMS-2500E/1000S	0.44	<1	<5	<1	0.03	6.82	1.3	450	1.22	0.12	1.42	0.06	45.9	4.0	36
EMS-2500E/1050S	0.42	<1	<5	<1	0.03	6.70	0.5	460	1.27	0.09	1.51	0.08	49.2	4.6	44
EMS-2500E/1100S	0.34	1	<5	<1	0.01	7.16	1.6	460	1.45	0.10	1.61	0.08	74.1	5.0	51
EMS-2500E/1150S	0.30	<1	<5	<1	0.01	6.77	1.8	480	1.27	0.08	1.50	0.07	50.3	4.3	36
EMS-2500E/1200S	0.42	<1	<5	1	0.02	6.66	0.9	500	1.37	0.08	1.58	0.07	42.5	4.6	35
EMS-2500E/1250S	0.44	<1	<5	<1	0.01	7.05	1.2	460	1.39	0.08	1.58	0.08	36.8	4.3	43
EMS-2500E/1300S	0.46	<1	<5	1	0.02	6.40	0.5	450	1.05	0.07	1.49	0.04	31.1	3.0	32
EMS-2500E/1350S	0.40	<1	<5	1	0.01	6.45	0.5	480	1.23	0.19	1.59	0.04	35.6	3.7	31
EMS-2500E/1400S	0.42	<1	<5	<1	0.02	6.40	0.9	510	1.33	0.12	1.67	0.05	47.7	3.8	28
EMS-2500E/1450S	0.32	1	<5	<1	0.10	6.43	4.0	560	1.38	0.30	1.38	0.13	37.0	4.1	35
EMS-2500E/1500S	0.34	<1	<5	<1	0.05	6.76	2.3	530	1.44	0.10	1.48	0.08	46.5	5.0	45
EMS-2500E/1600S	0.38	2	<5	1	0.04	7.10	1.9	500	1.62	0.09	1.55	0.09	39.7	4.3	46
EMS-2500E/1650S	0.24	<1	<5	<1	0.04	7.87	2.2	650	1.61	0.10	2.10	0.06	52.6	5.3	37
EMS-2500E/1700S	0.48	2	<5	<1	0.02	6.36	0.8	510	1.33	0.08	1.78	0.06	63.8	3.8	31
EMS-2500E/1750S	0.34	<1	<5	<1	0.03	6.54	0.7	490	1.30	0.07	1.79	0.06	92.1	3.7	41
EMS-2500E/1800S	0.34	<1	<5	1	0.03	6.41	1.1	480	1.27	0.09	1.74	0.07	55.9	4.1	38

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - B

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb %	Nb ppm
EMS-3000E/1000S	0.05	0.90	1.7	1.92	16.80	0.07	2.9	0.018	1.65	15.7	4.9	0.32	284	0.31	2.58	5.9
EMS-3000E/1050S	0.05	0.79	3.7	1.98	15.70	0.14	4.0	0.017	1.53	13.7	6.5	0.35	280	0.32	2.53	5.6
EMS-3000E/1100S	0.05	0.84	5.0	1.82	16.80	0.15	3.6	0.017	1.53	13.4	6.6	0.34	245	0.28	2.42	5.5
EMS-3000E/1150S	0.05	0.73	5.7	1.92	15.65	0.16	4.1	0.022	1.67	15.2	6.4	0.36	237	0.34	2.40	6.2
EMS-3000E/1200S	0.05	0.76	4.8	1.94	15.00	0.17	4.3	0.018	1.51	15.5	6.7	0.40	290	0.44	2.48	6.0
EMS-3000E/1250S	0.05	0.75	3.7	1.85	16.90	0.15	3.8	0.018	1.48	12.1	5.3	0.30	233	0.33	2.37	6.3
EMS-3000E/1300S	0.05	0.82	2.9	1.65	16.20	0.15	4.3	0.015	1.54	14.9	4.8	0.29	242	0.29	2.44	5.7
EMS-3000E/1350S	0.05	0.90	4.6	2.21	17.85	0.16	4.1	0.019	1.42	16.5	6.8	0.36	292	0.35	2.35	6.8
EMS-3000E/1400S	0.05	0.84	5.0	1.89	15.95	0.18	4.1	0.018	1.45	16.0	6.3	0.36	248	0.31	2.48	5.9
EMS-3000E/1450S	0.05	0.78	6.3	1.82	14.75	0.15	4.2	0.015	1.63	15.1	7.3	0.43	273	0.27	2.66	5.3
EMS-3000E/1500S	0.05	0.83	4.6	1.78	15.30	0.15	3.8	0.017	1.48	14.9	6.5	0.40	275	0.30	2.66	5.9
EMS-3000E/1550S	0.05	0.93	5.5	2.05	16.35	0.17	5.2	0.022	1.56	14.8	8.9	0.45	275	0.44	2.58	6.2
EMS-3000E/1600S	0.05	0.86	2.5	1.84	17.25	0.16	4.1	0.018	1.57	13.9	5.4	0.32	234	0.33	2.46	6.2
EMS-2600E/1000S	0.05	1.10	5.4	2.28	18.05	0.17	6.0	0.024	1.66	16.8	7.6	0.46	300	0.49	2.51	7.1
EMS-2600E/1050S	0.05	0.83	4.3	2.57	17.75	0.20	4.1	0.025	1.42	17.7	6.8	0.40	337	0.42	2.41	9.0
EMS-2600E/1100S	0.05	0.63	3.3	2.11	12.95	0.13	3.6	0.014	1.51	13.1	4.6	0.37	304	0.30	2.47	5.3
EMS-2600E/1150S	0.05	0.81	3.1	1.87	16.30	0.15	4.0	0.016	1.52	15.9	5.1	0.30	248	0.37	2.36	5.3
EMS-2600E/1300S	0.05	0.69	4.0	2.03	14.95	0.16	3.9	0.020	1.54	20.4	5.8	0.40	354	0.31	2.80	6.9
EMS-2600E/1350S	0.05	0.81	5.1	2.52	16.30	0.19	4.7	0.022	1.41	20.0	6.6	0.42	357	0.47	2.49	7.3
EMS-2600E/1400S	0.05	1.09	9.6	2.06	17.65	0.22	5.9	0.024	1.78	24.1	8.7	0.52	306	0.41	2.64	6.9
EMS-2600E/1450S	0.05	0.90	5.0	1.81	16.20	0.19	4.6	0.018	1.60	20.7	6.5	0.40	270	0.36	2.49	6.0
EMS-2600E/1500S	0.05	0.84	4.2	1.93	16.10	0.15	5.2	0.019	1.66	16.3	6.0	0.39	239	0.40	2.33	5.9
EMS-2600E/1550S	0.05	0.97	7.7	1.94	16.15	0.20	4.5	0.018	1.66	23.5	7.6	0.45	293	0.43	2.65	6.4
EMS-2600E/1600S	0.05	0.87	4.3	1.82	15.25	0.17	2.9	0.017	1.55	20.3	5.8	0.38	314	0.32	2.67	6.1
EMS-2500E/1000S	0.05	0.93	4.7	2.37	17.10	0.18	3.5	0.020	1.38	23.2	7.5	0.37	295	0.37	2.33	6.4
EMS-2500E/1050S	0.05	0.87	3.9	2.71	16.95	0.22	5.6	0.023	1.42	23.4	6.2	0.41	363	0.39	2.38	8.3
EMS-2500E/1100S	0.05	0.88	4.7	3.34	19.20	0.25	6.9	0.027	1.40	35.4	6.5	0.43	403	0.45	2.35	9.6
EMS-2500E/1150S	0.05	0.83	5.3	2.30	15.95	0.20	3.8	0.018	1.43	22.7	6.1	0.38	313	0.41	2.44	6.9
EMS-2500E/1200S	0.05	0.79	4.4	2.13	15.70	0.18	4.2	0.018	1.54	17.2	6.5	0.39	326	0.38	2.58	6.9
EMS-2500E/1250S	0.05	0.83	3.8	2.72	16.85	0.18	3.6	0.025	1.41	16.3	6.0	0.40	371	0.52	2.45	7.9
EMS-2500E/1300S	0.05	0.64	3.2	1.28	15.55	0.13	3.2	0.015	1.40	15.2	4.7	0.35	305	0.21	2.42	6.2
EMS-2500E/1350S	0.05	0.74	4.3	1.77	15.15	0.18	2.8	0.036	1.47	16.5	5.4	0.37	301	0.29	2.58	5.7
EMS-2500E/1400S	0.05	0.76	6.3	1.52	15.40	0.18	3.5	0.019	1.57	20.2	5.8	0.35	297	1.19	2.72	5.5
EMS-2500E/1450S	0.05	1.00	11.3	1.75	16.75	0.08	6.4	0.029	1.63	15.4	6.2	0.33	241	0.55	2.38	6.3
EMS-2500E/1500S	0.05	0.79	6.0	2.18	15.20	0.09	5.8	0.025	1.55	18.6	7.2	0.42	286	0.36	2.46	6.2
EMS-2500E/1600S	0.05	0.75	3.4	2.65	16.35	0.09	4.9	0.026	1.48	16.7	6.3	0.38	328	0.37	2.47	7.1
EMS-2500E/1650S	0.05	0.94	7.6	1.73	18.00	0.11	4.4	0.023	1.92	24.7	8.9	0.47	357	0.89	3.26	6.9
EMS-2500E/1700S	0.05	0.66	1.8	1.31	15.75	0.10	6.8	0.022	1.50	30.8	6.2	0.40	440	0.63	2.61	8.6
EMS-2500E/1750S	0.05	0.65	2.2	1.46	15.65	0.13	6.1	0.022	1.42	44.4	6.0	0.39	487	0.38	2.88	9.2
EMS-2500E/1800S	0.05	0.74	6.0	2.00	14.95	0.10	4.4	0.020	1.44	24.3	6.3	0.39	368	0.49	2.60	7.0

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units LOR	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMS-3000E/1000S		8.9	360	14.4	58.9	<0.002	0.01	0.06	6.0	1	0.9	354	0.35	<0.05	5.2	0.192
EMS-3000E/1050S		9.4	420	13.5	51.8	<0.002	0.01	0.06	6.5	2	0.8	341	0.34	<0.05	4.6	0.181
EMS-3000E/1100S		10.3	530	14.0	53.0	<0.002	0.02	0.05	6.1	2	0.9	320	0.41	<0.05	4.1	0.178
EMS-3000E/1150S		10.6	520	14.1	54.1	<0.002	0.01	<0.05	6.8	2	1.0	330	0.38	<0.05	5.2	0.189
EMS-3000E/1200S		12.3	420	12.8	50.3	<0.002	0.01	<0.05	6.9	2	0.9	334	0.41	<0.05	5.3	0.198
EMS-3000E/1250S		9.1	510	14.4	50.8	<0.002	0.01	<0.05	5.8	2	0.9	322	0.37	<0.05	4.2	0.189
EMS-3000E/1300S		9.0	400	13.7	53.9	<0.002	0.01	0.05	5.8	1	0.8	329	0.34	<0.05	5.0	0.175
EMS-3000E/1350S		10.6	580	14.8	53.4	<0.002	0.02	0.05	7.3	2	1.0	318	0.43	<0.05	6.4	0.210
EMS-3000E/1400S		10.7	640	13.2	47.0	<0.002	0.01	<0.05	6.7	2	0.9	331	0.37	<0.05	5.6	0.197
EMS-3000E/1450S		15.0	460	13.0	51.5	<0.002	0.01	0.05	7.0	2	0.8	359	0.34	<0.05	4.6	0.186
EMS-3000E/1500S		12.2	410	12.3	48.2	<0.002	0.01	<0.05	6.8	1	0.9	353	0.36	<0.05	4.2	0.196
EMS-3000E/1550S		17.5	440	13.8	51.8	<0.002	0.02	0.06	7.9	2	0.9	343	0.41	<0.05	4.7	0.199
EMS-3000E/1600S		9.9	360	15.4	52.9	<0.002	0.01	<0.05	6.0	1	1.0	330	0.38	<0.05	4.5	0.197
EMS-2600E/1000S		13.3	500	15.2	55.7	<0.002	0.02	0.06	8.1	1	1.1	341	0.50	<0.05	5.7	0.239
EMS-2600E/1050S		11.2	720	14.9	50.8	<0.002	0.01	0.07	7.9	2	1.1	329	0.95	<0.05	6.1	0.234
EMS-2600E/1100S		8.7	420	11.7	40.8	<0.002	0.03	0.06	5.8	1	0.7	333	0.33	<0.05	5.1	0.220
EMS-2600E/1150S		7.9	230	14.6	51.4	<0.002	0.01	0.08	5.8	1	0.8	318	0.33	<0.05	7.5	0.187
EMS-2600E/1300S		10.0	400	12.8	48.8	<0.002	0.01	0.08	7.4	2	0.9	357	0.56	<0.05	7.4	0.237
EMS-2600E/1350S		12.1	480	13.5	52.2	<0.002	0.01	0.06	8.3	2	0.9	340	0.45	<0.05	5.8	0.219
EMS-2600E/1400S		17.0	630	15.6	64.1	<0.002	0.01	0.07	8.8	2	1.1	361	0.46	<0.05	6.0	0.209
EMS-2600E/1450S		11.2	360	13.6	57.5	<0.002	0.01	0.05	6.9	2	0.9	339	0.37	<0.05	5.5	0.189
EMS-2600E/1500S		11.6	340	14.1	53.4	<0.002	0.01	0.07	6.5	2	1.0	325	0.39	<0.05	5.0	0.204
EMS-2600E/1550S		13.4	510	14.2	58.3	<0.002	0.01	0.05	7.4	2	0.9	360	0.40	<0.05	7.9	0.191
EMS-2600E/1600S		10.9	450	12.9	55.1	<0.002	<0.01	0.06	6.8	1	0.8	364	0.37	<0.05	6.4	0.179
EMS-2500E/1000S		10.1	740	14.8	50.1	<0.002	0.01	0.06	6.8	2	0.9	315	0.40	<0.05	7.6	0.196
EMS-2500E/1050S		11.3	560	14.9	52.2	<0.002	0.01	0.06	8.3	2	1.1	326	0.53	<0.05	10.1	0.240
EMS-2500E/1100S		12.6	720	15.9	51.9	<0.002	0.02	0.05	9.2	2	1.2	327	0.60	<0.05	13.5	0.287
EMS-2500E/1150S		10.8	570	14.2	51.0	<0.002	0.01	<0.05	7.2	2	0.9	330	0.43	<0.05	10.8	0.205
EMS-2500E/1200S		11.7	420	13.4	52.9	<0.002	0.01	<0.05	7.4	2	0.9	349	0.43	<0.05	5.7	0.208
EMS-2500E/1250S		11.3	440	13.8	50.9	<0.002	0.02	<0.05	8.5	2	1.0	333	0.48	<0.05	5.0	0.232
EMS-2500E/1300S		8.0	430	12.0	44.4	<0.002	0.03	<0.05	6.6	2	0.8	329	0.39	<0.05	4.9	0.217
EMS-2500E/1350S		9.8	390	11.9	51.7	<0.002	0.01	<0.05	6.5	2	0.8	351	0.36	<0.05	4.9	0.173
EMS-2500E/1400S		9.1	500	12.5	55.0	<0.002	<0.01	0.08	6.4	1	0.8	373	0.33	<0.05	4.7	0.168
EMS-2500E/1450S		16.1	360	21.4	60.6	<0.002	0.02	0.31	6.2	3	1.0	337	0.38	<0.05	5.0	0.218
EMS-2500E/1500S		13.3	510	14.6	54.3	<0.002	0.01	0.09	7.4	2	0.8	345	0.38	<0.05	5.7	0.209
EMS-2500E/1600S		10.7	520	14.2	52.8	<0.002	0.02	0.06	7.2	2	0.9	357	0.40	<0.05	5.5	0.223
EMS-2500E/1650S		13.0	580	16.3	69.7	0.002	<0.01	0.09	7.6	3	0.9	467	0.40	<0.05	4.8	0.219
EMS-2500E/1700S		9.7	480	14.5	54.3	0.002	0.01	0.24	8.1	3	0.9	381	0.47	<0.05	14.0	0.272
EMS-2500E/1750S		9.3	570	14.3	51.6	0.002	0.01	0.05	8.0	2	1.0	384	0.51	<0.05	19.1	0.304
EMS-2500E/1800S		10.6	480	13.4	54.2	<0.002	<0.01	0.05	7.3	2	0.9	375	0.42	<0.05	5.1	0.204

Comments: B results from ME-MS61 are semi-quantitative



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMS-3000E/1000S		0.27	0.7	37	0.3	8.3	15	99.1	<10
EMS-3000E/1050S		0.23	0.7	35	0.4	8.9	16	130.0	<10
EMS-3000E/1100S		0.25	0.7	35	0.4	8.1	16	119.0	<10
EMS-3000E/1150S		0.24	0.8	37	0.4	8.5	16	139.0	<10
EMS-3000E/1200S		0.21	0.9	36	0.5	10.0	19	142.5	<10
EMS-3000E/1250S		0.25	0.7	35	0.4	8.1	15	124.5	<10
EMS-3000E/1300S		0.25	0.7	31	0.5	8.5	13	139.5	<10
EMS-3000E/1350S		0.24	0.9	40	0.5	9.9	17	137.5	<10
EMS-3000E/1400S		0.23	0.8	35	0.3	9.4	17	133.0	<10
EMS-3000E/1450S		0.24	0.8	35	0.3	9.3	19	140.5	10
EMS-3000E/1500S		0.23	0.8	35	0.4	10.8	18	125.0	10
EMS-3000E/1550S		0.25	0.8	39	0.4	9.4	20	166.0	10
EMS-3000E/1600S		0.25	0.7	35	0.4	8.3	14	135.0	20
EMS-2600E/1000S		0.27	1.0	46	0.5	10.1	22	194.5	20
EMS-2600E/1050S		0.24	0.9	46	0.6	12.1	22	127.0	20
EMS-2600E/1100S		0.18	0.7	41	0.4	7.2	16	122.0	30
EMS-2600E/1150S		0.23	0.8	32	0.4	7.3	11	131.5	30
EMS-2600E/1300S		0.22	0.9	40	0.5	11.3	19	130.0	30
EMS-2600E/1350S		0.22	0.9	44	0.5	13.4	20	147.5	30
EMS-2600E/1400S		0.28	1.1	42	0.5	14.6	24	190.0	50
EMS-2600E/1450S		0.26	0.8	35	0.4	10.5	17	148.5	50
EMS-2600E/1500S		0.25	0.9	39	0.4	8.2	17	173.0	40
EMS-2600E/1550S		0.27	1.1	36	0.4	13.4	20	144.0	30
EMS-2600E/1600S		0.26	0.8	34	0.3	11.6	17	90.3	40
EMS-2500E/1000S		0.22	0.7	41	0.5	9.8	20	111.0	40
EMS-2500E/1050S		0.24	1.2	48	0.7	13.0	22	173.5	40
EMS-2500E/1100S		0.22	1.4	61	0.8	14.3	23	226	50
EMS-2500E/1150S		0.23	1.0	41	0.5	12.1	20	123.0	50
EMS-2500E/1200S		0.25	0.9	40	0.4	12.3	18	135.5	50
EMS-2500E/1250S		0.23	0.7	48	32.7	12.1	19	115.0	50
EMS-2500E/1300S		0.20	0.8	32	0.5	8.6	15	101.0	60
EMS-2500E/1350S		0.24	0.8	33	0.3	10.3	16	90.7	60
EMS-2500E/1400S		0.26	1.0	28	0.4	13.1	15	112.5	60
EMS-2500E/1450S		0.29	1.0	39	0.6	8.4	29	206	<10
EMS-2500E/1500S		0.26	1.0	41	0.5	9.5	26	183.5	<10
EMS-2500E/1600S		0.23	0.9	49	0.6	10.8	24	161.0	<10
EMS-2500E/1650S		0.30	1.4	46	0.5	15.4	27	140.5	<10
EMS-2500E/1700S		0.22	1.6	27	0.4	16.0	23	226	<10
EMS-2500E/1750S		0.22	1.2	27	0.4	16.9	25	189.5	<10
EMS-2500E/1800S		0.23	1.1	36	0.3	15.6	20	137.5	<10

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
EMS-2500E/1850S		0.36	3	<5	1	0.06	6.76	1.9	520	1.39	0.06	1.51	0.06	28.8	3.2	31
EMS-2500E/1900S		0.36	5	<5	<1	0.04	6.34	1.5	510	1.44	0.07	1.62	0.06	38.1	4.3	41
EMS-2500E/1950S		0.38	8	<5	1	0.03	6.61	0.8	500	1.30	0.10	1.94	0.07	63.2	4.2	33
EMS-2500E/2000S		0.34	1	<5	<1	0.01	6.30	1.3	540	1.27	0.07	1.62	0.07	38.9	3.4	37
EMS-2200E/1000S		0.52	<1	<5	1	0.02	6.54	2.0	480	1.52	0.14	1.56	0.05	44.8	4.0	41
EMS-2200E/1050S		0.54	<1	<5	<1	0.01	7.06	2.1	520	1.30	0.09	1.82	0.06	49.9	4.6	48
EMS-2200E/1100S		0.44	19	<5	1	0.01	6.27	1.5	480	1.22	0.15	1.52	0.05	48.8	3.7	40
EMS-2200E/1200S		0.40	1	<5	1	0.01	6.05	1.3	500	1.26	0.08	1.38	0.05	32.4	2.5	31
EMS-2200E/1250S		0.42	<1	<5	<1	0.01	6.34	1.8	510	1.25	0.06	1.44	0.05	27.0	3.1	32
EMS-1800E/1000S		0.48	<1	<5	<1	0.02	6.53	2.4	490	1.39	0.12	1.83	0.06	80.3	5.1	55
EMS-1800E/1150S		0.40	24	<5	<1	0.03	6.22	1.4	510	1.28	0.09	1.41	0.06	42.8	3.0	36
EMS-1800E/1300S		0.32	<1	<5	<1	0.02	6.85	1.6	510	1.38	0.08	1.53	0.06	38.9	3.9	40
EMS-1800E/1400S		0.30	<1	<5	<1	0.01	5.76	0.9	520	1.32	0.07	1.28	0.04	34.1	2.3	29
EMS-1800E/1500S		0.42	<1	<5	1	0.03	6.65	1.5	530	1.48	0.13	1.76	0.05	44.1	4.2	37
EMS-1800E/1600S		0.36	<1	<5	<1	<0.01	5.80	<0.2	510	1.17	0.09	1.39	0.05	30.9	2.6	24
EMS-1800E/1800S		0.36	6	<5	<1	<0.01	6.29	0.7	480	1.42	0.04	1.67	0.06	56.6	3.7	34
EMS-1800E/1850S		0.18	2	<5	<1	<0.01	5.66	0.3	520	1.14	0.05	1.20	0.03	23.2	1.5	17
EMS-1700E/1050S		0.58	<1	<5	<1	<0.01	6.03	0.7	510	1.33	0.04	1.53	0.06	43.8	4.3	55
EMS-1700E/1100S		0.46	<1	<5	<1	<0.01	6.45	1.0	490	1.31	0.05	1.49	0.05	36.7	3.7	24
EMS-1700E/1150S		0.44	<1	<5	1	<0.01	6.13	0.5	470	1.38	0.03	1.66	0.07	84.9	4.1	31
EMS-1700E/1200S		0.40	2	<5	<1	<0.01	5.52	0.6	500	1.10	0.04	1.29	0.05	37.3	2.4	23
EMS-1700E/1250S		0.40	<1	<5	<1	0.02	6.57	1.5	460	1.41	0.05	1.67	0.08	57.2	7.1	51
EMS-1700E/1300S		0.54	<1	<5	1	<0.01	6.43	1.5	490	1.37	0.05	1.82	0.08	61.5	6.1	48
EMS-1700E/1350S		0.52	<1	<5	1	<0.01	5.68	0.5	500	1.17	0.04	1.26	0.04	31.7	2.0	24
EMS-1700E/1400S		0.46	<1	<5	<1	0.01	5.70	1.3	460	1.03	0.06	1.35	0.08	43.4	3.3	44
EMS-1700E/1450S		0.56	<1	<5	<1	<0.01	6.23	1.0	500	1.34	0.07	1.65	0.05	43.7	3.7	30
EMS-1700E/1500S		0.32	1	<5	<1	0.01	5.92	0.9	460	1.14	0.05	1.35	0.04	38.3	2.6	31
EMS-1700E/1550S		0.38	5	<5	<1	<0.01	6.40	0.3	540	1.34	0.05	1.88	0.05	55.2	4.2	32
EMS-1400E/1000S		0.52	3	<5	<1	<0.01	6.11	1.2	500	1.25	0.08	1.47	0.07	35.8	3.7	41
EMS-1400E/1050S		0.44	<1	<5	<1	<0.01	5.83	0.7	520	1.18	0.04	1.46	0.04	37.1	2.8	31
EMS-1400E/1100S		0.52	<1	<5	<1	<0.01	6.23	0.9	510	1.28	0.05	1.66	0.06	64.0	3.8	36
EMS-1400E/1150S		0.46	<1	<5	<1	0.01	5.88	0.8	500	1.33	0.05	1.32	0.04	45.0	2.7	30
EMS-1400E/1200S		0.54	<1	<5	1	<0.01	5.81	1.0	520	1.26	0.06	1.35	0.05	48.0	3.2	28
EMS-1400E/1250S		0.58	<1	<5	<1	<0.01	6.26	0.7	490	1.29	0.08	1.60	0.05	45.8	3.8	33
EMS-1400E/1350S		0.58	<1	<5	1	<0.01	6.35	0.9	510	1.25	0.05	1.78	0.06	71.0	4.2	39
EMS-1400E/1400S		0.48	<1	<5	1	<0.01	6.24	1.0	500	1.38	0.04	1.70	0.06	50.3	3.8	34
EMS-1400E/1450S		0.40	.3	<5	<1	0.01	6.60	1.3	490	1.28	0.04	1.70	0.07	51.1	4.1	42
EMS-1400E/1500S		0.50	2	<5	<1	<0.01	6.59	1.1	510	1.36	0.05	1.68	0.06	42.6	4.0	36
EMS-1400E/1550S		0.42	<1	<5	<1	<0.01	6.29	1.3	480	1.28	0.04	1.51	0.06	43.1	3.6	38
EMS-1400E/1600S		0.30	<1	<5	<1	<0.01	5.82	0.8	470	1.26	0.04	1.57	0.05	45.0	3.4	33

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
Units		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
LOR		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMS-2500E/1850S		0.73	3.8	1.70	14.90	0.08	3.1	0.018	1.53	11.2	5.7	0.31	243	0.37	2.60	4.7
EMS-2500E/1900S		0.65	8.4	1.94	14.40	0.09	5.1	0.020	1.55	15.7	5.7	0.40	300	0.30	2.54	6.0
EMS-2500E/1950S		0.70	3.0	1.48	16.20	0.10	6.0	0.026	1.48	29.7	6.7	0.46	445	0.36	2.70	8.0
EMS-2500E/2000S		0.69	4.7	1.76	14.40	0.09	4.7	0.016	1.61	17.9	5.5	0.34	289	0.49	2.61	5.7
EMS-2200E/1000S		0.68	3.3	2.15	15.35	0.10	4.1	0.035	1.41	20.9	6.3	0.39	334	0.36	2.40	6.7
EMS-2200E/1050S		0.76	3.6	2.46	15.55	0.11	6.4	0.023	1.55	23.1	6.8	0.46	395	0.41	2.61	7.8
EMS-2200E/1100S		0.69	2.1	1.67	15.50	0.09	5.5	0.022	1.44	24.2	5.6	0.37	351	0.31	2.31	7.1
EMS-2200E/1200S		0.64	1.5	1.31	14.90	0.08	5.1	0.018	1.50	16.4	4.1	0.27	266	0.24	2.27	6.1
EMS-2200E/1250S		0.71	3.2	1.33	14.20	0.08	3.4	0.016	1.53	13.5	5.6	0.32	229	0.21	2.38	4.6
EMS-1800E/1000S		0.74	4.4	3.40	16.30	0.16	8.2	0.022	1.46	38.5	6.4	0.45	479	0.47	2.52	9.5
EMS-1800E/1150S		0.85	1.3	2.07	18.25	0.11	4.8	0.019	1.54	22.6	5.1	0.29	337	0.37	2.30	7.3
EMS-1800E/1300S		0.75	1.3	2.24	17.80	0.11	4.4	0.022	1.50	19.0	5.7	0.36	300	0.37	2.42	7.4
EMS-1800E/1400S		0.64	1.3	1.25	15.05	0.09	5.6	0.015	1.54	16.6	4.3	0.23	238	0.27	2.24	6.2
EMS-1800E/1500S		0.74	3.0	2.08	16.40	0.11	5.6	0.023	1.55	21.0	6.3	0.38	329	0.35	2.63	6.6
EMS-1800E/1600S		0.67	1.8	0.84	15.00	0.06	4.7	0.018	1.50	15.7	4.1	0.27	258	0.24	2.39	5.6
EMS-1800E/1800S		0.67	2.7	2.18	14.30	0.07	5.2	0.021	1.41	26.4	4.9	0.36	282	0.39	2.44	6.1
EMS-1800E/1850S		0.65	0.8	0.65	14.80	<0.05	3.9	0.017	1.52	12.0	3.0	0.17	180	0.19	2.30	5.7
EMS-1700E/1050S		0.64	1.4	1.79	14.75	0.07	4.9	0.022	1.47	21.0	5.5	0.38	260	1.51	2.54	5.1
EMS-1700E/1100S		0.79	2.8	1.75	14.65	0.06	3.9	0.020	1.46	16.5	5.9	0.33	272	0.34	2.52	5.4
EMS-1700E/1150S		0.72	3.3	1.66	15.15	0.10	4.7	0.023	1.39	43.7	7.4	0.44	399	2.94	2.51	7.1
EMS-1700E/1200S		0.63	0.9	1.49	14.00	0.05	6.4	0.015	1.46	18.3	3.7	0.25	238	0.31	2.17	5.5
EMS-1700E/1250S		0.75	5.5	2.41	14.25	0.07	5.5	0.029	1.37	22.4	7.2	0.54	331	0.25	2.33	5.9
EMS-1700E/1300S		0.78	15.2	2.30	15.40	0.07	6.4	0.029	1.45	27.2	6.1	0.53	349	0.35	2.48	6.5
EMS-1700E/1350S		0.66	0.9	1.16	13.65	<0.05	4.9	0.013	1.48	15.5	3.4	0.21	215	0.26	2.26	6.4
EMS-1700E/1400S		0.70	1.3	2.11	16.45	0.07	6.0	0.019	1.35	21.2	3.9	0.31	278	0.43	2.05	6.5
EMS-1700E/1450S		0.73	2.8	2.00	14.25	0.06	4.2	0.021	1.48	19.4	5.0	0.35	294	0.36	2.55	5.8
EMS-1700E/1500S		0.66	1.6	1.52	16.05	0.06	4.6	0.021	1.37	18.5	4.0	0.27	260	0.26	2.25	5.5
EMS-1700E/1550S		0.76	3.0	1.29	15.50	0.07	6.3	0.023	1.59	24.7	6.0	0.44	332	0.30	2.76	6.8
EMS-1400E/1000S		0.78	1.1	2.71	18.95	0.07	6.2	0.023	1.47	17.3	4.3	0.36	318	0.95	2.28	8.1
EMS-1400E/1050S		0.70	1.4	1.27	14.15	0.07	5.2	0.018	1.54	17.7	3.9	0.30	248	0.61	2.39	5.2
EMS-1400E/1100S		0.75	6.1	2.09	15.00	0.08	5.9	0.022	1.49	31.3	5.1	0.40	310	0.54	2.45	6.9
EMS-1400E/1150S		0.76	1.4	1.66	15.95	0.07	6.8	0.025	1.47	22.1	4.1	0.28	249	0.39	2.17	6.4
EMS-1400E/1200S		0.75	2.3	1.55	15.40	0.07	7.5	0.019	1.53	22.8	4.5	0.30	252	0.30	2.28	6.5
EMS-1400E/1250S		0.74	4.9	1.26	14.60	0.07	6.1	0.028	1.46	21.9	5.0	0.39	309	0.30	2.43	5.8
EMS-1400E/1350S		0.69	2.5	2.31	15.15	0.10	7.6	0.024	1.52	33.5	5.2	0.42	334	0.34	2.56	6.9
EMS-1400E/1400S		0.70	2.8	1.99	14.55	0.07	5.9	0.022	1.48	23.4	5.1	0.40	305	0.42	2.48	7.0
EMS-1400E/1450S		0.69	2.9	2.20	14.40	0.08	5.8	0.023	1.46	22.8	5.0	0.39	308	0.41	2.48	6.2
EMS-1400E/1500S		0.77	2.3	2.04	15.70	0.08	5.1	0.022	1.51	19.8	5.7	0.41	298	0.41	2.59	5.9
EMS-1400E/1550S		0.68	1.7	2.25	15.85	0.08	6.3	0.025	1.41	20.4	4.9	0.37	286	0.49	2.30	6.7
EMS-1400E/1600S		0.64	1.8	1.80	13.55	0.07	4.7	0.018	1.38	20.9	4.7	0.34	257	0.36	2.40	5.2

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.05	0.05	0.2	0.005	
EMS-2500E/1850S		8.8	330	13.6	55.3	<0.002	0.01	0.06	5.8	3	0.6	367	0.25	<0.05	3.0	0.150
EMS-2500E/1900S		11.8	350	14.0	54.3	0.002	0.01	0.09	7.0	2	0.7	355	0.42	<0.05	4.4	0.188
EMS-2500E/1950S		10.6	580	13.7	55.1	<0.002	<0.01	0.05	8.5	3	1.0	391	0.47	<0.05	9.5	0.252
EMS-2500E/2000S		10.5	450	14.2	53.8	<0.002	<0.01	<0.05	5.8	2	0.8	371	0.34	<0.05	5.9	0.196
EMS-2200E/1000S		9.9	450	12.9	52.3	<0.002	0.01	0.05	7.4	3	0.8	346	0.36	<0.05	9.3	0.204
EMS-2200E/1050S		11.8	570	13.1	56.2	0.002	0.01	0.06	8.2	3	0.9	381	0.45	<0.05	6.9	0.252
EMS-2200E/1100S		9.4	500	13.3	54.5	<0.002	0.02	0.08	7.6	3	0.8	336	0.39	<0.05	8.1	0.217
EMS-2200E/1200S		6.9	340	13.4	54.6	<0.002	0.01	0.07	5.8	3	0.8	330	0.37	<0.05	5.3	0.197
EMS-2200E/1250S		9.1	390	13.1	55.7	<0.002	0.01	0.07	5.7	3	0.6	343	0.26	<0.05	2.9	0.144
EMS-1800E/1000S		11.9	620	13.9	55.8	<0.002	<0.01	0.05	9.1	3	1.1	372	0.52	<0.05	12.6	0.282
EMS-1800E/1150S		7.3	170	15.7	59.1	<0.002	0.01	0.05	6.6	3	1.0	340	0.39	<0.05	10.0	0.242
EMS-1800E/1300S		9.6	410	14.6	56.0	<0.002	0.02	<0.05	6.8	3	1.0	353	0.42	<0.05	5.8	0.224
EMS-1800E/1400S		6.0	340	13.9	54.6	<0.002	0.01	<0.05	5.2	2	0.8	320	0.34	<0.05	6.0	0.198
EMS-1800E/1500S		10.0	560	13.7	58.9	0.002	0.01	<0.05	7.5	3	0.8	379	0.36	<0.05	7.2	0.202
EMS-1800E/1600S		8.5	190	13.6	58.2	<0.002	0.01	0.11	5.0	3	0.7	335	0.37	<0.05	5.2	0.176
EMS-1800E/1800S		9.9	610	12.5	52.0	<0.002	0.01	0.09	6.4	2	0.8	344	0.37	<0.05	6.4	0.188
EMS-1800E/1850S		4.5	250	13.7	56.7	<0.002	0.01	<0.05	3.8	2	0.7	318	0.47	<0.05	3.5	0.174
EMS-1700E/1050S		23.0	190	12.7	53.4	<0.002	0.01	0.05	5.9	2	0.9	352	0.32	<0.05	5.0	0.178
EMS-1700E/1100S		8.7	360	13.2	55.7	<0.002	0.01	0.05	5.4	2	0.6	346	0.33	<0.05	4.6	0.156
EMS-1700E/1150S		10.6	310	13.5	52.3	<0.002	0.02	0.06	7.4	3	0.8	350	0.46	<0.05	12.5	0.242
EMS-1700E/1200S		6.0	240	13.2	53.2	<0.002	<0.01	0.05	4.5	2	0.8	311	0.37	<0.05	5.9	0.183
EMS-1700E/1250S		21.6	480	13.6	51.5	<0.002	0.02	0.07	8.5	2	0.8	323	0.40	<0.05	7.0	0.197
EMS-1700E/1300S		17.7	500	13.3	53.6	<0.002	0.01	0.08	8.3	2	0.9	347	0.43	<0.05	6.8	0.227
EMS-1700E/1350S		6.5	290	13.7	54.7	<0.002	0.01	0.05	4.2	2	0.7	315	0.98	<0.05	4.4	0.169
EMS-1700E/1400S		9.5	470	14.4	50.9	<0.002	0.02	0.05	6.0	2	0.9	294	0.41	<0.05	6.2	0.243
EMS-1700E/1450S		9.2	530	12.8	55.3	<0.002	0.01	<0.05	6.0	2	0.7	355	0.35	<0.05	3.6	0.176
EMS-1700E/1500S		7.7	390	13.6	52.0	<0.002	0.03	<0.05	5.6	3	0.7	315	0.35	<0.05	6.4	0.188
EMS-1700E/1550S		12.6	580	13.9	57.0	<0.002	0.01	<0.05	7.0	2	0.9	388	0.59	<0.05	6.1	0.217
EMS-1400E/1000S		11.0	250	15.1	53.4	<0.002	0.01	0.07	6.2	2	1.2	322	0.61	<0.05	5.1	0.287
EMS-1400E/1050S		10.1	280	13.8	57.4	<0.002	0.01	<0.05	5.2	2	0.8	338	0.34	<0.05	5.2	0.172
EMS-1400E/1100S		10.0	530	13.6	55.7	<0.002	0.01	0.05	6.9	2	0.9	349	0.42	<0.05	7.1	0.217
EMS-1400E/1150S		7.5	280	15.2	53.2	<0.002	0.01	0.05	5.3	2	0.9	308	0.40	<0.05	7.4	0.227
EMS-1400E/1200S		8.5	300	15.7	56.1	<0.002	0.01	0.05	5.5	2	1.0	319	0.41	<0.05	7.2	0.223
EMS-1400E/1250S		10.8	410	13.8	54.8	<0.002	0.02	0.06	6.7	2	0.8	336	0.38	<0.05	5.8	0.201
EMS-1400E/1350S		10.6	580	14.2	55.8	<0.002	0.01	0.06	7.4	2	0.9	364	0.42	<0.05	11.9	0.219
EMS-1400E/1400S		9.8	550	12.8	53.8	<0.002	0.01	0.06	6.8	2	0.8	350	0.45	<0.05	5.5	0.192
EMS-1400E/1450S		12.7	590	12.8	53.7	<0.002	0.01	0.05	6.8	2	0.7	349	0.41	<0.05	5.6	0.196
EMS-1400E/1500S		11.4	500	13.4	55.8	<0.002	0.01	<0.05	6.4	3	0.8	365	0.38	<0.05	4.9	0.189
EMS-1400E/1550S		10.2	400	14.0	52.0	<0.002	0.01	0.07	6.7	3	0.8	324	0.41	<0.05	5.5	0.219
EMS-1400E/1600S		10.5	500	12.5	51.9	<0.002	0.01	<0.05	5.7	2	0.7	334	0.32	<0.05	5.3	0.183

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	TI	U	V	W	Y	Zn	Zr	B
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.02	0.1	1	0.1	0.1	2	0.5	10
EMS-2500E/1850S		0.25	0.7	29	0.3	8.7	17	98.1	<10
EMS-2500E/1900S		0.25	0.9	36	0.3	10.9	20	166.5	<10
EMS-2500E/1950S		0.23	1.4	32	1.0	18.1	23	191.5	<10
EMS-2500E/2000S		0.23	0.9	35	0.9	10.5	18	158.0	<10
EMS-2200E/1000S		0.22	1.1	40	0.5	11.8	20	136.0	<10
EMS-2200E/1050S		0.23	1.2	46	0.6	14.2	23	213	<10
EMS-2200E/1100S		0.23	1.2	34	0.5	12.1	18	174.0	<10
EMS-2200E/1200S		0.23	0.9	28	0.4	8.6	14	165.5	<10
EMS-2200E/1250S		0.23	0.6	27	0.3	8.2	17	108.5	10
EMS-1800E/1000S		0.23	1.5	60	0.6	19.5	24	265	10
EMS-1800E/1150S		0.26	1.0	44	1.5	9.5	15	152.0	10
EMS-1800E/1300S		0.24	0.9	43	0.4	10.8	18	137.5	10
EMS-1800E/1400S		0.25	1.0	27	0.3	8.4	12	185.0	10
EMS-1800E/1500S		0.25	1.0	39	0.4	13.8	19	180.0	10
EMS-1800E/1600S		0.26	0.8	18	0.3	7.7	14	147.5	10
EMS-1800E/1800S		0.24	1.0	37	0.2	14.2	17	158.0	10
EMS-1800E/1850S		0.25	0.7	18	0.3	5.0	7	125.5	10
EMS-1700E/1050S		0.26	1.1	34	0.9	9.5	19	153.5	10
EMS-1700E/1100S		0.26	0.8	31	0.3	9.3	16	116.5	10
EMS-1700E/1150S		0.24	1.7	34	1.4	14.9	22	137.5	10
EMS-1700E/1200S		0.24	1.0	30	0.4	7.6	11	194.5	10
EMS-1700E/1250S		0.23	1.0	42	0.4	11.6	22	164.5	10
EMS-1700E/1300S		0.25	1.1	45	0.4	14.3	19	193.5	10
EMS-1700E/1350S		0.24	0.7	22	0.3	6.9	9	153.5	10
EMS-1700E/1400S		0.25	1.0	45	0.5	9.3	13	179.0	10
EMS-1700E/1450S		0.25	0.8	35	0.3	12.4	16	134.0	10
EMS-1700E/1500S		0.24	1.0	31	0.3	8.7	12	144.0	10
EMS-1700E/1550S		0.27	1.1	30	0.3	15.2	19	190.0	10
EMS-1400E/1000S		0.26	0.9	62	0.7	8.8	16	198.0	10
EMS-1400E/1050S		0.26	0.8	27	0.4	8.5	13	159.5	20
EMS-1400E/1100S		0.27	1.3	39	1.0	16.1	17	178.5	20
EMS-1400E/1150S		0.25	1.0	35	1.5	8.6	12	211	20
EMS-1400E/1200S		0.27	1.1	33	0.5	9.2	14	227	20
EMS-1400E/1250S		0.25	1.1	27	0.3	11.7	17	181.5	20
EMS-1400E/1350S		0.25	1.5	42	0.4	15.5	19	234	20
EMS-1400E/1400S		0.25	1.1	38	0.5	14.5	18	169.0	20
EMS-1400E/1450S		0.24	1.1	38	0.5	13.8	18	175.0	20
EMS-1400E/1500S		0.26	0.9	38	0.4	12.0	18	155.5	20
EMS-1400E/1550S		0.25	1.0	45	0.5	11.2	16	193.0	30
EMS-1400E/1600S		0.24	0.9	31	0.3	11.8	15	144.0	30

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Ca ppm	Co ppm	Cr ppm
EMS-1400E/1700S		0.62	1	<5	<1	<0.01	6.06	0.9	480	1.27	0.05	1.60	0.06	48.9	3.7	33
EMS-1400E/1750S		0.34	<1	<5	1	<0.01	6.04	1.1	470	1.23	0.04	1.54	0.06	47.8	3.7	33
EMS-1400E/1800S		0.46	<1	<5	<1	0.01	6.29	0.9	490	1.32	0.04	1.66	0.06	52.5	3.9	36
EMS-1400E/1850S		0.44	1	5	1	<0.01	6.23	0.7	500	1.27	0.04	1.69	0.05	51.7	3.9	35
EMS-1400E/1900S		0.52	1	<5	1	0.01	6.33	0.6	500	1.36	0.05	1.69	0.06	55.3	4.1	33
EMS-1400E/1950S		0.42	<1	<5	1	<0.01	6.16	0.5	510	1.39	0.04	1.68	0.06	52.8	3.9	30
EMS-1400E/2000S		0.46	<1	<5	<1	<0.01	6.37	1.0	510	1.34	0.05	1.75	0.07	52.0	4.0	40
EMS-1800E/1050S		0.38	17	<5	<1	0.01	7.17	2.6	460	1.46	0.08	1.43	0.08	62.1	5.5	50
EMS-1800E/1250S		0.32	<1	<5	<1	<0.01	6.31	0.8	460	3.16	0.07	1.64	0.08	54.0	3.9	41
EMS-1800E/1350S		0.34	1	<5	<1	<0.01	6.57	1.2	500	1.35	0.06	1.74	0.06	65.9	4.3	41
EMS-1800E/1450S		0.50	2	5	<1	0.01	6.16	2.8	480	1.39	0.14	1.67	0.08	52.4	4.0	31
EMS-3000E/1650S		0.36	1	<5	<1	<0.01	6.22	2.6	480	1.18	0.10	1.36	0.06	34.3	3.5	29
EMS-3000E/1700S		0.40	5	<5	<1	<0.01	6.48	2.8	490	1.31	0.07	1.49	0.08	42.7	4.4	36
EMS-3000E/1750S		0.28	1	<5	3	<0.01	6.21	2.7	510	1.43	0.08	1.54	0.08	45.3	5.4	35
EMS-3000E/1800S		0.30	2	<5	<1	<0.01	6.23	2.3	510	1.44	0.07	1.53	0.08	44.8	5.3	35
EMS-3000E/1850S		0.44	<1	6	<1	0.01	6.16	2.3	510	1.44	0.07	1.40	0.08	45.1	5.1	35
EMS-3000E/1900S		0.28	1	<5	<1	<0.01	6.48	2.4	490	1.50	0.07	1.53	0.07	39.3	5.3	39
EMS-3000E/1950S		0.36	3	<5	<1	0.03	7.38	3.7	440	1.49	0.10	1.27	0.09	35.8	5.3	46
EMS-2700E/1000S		0.42	<1	<5	<1	<0.01	6.00	2.4	490	1.20	0.05	1.40	0.05	31.5	3.6	23
EMS-2700E/1050S		0.32	4	<5	<1	0.01	6.79	2.7	450	1.32	0.10	1.40	0.10	32.8	3.6	31
EMS-2700E/1100S		0.20	2	<5	<1	0.01	6.61	2.2	510	1.49	0.09	1.41	0.08	38.7	4.9	39
EMS-2700E/1150S		0.20	<1	<5	<1	<0.01	6.51	1.9	530	1.35	0.07	1.54	0.06	39.9	4.9	35
EMS-2700E/1350S		0.46	<1	<5	1	<0.01	6.29	22.2	550	1.45	0.07	1.64	0.05	54.5	4.9	33
EMS-2700E/1400S		0.28	2	<5	<1	<0.01	6.61	2.2	550	1.39	0.09	1.54	0.06	52.0	5.6	45
EMS-2700E/1450S		0.42	1	<5	<1	<0.01	6.19	2.0	520	1.25	0.10	1.58	0.06	42.7	4.3	34
EMS-1700E/1600S		0.36	<1	7	1	<0.01	6.19	1.7	540	1.32	0.07	1.70	0.06	42.7	4.0	30
EMS-1700E/1650S		0.30	1	<5	1	<0.01	6.03	1.1	530	1.14	0.07	1.57	0.04	37.9	3.4	27
EMS-1700E/1700S		0.46	1	<5	<1	<0.01	5.66	1.3	540	1.08	0.08	1.30	0.05	24.6	2.5	19
EMS-1700E/1750S		0.38	1	<5	<1	<0.01	6.08	2.1	520	1.51	0.07	1.70	0.05	48.4	4.2	29
EMS-1700E/1800S		0.40	1	<5	<1	<0.01	6.09	2.0	510	1.18	0.06	1.58	0.04	33.1	4.0	29
EMS-1700E/1850S		0.42	1	<5	1	<0.01	6.11	1.8	480	1.18	0.06	1.59	0.06	40.6	3.7	34
EMS-1700E/1900S		0.38	<1	<5	1	<0.01	5.87	1.1	520	1.79	0.05	1.47	0.05	28.5	3.3	25
EMS-1700E/1950S		0.38	1	6	<1	<0.01	5.93	1.8	510	1.38	0.06	1.48	0.05	48.2	3.4	29
EMS-1600E/1600S		0.42	1	<5	<1	<0.01	6.09	1.8	510	1.28	0.05	1.64	0.06	39.5	3.8	31
EMS-1600E/1650S		0.34	1	<5	<1	<0.01	5.76	1.8	500	1.27	0.07	1.53	0.05	31.6	3.6	28
EMS-1600E/1700S		0.28	<1	<5	<1	<0.01	5.66	1.4	520	1.06	0.09	1.30	0.06	29.2	2.5	28
EMS-1600E/1750S		0.30	3	<5	<1	<0.01	5.75	0.9	520	1.11	0.06	1.51	0.04	30.3	2.9	22
EMS-1600E/1800S		0.44	1	<5	1	<0.01	6.04	2.0	500	1.13	0.07	1.47	0.05	42.0	3.5	28
EMS-1600E/1850S		0.38	2	<5	<1	<0.01	5.97	1.5	530	1.20	0.08	1.51	0.05	34.9	3.3	26
EMS-1100E/1750S		0.36	<1	12	<1	<0.01	5.93	2.1	490	1.15	0.09	1.50	0.06	40.5	4.0	32

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090061

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
Sample Description	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMS-1400E/1700S	0.67	3.7	1.92	14.05	0.08	5.4	0.023	1.40	22.9	4.6	0.37	282	0.33	2.38	6.2
EMS-1400E/1750S	0.69	2.3	1.97	14.40	0.07	5.4	0.024	1.38	22.6	4.8	0.38	268	0.36	2.31	6.1
EMS-1400E/1800S	0.69	3.2	1.99	14.95	0.08	8.0	0.023	1.43	24.7	4.6	0.39	301	0.51	2.36	6.2
EMS-1400E/1850S	0.76	2.2	2.08	14.80	0.08	6.7	0.025	1.46	23.8	5.1	0.39	302	0.35	2.48	6.4
EMS-1400E/1900S	0.86	3.8	1.96	14.90	0.08	7.1	0.021	1.44	26.3	4.8	0.39	321	0.51	2.44	6.6
EMS-1400E/1950S	0.73	4.3	1.59	15.10	0.07	5.7	0.022	1.49	25.1	5.5	0.39	286	0.57	2.55	5.7
EMS-1400E/2000S	0.70	2.3	2.13	15.05	0.09	6.2	0.026	1.50	24.6	4.8	0.41	318	0.42	2.56	6.4
EMS-1800E/1050S	0.83	8.2	2.86	18.40	0.09	6.5	0.032	1.34	26.0	7.3	0.45	311	0.51	2.24	7.3
EMS-1800E/1250S	0.68	1.7	2.35	15.90	0.09	5.7	0.028	1.36	25.3	5.2	0.38	384	0.55	2.44	7.7
EMS-1800E/1350S	0.78	1.6	2.42	15.60	0.10	7.4	0.027	1.48	30.6	5.6	0.41	358	0.44	2.54	7.5
EMS-1800E/1450S	0.67	4.4	1.83	15.00	0.15	4.9	0.024	1.42	23.9	5.5	0.37	314	0.45	2.40	7.3
EMS-3000E/1650S	0.87	2.3	1.52	18.00	0.15	4.4	0.019	1.46	16.8	5.0	0.32	238	0.25	2.20	5.7
EMS-3000E/1700S	0.75	4.8	1.84	15.75	0.12	4.7	0.024	1.47	18.8	5.8	0.38	273	0.31	2.37	5.7
EMS-3000E/1750S	0.75	4.6	1.83	15.25	0.14	5.7	0.024	1.48	18.3	6.8	0.41	278	0.29	2.37	8.0
EMS-3000E/1800S	0.76	5.0	1.82	15.20	0.14	5.6	0.022	1.50	19.2	6.9	0.42	281	0.29	2.41	6.1
EMS-3000E/1850S	0.68	7.4	1.88	15.25	0.13	5.4	0.025	1.47	18.6	5.9	0.38	248	0.30	2.31	6.2
EMS-3000E/1900S	0.80	3.9	2.05	14.85	0.14	5.5	0.027	1.42	17.3	6.7	0.44	293	0.33	2.35	5.8
EMS-3000E/1950S	0.80	7.0	2.58	17.45	0.12	4.4	0.034	1.26	16.2	6.5	0.40	251	0.60	2.01	6.9
EMS-2700E/1000S	0.75	3.3	1.29	14.45	0.11	2.8	0.018	1.49	14.3	5.4	0.32	223	0.31	2.37	4.5
EMS-2700E/1050S	0.82	4.1	2.33	16.75	0.11	3.3	0.024	1.34	15.2	5.6	0.32	285	0.44	2.24	7.0
EMS-2700E/1100S	0.88	6.0	2.19	16.65	0.11	5.2	0.028	1.50	16.9	7.0	0.43	265	0.48	2.27	6.8
EMS-2700E/1150S	0.88	4.4	1.99	15.15	0.13	4.3	0.023	1.55	17.0	7.1	0.42	283	0.34	2.46	5.7
EMS-2700E/1350S	0.83	5.6	1.78	15.80	0.14	4.5	0.023	1.64	23.9	6.9	0.41	284	0.73	2.54	6.1
EMS-2700E/1400S	0.94	5.2	2.40	16.35	0.14	6.0	0.028	1.60	20.9	7.3	0.49	305	0.54	2.38	6.8
EMS-2700E/1450S	0.74	3.6	1.65	14.85	0.14	4.8	0.020	1.54	17.8	6.2	0.38	264	0.29	2.49	5.6
EMS-1700E/1600S	0.74	4.1	1.13	15.60	0.12	5.3	0.021	1.58	20.3	6.0	0.40	284	0.26	2.58	5.3
EMS-1700E/1650S	0.63	1.8	1.01	15.30	0.11	4.1	0.018	1.57	16.8	5.5	0.38	259	0.21	2.52	5.2
EMS-1700E/1700S	0.78	2.1	0.93	14.85	0.11	5.2	0.015	1.57	13.3	3.7	0.26	204	0.43	2.21	5.0
EMS-1700E/1750S	0.72	4.4	1.76	15.10	0.14	4.8	0.021	1.52	21.1	5.5	0.38	288	0.38	2.51	6.1
EMS-1700E/1800S	0.69	3.1	1.63	15.10	0.11	4.3	0.022	1.50	15.7	5.2	0.38	256	0.38	2.43	5.2
EMS-1700E/1850S	0.64	3.6	1.87	14.50	0.12	4.9	0.022	1.40	19.0	4.9	0.37	275	0.42	2.27	5.7
EMS-1700E/1900S	0.69	4.5	0.84	15.00	0.10	3.0	0.018	1.52	13.3	5.2	0.31	209	0.25	2.49	4.2
EMS-1700E/1950S	0.75	11.5	1.24	14.80	0.12	5.1	0.018	1.49	23.6	4.4	0.32	245	0.42	2.37	5.5
EMS-1600E/1600S	0.71	2.7	1.73	14.65	0.12	3.4	0.020	1.51	18.2	4.9	0.36	264	0.33	2.49	5.2
EMS-1600E/1650S	0.65	2.1	1.66	14.85	0.11	4.4	0.019	1.47	15.2	4.8	0.35	257	0.43	2.31	5.2
EMS-1600E/1700S	0.63	0.9	1.28	16.15	0.10	5.5	0.018	1.54	15.0	3.2	0.25	227	0.33	2.16	6.2
EMS-1600E/1750S	0.69	1.7	0.98	14.60	0.09	4.9	0.017	1.54	14.8	4.1	0.29	232	0.32	2.38	4.8
EMS-1600E/1800S	0.77	6.0	1.71	15.65	0.13	5.8	0.024	1.46	21.2	4.5	0.34	273	0.42	2.21	6.3
EMS-1600E/1850S	0.70	1.8	1.16	15.55	0.10	6.7	0.024	1.55	17.0	4.9	0.35	286	0.35	2.33	6.2
EMS-1100E/1750S	0.74	14.7	1.68	16.15	0.15	5.0	0.019	1.49	19.8	4.4	0.37	275	0.48	2.21	5.8

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - C

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMS-1400E/1700S		9.5	520	13.0	52.9	<0.002	0.01	<0.05	6.4	2	0.8	332	1.10	<0.05	6.1	0.189
EMS-1400E/1750S		8.9	520	12.2	51.2	<0.002	0.01	<0.05	6.5	2	0.7	324	0.40	<0.05	5.6	0.185
EMS-1400E/1800S		9.9	600	12.6	52.8	<0.002	0.01	<0.05	7.0	2	0.8	335	0.39	<0.05	5.8	0.205
EMS-1400E/1850S		10.8	520	13.6	54.9	<0.002	0.01	<0.05	6.9	2	0.9	350	0.40	<0.05	6.5	0.206
EMS-1400E/1900S		10.7	480	14.1	54.3	<0.002	0.01	<0.05	7.0	3	0.9	345	0.42	<0.05	6.3	0.215
EMS-1400E/1950S		10.1	600	13.0	54.9	<0.002	0.01	<0.05	6.5	2	0.8	357	0.36	<0.05	5.9	0.184
EMS-1400E/2000S		11.6	580	13.4	55.1	<0.002	0.01	<0.05	7.1	2	0.8	360	0.38	<0.05	5.9	0.208
EMS-1800E/1050S		15.5	630	15.7	50.7	<0.002	0.04	0.07	8.2	2	1.0	310	0.44	<0.05	8.3	0.232
EMS-1800E/1250S		12.3	510	13.4	52.1	<0.002	0.01	<0.05	7.3	3	1.0	344	0.47	<0.05	7.5	0.247
EMS-1800E/1350S		11.2	550	14.0	56.7	<0.002	0.01	0.05	7.8	3	1.0	361	0.47	<0.05	9.2	0.231
EMS-1800E/1450S		10.0	530	14.1	56.4	<0.002	0.01	0.41	6.7	1	0.8	346	0.43	<0.05	7.4	0.195
EMS-3000E/1650S		9.3	250	16.0	60.1	<0.002	0.01	0.47	5.8	1	0.9	312	0.39	<0.05	5.3	0.198
EMS-3000E/1700S		11.7	530	14.8	57.6	<0.002	0.01	0.34	6.8	1	0.8	331	0.35	<0.05	5.4	0.177
EMS-3000E/1750S		13.0	530	13.6	57.4	<0.002	0.01	0.36	6.8	1	0.8	339	0.39	<0.05	4.8	0.186
EMS-3000E/1800S		13.1	480	13.6	57.2	<0.002	0.01	0.35	6.8	1	0.8	340	0.44	<0.05	5.1	0.181
EMS-3000E/1850S		11.8	440	19.2	57.1	<0.002	0.01	0.32	6.9	1	0.9	334	0.42	<0.05	5.1	0.179
EMS-3000E/1900S		13.5	490	14.1	52.7	<0.002	0.01	0.39	6.9	1	0.8	330	0.39	<0.05	5.4	0.196
EMS-3000E/1950S		14.1	640	15.8	49.2	<0.002	0.04	0.35	7.6	2	0.9	288	0.46	<0.05	5.3	0.209
EMS-2700E/1000S		9.0	400	12.6	57.0	<0.002	0.01	0.31	5.2	1	0.6	330	0.29	<0.05	4.0	0.133
EMS-2700E/1050S		9.2	700	14.2	54.2	<0.002	0.01	0.24	6.1	1	0.9	320	0.46	<0.05	3.4	0.196
EMS-2700E/1100S		12.0	560	14.7	56.8	<0.002	0.02	0.24	7.4	1	1.0	323	0.43	<0.05	4.7	0.208
EMS-2700E/1150S		12.5	430	13.7	58.3	<0.002	0.01	0.26	6.3	1	0.8	353	0.38	<0.05	4.7	0.179
EMS-2700E/1350S		12.2	520	14.3	65.0	<0.002	<0.01	0.29	6.7	1	0.9	366	0.45	<0.05	5.1	0.179
EMS-2700E/1400S		14.0	610	14.8	60.0	<0.002	0.02	0.27	7.7	1	1.0	346	0.49	<0.05	5.6	0.222
EMS-2700E/1450S		11.8	450	13.7	59.3	<0.002	<0.01	0.23	6.2	1	0.8	356	0.37	<0.05	4.3	0.173
EMS-1700E/1600S		10.9	460	13.8	59.7	<0.002	<0.01	0.25	6.3	1	0.8	370	0.38	<0.05	4.5	0.181
EMS-1700E/1650S		9.2	280	20.1	57.9	<0.002	0.01	0.24	5.6	1	0.8	356	0.34	<0.05	5.0	0.174
EMS-1700E/1700S		7.6	140	14.9	60.8	<0.002	<0.01	0.29	4.4	1	0.9	321	0.33	<0.05	3.5	0.186
EMS-1700E/1750S		9.8	530	13.4	58.2	<0.002	<0.01	0.28	6.5	1	0.9	359	0.43	<0.05	5.3	0.184
EMS-1700E/1800S		10.3	440	12.7	56.8	<0.002	0.01	0.29	5.8	1	0.8	344	0.33	<0.05	3.8	0.187
EMS-1700E/1850S		9.4	530	12.4	53.5	<0.002	0.01	0.30	6.4	2	0.8	329	0.38	<0.05	4.8	0.184
EMS-1700E/1900S		8.9	360	12.7	58.3	<0.002	0.01	0.25	5.0	1	0.6	347	0.29	<0.05	3.1	0.134
EMS-1700E/1950S		9.2	370	13.2	58.3	<0.002	0.01	0.28	6.1	2	0.8	339	0.38	<0.05	5.1	0.174
EMS-1600E/1600S		9.7	500	12.8	56.7	<0.002	<0.01	0.27	6.0	1	0.7	355	0.33	<0.05	5.0	0.162
EMS-1600E/1650S		9.2	400	12.7	56.2	<0.002	0.01	0.27	5.8	1	0.7	334	0.34	<0.05	3.7	0.189
EMS-1600E/1700S		7.9	150	15.5	58.8	<0.002	0.01	0.32	4.7	1	1.0	316	0.54	<0.05	6.3	0.214
EMS-1600E/1750S		7.7	250	13.8	57.1	<0.002	0.01	0.28	5.2	1	0.7	343	0.35	<0.05	4.8	0.160
EMS-1600E/1800S		8.7	400	13.9	55.0	<0.002	0.01	0.31	6.3	1	0.9	320	0.43	<0.05	5.8	0.217
EMS-1600E/1850S		9.1	350	14.6	57.9	<0.002	0.01	0.28	6.2	1	1.0	335	0.71	<0.05	5.1	0.220
EMS-1100E/1750S		10.1	330	14.1	59.8	<0.002	0.01	0.30	6.7	1	0.9	321	0.38	<0.05	5.3	0.200

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	Ti	U	V	W	Y	Zn	Zr	B
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.02	0.1	1	0.1	0.1	2	0.5	10
EMS-1400E/1700S		0.24	1.0	36	0.3	13.0	15	160.0	30
EMS-1400E/1750S		0.24	1.0	37	0.4	12.0	16	160.0	30
EMS-1400E/1800S		0.25	1.3	39	0.4	13.9	17	235	40
EMS-1400E/1850S		0.25	1.1	38	0.4	13.4	17	202	40
EMS-1400E/1900S		0.25	1.2	35	0.3	13.6	17	214	40
EMS-1400E/1950S		0.26	1.1	31	0.2	13.5	18	171.5	40
EMS-1400E/2000S		0.26	1.1	39	0.4	13.6	18	186.0	40
EMS-1800E/1050S		0.25	1.3	50	0.7	11.8	25	195.5	40
EMS-1800E/1250S		0.24	1.2	41	0.7	14.5	17	188.5	60
EMS-1800E/1350S		0.27	1.2	41	0.5	15.3	18	217	50
EMS-1800E/1450S		0.24	1.1	35	0.4	13.5	19	151.5	60
EMS-3000E/1650S		0.28	0.8	34	0.4	8.2	14	138.5	60
EMS-3000E/1700S		0.26	1.0	34	0.4	10.8	19	147.0	40
EMS-3000E/1750S		0.26	1.0	35	0.4	10.9	24	174.5	40
EMS-3000E/1800S		0.26	1.0	36	0.4	11.3	21	172.0	40
EMS-3000E/1850S		0.25	1.0	35	0.4	9.9	20	163.0	40
EMS-3000E/1900S		0.25	1.0	39	0.4	10.0	21	165.5	40
EMS-3000E/1950S		0.23	0.9	45	0.6	8.7	20	140.0	40
EMS-2700E/1000S		0.26	0.7	25	0.3	8.2	15	91.3	40
EMS-2700E/1050S		0.23	0.7	41	0.4	10.1	19	103.5	50
EMS-2700E/1100S		0.28	1.0	44	0.6	9.6	22	157.5	50
EMS-2700E/1150S		0.25	0.9	36	0.4	9.9	21	132.5	50
EMS-2700E/1350S		0.30	1.1	34	0.4	15.7	19	139.5	50
EMS-2700E/1400S		0.28	1.1	45	0.5	11.7	24	181.0	60
EMS-2700E/1450S		0.26	0.9	32	0.4	10.7	18	149.5	60
EMS-1700E/1600S		0.26	1.1	31	0.2	11.9	18	165.5	60
EMS-1700E/1650S		0.26	0.8	23	0.6	9.5	16	131.0	60
EMS-1700E/1700S		0.27	0.8	25	0.4	5.9	10	158.0	60
EMS-1700E/1750S		0.27	1.0	32	0.3	12.7	17	149.5	60
EMS-1700E/1800S		0.25	0.8	32	0.3	10.1	17	132.0	70
EMS-1700E/1850S		0.25	1.0	35	0.4	11.9	16	150.0	70
EMS-1700E/1900S		0.26	0.6	20	0.2	8.2	14	98.8	60
EMS-1700E/1950S		0.26	1.6	28	0.5	10.8	14	158.5	70
EMS-1600E/1600S		0.24	0.8	32	0.4	11.4	16	108.0	60
EMS-1600E/1650S		0.24	0.8	33	0.3	9.5	16	139.0	70
EMS-1600E/1700S		0.27	1.0	37	0.4	6.1	10	173.5	70
EMS-1600E/1750S		0.25	0.9	21	0.2	8.2	12	151.5	70
EMS-1600E/1800S		0.24	1.2	36	0.5	10.6	15	181.0	70
EMS-1600E/1850S		0.26	1.0	27	0.4	9.6	15	197.5	70
EMS-1100E/1750S		0.25	1.0	33	0.3	10.3	15	153.0	70

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMS-1100E/1800S		0.36	1	<5	1	<0.01	6.05	1.8	500	1.13	0.07	1.60	0.05	35.3	3.7	31
EMS-1100E/1850S		0.40	1	<5	<1	<0.01	5.88	2.0	450	1.19	0.06	1.57	0.07	31.1	5.3	34
EMS-1100E/1900S		0.30	5	<5	<1	<0.01	5.77	1.8	470	1.11	0.05	1.49	0.06	34.2	4.4	30
EMS-1100E/1950S		0.22	1	<5	<1	<0.01	5.64	1.3	530	1.02	0.10	1.17	0.05	24.4	1.9	19
EMS-1100E/2000S		0.40	<1	<5	<1	<0.01	5.77	0.8	570	1.18	0.07	1.26	0.05	23.0	1.7	20
EMS-1200E/1550S		0.24	2	<5	<1	0.01	6.24	1.9	530	1.37	0.07	1.82	0.05	48.9	5.0	26
EMS-1200E/1600S		0.34	1	<5	<1	<0.01	6.44	0.7	550	1.30	0.06	1.83	0.07	44.3	4.2	26
EMS-1200E/1700S		0.20	<1	<5	<1	<0.01	6.25	0.8	440	1.26	0.05	1.62	0.05	33.7	3.5	30
EMS-1200E/1750S		0.40	1	<5	<1	<0.01	6.76	0.8	490	1.34	0.07	1.65	0.07	44.9	4.1	35
EMS-1200E/1800S		0.32	1	<5	<1	<0.01	6.52	0.9	550	1.29	0.06	1.77	0.07	38.6	4.1	29
EMS-1200E/1850S		0.36	1	<5	<1	<0.01	6.34	0.6	580	1.35	0.07	1.54	0.05	35.3	2.9	23
EMS-1200E/1900S		0.36	1	<5	1	<0.01	6.63	0.7	570	1.40	0.06	1.87	0.09	48.3	4.7	27
EMS-1200E/1950S		0.40	2	<5	<1	<0.01	6.58	0.9	490	1.41	0.06	1.70	0.07	42.7	3.9	37
EMS-1200E/2000S		0.34	1	<5	<1	<0.01	6.39	0.8	540	1.37	0.06	1.84	0.07	49.1	4.5	26
EMS-2900E/1250S		0.40	2	<5	<1	<0.01	6.91	1.2	480	1.46	0.06	1.44	0.07	33.3	3.4	31
EMS-2900E/1300S		0.46	1	<5	<1	<0.01	6.59	0.9	570	1.41	0.06	1.80	0.06	55.5	4.6	32
EMS-2900E/1350S		0.36	<1	<5	1	<0.01	7.23	1.8	530	1.45	0.07	1.58	0.08	37.3	5.1	43
EMS-2900E/1400S		0.40	<1	<5	1	<0.01	6.83	1.4	520	1.55	0.07	1.55	0.07	37.9	4.2	35
EMS-2900E/1450S		0.44	<1	<5	1	<0.01	6.63	1.2	580	1.57	0.06	1.75	0.08	55.3	5.4	34
EMS-2900E/1500S		0.52	1	<5	<1	<0.01	6.65	1.3	560	1.54	0.06	1.74	0.05	42.1	4.6	30
EMS-2900E/1550S		0.34	1	<5	1	0.01	7.00	1.7	500	1.63	0.09	1.50	0.09	38.6	4.6	37
EMS-2900E/1600S		0.32	2	<5	<1	<0.01	6.93	1.5	540	1.52	0.07	1.66	0.07	45.2	5.8	41
EMS-2900E/1650S		0.30	<1	<5	<1	<0.01	6.57	1.5	520	1.59	0.06	1.61	0.11	41.9	4.4	32

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 5 - B

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMS-1100E/1800S		0.66	2.0	1.64	15.25	0.14	5.0	0.020	1.50	16.9	5.1	0.35	292	0.27	2.38	5.7
EMS-1100E/1850S		0.78	2.7	2.01	15.25	0.12	3.0	0.024	1.31	14.8	6.8	0.39	352	1.94	2.40	5.7
EMS-1100E/1900S		0.76	3.2	1.66	13.80	0.14	3.7	0.019	1.34	16.3	5.2	0.35	253	1.46	2.29	4.5
EMS-1100E/1950S		0.76	1.4	0.84	14.75	0.09	4.8	0.016	1.54	12.2	3.3	0.19	157	0.36	2.16	4.4
EMS-1100E/2000S		0.66	8.1	0.57	14.95	0.09	5.9	0.013	1.65	11.8	3.2	0.18	195	0.27	2.43	4.6
EMS-1200E/1550S		0.72	4.4	1.22	15.45	0.14	5.5	0.021	1.57	22.4	6.5	0.42	305	0.36	2.62	6.5
EMS-1200E/1600S		0.76	4.6	1.27	15.75	0.10	5.9	0.021	1.60	20.0	6.4	0.43	317	0.32	2.62	6.3
EMS-1200E/1700S		0.70	2.3	1.92	13.95	0.09	3.5	0.020	1.27	15.2	5.0	0.34	293	0.34	2.35	6.2
EMS-1200E/1750S		0.76	1.6	2.24	16.05	0.11	6.0	0.022	1.44	20.6	5.5	0.39	328	0.39	2.45	7.4
EMS-1200E/1800S		0.81	2.5	1.85	16.15	0.10	5.7	0.021	1.62	17.9	6.1	0.42	301	0.44	2.63	6.1
EMS-1200E/1850S		0.88	1.8	1.18	15.80	0.08	6.4	0.016	1.71	18.1	4.6	0.31	254	0.36	2.53	6.0
EMS-1200E/1900S		0.93	12.1	1.25	16.05	0.10	5.0	0.020	1.64	25.8	8.1	0.43	305	0.44	2.75	6.0
EMS-1200E/1950S		0.68	3.4	2.26	14.70	0.10	5.5	0.026	1.44	20.2	5.4	0.40	298	0.38	2.41	6.4
EMS-1200E/2000S		0.80	5.0	1.23	15.65	0.11	5.3	0.020	1.58	22.9	7.0	0.43	303	0.38	2.67	6.0
EMS-2900E/1250S		0.80	1.6	2.20	15.20	0.10	4.0	0.025	1.43	14.8	5.2	0.33	276	0.44	2.38	6.6
EMS-2900E/1300S		0.76	3.3	1.96	15.85	0.11	6.4	0.022	1.67	22.2	5.9	0.41	318	0.34	2.68	6.9
EMS-2900E/1350S		0.87	6.2	2.40	16.05	0.10	5.4	0.027	1.56	15.9	7.9	0.48	307	0.44	2.50	6.3
EMS-2900E/1400S		0.78	3.0	2.21	15.85	0.11	6.2	0.025	1.51	17.5	6.5	0.39	298	0.33	2.46	7.0
EMS-2900E/1450S		0.81	10.2	1.97	16.10	0.12	6.3	0.024	1.72	22.8	7.5	0.46	309	0.31	2.64	6.8
EMS-2900E/1500S		0.78	3.5	1.94	15.75	0.12	5.5	0.017	1.66	18.9	6.3	0.40	286	0.36	2.63	6.1
EMS-2900E/1550S		0.98	2.9	2.57	18.00	0.12	5.4	0.027	1.44	17.4	6.5	0.42	292	0.34	2.27	7.0
EMS-2900E/1600S		0.98	4.3	2.14	16.45	0.11	5.5	0.026	1.55	18.1	9.1	0.49	310	0.28	2.59	6.5
EMS-2900E/1650S		0.80	2.1	1.94	15.05	0.11	5.1	0.022	1.55	16.2	7.0	0.40	301	0.35	2.51	6.1

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - C

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMS-1100E/1800S		9.6	400	13.3	58.1	<0.002	0.01	0.28	6.2	1	0.8	343	0.36	<0.05	5.0	0.190
EMS-1100E/1850S		13.7	160	11.5	50.1	<0.002	0.01	0.28	6.5	1	0.8	340	0.36	<0.05	4.2	0.191
EMS-1100E/1900S		11.1	260	11.5	52.1	<0.002	0.01	0.33	5.4	1	0.7	330	0.32	<0.05	3.3	0.160
EMS-1100E/1950S		5.8	200	14.7	58.6	<0.002	0.01	0.27	3.6	1	0.8	308	0.29	<0.05	3.9	0.163
EMS-1100E/2000S		5.8	100	14.8	63.6	<0.002	0.01	0.28	3.6	1	0.7	344	0.34	<0.05	4.4	0.152
EMS-1200E/1550S		11.8	580	13.4	58.3	<0.002	0.01	0.27	6.6	1	1.1	375	1.30	<0.05	5.9	0.192
EMS-1200E/1600S		10.8	590	14.7	57.3	<0.002	0.01	0.10	7.6	2	0.9	380	0.41	<0.05	5.1	0.204
EMS-1200E/1700S		9.4	510	11.3	46.5	<0.002	0.01	0.05	6.9	2	0.7	338	0.38	<0.05	3.8	0.175
EMS-1200E/1750S		10.0	420	14.2	51.3	<0.002	0.01	0.05	7.9	2	1.0	356	0.57	<0.05	7.2	0.221
EMS-1200E/1800S		10.3	510	14.2	56.7	<0.002	<0.01	0.05	7.3	2	0.9	380	0.70	<0.05	5.7	0.201
EMS-1200E/1850S		7.6	300	15.5	59.8	<0.002	<0.01	0.06	6.0	2	0.9	367	0.39	<0.05	5.5	0.207
EMS-1200E/1900S		12.2	520	14.3	57.3	<0.002	0.01	0.07	7.4	2	0.9	398	0.44	<0.05	5.0	0.192
EMS-1200E/1950S		9.7	580	12.8	50.1	<0.002	0.01	0.05	7.5	2	0.8	353	0.41	<0.05	5.6	0.200
EMS-1200E/2000S		11.2	550	13.7	54.7	<0.002	0.01	0.05	7.2	2	0.8	384	0.39	<0.05	5.6	0.193
EMS-2900E/1250S		8.8	370	13.6	52.5	<0.002	0.02	0.05	7.5	2	0.8	342	0.43	<0.05	4.4	0.183
EMS-2900E/1300S		12.3	550	15.0	58.8	<0.002	<0.01	<0.05	7.5	2	0.9	387	0.60	<0.05	6.3	0.207
EMS-2900E/1350S		14.5	550	14.9	54.5	<0.002	0.02	0.09	8.7	2	0.9	351	0.40	<0.05	6.0	0.208
EMS-2900E/1400S		11.3	530	15.2	52.8	<0.002	0.01	0.05	7.4	2	0.9	353	0.45	<0.05	5.8	0.208
EMS-2900E/1450S		15.1	580	15.4	59.6	<0.002	0.01	0.05	8.0	2	1.0	384	0.57	<0.05	6.5	0.203
EMS-2900E/1500S		11.8	530	14.6	59.3	<0.002	<0.01	<0.05	7.3	2	0.8	383	0.38	<0.05	5.1	0.179
EMS-2900E/1550S		11.6	620	16.3	50.5	<0.002	0.02	0.06	7.8	2	1.1	328	0.47	<0.05	5.8	0.234
EMS-2900E/1600S		16.9	580	14.4	53.1	<0.002	0.01	<0.05	8.6	2	0.9	369	0.43	<0.05	6.0	0.213
EMS-2900E/1650S		11.1	460	14.4	56.2	<0.002	0.01	0.05	7.7	2	0.9	360	0.38	<0.05	4.8	0.181

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 5 - D

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMS-1100E/1800S		0.25	0.9	33	0.3	10.1	16	155.0	70
EMS-1100E/1850S		0.22	0.8	40	0.8	9.2	22	96.4	60
EMS-1100E/1900S		0.23	0.8	36	0.9	9.0	17	119.0	70
EMS-1100E/1950S		0.26	0.8	21	0.4	5.2	7	147.5	70
EMS-1100E/2000S		0.28	0.9	12	0.2	5.5	7	181.5	70
EMS-1200E/1550S		0.28	1.1	26	0.5	13.9	19	171.5	70
EMS-1200E/1600S		0.28	1.2	31	0.3	14.1	20	171.0	60
EMS-1200E/1700S		0.21	0.7	36	0.2	12.1	16	97.5	50
EMS-1200E/1750S		0.25	1.1	41	0.5	13.0	19	174.0	50
EMS-1200E/1800S		0.28	1.0	38	0.5	11.5	19	166.0	40
EMS-1200E/1850S		0.28	1.0	27	0.3	9.7	13	186.0	40
EMS-1200E/1900S		0.29	2.5	27	0.3	14.8	22	145.5	40
EMS-1200E/1950S		0.25	1.0	42	2.2	12.9	18	162.0	50
EMS-1200E/2000S		0.27	1.1	33	0.2	13.9	20	155.0	50
EMS-2900E/1250S		0.25	0.9	37	0.4	9.3	15	109.0	50
EMS-2900E/1300S		0.29	1.4	38	0.4	15.2	19	193.0	50
EMS-2900E/1350S		0.28	1.2	47	0.4	9.1	23	155.5	50
EMS-2900E/1400S		0.27	1.1	40	0.4	10.5	21	177.5	50
EMS-2900E/1450S		0.30	1.2	39	0.4	13.6	23	180.0	50
EMS-2900E/1500S		0.29	1.0	34	0.3	12.1	18	160.5	50
EMS-2900E/1550S		0.26	1.1	49	0.5	10.1	21	154.5	60
EMS-2900E/1600S		0.28	1.1	42	0.5	11.2	25	159.0	50
EMS-2900E/1650S		0.28	1.0	36	0.4	11.1	18	148.0	60

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090061

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 1

Finalized Date: 17-SEP-2009

Account: MVR

CERTIFICATE SD09090062

Project: EASTMAIN MINE

P.O. No.:

This report is for 115 Soil samples submitted to our lab in Sudbury, ON, Canada on 25-AUG-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample togin - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
DRY-22	Drying - Maximum Temp 60C

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	
EMS-2300E/1000S		0.50	14	<5	<1	<0.01	6.73	4.8	500	1.37	0.16	1.50	0.08	75.7	5.2	49
EMS-2300E/1050S		0.52	<1	<5	1	0.03	7.18	2.5	470	1.36	0.13	1.49	0.06	37.2	3.8	35
EMS-2300E/1100S		0.52	<1	<5	<1	0.02	7.23	2.1	510	1.59	0.08	1.65	0.09	58.0	4.3	31
EMS-2300E/1150S		0.68	4	<5	<1	<0.01	6.56	1.5	480	1.35	0.07	1.61	0.06	54.9	3.9	33
EMS-2300E/1200S		0.40	<1	<5	<1	0.01	6.27	1.2	530	1.26	0.05	1.49	0.05	36.9	3.1	29
EMS-2300E/1250S		0.60	1	<5	1	0.01	6.72	2.0	490	1.34	0.07	1.88	0.07	73.3	4.5	38
EMS-2300E/1300S		0.58	57	<5	1	0.01	6.91	0.8	520	1.50	0.07	1.87	0.08	79.5	4.7	44
EMS-2300E/1350S		0.52	<1	<5	1	<0.01	5.80	0.9	550	1.35	0.08	1.23	0.05	51.4	1.5	14
EMS-2300E/1400S		0.64	<1	<5	<1	<0.01	6.57	1.1	490	1.33	0.05	1.65	0.05	63.3	3.8	34
EMS-2300E/1450S		0.54	<1	<5	<1	<0.01	6.88	1.5	480	1.43	0.07	1.73	0.08	60.7	4.5	40
EMS-2400E/1850S		0.46	<1	<5	<1	0.01	6.63	1.3	490	1.47	0.06	1.42	0.07	49.8	3.8	34
EMS-2400E/1900S		0.46	<1	<5	<1	<0.01	6.70	0.8	520	1.44	0.07	1.75	0.07	59.4	3.5	27
EMS-2400E/2000S		0.44	<1	<5	<1	0.01	6.46	0.9	510	1.35	0.04	1.69	0.05	51.7	3.6	27
EMS-2700E/1500S		0.36	<1	<5	1	0.01	6.53	1.3	570	1.45	0.05	1.71	0.06	58.1	5.0	38
EMS-2700E/1550S		0.44	1	<5	1	<0.01	6.54	1.4	550	1.50	0.04	1.84	0.06	59.5	4.5	32
EMS-2700E/1600S		0.34	<1	<5	<1	0.01	6.26	0.6	530	1.27	0.03	1.57	0.05	42.2	3.4	25
EMS-2700E/1650S		0.32	1	<5	1	<0.01	6.00	0.3	570	1.44	0.05	1.74	0.06	55.8	4.7	31
EMS-2700E/1700S		0.42	1	<5	1	0.01	5.80	0.7	550	1.54	0.05	1.68	0.06	49.5	4.4	28
EMS-2700E/1800S		0.22	1	<5	<1	0.01	6.01	0.6	560	1.43	0.04	1.67	0.07	48.5	3.8	25
EMS-2700E/1850S		0.38	<1	<5	<1	<0.01	5.77	0.3	530	1.31	0.04	1.68	0.07	46.0	4.1	25
EMS-2700E/1900S		0.32	<1	<5	<1	<0.01	6.13	0.7	520	1.40	0.04	1.68	0.05	50.8	4.0	24
EMS-2700E/1950S		0.32	<1	<5	<1	0.01	6.47	0.7	500	1.34	0.03	1.49	0.06	36.1	4.4	45
EMS-2700E/2000S		0.38	<1	<5	<1	0.01	6.20	0.8	490	1.45	0.03	1.66	0.06	54.2	4.3	32
EMS-2800E/1000S		0.34	<1	<5	<1	0.04	6.86	1.4	580	1.76	0.05	1.59	0.08	61.3	6.0	37
EMS-2800E/1050S		0.36	<1	<5	<1	0.03	6.97	1.0	560	1.64	0.05	1.58	0.07	56.1	4.9	30
EMS-2800E/1100S		0.28	<1	<5	<1	<0.01	6.31	0.8	560	1.52	0.04	1.64	0.09	47.3	4.6	29
EMS-2800E/1300S		0.18	1	<5	<1	0.01	6.34	1.4	560	1.59	0.11	1.60	0.08	57.1	6.9	37
EMS-2800E/1350S		0.24	1	<5	1	0.07	6.25	2.3	540	1.51	0.20	1.64	0.11	56.3	7.0	44
EMS-2800E/1400S		0.18	<1	<5	<1	0.05	6.28	1.6	530	1.34	0.08	1.46	0.07	50.7	5.7	38
EMS-2800E/1450S		0.22	2	<5	1	0.07	6.81	1.4	510	1.65	0.05	1.45	0.06	43.2	4.4	36
EMS-2800E/1500S		0.20	<1	<5	<1	<0.01	6.47	1.8	520	1.46	0.14	1.36	0.09	43.3	4.9	38
EMS-2800E/1550S		0.34	4	<5	<1	<0.01	6.54	1.6	520	1.35	0.09	1.70	0.06	42.2	4.7	35
EMS-2800E/1600S		0.32	<1	<5	<1	<0.01	6.38	0.8	500	1.35	0.06	1.48	0.05	33.7	3.1	21
EMS-2800E/1650S		0.16	<1	<5	1	<0.01	6.97	1.0	490	1.34	0.08	1.29	0.07	35.7	3.2	34
EMS-2800E/1700S		0.28	<1	<5	1	0.01	6.02	<0.2	510	1.35	0.07	1.75	0.06	48.1	5.0	28
EMS-2800E/1850S		0.22	<1	<5	1	<0.01	6.28	0.2	500	1.51	0.06	1.79	0.06	47.4	4.7	29
EMS-2800E/1900S		0.30	<1	<5	<1	0.01	6.52	1.1	450	1.34	0.07	1.71	0.07	68.9	5.4	48
EMS-2800E/1950S		0.28	<1	<5	<1	0.01	6.63	0.9	490	1.59	0.07	1.59	0.09	45.5	6.1	39
EMS-2800E/2000S		0.26	<1	<5	<1	0.01	6.21	0.6	490	1.38	0.06	1.68	0.05	42.6	5.1	32
EMS-2400E/1350S		0.52	<1	<5	<1	<0.01	6.35	0.6	450	1.35	0.06	1.64	0.06	44.2	4.2	36

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
EMS-2300E/1000S		0.98	7.2	3.05	20.5	0.13	7.1	0.034	1.35	35.2	7.0	0.48	441	0.61	2.46
EMS-2300E/1050S		0.84	3.9	2.30	18.30	0.09	4.3	0.029	1.44	16.3	6.4	0.39	349	0.50	2.41
EMS-2300E/1100S		0.79	4.4	1.92	16.10	0.10	4.7	0.025	1.56	25.2	6.9	0.44	349	0.42	2.66
EMS-2300E/1150S		0.77	4.6	1.67	14.95	0.09	4.1	0.022	1.49	22.5	5.8	0.40	334	0.35	2.51
EMS-2300E/1200S		0.70	2.6	1.30	15.55	0.09	5.2	0.020	1.60	17.6	4.7	0.33	276	0.28	2.39
EMS-2300E/1250S		0.70	3.2	2.35	16.15	0.14	6.1	0.026	1.48	34.6	5.8	0.47	455	0.47	2.56
EMS-2300E/1300S		0.80	3.4	2.98	17.05	0.15	5.5	0.024	1.63	36.9	6.4	0.44	479	0.56	2.78
EMS-2300E/1350S		0.88	0.8	0.70	16.75	0.08	7.0	0.013	1.67	25.8	3.4	0.17	305	0.33	2.38
EMS-2300E/1400S		0.76	2.0	2.16	16.95	0.12	6.0	0.028	1.50	30.1	5.1	0.40	378	0.41	2.44
EMS-2300E/1450S		0.77	3.6	2.60	17.05	0.11	4.9	0.029	1.46	25.4	5.7	0.43	388	0.47	2.53
EMS-2400E/1850S		0.75	2.9	1.96	16.75	0.09	6.0	0.025	1.43	22.8	5.3	0.35	278	0.40	2.29
EMS-2400E/1900S		0.72	6.7	1.15	16.15	0.11	4.2	0.023	1.57	28.7	5.4	0.39	313	0.31	2.70
EMS-2400E/2000S		0.76	6.0	1.67	15.05	0.11	4.2	0.021	1.53	23.5	5.4	0.35	266	0.51	2.61
EMS-2700E/1500S		0.83	4.3	2.03	16.50	0.11	6.4	0.025	1.73	22.5	6.5	0.47	308	0.37	2.69
EMS-2700E/1550S		0.82	4.4	1.85	16.10	0.12	6.3	0.024	1.68	26.7	6.4	0.46	322	0.39	2.67
EMS-2700E/1600S		0.86	1.9	1.12	15.25	0.10	4.0	0.020	1.58	19.3	5.6	0.36	265	0.19	2.57
EMS-2700E/1650S		0.86	2.9	1.36	16.50	0.10	6.3	0.022	1.72	25.5	7.1	0.49	299	0.34	2.66
EMS-2700E/1700S		0.78	3.9	1.16	16.75	0.11	6.5	0.023	1.70	22.6	7.3	0.45	296	0.24	2.66
EMS-2700E/1800S		0.75	3.7	1.05	15.50	0.10	6.1	0.021	1.71	22.2	6.4	0.41	275	0.56	2.67
EMS-2700E/1850S		0.77	4.4	1.05	16.30	0.09	5.4	0.023	1.55	20.7	6.1	0.40	266	0.30	2.67
EMS-2700E/1900S		0.76	4.5	1.47	15.25	0.10	4.9	0.022	1.58	22.0	5.9	0.39	287	0.38	2.65
EMS-2700E/1950S		0.77	5.1	1.78	14.80	0.09	3.7	0.020	1.53	15.2	6.1	0.39	251	0.44	2.49
EMS-2700E/2000S		0.67	4.4	1.75	15.85	0.12	4.8	0.023	1.51	24.6	5.1	0.40	302	0.33	2.52
EMS-2800E/1000S		0.95	6.1	2.09	17.40	0.11	5.9	0.029	1.71	22.5	8.7	0.48	295	0.42	2.61
EMS-2800E/1050S		0.88	6.7	1.85	16.15	0.11	3.4	0.021	1.66	21.2	8.8	0.44	283	0.32	2.68
EMS-2800E/1100S		0.83	4.2	1.69	15.70	0.10	5.1	0.022	1.67	20.2	6.9	0.41	278	0.31	2.66
EMS-2800E/1300S		0.82	5.2	1.99	15.95	0.12	5.4	0.026	1.68	22.0	8.2	0.46	300	0.31	2.66
EMS-2800E/1350S		0.95	14.2	2.14	16.15	0.08	5.7	0.021	1.65	22.1	10.0	0.57	321	0.45	2.59
EMS-2800E/1400S		0.88	9.0	1.90	15.95	0.10	6.2	0.015	1.58	20.4	7.4	0.42	278	0.36	2.45
EMS-2800E/1450S		0.82	4.7	2.08	16.55	0.11	5.4	0.017	1.52	17.5	6.4	0.37	257	0.41	2.45
EMS-2800E/1500S		0.89	6.7	1.86	15.20	0.13	5.3	0.019	1.54	16.6	8.0	0.39	254	0.38	2.32
EMS-2800E/1550S		0.89	7.5	1.88	15.00	0.17	5.1	0.014	1.57	19.5	9.1	0.47	306	0.33	2.57
EMS-2800E/1600S		0.70	4.3	1.14	14.20	0.12	2.8	0.010	1.58	14.0	6.4	0.30	227	0.28	2.58
EMS-2800E/1650S		0.72	2.8	2.00	15.70	0.15	5.4	0.020	1.46	15.6	5.4	0.31	238	0.58	2.17
EMS-2800E/1700S		0.89	3.3	1.17	15.85	0.08	5.6	0.020	1.64	22.6	7.7	0.44	306	0.48	2.65
EMS-2800E/1850S		0.88	4.4	1.18	16.50	0.09	4.5	0.020	1.60	22.3	7.7	0.45	297	0.33	2.68
EMS-2800E/1900S		0.83	2.4	4.05	16.85	0.13	5.2	0.027	1.43	30.2	6.8	0.45	489	0.68	2.51
EMS-2800E/1950S		0.87	4.7	2.10	16.45	0.08	5.3	0.023	1.53	18.7	8.3	0.45	313	0.33	2.58
EMS-2800E/2000S		0.87	5.2	1.80	16.30	0.08	4.5	0.019	1.56	19.5	7.4	0.46	293	0.50	2.62
EMS-2400E/1350S		0.75	1.9	1.98	16.25	0.09	3.9	0.022	1.47	20.3	5.7	0.39	363	0.38	2.50

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - C

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.002	0.2	0.05	0.2	0.005	
EMS-2300E/1000S		12.8	700	18.4	60.9	<0.002	0.03	0.48	9.1	3	1.2	343	0.63	<0.05	12.6	0.325
EMS-2300E/1050S		9.3	650	17.1	57.2	<0.002	0.02	0.46	8.8	2	1.0	324	0.46	0.05	5.8	0.237
EMS-2300E/1100S		10.9	570	16.6	59.6	<0.002	0.01	0.44	7.3	2	0.9	356	0.48	<0.05	8.2	0.220
EMS-2300E/1150S		9.0	440	14.3	61.1	<0.002	0.01	0.32	7.7	2	0.8	343	0.36	<0.05	8.4	0.195
EMS-2300E/1200S		7.6	410	15.5	62.3	<0.002	0.01	0.50	6.5	2	0.7	336	0.42	<0.05	5.5	0.185
EMS-2300E/1250S		10.8	620	15.3	59.4	<0.002	0.01	0.27	9.8	2	1.0	362	0.54	<0.05	10.6	0.267
EMS-2300E/1300S		11.0	580	17.7	63.4	<0.002	0.01	0.25	9.4	2	0.9	381	0.52	<0.05	11.3	0.275
EMS-2300E/1350S		4.0	130	19.4	68.4	<0.002	<0.01	0.36	4.9	2	1.0	324	0.49	<0.05	13.4	0.265
EMS-2300E/1400S		8.4	340	15.2	60.5	<0.002	0.01	0.16	8.4	2	0.9	343	0.47	<0.05	9.0	0.245
EMS-2300E/1450S		11.1	550	17.3	61.0	<0.002	0.01	0.26	8.7	2	1.0	355	0.55	<0.05	9.0	0.259
EMS-2400E/1850S		9.3	350	17.4	57.2	<0.002	0.01	0.16	7.4	2	0.9	313	0.41	<0.05	8.7	0.217
EMS-2400E/1900S		9.0	480	18.2	62.1	<0.002	0.01	0.14	7.5	2	0.8	370	0.37	<0.05	6.0	0.197
EMS-2400E/2000S		8.7	550	15.1	58.8	<0.002	0.01	0.12	6.7	2	0.7	354	0.33	<0.05	6.1	0.175
EMS-2700E/1500S		12.2	530	20.2	64.1	<0.002	0.01	0.19	8.6	2	0.9	357	5.02	<0.05	6.5	0.208
EMS-2700E/1550S		10.9	590	73.0	62.4	<0.002	<0.01	0.16	8.5	2	0.9	362	0.41	<0.05	6.7	0.216
EMS-2700E/1600S		8.7	460	238	61.0	<0.002	0.01	0.49	6.8	2	0.6	342	0.30	<0.05	7.0	0.183
EMS-2700E/1650S		11.8	650	22.5	64.3	<0.002	<0.01	0.13	7.9	2	0.9	352	0.42	<0.05	6.6	0.210
EMS-2700E/1700S		11.4	600	852	61.8	<0.002	0.01	1.29	7.8	2	0.8	341	0.50	<0.05	6.4	0.207
EMS-2700E/1800S		9.9	620	245	65.2	<0.002	0.01	0.96	7.1	2	0.8	355	0.48	<0.05	5.3	0.189
EMS-2700E/1850S		10.5	610	15.7	58.0	<0.002	0.01	0.13	7.0	2	0.9	348	0.39	<0.05	5.3	0.200
EMS-2700E/1900S		9.5	500	19.4	61.3	<0.002	<0.01	0.16	7.0	2	0.7	352	0.35	<0.05	5.3	0.184
EMS-2700E/1950S		12.5	210	15.3	60.0	<0.002	0.01	0.15	7.2	2	0.7	329	0.31	<0.05	4.7	0.163
EMS-2700E/2000S		11.0	510	15.3	60.4	<0.002	0.01	0.12	8.0	2	0.7	337	0.39	<0.05	7.4	0.193
EMS-2800E/1000S		14.0	550	17.1	66.1	<0.002	0.01	0.11	8.8	2	0.9	356	0.41	<0.05	6.3	0.207
EMS-2800E/1050S		11.6	420	16.1	63.5	<0.002	0.01	0.12	7.3	2	0.7	370	0.35	<0.05	8.9	0.165
EMS-2800E/1100S		11.4	500	15.4	63.6	<0.002	0.01	0.08	7.2	2	0.8	358	0.36	<0.05	5.1	0.185
EMS-2800E/1300S		16.2	420	15.6	62.0	<0.002	0.01	0.14	7.8	2	0.8	348	0.42	<0.05	6.1	0.203
EMS-2800E/1350S		20.2	580	17.5	53.9	0.004	0.01	0.13	8.6	1	0.9	340	0.44	<0.05	5.8	0.215
EMS-2800E/1400S		14.9	380	15.7	51.8	0.002	0.01	0.11	7.8	1	0.9	329	0.41	<0.05	6.1	0.213
EMS-2800E/1450S		11.2	520	15.0	51.6	0.003	0.02	0.07	7.6	1	0.8	332	0.44	<0.05	5.9	0.201
EMS-2800E/1500S		13.8	410	15.2	54.8	0.002	0.01	0.14	7.3	1	0.8	315	0.36	<0.05	4.9	0.202
EMS-2800E/1550S		13.7	580	13.3	57.6	0.002	0.01	0.06	7.2	2	0.8	348	0.38	<0.05	4.7	0.192
EMS-2800E/1600S		8.6	330	12.8	55.5	0.002	<0.01	0.05	5.2	1	0.6	348	0.32	<0.05	3.9	0.134
EMS-2800E/1650S		8.5	340	13.8	52.6	0.002	0.02	0.14	6.9	2	0.9	302	0.39	<0.05	5.9	0.197
EMS-2800E/1700S		11.7	600	14.4	56.9	<0.002	0.03	0.17	7.4	2	0.9	354	0.52	<0.05	5.5	0.198
EMS-2800E/1850S		11.9	560	14.6	55.9	<0.002	0.01	0.09	7.3	2	0.8	359	0.44	<0.05	5.2	0.187
EMS-2800E/1900S		12.3	480	13.4	51.1	<0.002	0.01	0.13	9.1	2	0.9	350	0.49	<0.05	7.9	0.254
EMS-2800E/1950S		14.7	370	14.3	51.7	<0.002	0.01	0.10	7.9	2	0.9	347	0.48	<0.05	5.7	0.215
EMS-2800E/2000S		12.7	530	13.7	53.5	<0.002	<0.01	0.06	7.3	2	0.8	348	0.38	<0.05	5.3	0.193
EMS-2400E/1350S		10.4	530	13.9	51.7	<0.002	0.01	0.06	8.1	2	0.9	344	0.42	<0.05	6.9	0.214

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMS-2300E/1000S		0.24	1.7	59	1.7	15.7	29	232	110
EMS-2300E/1050S		0.23	1.0	44	1.0	11.4	23	132.0	110
EMS-2300E/1100S		0.26	1.4	35	0.7	13.8	22	148.0	100
EMS-2300E/1150S		0.23	1.3	33	0.6	14.6	19	135.0	110
EMS-2300E/1200S		0.25	1.1	27	0.5	10.5	16	169.0	110
EMS-2300E/1250S		0.25	2.0	42	0.6	20.7	22	195.0	110
EMS-2300E/1300S		0.25	1.6	52	0.6	20.0	22	172.5	110
EMS-2300E/1350S		0.29	1.6	16	0.6	8.1	9	223	120
EMS-2300E/1400S		0.26	1.3	39	0.6	13.8	18	185.5	120
EMS-2300E/1450S		0.24	1.4	47	0.7	16.3	22	154.5	110
EMS-2400E/1850S		0.23	1.3	39	0.5	10.9	18	183.5	110
EMS-2400E/1900S		0.26	1.2	27	0.3	16.5	18	134.5	110
EMS-2400E/2000S		0.24	1.2	30	0.5	14.6	16	131.5	120
EMS-2700E/1500S		0.27	1.3	41	0.5	15.4	22	204	120
EMS-2700E/1550S		0.25	1.3	38	0.4	16.4	21	203	140
EMS-2700E/1600S		0.24	1.1	24	0.2	11.9	17	131.0	130
EMS-2700E/1650S		0.26	1.2	33	0.4	15.7	24	204	120
EMS-2700E/1700S		0.28	1.3	31	0.4	14.0	21	216	130
EMS-2700E/1800S		0.27	1.2	25	0.3	13.7	20	194.5	140
EMS-2700E/1850S		0.25	1.0	26	0.3	14.2	21	182.5	130
EMS-2700E/1900S		0.24	1.1	30	0.3	14.6	19	154.5	110
EMS-2700E/1950S		0.25	0.9	33	0.3	9.5	19	120.0	120
EMS-2700E/2000S		0.22	1.1	35	0.4	14.5	17	156.5	120
EMS-2800E/1000S		0.28	1.3	43	0.6	13.6	24	189.5	130
EMS-2800E/1050S		0.26	1.4	34	0.4	12.1	23	108.0	120
EMS-2800E/1100S		0.25	1.1	35	0.3	13.3	22	161.5	130
EMS-2800E/1300S		0.24	1.3	40	0.4	14.5	26	179.0	120
EMS-2800E/1350S		0.27	1.1	45	0.4	12.5	38	192.5	130
EMS-2800E/1400S		0.27	1.1	40	0.5	11.1	27	212	140
EMS-2800E/1450S		0.25	1.0	40	0.4	10.3	21	176.5	120
EMS-2800E/1500S		0.27	1.0	37	0.5	9.6	22	177.5	110
EMS-2800E/1550S		0.28	1.0	36	0.4	12.7	22	169.0	110
EMS-2800E/1600S		0.28	0.7	22	0.2	9.0	14	92.8	90
EMS-2800E/1650S		0.26	1.0	37	0.4	8.3	15	176.5	100
EMS-2800E/1700S		0.28	1.1	30	0.4	15.5	20	184.5	30
EMS-2800E/1850S		0.27	0.9	29	0.3	14.0	20	144.5	30
EMS-2800E/1900S		0.25	1.3	67	0.5	18.4	22	171.0	20
EMS-2800E/1950S		0.26	1.0	42	0.4	11.2	27	177.5	20
EMS-2800E/2000S		0.28	1.1	37	0.4	13.4	22	149.0	30
EMS-2400E/1350S		0.26	1.0	37	0.5	13.9	19	128.0	20

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 3 - A

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
EMS-2400E/1400S		0.32	<1	<5	<1	<0.01	6.47	0.8	440	1.36	0.06	1.60	0.06	49.9	4.5	44
EMS-2400E/1450S		0.50	<1	<5	<1	<0.01	6.50	0.9	450	1.42	0.06	1.58	0.05	48.1	4.3	37
EMS-2400E/1500S		0.54	<1	<5	<1	<0.01	6.50	0.9	470	1.39	0.07	1.43	0.07	29.9	3.7	27
EMS-2400E/1550S		0.44	<1	<5	<1	0.01	6.70	1.1	430	1.57	0.11	1.44	0.10	37.5	3.9	33
EMS-2400E/1600S		0.56	<1	<5	<1	<0.01	6.11	0.3	470	1.18	0.06	1.33	0.06	26.3	2.8	25
EMS-2400E/1650S		0.42	2	<5	<1	<0.01	6.29	0.6	470	1.30	0.07	1.47	0.07	36.5	4.1	33
EMS-2400E/1700S		0.38	4	<5	<1	<0.01	6.80	0.5	450	1.48	0.05	1.41	0.09	33.8	3.6	33
EMS-2400E/1750S		0.42	<1	<5	<1	<0.01	6.91	0.9	450	1.35	0.05	1.48	0.07	39.0	3.8	39
EMS-2400E/1800S		0.42	<1	<5	<1	<0.01	6.69	0.3	430	1.37	0.08	1.52	0.07	38.9	4.0	36
EMS-2600E/1700S		0.46	1	<5	<1	<0.01	6.37	<0.2	480	1.38	0.05	1.74	0.05	43.5	3.9	26
EMS-2600E/1800S		0.44	<1	<5	<1	0.02	5.99	2.5	490	1.34	0.05	1.93	0.06	84.9	4.8	30
EMS-2600E/1850S		0.42	1	<5	<1	0.02	6.76	1.4	500	1.60	0.05	1.46	0.09	42.2	4.6	39
EMS-2600E/1900S		0.36	1	<5	<1	0.02	6.80	2.0	450	1.56	0.07	1.41	0.10	59.0	5.4	52
EMS-2600E/2000S		0.56	<1	<5	<1	<0.01	5.81	0.5	470	1.53	0.03	1.63	0.06	52.0	4.8	33
EMS-2400E/1000S		0.44	<1	<5	<1	0.04	6.73	2.7	420	1.42	0.06	1.46	0.08	46.3	4.9	58
EMS-2400E/1050S		0.34	<1	<5	<1	0.04	6.89	2.8	430	1.25	0.06	1.41	0.09	53.0	4.8	55
EMS-2400E/1100S		0.44	15	<5	<1	0.03	6.36	1.3	450	1.30	0.08	1.43	0.06	55.8	4.4	50
EMS-2400E/1150S		0.32	<1	<5	<1	<0.01	6.60	2.0	470	1.39	0.12	1.49	0.06	50.3	4.6	40
EMS-2400E/1200S		0.48	<1	<5	<1	<0.01	6.43	1.0	480	1.35	0.06	1.59	0.05	60.5	4.3	38
EMS-2400E/1250S		0.34	<1	<5	<1	<0.01	6.25	1.0	480	1.44	0.03	1.53	0.07	49.2	4.1	29
EMS-2400E/1300S		0.48	<1	<5	<1	0.01	6.44	0.8	490	1.43	0.03	1.76	0.06	80.6	4.5	41
EMS-1500E/1650S		0.34	<1	<5	<1	<0.01	5.71	0.3	550	1.17	0.05	1.49	0.06	30.4	3.1	27
EMS-1500E/1700S		0.38	<1	<5	<1	<0.01	6.05	0.4	520	1.35	0.04	1.70	0.07	54.6	4.2	34
EMS-1500E/1750S		0.54	<1	<5	<1	<0.01	6.42	1.7	550	1.37	0.08	1.89	0.05	49.2	4.9	34
EMS-1500E/1800S		0.50	8	<5	4	<0.01	6.32	1.7	550	1.46	0.08	1.88	0.06	58.2	4.9	36
EMS-1500E/1850S		0.50	1	<5	1	<0.01	6.33	1.6	530	1.41	0.08	1.83	0.08	51.9	4.9	34
EMS-1500E/1900S		0.36	2	<5	<1	<0.01	6.03	1.3	540	1.42	0.09	1.75	0.04	48.6	4.6	30
EMS-2900E/1000S		0.36	1	<5	<1	<0.01	6.73	2.3	550	1.52	0.09	1.67	0.07	51.0	6.3	38
EMS-2900E/1050S		0.46	1	<5	<1	<0.01	6.30	1.1	530	1.36	0.06	1.65	0.05	45.2	3.7	26
EMS-2900E/1100S		0.46	1	<5	<1	<0.01	6.13	1.7	520	1.42	0.07	1.68	0.05	43.4	4.8	33
EMS-2900E/1150S		0.30	1	<5	1	<0.01	6.65	1.9	600	1.55	0.07	1.61	0.08	48.5	6.0	35
EMS-2900E/1200S		0.38	<1	<5	<1	<0.01	6.80	2.2	540	1.39	0.09	1.70	0.08	39.9	5.0	34
EMS-1300E/1550S		0.26	2	<5	<1	<0.01	5.92	1.2	520	1.04	0.12	1.30	0.07	39.2	3.0	33
EMS-1300E/1600S		0.36	2	<5	1	<0.01	6.56	1.4	490	1.35	0.12	1.48	0.08	40.0	4.0	39
EMS-1300E/1650S		0.44	<1	<5	<1	<0.01	6.46	0.7	520	1.40	0.06	1.61	0.08	49.1	4.5	33
EMS-1300E/1700S		0.28	2	<5	1	0.01	6.00	<0.2	520	1.27	0.06	1.66	0.14	46.4	3.8	28
EMS-1300E/1750S		0.50	2	<5	<1	<0.01	6.09	1.4	530	1.16	0.08	1.59	0.07	34.2	4.1	33
EMS-1300E/1800S		0.52	1	<5	<1	0.01	6.27	0.8	530	1.23	0.07	1.59	0.05	42.1	3.7	31
EMS-1300E/1850S		0.44	3	<5	<1	<0.01	6.01	0.9	440	1.15	0.07	1.24	0.07	30.5	3.2	32
EMS-1300E/1900S		0.34	2	<5	1	<0.01	5.96	1.0	520	1.18	0.09	1.46	0.06	27.0	3.7	27

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
EMS-2400E/1400S		0.72	2.3	2.77	15.25	0.11	6.0	0.021	1.40	22.4	5.9	0.41	361	0.41	2.41	7.7
EMS-2400E/1450S		0.73	2.1	2.15	16.70	0.09	4.5	0.021	1.45	22.1	5.6	0.39	324	0.42	2.44	6.9
EMS-2400E/1500S		0.84	2.4	1.63	17.10	0.07	2.5	0.019	1.50	13.6	5.6	0.30	246	0.32	2.44	5.8
EMS-2400E/1550S		0.88	1.9	2.22	19.55	0.08	4.0	0.023	1.38	17.1	6.6	0.32	291	0.50	2.25	6.5
EMS-2400E/1600S		0.78	0.4	1.51	17.20	0.06	3.7	0.017	1.50	12.6	4.2	0.27	216	0.31	2.27	5.2
EMS-2400E/1650S		0.83	0.7	2.10	19.55	0.08	5.1	0.023	1.47	16.5	5.3	0.36	274	0.37	2.37	7.0
EMS-2400E/1700S		0.77	1.2	2.03	16.45	0.08	4.4	0.023	1.41	15.4	4.9	0.32	264	0.41	2.33	7.1
EMS-2400E/1750S		0.72	1.6	2.26	15.90	0.09	4.3	0.023	1.40	16.3	5.2	0.35	277	0.48	2.40	6.6
EMS-2400E/1800S		0.69	1.2	2.21	16.05	0.09	5.4	0.025	1.38	17.0	5.1	0.35	325	0.40	2.46	7.3
EMS-2600E/1700S		0.77	3.2	1.12	17.00	0.08	4.2	0.018	1.54	19.6	6.5	0.39	329	0.56	2.69	6.6
EMS-2600E/1800S		0.74	9.0	1.54	15.45	0.15	7.7	0.023	1.37	38.5	5.9	0.45	418	0.88	2.57	8.7
EMS-2600E/1850S		0.82	6.0	2.14	16.10	0.09	4.9	0.028	1.42	17.1	7.1	0.39	276	0.40	2.40	6.9
EMS-2600E/1900S		0.75	12.6	2.85	15.90	0.12	7.8	0.031	1.29	22.8	6.9	0.42	311	0.46	2.11	8.2
EMS-2600E/2000S		0.75	9.9	1.62	15.25	0.13	5.3	0.025	1.38	22.7	5.2	0.39	291	0.41	2.41	6.1
EMS-2400E/1000S		0.80	5.8	3.20	16.25	0.11	7.0	0.034	1.20	20.7	5.6	0.42	330	0.43	2.06	7.7
EMS-2400E/1050S		0.77	8.6	2.81	16.30	0.15	5.5	0.032	1.22	24.6	6.3	0.40	297	0.43	2.04	7.4
EMS-2400E/1100S		0.87	4.6	3.02	18.00	0.12	6.2	0.029	1.31	25.6	5.6	0.39	341	0.48	2.17	8.4
EMS-2400E/1150S		0.86	4.4	2.63	17.65	0.14	4.3	0.032	1.33	22.5	6.5	0.38	327	0.43	2.30	7.8
EMS-2400E/1200S		0.78	3.9	2.27	16.70	0.14	4.7	0.029	1.40	26.1	5.7	0.40	376	0.40	2.47	7.9
EMS-2400E/1250S		0.75	3.6	1.76	15.80	0.12	2.7	0.023	1.39	22.2	6.0	0.33	276	0.37	2.47	6.1
EMS-2400E/1300S		0.73	4.0	2.45	16.10	0.16	6.6	0.025	1.39	38.9	5.7	0.40	362	0.47	2.55	7.7
EMS-1500E/1650S		0.74	1.9	1.29	16.85	0.10	6.4	0.023	1.56	14.8	3.9	0.32	263	0.48	2.36	6.7
EMS-1500E/1700S		0.80	5.1	1.97	16.30	0.12	6.4	0.023	1.46	24.0	5.2	0.40	308	0.38	2.47	7.0
EMS-1500E/1750S		0.85	6.2	1.83	15.85	0.14	5.5	0.020	1.60	22.5	6.2	0.45	314	0.39	2.70	5.9
EMS-1500E/1800S		0.77	6.5	1.99	15.75	0.15	6.5	0.022	1.61	27.0	5.6	0.44	333	0.43	2.73	6.3
EMS-1500E/1850S		0.78	9.0	1.85	15.90	0.15	6.1	0.022	1.58	24.4	5.8	0.45	334	0.52	2.65	6.1
EMS-1500E/1900S		0.81	5.3	1.42	15.90	0.13	5.7	0.019	1.58	23.1	6.3	0.45	303	0.32	2.68	6.0
EMS-2900E/1000S		0.92	6.1	2.07	16.00	0.14	5.1	0.024	1.62	20.4	8.3	0.49	317	0.32	2.66	5.9
EMS-2900E/1050S		0.83	5.6	1.22	15.35	0.14	3.3	0.019	1.62	21.1	5.7	0.37	269	0.52	2.71	5.0
EMS-2900E/1100S		0.83	5.0	1.76	15.15	0.14	4.6	0.019	1.59	20.4	5.5	0.40	280	0.38	2.60	5.3
EMS-2900E/1150S		0.77	5.5	1.97	15.65	0.13	5.4	0.021	1.70	20.5	6.1	0.41	278	0.31	2.71	6.2
EMS-2900E/1200S		0.86	4.4	2.08	15.80	0.15	5.1	0.023	1.57	18.0	6.2	0.44	307	0.36	2.70	5.9
EMS-1300E/1550S		0.69	1.4	2.20	17.15	0.13	6.5	0.020	1.52	20.1	3.0	0.29	261	0.36	2.09	6.7
EMS-1300E/1600S		0.71	3.0	2.76	18.60	0.14	5.7	0.026	1.45	18.6	4.4	0.37	309	0.48	2.32	7.7
EMS-1300E/1650S		0.74	3.1	1.93	14.65	0.13	4.8	0.021	1.54	20.5	4.7	0.40	287	0.36	2.59	5.9
EMS-1300E/1700S		0.63	72.5	1.03	14.45	0.15	4.8	0.020	1.49	22.5	5.1	0.37	266	0.50	2.54	5.2
EMS-1300E/1750S		0.70	3.6	1.80	15.45	0.12	6.0	0.024	1.59	17.1	3.7	0.41	310	0.33	2.43	5.9
EMS-1300E/1800S		0.74	3.4	1.81	15.00	0.14	6.2	0.019	1.56	20.8	3.8	0.37	288	0.37	2.42	5.9
EMS-1300E/1850S		0.66	11.2	1.94	14.40	0.12	4.6	0.022	1.31	15.1	3.2	0.30	222	0.49	1.98	5.5
EMS-1300E/1900S		0.76	4.1	1.58	16.00	0.11	4.3	0.023	1.53	13.7	4.1	0.38	265	0.35	2.38	5.1

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
EMS-2400E/1400S		10.9	500	13.2	51.1	<0.002	0.01	<0.05	8.3	2	0.9	336	0.48	<0.05	7.3	0.220
EMS-2400E/1450S		10.0	520	13.6	51.5	<0.002	0.01	0.05	8.3	2	0.8	336	0.42	<0.05	7.1	0.199
EMS-2400E/1500S		8.7	360	14.4	54.7	<0.002	0.01	0.05	6.0	2	0.8	333	0.38	<0.05	4.5	0.158
EMS-2400E/1550S		8.9	420	15.7	51.8	<0.002	0.01	0.07	7.6	2	0.9	311	0.42	<0.05	5.6	0.204
EMS-2400E/1600S		6.9	210	14.4	51.9	<0.002	0.01	<0.05	5.5	2	0.8	309	0.33	<0.05	3.5	0.175
EMS-2400E/1650S		10.3	440	15.9	52.9	<0.002	0.01	0.06	7.1	2	0.9	324	0.45	<0.05	5.3	0.223
EMS-2400E/1700S		9.1	440	14.0	49.7	<0.002	0.01	0.05	6.9	2	0.8	317	0.69	<0.05	5.0	0.182
EMS-2400E/1750S		9.8	300	13.1	49.4	<0.002	0.02	0.05	7.9	2	0.7	329	0.40	<0.05	6.0	0.189
EMS-2400E/1800S		9.6	330	12.7	47.7	<0.002	0.01	<0.05	8.0	2	0.8	337	0.47	<0.05	6.3	0.209
EMS-2600E/1700S		10.0	420	14.3	53.4	<0.002	0.01	<0.05	7.9	2	0.9	369	0.41	<0.05	6.0	0.192
EMS-2600E/1800S		10.7	710	14.6	49.3	<0.002	<0.01	0.08	8.4	2	1.0	359	1.41	<0.05	11.9	0.272
EMS-2600E/1850S		11.6	580	15.7	52.1	<0.002	0.02	0.06	7.6	2	0.9	326	0.41	<0.05	5.5	0.194
EMS-2600E/1900S		14.1	840	15.3	44.7	<0.002	0.04	0.10	9.6	2	1.0	293	0.53	<0.05	8.4	0.254
EMS-2600E/2000S		12.0	480	14.4	52.9	<0.002	<0.01	0.17	7.2	2	0.8	329	0.39	<0.05	5.2	0.184
EMS-2400E/1000S		12.5	560	16.5	44.5	<0.002	0.02	0.13	8.5	2	1.0	283	0.54	<0.05	8.0	0.246
EMS-2400E/1050S		13.4	670	17.4	45.9	<0.002	0.02	0.12	8.4	2	0.9	278	0.48	<0.05	10.3	0.222
EMS-2400E/1100S		10.5	510	16.7	47.3	<0.002	0.02	0.10	7.9	2	1.1	298	0.54	<0.05	9.3	0.267
EMS-2400E/1150S		10.7	870	16.8	49.9	<0.002	0.01	0.08	7.2	2	1.0	313	0.48	<0.05	8.6	0.226
EMS-2400E/1200S		9.9	400	15.0	51.8	<0.002	0.01	0.05	8.5	2	1.0	331	0.48	<0.05	9.1	0.229
EMS-2400E/1250S		8.9	330	15.2	51.6	<0.002	0.01	0.05	6.1	2	0.8	331	0.35	<0.05	8.8	0.171
EMS-2400E/1300S		10.8	640	15.5	53.8	<0.002	0.01	<0.05	7.9	2	0.9	346	0.45	<0.05	17.2	0.221
EMS-1500E/1650S		8.0	200	17.0	55.3	<0.002	0.01	<0.05	5.8	2	1.0	326	0.43	<0.05	5.7	0.237
EMS-1500E/1700S		9.9	490	14.6	52.7	<0.002	0.01	<0.05	7.7	2	0.9	333	0.43	<0.05	6.3	0.217
EMS-1500E/1750S		12.5	560	13.9	54.1	<0.002	<0.01	0.07	7.3	1	0.9	366	0.40	<0.05	5.4	0.199
EMS-1500E/1800S		13.3	580	14.5	53.2	<0.002	<0.01	0.07	7.7	1	1.0	367	0.43	<0.05	7.1	0.221
EMS-1500E/1850S		12.1	600	13.9	52.9	<0.002	<0.01	0.07	7.7	2	0.9	359	0.42	<0.05	5.7	0.214
EMS-1500E/1900S		11.0	560	13.7	51.5	<0.002	<0.01	0.07	7.2	2	0.9	352	0.41	<0.05	6.1	0.211
EMS-2900E/1000S		15.6	480	14.4	53.1	<0.002	0.01	0.08	7.9	2	0.9	356	0.43	<0.05	5.9	0.208
EMS-2900E/1050S		9.5	450	13.5	53.8	<0.002	<0.01	0.07	6.1	1	0.7	358	0.34	<0.05	5.0	0.161
EMS-2900E/1100S		11.9	550	13.6	51.6	<0.002	<0.01	0.07	6.5	1	0.8	343	0.34	<0.05	5.7	0.178
EMS-2900E/1150S		13.9	560	14.8	54.3	<0.002	0.01	0.07	6.9	2	0.9	372	0.41	<0.05	5.6	0.195
EMS-2900E/1200S		12.5	600	14.0	50.6	<0.002	0.01	0.09	7.0	2	0.9	358	0.39	<0.05	5.3	0.208
EMS-1300E/1550S		7.1	350	17.3	49.0	<0.002	0.01	0.08	5.8	1	1.3	295	0.47	<0.05	7.2	0.272
EMS-1300E/1600S		9.3	450	15.9	47.3	<0.002	0.02	0.08	7.3	2	1.1	318	0.49	<0.05	5.5	0.261
EMS-1300E/1650S		10.7	370	13.6	49.3	<0.002	0.01	0.07	6.9	1	0.9	351	0.37	<0.05	6.8	0.196
EMS-1300E/1700S		10.5	520	13.1	47.8	<0.002	0.06	0.07	6.6	2	0.8	341	0.37	<0.05	5.3	0.182
EMS-1300E/1750S		9.5	270	14.3	51.7	<0.002	0.01	0.08	7.3	2	0.9	334	0.40	<0.05	5.7	0.221
EMS-1300E/1800S		6.5	450	14.3	51.5	<0.002	0.01	0.07	6.5	2	0.9	335	0.39	<0.05	6.0	0.213
EMS-1300E/1850S		7.0	430	13.1	43.3	<0.002	0.03	0.08	6.1	2	0.8	271	0.39	<0.05	4.5	0.201
EMS-1300E/1900S		8.7	310	13.6	49.9	<0.002	0.01	0.07	6.0	2	0.8	320	0.33	<0.05	3.9	0.193

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Ti	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMS-2400E/1400S		0.23	1.2	45	0.6	14.3	18	195.5	20
EMS-2400E/1450S		0.26	1.1	39	0.5	14.9	17	143.0	20
EMS-2400E/1500S		0.26	0.7	31	0.3	9.2	16	89.8	20
EMS-2400E/1550S		0.26	0.9	43	0.4	10.9	16	129.0	30
EMS-2400E/1600S		0.26	0.6	34	0.3	7.0	12	123.0	40
EMS-2400E/1650S		0.26	0.9	43	0.4	10.5	18	164.5	30
EMS-2400E/1700S		0.24	0.8	35	0.4	10.0	15	143.0	40
EMS-2400E/1750S		0.23	1.0	37	0.4	9.9	16	142.0	30
EMS-2400E/1800S		0.23	1.0	39	0.4	13.1	17	175.0	30
EMS-2600E/1700S		0.27	1.0	25	0.3	13.8	18	139.5	40
EMS-2600E/1800S		0.23	2.0	34	0.8	20.8	18	230	20
EMS-2600E/1850S		0.24	1.0	39	0.5	10.7	18	151.5	10
EMS-2600E/1900S		0.23	1.5	50	0.6	12.8	22	237	<10
EMS-2600E/2000S		0.26	1.1	33	0.3	14.4	14	163.5	<10
EMS-2400E/1000S		0.22	1.6	53	0.8	12.0	18	218	<10
EMS-2400E/1050S		0.21	1.2	44	0.6	10.6	18	172.0	<10
EMS-2400E/1100S		0.24	1.2	57	0.7	11.0	17	189.5	<10
EMS-2400E/1150S		0.24	1.1	47	0.6	11.5	20	135.0	<10
EMS-2400E/1200S		0.24	1.3	44	0.5	13.7	17	150.0	<10
EMS-2400E/1250S		0.24	1.1	32	0.3	10.8	14	86.1	<10
EMS-2400E/1300S		0.24	1.5	47	1.7	17.0	17	205	<10
EMS-1500E/1650S		0.27	1.0	35	0.5	7.2	11	199.0	20
EMS-1500E/1700S		0.25	1.2	40	0.4	15.1	15	204	10
EMS-1500E/1750S		0.26	1.1	38	0.5	13.7	20	168.5	<10
EMS-1500E/1800S		0.26	1.4	39	0.6	14.9	19	198.5	<10
EMS-1500E/1850S		0.26	1.3	42	0.6	14.9	20	181.5	<10
EMS-1500E/1900S		0.26	1.1	36	0.4	13.4	20	175.0	<10
EMS-2900E/1000S		0.26	1.1	41	0.5	11.3	24	154.5	<10
EMS-2900E/1050S		0.27	0.9	29	0.3	12.1	16	106.0	<10
EMS-2900E/1100S		0.25	1.0	37	0.4	12.5	18	142.5	<10
EMS-2900E/1150S		0.27	1.1	36	0.5	11.2	24	168.5	<10
EMS-2900E/1200S		0.25	1.0	39	0.5	11.1	22	154.5	<10
EMS-1300E/1550S		0.24	1.1	49	0.5	7.5	13	203	<10
EMS-1300E/1600S		0.23	1.0	53	0.6	10.1	16	182.5	<10
EMS-1300E/1650S		0.24	1.1	37	0.4	10.9	18	143.5	<10
EMS-1300E/1700S		0.28	2.0	22	0.4	11.5	15	148.0	<10
EMS-1300E/1750S		0.25	1.0	39	0.3	9.3	16	185.5	<10
EMS-1300E/1800S		0.24	1.1	38	0.4	10.8	15	192.0	<10
EMS-1300E/1850S		0.21	0.9	40	0.4	8.3	12	142.0	<10
EMS-1300E/1900S		0.25	0.8	37	0.3	7.3	16	133.0	<10

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method Analyte Units LOR	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
EMS-1300E/1950S		0.40	4	<5	<1	<0.01	6.16	<0.2	570	1.22	0.08	1.51	0.04	30.4	2.8	21
EMS-1300E/2000S		0.56	3	<5	<1	<0.01	6.07	0.3	540	1.25	0.07	1.53	0.05	31.7	3.2	26
EMS-2100E/1800S		0.50	6	<5	<1	0.01	6.30	<0.2	530	1.23	0.07	1.44	0.05	29.5	4.1	33
EMS-2100E/1850S		0.66	1	<5	<1	<0.01	6.34	0.4	570	1.38	0.07	1.61	0.05	43.7	4.1	31
EMS-2100E/1950S		0.50	2	<5	<1	<0.01	6.17	0.4	530	1.26	0.07	1.52	0.05	35.0	3.6	26
EMS-2100E/2000S		0.48	1	<5	<1	<0.01	6.42	1.0	470	1.24	0.07	1.64	0.07	44.9	4.2	38
EMS-1300E/1050S		0.66	1	<5	<1	0.01	5.94	1.5	540	1.35	0.12	1.39	0.05	39.9	2.8	27
EMS-1300E/1150S		0.46	1	<5	<1	<0.01	6.22	1.0	540	1.44	0.08	1.71	0.07	48.2	3.5	30
EMS-1300E/1200S		0.28	5	<5	<1	0.03	5.42	0.5	530	1.12	0.09	1.09	0.05	23.6	1.6	16
EMS-1300E/1300S		0.24	1	<5	<1	0.01	6.06	0.6	540	1.48	0.08	1.60	0.05	42.0	3.7	24
EMS-1300E/1450S		0.40	1	<5	<1	0.01	6.27	0.9	530	1.47	0.06	1.57	0.06	37.4	3.9	29
EMS-1300E/1500S		0.36	1	<5	<1	0.02	6.19	1.8	490	1.27	0.11	1.45	0.08	37.8	4.0	35
EMS-2200E/1350S		0.58	1	<5	<1	<0.01	6.73	2.1	500	1.44	0.09	1.75	0.08	51.7	4.6	38
EMS-2200E/1400S		0.46	<1	<5	<1	0.01	6.51	1.0	490	1.56	0.08	1.54	0.08	42.3	4.3	30
EMS-2200E/1550S		0.44	<1	<5	<1	0.01	6.88	1.3	510	1.50	0.07	1.57	0.07	40.6	4.1	35
EMS-2200E/1750S		0.54	2	<5	<1	0.01	6.54	0.8	510	1.51	0.07	1.76	0.08	48.6	4.4	34
EMS-2200E/1800S		0.46	6	<5	1	0.02	6.20	1.1	500	1.27	0.10	1.38	0.09	38.6	3.3	30
EMS-2200E/1850S		0.36	1	<5	<1	0.04	6.80	1.3	490	1.41	0.08	1.40	0.09	32.1	3.2	32
EMS-2200E/2000S		0.44	3	<5	1	0.03	6.48	0.8	510	1.42	0.06	1.55	0.06	33.2	3.6	25
EMS-1800E/1750S		0.38	3	<5	<1	0.01	6.44	4.9	390	1.14	0.06	1.78	0.05	37.1	7.9	50
EMS-1800E/1900S		0.38	1	<5	<1	0.01	5.60	0.5	530	1.24	0.08	1.34	0.04	34.4	2.5	23
EMS-1800E/1950S		0.30	1	<5	<1	0.01	5.84	1.1	520	1.29	0.07	1.34	0.05	35.2	2.7	27
EMS-1800E/2000S		0.72	1	<5	<1	0.01	6.22	0.7	500	1.51	0.07	1.69	0.06	50.3	4.5	38
EMS-1600E/1050S		0.24	1	<5	<1	<0.01	6.63	0.7	570	1.58	0.07	1.83	0.05	38.6	4.2	26
EMS-1600E/1100S		0.36	1	<5	1	<0.01	6.96	2.8	520	1.63	0.07	1.77	0.07	51.1	4.8	35
EMS-1600E/1150S		0.30	<1	<5	1	0.01	7.03	1.4	450	1.42	0.06	1.75	0.06	70.4	5.3	39
EMS-1600E/1200S		0.32	2	<5	2	0.01	6.62	1.0	500	1.54	0.07	1.82	0.06	53.5	4.4	35
EMS-1600E/1250S		0.32	1	<5	<1	0.01	6.91	1.4	490	1.50	0.06	1.68	0.06	45.1	4.3	39
EMS-1600E/1300S		0.34	2	<5	1	0.01	6.54	1.3	500	1.55	0.07	1.72	0.06	48.4	4.0	32
EMS-1600E/1350S		0.28	1	<5	1	0.01	6.61	1.1	490	1.64	0.06	1.67	0.06	47.6	4.2	33
EMS-1600E/1400S		0.44	5	<5	<1	<0.01	6.76	1.2	560	1.63	0.07	1.88	0.08	58.7	4.9	33
EMS-1600E/1450S		0.40	1	<5	<1	0.01	6.73	1.5	520	1.54	0.07	1.88	0.07	56.0	4.7	36
EMS-1600E/1500S		0.36	1	<5	<1	<0.01	6.65	0.6	540	1.56	0.07	1.79	0.06	41.8	4.2	28
EMS-1400E/1300S		0.60	1	<5	<1	0.01	6.69	1.4	550	1.80	0.06	1.91	0.07	62.7	5.5	27
EMS-1400E/1650S		0.42	1	<5	<1	0.01	6.71	1.4	530	1.56	0.07	1.71	0.07	39.1	4.0	31

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 884 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090062

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
Sample Description	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
EMS-1300E/1950S	0.79	1.6	0.91	15.30	0.09	6.0	0.020	1.66	15.6	3.1	0.30	249	0.29	2.52	5.5
EMS-1300E/2000S	0.76	2.7	1.39	15.55	0.11	5.9	0.019	1.58	15.5	3.8	0.34	271	0.30	2.49	5.9
EMS-2100E/1800S	1.02	9.9	1.19	16.15	0.11	5.9	0.019	1.56	15.3	4.5	0.38	256	0.34	2.36	5.3
EMS-2100E/1850S	0.91	5.3	1.53	15.50	0.13	5.6	0.021	1.67	20.7	4.7	0.40	286	0.31	2.57	6.1
EMS-2100E/1950S	0.85	5.7	1.35	14.85	0.13	5.8	0.019	1.55	17.2	3.8	0.34	262	0.33	2.40	5.4
EMS-2100E/2000S	0.71	6.1	2.50	14.05	0.16	5.5	0.022	1.39	21.6	4.2	0.38	315	0.41	2.37	6.1
EMS-1300E/1050S	0.73	4.2	1.35	15.30	0.11	6.4	0.019	1.57	18.2	5.3	0.30	245	0.46	2.30	6.4
EMS-1300E/1150S	0.63	2.0	1.14	17.20	0.12	7.5	0.024	1.64	23.5	5.1	0.40	336	0.28	2.69	7.0
EMS-1300E/1200S	0.64	0.8	0.90	15.95	0.05	5.7	0.015	1.57	11.9	3.1	0.17	176	0.38	2.06	5.2
EMS-1300E/1300S	0.73	2.8	1.20	15.90	0.06	4.5	0.018	1.62	19.4	6.4	0.36	273	0.32	2.53	5.9
EMS-1300E/1450S	0.71	2.4	1.62	16.15	0.06	4.8	0.022	1.60	17.6	5.6	0.38	280	0.33	2.56	5.9
EMS-1300E/1500S	0.71	2.9	2.28	20.5	0.07	5.2	0.026	1.49	18.2	4.7	0.34	272	0.40	2.22	7.3
EMS-2200E/1350S	0.70	2.3	2.51	16.05	0.09	5.5	0.025	1.50	23.9	6.2	0.43	397	0.41	2.55	9.5
EMS-2200E/1400S	0.81	2.1	2.06	16.45	0.08	3.6	0.021	1.53	16.6	6.1	0.36	326	0.36	2.62	6.6
EMS-2200E/1550S	0.76	1.5	2.20	16.80	0.08	4.6	0.024	1.50	17.7	6.1	0.36	291	0.38	2.51	6.6
EMS-2200E/1750S	0.77	9.1	1.93	16.25	0.08	6.3	0.024	1.56	24.2	5.8	0.40	350	0.38	2.65	6.9
EMS-2200E/1800S	0.83	2.6	2.12	21.9	0.07	6.2	0.026	1.51	19.1	4.4	0.30	272	0.41	2.18	7.3
EMS-2200E/1850S	0.72	1.9	2.18	20.0	0.07	4.2	0.028	1.44	15.7	4.6	0.31	257	0.66	2.29	6.7
EMS-2200E/2000S	0.73	1.2	1.33	16.80	0.06	3.8	0.023	1.50	16.4	5.5	0.35	252	0.29	2.49	5.3
EMS-1800E/1750S	0.85	5.4	6.26	16.95	0.11	4.7	0.022	1.12	18.3	9.2	0.58	324	1.02	2.35	6.1
EMS-1800E/1900S	0.65	1.2	1.18	14.05	0.06	6.4	0.017	1.57	17.2	3.5	0.24	230	0.33	2.29	5.3
EMS-1800E/1950S	0.75	2.8	1.32	15.95	0.06	4.9	0.018	1.53	17.2	3.9	0.26	223	0.38	2.21	5.9
EMS-1800E/2000S	0.71	3.9	1.24	16.35	0.08	6.2	0.025	1.51	23.4	5.7	0.42	311	0.32	2.49	6.1
EMS-1600E/1050S	0.83	1.2	1.36	17.20	0.07	5.6	0.022	1.71	17.9	6.3	0.41	319	1.56	2.75	6.4
EMS-1600E/1100S	0.78	1.8	2.19	16.25	0.10	4.6	0.027	1.59	21.7	6.6	0.42	340	0.43	2.67	7.3
EMS-1600E/1150S	0.71	1.7	4.08	14.80	0.12	4.1	0.026	1.30	32.1	5.7	0.39	513	0.48	2.45	7.4
EMS-1600E/1200S	0.73	1.9	2.48	16.15	0.09	5.1	0.024	1.51	24.6	5.8	0.40	377	0.48	2.65	7.5
EMS-1600E/1250S	0.69	2.1	2.32	15.00	0.09	4.6	0.025	1.45	20.1	6.1	0.39	306	0.77	2.51	6.4
EMS-1600E/1300S	0.68	2.0	2.08	15.25	0.09	5.2	0.021	1.49	22.1	5.6	0.38	294	0.44	2.54	6.0
EMS-1600E/1350S	0.78	1.5	2.19	15.85	0.09	4.9	0.023	1.48	23.0	6.7	0.38	295	0.46	2.48	6.7
EMS-1600E/1400S	0.80	3.9	1.98	16.60	0.11	5.3	0.021	1.66	27.3	7.0	0.43	331	0.49	2.80	6.7
EMS-1600E/1450S	0.74	3.0	2.15	16.55	0.10	6.3	0.025	1.55	25.9	6.2	0.44	350	0.46	2.65	7.4
EMS-1600E/1500S	0.78	1.7	1.58	16.40	0.08	5.0	0.023	1.62	18.8	6.4	0.40	304	0.32	2.71	6.2
EMS-1400E/1300S	0.79	3.6	1.27	16.90	0.11	5.7	0.020	1.65	28.9	7.1	0.42	333	0.65	2.86	7.0
EMS-1400E/1650S	0.74	2.0	1.96	16.85	0.08	4.4	0.024	1.59	17.7	5.8	0.36	275	0.44	2.65	6.1

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Sa ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
EMS-1300E/1950S		6.5	190	15.5	53.3	<0.002	0.01	0.07	5.6	2	0.9	345	0.37	<0.05	5.8	0.216
EMS-1300E/2000S		7.9	300	14.4	50.8	<0.002	0.01	0.08	6.1	1	0.9	340	0.39	<0.05	4.6	0.218
EMS-2100E/1800S		9.2	220	15.0	50.0	<0.002	0.01	0.09	6.5	1	0.9	326	0.35	<0.05	4.7	0.242
EMS-2100E/1850S		9.8	450	14.7	53.9	<0.002	0.01	0.06	7.2	1	0.9	354	0.44	<0.05	5.6	0.208
EMS-2100E/1950S		8.8	350	15.0	51.1	<0.002	0.01	0.10	6.4	2	0.9	333	0.37	<0.05	5.0	0.207
EMS-2100E/2000S		9.5	560	15.5	46.3	<0.002	0.01	0.12	7.3	2	0.8	327	0.42	<0.05	6.6	0.210
EMS-1300E/1050S		8.0	350	15.9	55.3	<0.002	0.01	0.11	5.4	2	1.0	318	0.40	<0.05	5.5	0.224
EMS-1300E/1150S		9.5	240	15.1	55.9	<0.002	0.01	0.08	7.2	2	0.9	366	0.45	<0.05	7.2	0.241
EMS-1300E/1200S		4.2	190	16.5	53.6	<0.002	0.01	0.85	3.7	2	0.9	294	0.32	<0.05	4.0	0.193
EMS-1300E/1300S		9.0	440	14.2	54.0	<0.002	0.01	0.32	6.1	2	0.9	351	0.39	<0.05	4.9	0.206
EMS-1300E/1450S		9.2	420	14.1	53.3	<0.002	0.01	0.19	6.6	2	0.8	350	0.40	<0.05	5.4	0.189
EMS-1300E/1500S		10.3	310	17.4	51.2	<0.002	0.01	0.18	6.4	2	1.2	315	0.49	<0.05	5.9	0.261
EMS-2200E/1350S		10.5	620	13.5	52.5	<0.002	0.01	0.12	8.2	2	1.0	360	2.43	<0.05	7.2	0.249
EMS-2200E/1400S		9.1	360	13.8	53.9	<0.002	0.01	0.09	7.2	2	0.9	363	0.40	<0.05	5.4	0.198
EMS-2200E/1550S		9.5	300	14.5	50.6	<0.002	0.01	0.08	7.2	2	0.9	343	0.40	<0.05	5.3	0.202
EMS-2200E/1750S		10.4	530	14.1	53.1	<0.002	0.01	0.08	7.9	2	0.9	373	0.42	<0.05	5.4	0.221
EMS-2200E/1800S		8.1	280	18.0	52.1	<0.002	0.01	0.12	6.6	2	1.2	311	0.44	<0.05	7.0	0.275
EMS-2200E/1850S		7.6	260	15.4	50.0	<0.002	0.02	0.10	6.7	2	0.9	317	0.42	<0.05	6.2	0.226
EMS-2200E/2000S		8.5	410	12.9	50.8	<0.002	0.01	0.06	6.7	2	0.8	341	0.34	<0.05	4.6	0.173
EMS-1800E/1750S		15.4	650	10.1	39.7	<0.002	0.02	0.09	7.7	2	0.8	339	0.35	<0.05	4.1	0.266
EMS-1800E/1900S		5.8	220	14.9	52.2	<0.002	0.01	0.07	5.4	2	0.8	321	0.51	<0.05	7.2	0.184
EMS-1800E/1950S		7.1	350	15.0	51.9	<0.002	0.02	0.05	5.7	2	0.9	312	0.39	<0.05	5.6	0.208
EMS-1800E/2000S		12.7	480	14.4	51.2	<0.002	0.01	0.05	8.0	2	0.9	343	0.41	<0.05	6.3	0.214
EMS-1600E/1050S		9.7	480	14.8	57.2	<0.002	0.01	0.05	7.6	2	0.9	383	0.40	<0.05	4.9	0.207
EMS-1600E/1100S		10.8	510	14.2	53.9	<0.002	0.01	0.06	8.0	2	0.9	372	0.46	<0.05	6.2	0.224
EMS-1600E/1150S		9.8	510	11.9	46.2	<0.002	0.01	0.07	8.4	3	0.9	348	0.42	<0.05	8.9	0.207
EMS-1600E/1200S		9.7	650	13.4	52.2	<0.002	0.01	0.06	8.3	2	0.9	373	0.45	<0.05	6.0	0.222
EMS-1600E/1250S		9.7	510	12.5	49.5	<0.002	0.01	<0.05	7.4	2	0.8	348	0.38	<0.05	5.7	0.198
EMS-1600E/1300S		10.1	560	13.4	50.5	<0.002	0.01	<0.05	7.1	2	0.8	353	0.36	<0.05	7.8	0.185
EMS-1600E/1350S		9.3	540	13.4	51.5	<0.002	0.01	<0.05	7.3	2	0.8	345	0.39	<0.05	6.9	0.197
EMS-1600E/1400S		11.0	640	14.5	56.1	<0.002	<0.01	<0.05	7.8	2	0.9	389	0.41	<0.05	7.2	0.215
EMS-1600E/1450S		10.9	660	14.1	51.7	<0.002	0.01	<0.05	8.6	3	1.0	370	0.49	<0.05	7.4	0.230
EMS-1600E/1500S		10.1	530	13.7	54.9	<0.002	0.01	<0.05	7.2	2	0.8	372	0.38	<0.05	4.6	0.197
EMS-1400E/1300S		12.1	590	14.5	55.1	<0.002	0.01	0.06	8.0	3	0.9	394	0.42	<0.05	7.7	0.216
EMS-1400E/1650S		9.5	480	14.1	52.8	<0.002	0.01	0.05	7.0	2	0.8	365	0.36	<0.05	5.4	0.191

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		Tl	U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	10
EMS-1300E/1950S		0.25	1.0	23	0.5	7.0	11	184.5	<10
EMS-1300E/2000S		0.24	1.0	32	0.6	8.5	13	185.0	<10
EMS-2100E/1800S		0.25	0.9	31	0.4	7.1	12	183.5	<10
EMS-2100E/1850S		0.26	1.2	32	0.4	11.0	17	172.0	<10
EMS-2100E/1950S		0.23	1.0	31	0.4	8.9	14	177.5	<10
EMS-2100E/2000S		0.21	1.1	42	0.4	13.0	17	169.5	<10
EMS-1300E/1050S		0.25	1.1	30	0.5	9.3	16	205	<10
EMS-1300E/1150S		0.26	1.1	27	0.3	11.2	17	239	<10
EMS-1300E/1200S		0.27	0.9	23	0.5	4.7	7	201	60
EMS-1300E/1300S		0.27	0.9	33	0.8	11.4	17	156.0	50
EMS-1300E/1450S		0.27	0.9	34	0.4	9.8	16	159.5	50
EMS-1300E/1500S		0.26	0.9	55	0.7	8.9	16	182.5	60
EMS-2200E/1350S		0.27	1.1	48	1.0	14.5	20	194.0	50
EMS-2200E/1400S		0.26	0.8	38	1.1	10.2	18	122.0	40
EMS-2200E/1550S		0.26	0.9	41	0.5	10.6	18	159.5	80
EMS-2200E/1750S		0.27	1.2	39	0.7	15.0	18	219	40
EMS-2200E/1800S		0.26	1.0	56	0.7	7.9	14	217	50
EMS-2200E/1850S		0.26	0.9	51	1.5	8.2	14	144.0	60
EMS-2200E/2000S		0.25	0.7	31	0.3	9.4	16	130.0	60
EMS-1800E/1750S		0.19	0.9	107	0.4	10.5	36	170.5	60
EMS-1800E/1900S		0.26	1.1	27	0.3	6.5	10	228	60
EMS-1800E/1950S		0.26	1.0	31	0.5	7.8	12	170.0	60
EMS-1800E/2000S		0.26	1.1	33	0.6	12.4	19	217	60
EMS-1600E/1050S		0.27	0.9	36	1.0	11.6	19	189.0	60
EMS-1600E/1100S		0.27	1.1	42	0.6	13.2	21	152.0	60
EMS-1600E/1150S		0.23	1.2	39	0.4	16.3	18	138.0	60
EMS-1600E/1200S		0.24	1.1	43	2.9	16.3	19	173.0	60
EMS-1600E/1250S		0.26	0.9	36	0.4	12.5	17	159.5	60
EMS-1600E/1300S		0.26	1.1	36	0.3	13.2	17	178.5	50
EMS-1600E/1350S		0.26	1.1	42	0.7	12.4	17	163.0	50
EMS-1600E/1400S		0.28	1.1	40	0.3	15.2	20	183.0	60
EMS-1600E/1450S		0.26	1.2	41	0.7	16.0	20	215	60
EMS-1600E/1500S		0.26	0.9	33	3.4	12.5	18	167.0	60
EMS-1400E/1300S		0.28	1.4	35	0.3	15.8	21	196.0	60
EMS-1400E/1650S		0.27	0.9	36	0.4	11.2	17	155.0	60

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****

APPENDIX 4
SOIL QUALITY CONTROL DOCUMENTS

03 FEB 2014 3 DE
Direction du de...

1304170



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 29-OCT-2009
Account: MVR

QC CERTIFICATE SD09108067

Project: EASTMAIN MINE

P.O. No.:

This report is for 159 Soil samples submitted to our lab in Sudbury, ON, Canada on 1-OCT-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
STANDARDS																
G2000					3.84	5.03	478	2410	1.54	1.10	0.61	7.82	54.1	24.2	104	12.50
Target Range - Lower Bound					3.22	4.52	435	2000	1.25	0.98	0.51	6.82	47.9	22.6	90	11.10
Upper Bound					3.96	5.54	533	2720	1.63	1.22	0.65	8.38	58.5	27.8	112	13.70
GBM3961c					7.74	4.16	748	290	0.80	20.1	3.00	20.3	49.7	151.5	645	4.94
GBM3961c					8.14	4.50	819	290	0.83	20.4	3.18	23.0	52.7	161.0	669	5.03
GBM3961c					8.20	4.56	816	320	0.80	20.3	3.15	22.7	51.5	159.5	684	5.24
GBM3961c					8.23	4.59	810	290	0.78	20.7	3.18	22.2	49.2	159.0	682	5.00
GBM3961c					7.98	4.38	791	330	0.78	21.1	3.08	21.8	46.6	158.0	692	4.97
GBM3961c					8.12	4.38	754	150	1.02	21.0	3.11	22.9	45.9	157.5	659	5.20
GBM3961c					7.89	4.36	688	230	0.79	20.5	3.15	20.8	47.2	154.5	660	4.93
GBM3961c					8.24	4.20	734	180	0.75	19.70	2.97	21.8	46.8	157.5	626	5.20
GBM3961c					8.64	4.38	772	340	0.86	21.0	3.22	22.5	51.1	160.0	678	5.40
Target Range - Lower Bound					7.28	3.75	669	210	0.77	18.15	2.77	19.35	43.5	144.0	594	4.83
Upper Bound					8.92	4.60	818	300	1.05	22.2	3.40	23.7	53.2	176.5	728	6.01
GBM999-5																
Target Range - Lower Bound																
Upper Bound																
GEOMS-03					0.71	5.10	658	2540	1.55	0.37	0.39	0.35	52.6	11.3	116	10.75
Target Range - Lower Bound					0.67	4.61	570	2060	1.34	0.31	0.33	0.30	47.0	10.7	105	9.04
Upper Bound					0.85	5.65	697	2810	1.74	0.41	0.43	0.42	57.4	13.3	131	11.15
GPP-01	869	994	722													
GPP-01	854	965	713													
GPP-01	896	970	714													
GPP-01	933	1060	816													
Target Range - Lower Bound	841	892	682													
Upper Bound	969	1040	786													
LKSD-3					2.81	6.31	22.4	650	1.74	2.81	1.63	0.56	91.2	29.5	75	2.30
Target Range - Lower Bound					2.42	5.93	24.1	530	1.48	2.78	1.47	0.52	84.1	26.9	62	2.20
Upper Bound					2.98	7.27	29.9	730	1.92	3.42	1.81	0.68	103.0	33.1	77	2.80
MRGeo08					4.36	7.28	30.2	1050	3.46	0.62	2.60	2.24	69.9	21.2	93	12.45
MRGeo08					4.45	7.98	30.6	1100	3.27	0.65	2.67	2.41	78.2	20.5	94	12.40
MRGeo08					4.69	7.95	35.6	1110	3.39	0.66	2.68	2.43	75.5	20.9	95	13.05
MRGeo08					4.59	8.00	36.3	1110	3.23	0.68	2.70	2.42	75.8	20.4	95	12.90
MRGeo08					4.71	8.01	29.7	1060	3.39	0.73	2.54	2.46	87.0	21.6	95	13.65
MRGeo08					4.32	7.87	16.0	1060	3.21	0.72	2.63	2.38	78.4	20.8	93	12.75
MRGeo08					4.16	7.36	27.7	1040	3.29	0.65	2.49	2.10	77.9	19.3	93	11.50
MRGeo08																
MRGeo08					4.25	7.27	35.2	1010	3.49	0.64	2.50	2.28	68.0	21.4	89	12.45

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
STANDARDS																
G2000		306	3.98	13.35	0.16	1.5	0.385	1.21	29.9	38.3	0.72	590	6.20	0.15	11.6	267
Target Range - Lower Bound		273	3.46	11.65	0.09	1.1	0.355	1.14	25.9	37.0	0.67	506	5.62	0.12	10.4	246
Upper Bound		334	4.26	14.35	0.22	1.6	0.445	1.42	32.7	45.6	0.85	630	6.98	0.16	13.0	302
GBM3961c		2910	8.23	12.20	0.28	1.7	1.305	0.75	27.0	17.5	2.50	849	10.40	0.63	3.0	2060
GBM3961c		2980	8.97	12.85	0.28	1.8	1.395	0.81	28.5	17.0	2.71	902	10.75	0.68	3.4	2170
GBM3961c		3010	8.88	12.30	0.28	1.8	1.450	0.81	28.0	17.5	2.71	902	10.30	0.69	3.2	2120
GBM3961c		3040	8.90	12.30	0.27	1.7	1.425	0.82	27.4	17.1	2.73	904	10.65	0.70	3.3	2120
GBM3961c		3090	8.66	12.70	0.20	1.7	1.330	0.78	27.3	18.1	2.62	881	10.80	0.66	3.5	2090
GBM3961c		3050	9.00	13.35	0.20	1.8	1.355	0.78	24.4	18.5	2.60	905	11.00	0.67	3.5	2040
GBM3961c		3070	9.11	11.90	0.28	1.6	1.335	0.82	23.4	15.0	2.61	900	10.35	0.67	3.2	2170
GBM3961c		2810	8.35	12.80	0.23	1.7	1.325	0.75	26.3	15.8	2.54	848	10.50	0.64	3.4	2010
GBM3961c		3040	9.01	12.00	0.16	1.9	1.320	0.80	28.0	19.7	2.66	920	10.65	0.68	3.5	2140
Target Range - Lower Bound		2590	8.00	11.75	0.17	1.5	1.250	0.68	22.9	16.8	2.32	780	8.97	0.56	3.0	1925
Upper Bound		3160	9.80	14.45	0.32	2.1	1.540	0.85	29.1	21.0	2.85	964	11.10	0.71	3.9	2350
GBM999-5																
Target Range - Lower Bound																
Upper Bound																
GEOMS-03		129.0	4.12	12.45	0.13	1.6	0.051	1.09	30.2	44.1	0.49	504	3.25	0.09	14.2	52.9
Target Range - Lower Bound		120.5	3.64	12.00	0.10	1.2	0.035	1.03	25.6	37.6	0.48	483	3.05	0.06	13.1	48.1
Upper Bound		147.5	4.48	14.75	0.24	1.6	0.053	1.29	32.4	46.4	0.60	601	3.83	0.10	16.3	59.3
GPP-01																
GPP-01																
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
LKSD-3		32.4	4.01	16.15	0.18	3.4	0.055	1.70	49.3	25.2	1.11	1380	1.10	1.62	8.6	49.2
Target Range - Lower Bound		31.3	3.46	15.05	0.15	3.1	0.049	1.63	46.3	24.1	1.08	1210	1.03	1.52	7.1	42.1
Upper Bound		38.7	4.26	18.55	0.29	4.1	0.071	2.01	57.7	29.9	1.34	1490	1.37	1.88	8.9	51.9
MRGeo08		636	3.81	20.9	0.21	3.4	0.189	2.94	33.4	37.4	1.30	556	16.10	1.92	20.9	692
MRGeo08		639	4.03	21.3	0.24	3.4	0.191	3.10	37.8	34.6	1.38	574	16.20	2.00	21.6	690
MRGeo08		659	4.06	20.5	0.24	3.5	0.202	3.17	36.9	36.5	1.37	580	16.20	2.07	21.5	693
MRGeo08		665	4.08	20.7	0.20	3.5	0.202	3.20	37.6	36.3	1.38	583	16.50	2.08	22.1	705
MRGeo08		670	3.88	21.1	0.24	3.5	0.195	3.04	43.4	37.0	1.35	552	17.00	1.98	23.6	677
MRGeo08		655	4.14	21.4	0.19	3.6	0.177	3.03	38.7	34.5	1.33	576	15.95	1.97	21.8	664
MRGeo08		638	3.97	18.30	0.21	3.3	0.170	2.75	37.8	32.8	1.30	552	14.30	1.93	19.1	682
MRGeo08																
MRGeo08		600	3.79	21.3	0.17	3.3	0.179	2.89	33.6	35.9	1.29	539	15.90	1.89	22.2	647

Comments: B results from ME-MS61 are semi-quantitative



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
Units		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
LOR		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	
STANDARDS																
G2000		970	700	66.0	0.003	0.26	36.2	11.8	5	2.3	118.5	0.77	0.17	7.0	0.342	0.93
Target Range - Lower Bound		870	603	62.9	0.003	0.23	29.3	10.3	4	1.8	104.5	0.85	0.09	6.4	0.314	0.84
Upper Bound		1080	738	77.1	0.009	0.30	39.7	12.8	7	2.6	128.0	0.91	0.22	8.2	0.395	1.18
GBM3961c		280	1840	70.3	0.004	3.64	27.9	12.9	7	6.0	89.2	0.74	3.02	6.8	0.236	0.92
GBM3961c		300	2020	70.5	0.004	3.78	32.4	13.3	7	7.4	89.8	0.94	3.25	7.0	0.257	1.00
GBM3961c		290	1980	72.8	0.004	3.79	32.2	13.5	7	7.0	91.7	0.95	3.36	6.8	0.249	1.00
GBM3961c		290	1960	73.2	0.004	3.82	32.4	14.0	7	6.5	92.9	0.85	3.21	6.8	0.252	1.03
GBM3961c		290	1850	62.1	0.004	3.83	32.8	13.3	8	6.7	94.3	0.94	3.22	6.4	0.248	0.95
GBM3961c		280	1920	67.1	0.004	3.81	31.0	13.0	7	6.6	92.9	0.80	3.17	6.5	0.243	0.99
GBM3961c		280	1995	62.0	0.004	3.86	27.2	13.7	6	6.2	90.5	0.83	3.42	6.1	0.247	0.93
GBM3961c		260	1775	64.4	0.004	3.53	30.7	13.2	7	6.2	93.6	0.87	3.08	6.6	0.233	1.00
GBM3961c		280	1940	70.5	0.003	3.69	29.6	13.7	6	6.6	96.1	0.91	3.29	6.9	0.255	1.00
Target Range - Lower Bound		250	1725	60.5	<0.002	3.33	25.3	11.9	6	5.7	83.7	0.71	3.01	5.8	0.213	0.82
Upper Bound		330	2110	74.1	0.007	4.10	34.4	14.8	9	7.4	102.5	0.98	3.79	7.5	0.272	1.15
GBM999-5																
Target Range - Lower Bound																
Upper Bound																
GEOMS-03		1090	7.4	64.7	<0.002	0.05	18.55	13.4	3	2.5	172.0	1.01	0.15	6.9	0.455	1.28
Target Range - Lower Bound		970	7.2	55.7	<0.002	0.03	15.85	12.4	2	2.1	157.5	0.81	0.07	6.2	0.409	0.99
Upper Bound		1210	9.9	68.3	0.004	0.05	21.5	15.4	4	3.0	192.5	1.10	0.19	8.0	0.511	1.39
GPP-01																
GPP-01																
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
LKSD-3		1060	27.3	69.9	<0.002	0.16	1.09	12.9	3	1.8	260	0.57	0.05	10.8	0.282	0.46
Target Range - Lower Bound		910	25.6	68.3	<0.002	0.12	1.06	11.5	<1	1.7	239	0.47	<0.05	10.1	0.247	0.41
Upper Bound		1130	32.4	83.7	0.004	0.16	1.55	14.3	3	2.5	293	0.69	0.10	12.7	0.313	0.80
MRGeo08		1040	1050	191.0	0.007	0.31	4.51	12.0	3	4.1	297	1.67	<0.05	17.8	0.490	1.00
MRGeo08		1110	1100	208	0.008	0.31	5.03	12.7	3	4.1	309	1.63	<0.05	20.4	0.512	1.09
MRGeo08		1120	1105	208	0.009	0.32	5.24	12.7	3	4.6	318	1.62	0.06	19.2	0.517	1.11
MRGeo08		1130	1110	209	0.009	0.33	5.17	13.0	3	4.5	320	1.68	<0.05	20.0	0.524	1.12
MRGeo08		1070	995	212	0.010	0.32	5.60	12.8	3	4.5	331	1.89	<0.05	21.9	0.500	1.11
MRGeo08		1070	1065	203	0.008	0.31	4.76	13.1	3	4.2	315	1.62	0.06	21.0	0.500	1.05
MRGeo08		1030	1035	204	0.007	0.28	4.14	12.4	3	3.9	300	1.56	<0.05	19.5	0.489	1.00
MRGeo08																
MRGeo08		1000	973	183.0	0.008	0.29	4.56	15.1	3	4.0	296	1.58	<0.05	18.6	0.472	1.08

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	U	V	W	Y	Zn	Zr	B
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.1	1	0.1	0.1	2	0.5	10
STANDARDS								
G2000		3.2	101	17.7	24.0	1300	47.0	50
Target Range - Lower Bound		2.9	94	15.2	21.1	1155	37.5	<10
Upper Bound		3.7	117	20.8	26.0	1415	51.9	20
GBM3961c		1.7	105	16.3	11.6	6670	57.2	160
GBM3961c		1.6	113	18.6	11.7	7110	66.1	<10
GBM3961c		1.7	111	19.0	11.8	6950	61.8	50
GBM3961c		1.7	112	18.0	12.2	6910	63.8	60
GBM3961c		1.7	108	19.6	10.8	6850	63.6	70
GBM3961c		1.6	106	18.5	11.2	6660	62.4	<10
GBM3961c		1.6	109	15.7	11.4	6710	55.7	<10
GBM3961c		1.6	101	40.6	11.8	6850	59.8	
GBM3961c		1.8	109	18.2	11.3	6820	62.8	
Target Range - Lower Bound		1.4	97	14.6	10.7	6280	52.6	
Upper Bound		1.9	120	20.0	13.3	7680	72.4	
GBM999-5								10
Target Range - Lower Bound								
Upper Bound								
GEOMS-03		3.8	109	21.4	23.5	46	60.5	40
Target Range - Lower Bound		3.1	104	18.1	19.8	40	44.0	
Upper Bound		4.0	130	24.7	24.4	54	60.8	
GPP-01								
GPP-01								
GPP-01								
GPP-01								
Target Range - Lower Bound								
Upper Bound								
LKSD-3		4.2	73	1.0	26.3	148	116.0	60
Target Range - Lower Bound		4.0	67	0.7	26.0	135	96.4	
Upper Bound		5.2	84	1.2	33.1	169	131.5	
MRGeo08		5.4	110	5.0	26.3	803	110.5	130
MRGeo08		5.7	114	5.3	27.9	805	116.5	70
MRGeo08		5.6	116	5.5	27.4	815	117.5	90
MRGeo08		5.6	117	5.6	28.4	825	122.0	90
MRGeo08		6.0	111	5.9	27.8	803	121.0	80
MRGeo08		5.7	109	5.2	28.0	806	117.0	<10
MRGeo08		5.6	108	5.0	27.1	787	104.0	<10
MRGeo08								20
MRGeo08		5.1	107	5.0	27.5	786	112.0	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572-4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
STANDARDS																
MRGeo08					4.35	7.24	28.3	1030	3.33	0.65	2.52	2.28	74.3	18.5	93	12.35
Target Range - Lower Bound					4.16	7.00	29.7	920	2.80	0.63	2.35	2.01	72.9	18.4	82	11.00
Upper Bound					5.10	8.57	36.7	1270	3.54	0.79	2.90	2.50	89.1	22.8	102	13.60
OxA71		79	10	1												
OxA71		80	<5	<1												
OxA71		79	<5	<1												
OxA71		86	<5	<1												
Target Range - Lower Bound		78														
Upper Bound		92														
OXD73		436	<5	1												
OXD73		428	<5	<1												
OXD73		413	<5	1												
OXD73		440	<5	<1												
Target Range - Lower Bound																
Upper Bound																
PGMS-16		1280	1295	5220												
PGMS-16		1120	1290	4990												
PGMS-16		1070	1230	4640												
PGMS-16		1175	1315	5380												
Target Range - Lower Bound		1040	1140	4330												
Upper Bound		1200	1320	4990												
BLANKS																
BLANK					<0.01	<0.01	<0.2	<10	<0.05	0.02	<0.01	<0.02	<0.01	<0.1	<1	<0.05
BLANK		1	<5	1												
BLANK					<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
BLANK					<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
BLANK					<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05
BLANK					<0.01	<0.01	0.3	<10	<0.05	0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05
BLANK		<1	<5	<1												
BLANK		1	<5	<1												
BLANK		1	6	<1												
BLANK					<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
BLANK					<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05
BLANK					<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
BLANK					0.01	<0.01	0.2	<10	<0.05	0.03	<0.01	<0.02	0.03	<0.1	<1	<0.05

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 3 - B

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 29-OCT-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Method Analyte Units	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Sample Description LOR	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	
	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	
STANDARDS																
MRGeo08	618	3.89	18.20	0.10	3.3	0.175	2.94	37.0	37.5	1.29	550	14.45	1.91	21.1	653	
Target Range - Lower Bound	568	3.61	17.50	0.09	2.8	0.161	2.79	36.3	30.4	1.24	506	13.65	1.76	18.3	617	
Upper Bound	694	4.43	21.5	0.23	3.6	0.207	3.43	45.5	37.6	1.54	630	16.75	2.18	22.5	755	
OxA71																
OxA71																
OxA71																
OxA71																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
PGMS-16																
PGMS-16																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK	0.2	<0.01	0.06	0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
BLANK																
BLANK	<0.2	<0.01	0.07	0.07	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
BLANK	<0.2	<0.01	0.08	0.08	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
BLANK	<0.2	<0.01	0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.3	
BLANK	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
BLANK																
BLANK																
BLANK																
BLANK	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
BLANK	<0.2	<0.01	0.06	0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
BLANK	<0.2	<0.01	0.06	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
BLANK	0.2	<0.01	0.07	0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	0.07	<0.01	<0.1	0.2	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Method Analyte Units LOR	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm
Sample Description	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
STANDARDS															
MRGeo08	1010	1005	162.5	0.007	0.36	4.40	11.9	2	4.0	298	1.55	<0.05	19.4	0.479	1.00
Target Range - Lower Bound	910	965	187.0	0.008	0.27	4.08	11.0	<1	3.5	272	1.48	<0.05	19.2	0.454	0.87
Upper Bound	1140	1180	229	0.014	0.35	5.64	13.6	2	4.7	332	1.92	0.10	23.9	0.566	1.23
OxA71															
OxA71															
OxA71															
OxA71															
Target Range - Lower Bound															
Upper Bound															
OXD73															
OXD73															
OXD73															
OXD73															
Target Range - Lower Bound															
Upper Bound															
PGMS-16															
PGMS-16															
PGMS-16															
PGMS-16															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	<0.1	<0.002	0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	<0.1	<0.002	<0.01	0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	U	V	W	Y	Zn	Zr	B
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.1	1	0.1	0.1	2	0.5	10
STANDARDS								
MRGeo08		5.6	107	4.9	25.2	786	102.5	
Target Range - Lower Bound		5.6	99	4.3	24.3	712	92.2	
Upper Bound		7.0	123	6.1	29.9	874	126.0	
OxA71								
OxA71								
OxA71								
OxA71								
Target Range - Lower Bound								
Upper Bound								
OXD73								
OXD73								
OXD73								
OXD73								
Target Range - Lower Bound								
Upper Bound								
PGMS-16								
PGMS-16								
PGMS-16								
PGMS-16								
Target Range - Lower Bound								
Upper Bound								
BLANKS								
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	210
BLANK								
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	20
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	100
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	120
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	130
BLANK								
BLANK								
BLANK								
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	90
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	20
BLANK		<0.1	<1	0.1	<0.1	<2	<0.5	<10
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	80

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - A

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 29-OCT-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	
Sample Description	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	
BLANKS																
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	0.02	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
Target Range - Lower Bound	<1	<5	<1	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
Upper Bound	2	10	2	0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	
DUPLICATES																
ORIGINAL				0.25	5.86	221	1730	4.90	0.34	1.19	0.34	130.0	22.8	414	12.95	
DUP				0.30	5.77	203	1470	5.05	0.36	1.10	0.33	126.5	21.9	388	12.95	
Target Range - Lower Bound				0.25	5.51	201	1470	4.68	0.32	1.08	0.30	122.0	21.1	380	12.25	
Upper Bound				0.30	6.12	223	1730	5.27	0.38	1.21	0.37	134.5	23.6	422	13.65	
ORIGINAL				0.33	5.44	108.5	380	1.43	1.06	2.08	0.49	48.7	111.0	2190	4.94	
DUP				0.25	5.23	108.0	360	1.37	0.99	2.02	0.48	45.8	107.0	2060	4.71	
Target Range - Lower Bound				0.27	5.06	102.5	330	1.28	0.96	1.94	0.44	44.9	103.5	2020	4.53	
Upper Bound				0.31	5.61	114.0	410	1.52	1.09	2.16	0.53	49.6	114.5	2230	5.12	
ORIGINAL	<1	8	1													
DUP	<1	8	1													
Target Range - Lower Bound	<1	<5	<1													
Upper Bound	2	10	2													
ORIGINAL	1	5	<1													
DUP	<1	6	<1													
Target Range - Lower Bound	<1	<5	<1													
Upper Bound	2	10	2													
ORIGINAL	3	6	1													
DUP	<1	<5	1													
Target Range - Lower Bound	<1	<5	<1													
Upper Bound	3	10	2													
ORIGINAL				70.7	2.52	>10000	200	0.81	98.2	4.39	24.6	18.60	29.1	856	3.63	
DUP				69.3	2.45	>10000	200	0.92	94.1	4.29	23.3	18.25	29.4	803	3.44	
Target Range - Lower Bound				66.5	2.35	9500	180	0.77	91.3	4.11	22.7	17.50	27.7	787	3.31	
Upper Bound				73.5	2.62	>10000	230	0.96	101.0	4.57	25.2	19.35	30.8	872	3.76	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	
Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	
BLANK	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
BLANK	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
Target Range - Lower Bound	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
Upper Bound	0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	
DUPLICATES																
ORIGINAL	29.7	4.80	26.0	0.19	8.1	0.089	2.12	62.8	44.7	4.06	979	3.66	0.07	44.7	382	
DUP	28.2	4.51	26.6	0.22	9.1	0.083	2.09	61.3	44.2	3.80	936	3.66	0.07	43.5	354	
Target Range - Lower Bound	27.3	4.41	24.9	0.14	8.1	0.077	1.99	58.4	42.0	3.72	905	3.43	0.06	41.8	349	
Upper Bound	30.6	4.90	27.7	0.27	9.1	0.095	2.22	65.7	46.9	4.14	1010	3.89	0.08	46.4	387	
ORIGINAL	75.4	7.81	11.55	0.22	1.9	0.053	1.06	27.9	28.5	5.22	2000	2.12	0.23	10.0	2020	
DUP	71.7	7.58	11.50	0.23	1.9	0.053	1.00	26.5	26.9	5.02	1880	2.08	0.23	9.9	1940	
Target Range - Lower Bound	69.7	7.30	10.90	0.16	1.7	0.045	0.97	25.3	26.1	4.85	1840	1.95	0.21	9.4	1880	
Upper Bound	77.4	8.09	12.15	0.29	2.1	0.061	1.09	29.1	29.3	5.39	2040	2.26	0.25	10.5	2080	
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL	260	7.33	6.70	0.10	0.6	0.402	0.78	9.7	27.1	7.52	1140	1.58	0.31	2.9	774	
DUP	256	7.15	6.71	0.15	0.6	0.366	0.76	9.4	25.1	7.33	1120	1.66	0.31	2.9	761	
Target Range - Lower Bound	245	6.87	6.32	0.07	0.5	0.360	0.72	8.6	24.6	7.04	1070	1.49	0.28	2.7	729	
Upper Bound	271	7.61	7.09	0.18	0.7	0.408	0.82	10.5	27.6	7.81	1190	1.75	0.34	3.1	806	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - C

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 29-OCT-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Method Analyte Units LOR	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm	
Sample Description	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	
BLANKS																
BLANK	<10	<0.5	0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	
Target Range - Lower Bound	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	
Upper Bound	20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04	
DUPLICATES																
ORIGINAL	160	4.4	105.5	<0.002	1.26	11.40	4.7	3	7.6	90.1	2.71	0.08	15.5	0.205	1.79	
DUP	160	4.7	95.0	0.002	1.23	11.20	5.0	3	7.5	88.6	2.68	<0.05	15.1	0.193	1.74	
Target Range - Lower Bound	140	3.8	95.1	<0.002	1.17	10.40	4.5	2	7.0	84.7	2.51	<0.05	14.3	0.184	1.61	
Upper Bound	180	5.3	105.5	0.004	1.32	12.20	5.2	4	8.1	94.0	2.88	0.10	16.3	0.214	1.92	
ORIGINAL	670	56.7	61.0	<0.002	0.06	13.75	18.1	2	1.8	67.3	0.68	0.07	6.8	0.300	0.71	
DUP	640	52.6	60.0	<0.002	0.06	13.45	17.9	2	1.7	67.4	0.64	0.07	6.3	0.289	0.65	
Target Range - Lower Bound	610	51.4	57.4	<0.002	0.05	12.55	17.0	<1	1.5	63.8	0.58	<0.05	6.0	0.275	0.61	
Upper Bound	700	57.9	63.6	0.004	0.07	14.65	19.0	3	2.0	70.9	0.74	0.10	7.1	0.314	0.75	
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL	250	2380	52.0	<0.002	0.14	448	9.0	3	2.8	217	0.23	0.12	5.1	0.075	0.27	
DUP	250	2340	49.5	<0.002	0.14	436	9.2	3	2.7	210	0.24	0.12	4.7	0.073	0.31	
Target Range - Lower Bound	230	2240	48.1	<0.002	0.12	409	8.5	2	2.4	203	0.17	0.08	4.5	0.065	0.25	
Upper Bound	270	2480	53.4	0.004	0.16	475	9.7	4	3.1	224	0.30	0.18	5.3	0.083	0.33	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - D

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 29-OCT-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	U	V	W	Y	Zn	Zr	B
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.1	1	0.1	0.1	2	0.5	10
BLANKS								
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	
BLANK		<0.1	<1	0.1	<0.1	<2	<0.5	
Target Range - Lower Bound		<0.1	<1	<0.1	<0.1	<2	<0.5	<10
Upper Bound		0.2	2	0.2	0.2	4	1.0	20
DUPLICATES								
ORIGINAL		4.4	37	7.1	40.3	137	471	
DUP		4.6	35	6.9	42.1	127	479	60
Target Range - Lower Bound		4.2	33	6.4	39.0	123	451	50
Upper Bound		4.8	39	7.6	43.4	141	499	70
ORIGINAL		1.6	103	2.6	16.2	163	72.0	
DUP		1.5	99	2.5	16.3	156	74.5	70
Target Range - Lower Bound		1.4	95	2.3	15.3	150	69.1	60
Upper Bound		1.7	107	2.8	17.2	169	77.4	80
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL		2.2	51	5.6	7.0	924	16.6	
DUP		2.2	51	5.2	7.1	912	18.0	60
Target Range - Lower Bound		2.0	47	4.9	6.6	870	15.9	50
Upper Bound		2.4	55	5.9	7.5	966	18.7	70

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
DUPLICATES																
H874564					0.06	7.60	17.2	680	1.42	0.06	1.88	0.03	46.2	24.9	269	11.65
DUP					0.06	7.37	17.4	680	1.61	0.07	1.86	0.03	44.4	24.8	263	11.65
Target Range - Lower Bound					0.05	7.10	16.2	620	1.39	0.05	1.77	<0.02	43.0	23.5	252	11.00
Upper Bound					0.07	7.87	18.4	740	1.64	0.08	1.97	0.04	47.6	26.2	280	12.30
EMI-2300E/600S					0.05	5.18	0.6	540	1.09	0.11	1.18	0.05	46.9	2.9	31	0.89
DUP					0.03	5.32	0.3	560	0.96	0.10	1.21	0.03	28.6	3.0	31	0.94
Target Range - Lower Bound					0.03	4.98	<0.2	500	0.92	0.09	1.13	<0.02	35.9	2.7	28	0.82
Upper Bound					0.05	5.52	0.7	600	1.13	0.12	1.26	0.06	39.6	3.2	34	1.01
EMI-2200E/650S		1	<5	<1												
DUP		2	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EMI-2000E/850S		<1	<5	<1												
DUP		<1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EMI-1800E/1000S		1	<5	<1												
DUP		<1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EMI-1200E/950S		<1	<5	<1												
DUP		1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EMI-1000E/850S		1	<5	<1												
DUP		1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EMI-800E/750S		2	<5	<1												
DUP		1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
Units		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
DUPLICATES																
H874564		35.3	4.72	19.55	0.14	3.3	0.017	2.22	24.2	90.4	2.24	310	2.20	2.44	6.0	102.0
DUP		35.4	4.66	19.90	0.17	3.4	0.019	2.19	23.4	98.3	2.21	307	2.17	2.44	6.2	104.5
Target Range - Lower Bound		33.4	4.45	18.70	0.10	3.1	0.012	2.08	22.1	89.4	2.10	288	2.03	2.31	5.7	97.9
Upper Bound		37.3	4.93	20.8	0.21	3.6	0.024	2.33	25.5	99.3	2.35	329	2.34	2.57	6.5	108.5
EMI-2300E/600S		3.7	1.39	14.80	0.10	6.7	0.015	1.52	24.6	4.1	0.28	234	0.36	2.01	5.6	9.8
DUP		2.3	1.44	15.60	0.12	8.1	0.016	1.53	14.6	4.5	0.27	229	0.33	2.07	5.4	8.6
Target Range - Lower Bound		2.7	1.33	14.40	<0.05	6.9	0.010	1.44	18.1	3.9	0.25	215	0.28	1.93	5.1	8.5
Upper Bound		3.4	1.50	16.00	0.17	7.9	0.021	1.61	21.1	4.7	0.30	248	0.41	2.15	5.9	9.9
EMI-2200E/650S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMI-2000E/850S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMI-1800E/1000S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMI-1200E/950S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMI-1000E/850S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMI-800E/750S																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm
		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
DUPLICATES																
H874564		740	7.1	74.1	<0.002	0.09	0.37	14.8	2	0.8	425	0.50	<0.05	6.0	0.311	0.49
DUP		730	7.2	65.2	<0.002	0.09	0.41	14.4	1	0.8	419	0.53	<0.05	5.5	0.307	0.48
Target Range - Lower Bound		690	6.3	66.1	<0.002	0.08	0.311	13.8	<1	0.6	401	0.44	<0.05	5.3	0.289	0.43
Upper Bound		780	8.0	73.2	0.004	0.10	0.47	15.4	2	1.0	443	0.59	0.10	6.2	0.329	0.54
EMI-2300E/600S		140	16.9	56.0	<0.002	0.01	0.12	4.6	2	1.2	290	0.43	<0.05	10.2	0.271	0.25
DUP		140	15.8	64.6	<0.002	0.01	<0.05	4.8	2	1.2	297	0.41	<0.05	5.2	0.275	0.26
Target Range - Lower Bound		120	15.0	57.2	<0.002	<0.01	<0.05	4.4	<1	0.9	279	0.35	<0.05	7.1	0.254	0.22
Upper Bound		160	17.7	63.4	0.004	0.02	0.10	5.0	3	1.5	308	0.49	0.10	8.3	0.292	0.29
EMI-2200E/650S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMI-2000E/850S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMI-1800E/1000S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMI-1200E/950S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMI-1000E/850S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMI-800E/750S																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	U	V	W	Y	Zn	Zr	B
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.1	1	0.1	0.1	2	0.5	10
DUPLICATES								
H874564		2.0	101	0.6	10.6	36	125.5	100
DUP		1.9	101	0.6	10.5	37	128.0	30
Target Range - Lower Bound		1.8	95	0.5	9.9	33	120.0	50
Upper Bound		2.1	107	0.7	11.2	40	133.5	80
EMI-2300E/600S		1.3	43	0.4	6.3	15	231	130
DUP		1.1	44	0.4	6.0	12	262	100
Target Range - Lower Bound		1.0	40	0.3	5.7	11	234	100
Upper Bound		1.4	47	0.5	6.6	16	259	130
EMI-2200E/650S								
DUP								
Target Range - Lower Bound								
Upper Bound								
EMI-2000E/850S								
DUP								
Target Range - Lower Bound								
Upper Bound								
EMI-1800E/1000S								
DUP								
Target Range - Lower Bound								
Upper Bound								
EMI-1200E/950S								
DUP								
Target Range - Lower Bound								
Upper Bound								
EMI-1000E/850S								
DUP								
Target Range - Lower Bound								
Upper Bound								
EMI-800E/750S								
DUP								
Target Range - Lower Bound								
Upper Bound								

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
DUBLICATES																
ORIGINAL		2	<5	3												
DUP		2	<5	3												
Target Range - Lower Bound		<1	<5	2												
Upper Bound		3	10	4												
ORIGINAL					0.12	9.23	0.2	80	0.44	0.03	4.98	0.07	60.6	57.0	72	0.18
DUP					0.10	8.87	0.7	90	0.50	<0.01	4.79	0.08	62.2	56.3	72	0.18
Target Range - Lower Bound					0.09	8.59	<0.2	70	0.40	<0.01	4.63	0.05	58.3	53.7	67	0.12
Upper Bound					0.13	9.51	0.7	100	0.54	0.03	5.14	0.10	64.5	59.6	77	0.24
ORIGINAL		267	<5	2												
DUP		279	<5	1												
Target Range - Lower Bound		258	<5	<1												
Upper Bound		288	10	2												
ORIGINAL					0.19	6.54	4.4	410	1.12	0.19	1.44	0.14	83.9	20.0	200	1.20
DUP					0.23	6.66	4.5	410	1.25	0.12	1.45	0.15	84.9	21.3	204	1.27
Target Range - Lower Bound					0.19	6.26	4.0	370	1.08	0.14	1.36	0.12	80.2	19.5	191	1.12
Upper Bound					0.23	6.94	4.9	450	1.29	0.17	1.53	0.17	88.6	21.8	213	1.35
ORIGINAL					3.05	5.24	2.2	320	1.23	3.40	0.01	3.38	108.5	5.9	8	0.38
DUP					3.05	5.23	2.0	330	1.24	3.55	0.01	3.35	110.5	6.0	7	0.38
Target Range - Lower Bound					2.89	4.98	1.8	290	1.12	3.29	<0.01	3.18	104.0	5.8	6	0.31
Upper Bound					3.21	5.51	2.4	360	1.35	3.66	0.02	3.55	115.0	6.3	9	0.45
ORIGINAL		64	<5	<1												
DUP		51	<5	<1												
Target Range - Lower Bound		54	<5	<1												
Upper Bound		61	10	2												
ORIGINAL					0.30	6.89	9.6	1160	1.00	0.26	0.33	0.02	125.5	5.7	7	3.56
DUP					0.21	6.72	9.5	1130	0.96	0.22	0.32	<0.02	131.5	5.6	6	3.57
Target Range - Lower Bound					0.23	6.45	8.9	1050	0.88	0.22	0.30	<0.02	122.0	5.3	5	3.34
Upper Bound					0.28	7.16	10.2	1240	1.08	0.26	0.35	0.04	135.0	6.0	8	3.79
ORIGINAL					0.47	7.14	<0.2	290	0.69	0.08	2.55	0.31	33.0	7.8	98	3.49
DUP					0.45	6.63	<0.2	280	0.78	0.07	2.43	0.30	32.2	7.7	88	3.29
Target Range - Lower Bound					0.43	6.53	<0.2	250	0.65	0.06	2.36	0.27	31.0	7.3	87	3.17
Upper Bound					0.49	7.24	0.4	320	0.82	0.09	2.62	0.34	34.2	8.2	99	3.61

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Method Analyte Units LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
Sample Description	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound	13.8 12.9 12.5 14.2	10.20 9.77 9.48 10.50	23.5 23.5 22.3 24.7	0.21 0.25 0.17 0.29	0.9 0.9 0.8 1.0	0.099 0.099 0.089 0.109	0.25 0.25 0.23 0.27	30.1 31.0 28.5 32.6	30.8 33.0 30.1 33.7	3.95 3.79 3.67 4.07	1640 1580 1525 1695	0.34 0.34 0.27 0.41	3.11 3.01 2.90 3.22	20.9 20.9 19.8 22.0	80.4 81.2 76.6 85.0
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound	30.6 32.0 29.5 33.1	5.26 5.18 4.95 5.49	14.30 14.70 13.75 15.30	0.15 0.17 0.10 0.22	7.1 6.3 6.3 7.1	0.049 0.043 0.039 0.053	1.08 1.10 1.03 1.15	37.2 37.9 35.2 39.9	24.4 27.8 24.6 27.6	0.92 0.93 0.87 0.98	568 571 536 603	0.66 0.65 0.57 0.74	1.47 1.49 1.40 1.56	14.8 7.4 10.4 11.8	53.4 56.1 51.8 57.7
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound	647 638 610 675	11.20 11.10 10.60 11.70	13.80 14.25 13.25 14.80	0.15 0.17 0.10 0.22	8.6 8.5 8.0 9.1	0.236 0.246 0.224 0.258	2.27 2.28 2.15 2.40	53.8 55.4 51.4 57.8	9.5 10.0 9.1 10.4	0.34 0.34 0.31 0.37	108 109 98 119	3.21 3.08 2.94 3.35	0.11 0.11 0.09 0.13	11.5 11.6 10.9 12.2	5.8 6.4 5.8 6.6
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound	7.3 5.9 6.1 7.1	3.21 3.07 2.97 3.31	17.90 17.90 16.95 18.85	0.20 0.23 0.15 0.28	7.2 7.6 6.9 7.9	0.063 0.063 0.055 0.071	3.79 3.71 3.55 3.95	64.2 67.0 61.8 69.4	64.2 65.4 61.4 68.2	3.45 3.36 3.22 3.59	245 231 221 255	4.27 4.34 4.04 4.57	0.32 0.31 0.29 0.34	18.9 18.8 17.8 19.9	11.3 11.0 10.4 11.9
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound	13.9 13.2 12.7 14.4	7.00 6.72 6.51 7.21	15.00 15.30 14.35 15.95	0.17 0.19 0.12 0.24	4.0 4.0 3.7 4.3	0.044 0.042 0.036 0.050	1.17 1.12 1.08 1.21	14.2 14.1 12.9 15.4	75.1 94.2 80.2 89.1	2.66 2.54 2.46 2.74	440 417 402 455	0.50 0.56 0.45 0.61	2.01 1.93 1.86 2.08	5.2 5.1 4.8 5.5	31.9 30.2 29.3 32.8

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 6 - C

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 29-OCT-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	
ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	
Sample Description	DUPLICATES														
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL	2130	19.2	8.2	<0.002	<0.01	0.55	28.9	2	1.2	432	1.03	<0.05	2.3	1.115	0.06
DUP	2020	18.7	8.3	<0.002	<0.01	0.54	29.7	2	1.2	419	1.01	<0.05	2.4	1.080	0.05
Target Range - Lower Bound	1960	17.5	7.7	<0.002	<0.01	0.45	27.7	<1	0.9	404	0.92	<0.05	2.0	1.040	0.03
Upper Bound	2190	20.4	8.8	0.004	0.02	0.64	30.9	3	1.5	447	1.12	0.10	2.7	1.155	0.08
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL	1540	10.6	35.6	<0.002	0.05	0.09	12.2	2	0.9	255	0.58	0.05	10.4	0.361	0.22
DUP	1550	10.7	36.9	<0.002	0.06	0.18	13.1	2	0.9	260	0.46	0.06	10.6	0.361	0.22
Target Range - Lower Bound	1460	9.6	34.3	<0.002	0.04	0.07	11.9	<1	0.7	244	0.44	<0.05	9.8	0.338	0.18
Upper Bound	1630	11.7	38.2	0.004	0.07	0.20	13.4	3	1.1	271	0.60	0.10	11.2	0.384	0.26
ORIGINAL	40	59.2	69.4	<0.002	4.99	0.24	3.9	3	21.5	6.3	0.77	0.16	10.4	0.081	0.59
DUP	40	56.8	71.0	<0.002	4.87	0.23	4.0	3	22.0	6.5	0.79	0.20	10.7	0.081	0.58
Target Range - Lower Bound	30	54.6	66.6	<0.002	4.67	0.17	3.7	2	20.5	5.9	0.69	0.12	9.8	0.072	0.52
Upper Bound	50	61.4	73.8	0.004	5.19	0.30	4.2	4	23.0	6.9	0.87	0.24	11.3	0.090	0.65
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL	160	5.2	123.5	<0.002	0.59	0.66	4.7	2	7.0	15.0	1.71	<0.05	15.9	0.133	10.25
DUP	150	5.1	122.5	<0.002	0.57	0.66	4.7	2	7.0	14.8	1.68	<0.05	15.9	0.130	10.25
Target Range - Lower Bound	140	4.4	117.0	<0.002	0.54	0.56	4.4	<1	6.5	14.0	1.56	<0.05	14.9	0.120	9.46
Upper Bound	170	5.9	129.5	0.004	0.62	0.76	5.0	3	7.6	15.8	1.83	0.10	16.9	0.143	11.05
ORIGINAL	1560	6.1	35.5	<0.002	3.69	<0.05	17.3	2	1.3	110.5	0.40	<0.05	1.9	0.336	0.25
DUP	1490	5.7	31.5	<0.002	3.61	<0.05	16.9	2	1.2	107.0	0.39	<0.05	1.9	0.323	0.24
Target Range - Lower Bound	1440	5.1	31.7	<0.002	3.46	<0.05	16.1	<1	1.0	103.0	0.33	<0.05	1.6	0.308	0.21
Upper Bound	1610	6.7	35.3	0.004	3.84	0.10	18.1	3	1.5	114.5	0.46	0.10	2.2	0.351	0.28

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 29-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	1	0.1	0.1	2	0.5	10
DUPLICATES								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL		0.5	256	0.5	30.0	161	24.1	
DUP		0.5	246	0.5	30.1	157	26.1	60
Target Range - Lower Bound		0.4	237	0.4	28.4	149	23.3	50
Upper Bound		0.6	265	0.6	31.7	169	26.9	70
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL		2.1	96	0.6	16.5	58	269	
DUP		1.6	96	0.6	15.6	60	235	
Target Range - Lower Bound		1.7	90	0.5	15.1	54	239	
Upper Bound		2.0	102	0.7	17.0	64	265	
ORIGINAL		2.5	1	0.9	17.6	1510	253	
DUP		2.5	1	0.9	18.2	1380	253	
Target Range - Lower Bound		2.3	<1	0.7	16.9	1370	240	
Upper Bound		2.7	2	1.1	18.9	1520	266	
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL		5.5	10	2.5	53.4	75	222	
DUP		5.4	10	2.4	54.0	73	242	60
Target Range - Lower Bound		5.1	9	2.2	50.9	68.7	220	50
Upper Bound		5.8	12	2.7	56.5	80	244	70
ORIGINAL		0.5	113	0.2	21.9	98	166.5	
DUP		0.5	110	0.2	21.5	91	161.5	20
Target Range - Lower Bound		0.4	105	<0.1	20.5	88	155.5	<10
Upper Bound		0.6	118	0.3	22.9	101	172.5	30

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 29-OCT-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108067

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 28-OCT-2009
Account: MVR

QC CERTIFICATE SD09108068

Project: EASTMAIN MINE

P.O. No.:

This report is for 169 Soil samples submitted to our lab in Sudbury, ON, Canada on 1-OCT-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
STANDARDS																
G2000																
Target Range - Lower Bound																
Upper Bound																
GBM3961c					8.70	4.36	792	260	0.78	21.5	3.14	23.0	52.1	162.5	678	5.65
GBM3961c					8.12	4.38	754	150	1.02	21.0	3.11	22.9	45.9	157.5	659	5.20
GBM3961c					8.14	4.30	741	250	0.87	20.1	3.05	20.5	45.2	161.0	658	4.68
GBM3961c					8.21	4.23	771	340	0.81	21.6	3.06	22.1	48.0	154.0	657	5.52
GBM3961c					7.87	4.14	748	370	0.80	21.4	3.04	20.8	48.2	150.5	657	5.03
Target Range - Lower Bound					7.28	3.75	669	210	0.77	18.15	2.77	19.35	43.5	144.0	594	4.83
Upper Bound					8.92	4.60	818	300	1.05	22.2	3.40	23.7	53.2	178.5	728	6.01
GBM999-5					60.7	4.73	4.0	180	1.35	0.56	0.10	0.20	27.0	3.4	6	0.82
GBM999-5					57.1	5.05	3.2	190	1.38	0.55	0.11	0.19	25.8	3.3	7	0.79
Target Range - Lower Bound					53.5	4.26	3.0	140	1.12	0.50	0.08	0.17	23.6	2.9	4	0.69
Upper Bound					65.4	5.22	4.2	210	1.48	0.64	0.12	0.25	28.9	3.7	8	0.95
GEOMS-03					0.79	5.19	643	2420	1.64	0.38	0.40	0.33	54.1	12.4	119	10.90
GEOMS-03					0.67	5.34	654	2630	1.65	0.39	0.41	0.34	50.9	11.7	120	11.05
Target Range - Lower Bound					0.67	4.61	570	2060	1.34	0.31	0.33	0.30	47.0	10.7	105	9.04
Upper Bound					0.85	5.65	697	2810	1.74	0.41	0.43	0.42	57.4	13.3	131	11.15
GPP-01		1070	1015	718												
GPP-01		847	903	687												
GPP-01		873	965	709												
GPP-01		886	999	740												
GPP-01		946	920	709												
Target Range - Lower Bound		841	892	682												
Upper Bound		969	1040	786												
MRGeo08					4.85	7.51	33.1	1020	3.37	0.68	2.58	2.35	73.3	20.8	93	13.40
MRGeo08					4.32	7.87	16.0	1060	3.21	0.72	2.63	2.38	78.4	20.8	93	12.75
MRGeo08					4.43	7.16	32.8	1000	3.28	0.64	2.44	2.23	72.1	20.2	87	12.75
MRGeo08					4.46	7.12	33.3	1000	3.41	0.70	2.49	2.36	72.4	19.1	90	13.05
MRGeo08					4.21	7.97	32.1	1070	3.19	0.70	2.64	2.29	79.5	18.7	92	13.10
Target Range - Lower Bound					4.16	7.00	29.7	920	2.80	0.63	2.35	2.01	72.9	18.4	82	11.00
Upper Bound					5.10	8.57	36.7	1270	3.54	0.79	2.90	2.50	89.1	22.8	102	13.60

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	
Sample Description	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	
STANDARDS																
G2000																
Target Range Lower Bound																
Upper Bound																
GBM3961c																
GBM3961c	3030	8.90	13.25	0.24	1.9	1.330	0.80	28.1	17.2	2.60	883	10.60	0.68	3.3	2060	
GBM3961c	3050	9.00	13.35	0.20	1.8	1.355	0.78	24.4	18.5	2.60	905	11.00	0.67	3.5	2040	
GBM3961c	2900	8.50	12.40	0.18	1.8	1.300	0.76	26.3	18.9	2.58	867	9.67	0.63	3.0	2100	
GBM3961c	2910	8.55	12.55	0.21	1.8	1.380	0.78	26.9	18.5	2.55	857	10.40	0.67	3.3	2110	
GBM3961c	2880	8.52	12.80	0.22	1.8	1.275	0.77	26.4	17.7	2.52	856	10.60	0.65	3.5	2090	
Target Range Lower Bound	2590	8.00	11.75	0.17	1.5	1.250	0.68	22.9	16.8	2.32	780	8.97	0.56	3.0	1925	
Upper Bound	3160	9.80	14.45	0.32	2.1	1.540	0.85	29.1	21.0	2.85	964	11.10	0.71	3.9	2350	
GBM999-5	482	3.06	16.90	0.12	0.8	0.029	3.47	14.7	3.2	0.03	67	4.60	0.96	6.8	3.8	
GBM999-5	508	3.18	15.60	0.11	0.9	0.029	3.79	14.0	3.5	0.04	70	4.22	1.04	6.1	3.8	
Target Range Lower Bound	429	2.87	14.70	0.07	0.6	0.022	3.10	11.8	2.8	0.03	54	3.77	0.83	5.3	3.8	
Upper Bound	525	3.29	18.10	0.19	1.0	0.038	3.81	15.6	3.8	0.05	78	4.71	1.03	6.7	5.0	
GEOMS-03	132.5	4.25	14.40	0.14	1.5	0.049	1.09	30.5	46.3	0.50	519	3.64	0.10	14.3	54.8	
GEOMS-03	140.5	4.37	13.45	0.11	1.3	0.048	1.16	30.3	44.8	0.53	545	3.78	0.08	16.1	49.2	
Target Range Lower Bound	120.5	3.64	12.00	0.10	1.2	0.035	1.03	25.6	37.6	0.48	483	3.05	0.06	13.1	48.1	
Upper Bound	147.5	4.48	14.75	0.24	1.6	0.053	1.29	32.4	46.4	0.60	601	3.83	0.10	16.3	59.3	
GPP-01																
GPP-01																
GPP-01																
GPP-01																
GPP-01																
Target Range Lower Bound																
Upper Bound																
MRGeo08																
MRGeo08	628	3.90	20.3	0.21	3.5	0.175	2.99	36.4	34.1	1.30	549	15.10	1.95	20.9	645	
MRGeo08	655	4.14	21.4	0.19	3.6	0.177	3.03	38.7	34.5	1.33	576	15.95	1.97	21.8	664	
MRGeo08	596	3.70	21.2	0.14	3.4	0.184	2.83	36.8	35.1	1.26	529	14.75	1.81	20.6	647	
MRGeo08	609	3.76	19.50	0.19	3.3	0.183	2.93	33.6	38.5	1.26	527	15.60	1.90	20.5	664	
MRGeo08	632	3.95	20.5	0.18	3.3	0.176	3.04	37.1	34.4	1.34	549	16.10	1.96	20.5	690	
Target Range Lower Bound	568	3.61	17.50	0.09	2.8	0.161	2.79	36.3	30.4	1.24	508	13.65	1.78	18.3	617	
Upper Bound	694	4.43	21.5	0.23	3.6	0.207	3.43	45.5	37.6	1.54	630	16.75	2.18	22.5	755	

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	TI
Sample Description	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
STANDARDS															
G2000															
Target Range - Lower Bound															
Upper Bound															
GBM3961c															
GBM3961c	290	1895	70.4	0.004	3.82	31.4	14.6	7	6.7	94.6	0.92	3.65	7.2	0.251	1.06
GBM3961c	280	1920	67.1	0.004	3.81	31.0	13.0	7	6.6	92.9	0.80	3.17	6.5	0.243	0.99
GBM3961c	270	1810	67.1	0.005	3.60	27.7	13.3	7	5.8	89.4	0.82	3.17	6.8	0.234	0.84
GBM3961c	270	1850	65.7	0.004	3.63	25.8	14.5	7	6.6	88.7	0.85	3.22	6.8	0.250	0.98
GBM3961c	270	1840	59.7	0.003	3.57	28.4	14.7	7	6.6	89.6	0.86	3.03	6.4	0.242	0.91
Target Range - Lower Bound	250	1725	60.5	<0.002	3.33	25.3	11.9	6	5.7	83.7	0.71	3.01	5.8	0.213	0.82
Upper Bound	330	2110	74.1	0.007	4.10	34.4	14.8	9	7.4	102.5	0.98	3.79	7.5	0.272	1.15
GBM999-5	50	537	500	0.006	0.30	5.75	2.0	3	1.7	16.8	0.33	0.37	5.3	0.020	2.29
GBM999-5	60	555	500	0.005	0.32	5.48	1.8	2	1.6	16.5	0.27	0.34	5.1	0.021	2.09
Target Range - Lower Bound	40	487	433	0.003	0.26	4.78	1.7	<1	1.3	14.5	0.26	0.21	4.4	0.013	1.75
Upper Bound	70	597	529	0.008	0.34	6.58	2.3	3	2.1	18.2	0.42	0.37	5.8	0.027	2.41
GEOMS-03	1110	7.4	63.9	<0.002	0.03	19.30	14.1	4	2.7	173.5	1.06	0.14	6.9	0.460	1.29
GEOMS-03	1120	7.3	54.8	<0.002	0.04	19.40	13.3	4	2.6	167.0	0.99	0.17	6.3	0.474	1.25
Target Range - Lower Bound	970	7.2	55.7	<0.002	0.03	15.85	12.4	2	2.1	157.5	0.81	0.07	6.2	0.409	0.99
Upper Bound	1210	9.9	68.3	0.004	0.05	21.5	15.4	4	3.0	192.5	1.10	0.19	8.0	0.511	1.39
GPP-01															
GPP-01															
GPP-01															
GPP-01															
GPP-01															
Target Range - Lower Bound															
Upper Bound															
MRGeo08															
MRGeo08															
MRGeo08	1030	1015	171.5	0.008	0.31	4.67	13.0	3	4.2	303	1.67	<0.05	19.8	0.492	1.10
MRGeo08	1070	1065	203	0.008	0.31	4.76	13.1	3	4.2	315	1.62	0.06	21.0	0.500	1.05
MRGeo08	990	966	173.0	0.008	0.29	4.50	12.2	3	4.0	288	1.62	<0.05	18.9	0.464	0.95
MRGeo08	980	966	184.0	0.008	0.29	4.77	12.2	3	4.3	291	1.56	<0.05	18.7	0.477	1.02
MRGeo08	1040	1020	195.0	0.009	0.30	4.66	13.6	3	4.1	308	1.54	<0.05	20.6	0.498	1.00
Target Range - Lower Bound	910	865	187.0	0.008	0.27	4.08	11.0	<1	3.5	272	1.48	<0.05	19.2	0.454	0.87
Upper Bound	1140	1180	229	0.014	0.35	5.64	13.6	2	4.7	332	1.92	0.10	23.9	0.566	1.23

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D

Total # Pages: 7 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Method Analyte Units	ME-MS61 U ppm	ME-MS61 V ppm	ME-MS61 W ppm	ME-MS61 Y ppm	ME-MS61 Zn ppm	ME-MS61 Zr ppm	B-MS61 B ppm
Sample Description LOR	0.1	1	0.1	0.1	2	0.5	10
STANDARDS							
G2000							30
Target Range - Lower Bound							<10
Upper Bound							20
GBM3961c							<10
GBM3961c	1.8	111	19.0	11.5	6800	66.2	60
GBM3961c	1.6	106	18.5	11.2	6660	62.4	<10
GBM3961c	1.7	103	16.5	10.9	6730	54.0	
GBM3961c	1.7	107	18.1	11.6	6780	58.7	
GBM3961c	1.7	107	16.8	10.6	6740	60.0	
Target Range - Lower Bound	1.4	97	14.6	10.7	6280	52.8	
Upper Bound	1.9	120	20.0	13.3	7680	72.4	
GBM999-5	2.2	7	3.0	12.6	118	20.3	50
GBM999-5	2.0	7	2.5	11.2	128	22.5	60
Target Range - Lower Bound	1.8	5	2.1	10.3	102	18.4	
Upper Bound	2.4	9	3.0	12.8	129	23.4	
GEOMS-03	3.8	112	22.8	23.4	45	48.9	40
GEOMS-03	3.4	117	22.9	21.1	48	40.1	<10
Target Range - Lower Bound	3.1	104	18.1	19.8	40	44.0	
Upper Bound	4.0	130	24.7	24.4	54	60.8	
GPP-01							
GPP-01							
GPP-01							
GPP-01							
GPP-01							
Target Range - Lower Bound							
Upper Bound							
MRGeo08							<10
MRGeo08							<10
MRGeo08	5.6	110	5.3	26.0	790	111.0	60
MRGeo08	5.7	109	5.2	28.0	806	117.0	<10
MRGeo08	5.5	104	4.8	26.0	768	102.5	
MRGeo08	5.6	107	4.8	26.0	767	103.0	
MRGeo08	6.1	111	4.8	28.9	801	105.5	
Target Range - Lower Bound	5.6	99	4.3	24.3	712	92.2	
Upper Bound	7.0	123	6.1	29.9	874	126.0	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
STANDARDS																
OxA71		81	<5	<1												
OxA71		78	<5	<1												
OxA71		80	<5	<1												
OxA71		79	<5	1												
OxA71		76	<5	<1												
Target Range - Lower Bound		78														
Upper Bound		92														
OXD73		427	<5	1												
OXD73		408	<5	<1												
OXD73		404	<5	1												
OXD73		413	<5	<1												
OXD73		395	<5	<1												
Target Range - Lower Bound																
Upper Bound																
PGMS-15		423	108	435												
Target Range - Lower Bound		380	86	397												
Upper Bound		440	110	459												
PGMS-16		1180	1250	4760												
PGMS-16		1020	1260	4710												
PGMS-16		1060	1255	4710												
PGMS-16		1095	1285	4810												
Target Range - Lower Bound		1040	1140	4330												
Upper Bound		1200	1320	4990												
PK2		4800	4840	5830												
Target Range - Lower Bound		4450	4410	5500												
Upper Bound		5120	5090	6330												
SL34		5910	<5	3												
Target Range - Lower Bound		5480														
Upper Bound		6310														
ST-252		54	<5	1												
Target Range - Lower Bound		54	<5	<1												
Upper Bound		164	10	2												

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Method Analyte Units LOR	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
Sample Description	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
STANDARDS															
OxA71															
OxA71															
OxA71															
OxA71															
OxA71															
Target Range - Lower Bound															
Upper Bound															
OXD73															
OXD73															
OXD73															
OXD73															
OXD73															
Target Range - Lower Bound															
Upper Bound															
PGMS-15															
Target Range - Lower Bound															
Upper Bound															
PGMS-16															
PGMS-16															
PGMS-16															
PGMS-16															
Target Range - Lower Bound															
Upper Bound															
PK2															
Target Range - Lower Bound															
Upper Bound															
SL34															
Target Range - Lower Bound															
Upper Bound															
ST-252															
Target Range - Lower Bound															
Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	P	Pb	Rb	Re	S	Sb	Sc	Rb	Se	Sn	Sr	Ta	Te	Th	Ti
Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02

Sample Description

OxA71
OxA71
OxA71
OxA71
OxA71
Target Range - Lower Bound
Upper Bound
OXD73
OXD73
OXD73
OXD73
OXD73
Target Range - Lower Bound
Upper Bound
PGMS-15
Target Range - Lower Bound
Upper Bound
PGMS-16
PGMS-16
PGMS-16
PGMS-16
Target Range - Lower Bound
Upper Bound
PK2
Target Range - Lower Bound
Upper Bound
SL34
Target Range - Lower Bound
Upper Bound
ST-252
Target Range - Lower Bound
Upper Bound

STANDARDS

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
Sample Description	Analyte	U	V	W	Y	Zn	Zr	B
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.1	1	0.1	0.1	2	0.5	10
STANDARDS								
OxA71								
OxA71								
OxA71								
OxA71								
OxA71								
Target Range - Lower Bound								
Upper Bound								
OXD73								
OXD73								
OXD73								
OXD73								
OXD73								
Target Range - Lower Bound								
Upper Bound								
PGMS-15								
Target Range - Lower Bound								
Upper Bound								
PGMS-16								
PGMS-16								
PGMS-16								
PGMS-16								
Target Range - Lower Bound								
Upper Bound								
PK2								
Target Range - Lower Bound								
Upper Bound								
SL34								
Target Range - Lower Bound								
Upper Bound								
ST-252								
Target Range - Lower Bound								
Upper Bound								

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61		
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	
BLANKS																	
BLANK		1	<5	<1													
BLANK		1	<5	1													
BLANK		<1	<5	<1													
BLANK																	
BLANK					<0.01	<0.01	0.3	<10	<0.05	0.02	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK					<0.01	<0.01	0.4	<10	<0.05	0.02	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK					<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	0.02	<0.1	1	<0.05	
BLANK		2	<5	<1													
BLANK		1	<5	1													
BLANK					<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	
BLANK					<0.01	<0.01	0.2	<10	<0.05	0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	
BLANK					<0.01	<0.01	0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK		1	<5	<1	<0.01	<0.01	0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
Target Range - Lower Bound		<1	<5	<1	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
Upper Bound		2	10	2	0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	
DUPLICATES																	
ORIGINAL					70.7	2.52	>10000	200	0.81	98.2	4.39	24.6	18.60	29.1	856	3.63	
DUP					69.3	2.45	>10000	200	0.92	94.1	4.29	23.3	18.25	29.4	803	3.44	
Target Range - Lower Bound					66.5	2.35	9500	180	0.77	91.3	4.11	22.7	17.50	27.7	787	3.31	
Upper Bound					73.5	2.62	>10000	230	0.96	101.0	4.57	25.2	19.35	30.8	872	3.76	
EMI-200E/800S																	
DUP																	
Target Range - Lower Bound																	
Upper Bound																	
EMI2-100E/700S		1	<5	<1													
DUP		<1	<5	<1													
Target Range - Lower Bound		<1	<5	<1													
Upper Bound		2	10	2													

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		0.3	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK																
BLANK		<0.2	<0.01	0.06	0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.2	<0.01	0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK																
Target Range - Lower Bound		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Upper Bound		0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4
DUPLICATES																
ORIGINAL		260	7.33	6.70	0.10	0.6	0.402	0.78	9.7	27.1	7.52	1140	1.58	0.31	2.9	774
DUP		256	7.15	6.71	0.15	0.6	0.366	0.76	9.4	25.1	7.33	1120	1.66	0.31	2.9	761
Target Range - Lower Bound		245	6.87	6.32	0.07	0.5	0.360	0.72	8.6	24.6	7.04	1070	1.49	0.28	2.7	729
Upper Bound		271	7.61	7.09	0.18	0.7	0.408	0.82	10.5	27.6	7.81	1190	1.75	0.34	3.1	806
EMI-200E/800S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMI2-100E/700S																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Sample Description	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK															
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	<0.1	<0.002	0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK															
Target Range - Lower Bound	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound	20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04
DUPLICATES															
ORIGINAL	250	2380	52.0	<0.002	0.14	448	9.0	3	2.8	217	0.23	0.12	5.1	0.075	0.27
DUP	250	2340	49.5	<0.002	0.14	436	9.2	3	2.7	210	0.24	0.12	4.7	0.073	0.31
Target Range - Lower Bound	230	2240	48.1	<0.002	0.12	409	8.5	2	2.4	203	0.17	0.08	4.5	0.065	0.25
Upper Bound	270	2480	53.4	0.004	0.16	475	9.7	4	3.1	224	0.30	0.18	5.3	0.083	0.33
EMI-200E/800S															
DUP															
Target Range - Lower Bound															
Upper Bound															
EMI2-100E/700S															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	B-MS61 B ppm 10
BLANKS							
BLANK							
BLANK							
BLANK							20
BLANK							30
BLANK	<0.1	<1	0.1	<0.1	<2	<0.5	60
BLANK	<0.1	<1	0.2	<0.1	<2	<0.5	90
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	20
BLANK							
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	20
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	
Target Range - Lower Bound	<0.1	<1	<0.1	<0.1	<2	<0.5	<10
Upper Bound	0.2	2	0.2	0.2	4	1.0	20
DUPLICATES							
ORIGINAL	2.2	51	5.6	7.0	924	16.6	
DUP	2.2	51	5.2	7.1	912	18.0	60
Target Range - Lower Bound	2.0	47	4.9	6.6	870	15.9	50
Upper Bound	2.4	55	5.9	7.5	966	18.7	70
EMI-200E/800S							<10
DUP							10
Target Range - Lower Bound							<10
Upper Bound							20
EMI2-100E/700S							
DUP							
Target Range - Lower Bound							
Upper Bound							

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
DUPLICATES																
EMI2-100E/800S					0.03	5.68	1.2	470	1.14	0.07	1.19	0.05	25.6	2.4	32	0.58
DUP					0.02	5.63	1.2	470	1.14	0.10	1.19	0.04	26.1	2.4	28	0.66
Target Range - Lower Bound					<0.01	5.36	0.9	420	1.03	0.07	1.12	<0.02	24.5	2.2	28	0.54
Upper Bound					0.04	5.95	1.5	520	1.25	0.10	1.26	0.07	27.2	2.6	33	0.70
EMI2-000E/250S					0.03	6.25	1.9	490	1.06	0.14	1.38	0.13	43.3	3.5	33	0.91
DUP					0.03	6.10	1.5	490	1.02	0.11	1.37	0.11	39.6	3.3	31	0.83
Target Range - Lower Bound					0.02	5.86	1.4	440	0.94	0.11	1.30	0.09	39.4	3.1	29	0.78
Upper Bound					0.04	6.49	2.0	540	1.14	0.14	1.45	0.15	43.5	3.7	35	0.96
EMI2-000E/600S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMI2-000E/700S		1	<5	<1												
DUP		1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EMI2-200W/150S		1	<5	<1												
DUP		16	<5	<1												
Target Range - Lower Bound		7	<5	<1												
Upper Bound		10	10	2												
EMI2-200W/400S					0.05	6.07	1.1	470	1.37	0.07	1.44	0.04	33.7	3.5	32	0.70
DUP					0.05	6.07	1.2	470	1.36	0.06	1.47	0.05	36.3	3.6	33	0.70
Target Range - Lower Bound					0.04	5.76	0.9	420	1.25	0.05	1.37	<0.02	33.2	3.3	30	0.62
Upper Bound					0.06	6.38	1.4	520	1.48	0.08	1.54	0.07	36.8	3.8	35	0.79
EMI2-200W/1150S		3	<5	<1												
DUP		1	<5	1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		3	10	2												
EMI2-400W/150S		4	<5	<1												
DUP		<1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		4	10	2												

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
DUPLICATES																
EM12-100E/800S		1.5	1.14	15.90	0.06	5.5	0.019	1.33	13.7	4.0	0.24	230	0.38	2.06	5.0	6.9
DUP		1.4	1.09	17.20	0.06	4.4	0.019	1.32	13.6	3.8	0.23	217	0.42	2.08	5.2	6.5
Target Range - Lower Bound		1.2	1.05	15.65	<0.05	4.6	0.013	1.25	12.5	3.5	0.21	207	0.33	1.96	4.7	6.2
Upper Bound		1.7	1.18	17.45	0.10	5.3	0.025	1.40	14.8	4.3	0.26	240	0.47	2.18	5.5	7.2
EM12-000E/250S		4.1	1.81	15.10	0.10	4.7	0.070	1.42	20.2	4.8	0.35	243	0.56	2.27	5.9	10.3
DUP		3.0	1.82	14.45	0.10	5.2	0.060	1.41	18.4	4.6	0.35	250	0.51	2.28	5.9	9.2
Target Range - Lower Bound		3.2	1.71	14.00	<0.05	4.6	0.057	1.33	17.8	4.3	0.32	229	0.46	2.15	5.5	9.1
Upper Bound		3.9	1.92	15.55	0.16	5.3	0.073	1.50	20.8	5.1	0.38	264	0.61	2.40	6.3	10.4
EM12-000E/600S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EM12-000E/700S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EM12-200W/150S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EM12-200W/400S		3.5	1.34	15.25	0.12	6.0	0.020	1.39	15.6	5.2	0.31	249	0.30	2.39	5.0	9.3
DUP		3.1	1.38	15.00	0.12	4.6	0.019	1.37	17.0	4.5	0.32	262	0.28	2.36	5.0	9.4
Target Range - Lower Bound		2.9	1.28	14.30	0.06	4.9	0.014	1.30	15.0	4.4	0.29	238	0.23	2.25	4.7	8.7
Upper Bound		3.7	1.44	15.95	0.18	5.7	0.025	1.46	17.6	5.3	0.34	273	0.35	2.50	5.4	10.0
EM12-200W/1150S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EM12-400W/150S																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
Units		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
LOR		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	
DUPLICATES																
EM12-100E/800S		220	13.5	51.3	<0.002	0.02	<0.05	5.2	2	0.7	297	0.34	<0.05	4.4	0.183	0.21
DUP		210	13.5	54.3	<0.002	0.02	<0.05	5.3	3	0.8	296	0.37	<0.05	4.6	0.172	0.21
Target Range - Lower Bound		190	12.3	50.1	<0.002	<0.01	<0.05	4.9	<1	0.5	281	0.29	<0.05	4.1	0.164	0.17
Upper Bound		240	14.7	55.5	0.004	0.03	0.10	5.6	4	1.0	312	0.42	0.10	4.9	0.191	0.25
EM12-000E/250S		430	14.0	57.9	<0.002	0.02	0.08	5.9	2	0.9	315	0.41	<0.05	5.7	0.192	0.29
DUP		450	13.2	54.9	<0.002	0.01	0.06	5.8	2	0.9	312	0.43	<0.05	5.8	0.194	0.30
Target Range - Lower Bound		410	12.4	53.5	<0.002	<0.01	<0.05	5.5	<1	0.7	298	0.35	<0.05	5.3	0.176	0.25
Upper Bound		470	14.8	59.3	0.004	0.02	0.10	6.2	3	1.1	329	0.49	0.10	6.2	0.208	0.34
EM12-000E/600S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EM12-000E/700S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EM12-200W/150S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EM12-200W/400S		420	12.8	48.2	<0.002	0.01	0.06	6.2	2	0.8	329	0.42	<0.05	4.3	0.175	0.24
DUP		450	12.8	48.0	<0.002	0.01	<0.05	6.2	2	0.8	328	0.35	<0.05	4.5	0.181	0.24
Target Range - Lower Bound		400	11.7	45.6	<0.002	<0.01	<0.05	5.8	<1	0.6	312	0.32	<0.05	4.0	0.164	0.20
Upper Bound		470	13.9	50.6	0.004	0.02	0.10	6.6	3	1.0	345	0.45	0.10	4.8	0.192	0.28
EM12-200W/1150S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EM12-400W/150S																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	B ppm
		0.1	1	0.1	0.1	2	0.5	10
DUPLICATES								
EM12-100E/800S		0.9	24	0.3	6.7	10	169.5	
DUP		0.8	23	0.3	7.1	9	137.5	
Target Range - Lower Bound		0.7	21	0.2	6.5	7	145.5	
Upper Bound		1.0	26	0.4	7.3	12	161.5	
EM12-000E/250S		1.0	34	0.5	9.6	21	158.5	
DUP		1.1	34	0.4	9.6	19	176.5	
Target Range - Lower Bound		0.9	31	0.3	9.0	17	158.5	
Upper Bound		1.2	37	0.6	10.2	23	176.5	
EM12-000E/600S								<10
DUP								50
Target Range - Lower Bound								20
Upper Bound								40
EM12-000E/700S								
DUP								
Target Range - Lower Bound								
Upper Bound								
EM12-200W/150S								
DUP								
Target Range - Lower Bound								
Upper Bound								
EM12-200W/400S		1.0	27	0.5	10.4	14	185.5	20
DUP		1.0	28	0.5	10.5	14	144.0	60
Target Range - Lower Bound		0.9	25	0.4	9.8	11	156.0	30
Upper Bound		1.2	30	0.6	11.1	17	173.5	50
EM12-200W/1150S								
DUP								
Target Range - Lower Bound								
Upper Bound								
EM12-400W/150S								
DUP								
Target Range - Lower Bound								
Upper Bound								

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
DUPLICATES																
EM12-400W/200S					0.03	5.91	1.9	450	1.23	0.05	1.30	0.04	26.1	2.9	29	0.56
DUP					0.03	6.25	2.9	480	1.35	0.05	1.37	0.05	29.9	3.0	29	0.64
Target Range - Lower Bound					0.02	5.77	2.1	420	1.18	0.04	1.26	<0.02	26.6	2.7	27	0.52
Upper Bound					0.04	6.39	2.7	510	1.40	0.08	1.41	0.07	29.4	3.2	31	0.68
EM12-700W/650S		1	<5	<1												
DUP		<1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EM12-700W/750S					0.01	6.59	1.4	540	1.63	0.07	1.79	0.06	54.6	4.1	32	0.73
DUP					0.02	6.91	1.3	570	1.65	0.06	1.93	0.06	65.2	4.3	43	0.74
Target Range - Lower Bound					<0.01	6.40	1.1	500	1.51	0.05	1.76	0.04	56.9	3.9	35	0.65
Upper Bound					0.02	7.10	1.6	610	1.77	0.08	1.96	0.08	62.9	4.5	40	0.82
EM12-900W/200S		<1	<5	<1												
DUP		<1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EM12-1000W/700S		<1	<5	<1												
DUP		<1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
ORIGINAL					0.02	5.91	1.6	950	0.26	0.19	0.03	0.04	78.0	1.2	4	1.42
DUP					0.03	5.93	1.0	930	0.29	0.07	0.03	0.03	82.3	1.1	4	1.39
Target Range - Lower Bound					<0.01	5.61	1.0	860	0.21	0.11	0.02	<0.02	76.1	1.0	3	1.28
Upper Bound					0.04	6.23	1.6	1020	0.34	0.15	0.04	0.04	84.2	1.3	5	1.53
ORIGINAL		3	<5	2												
DUP		4	<5	2												
Target Range - Lower Bound		2	<5	<1												
Upper Bound		5	10	3												
ORIGINAL		4	<5	4												
DUP		3	<5	5												
Target Range - Lower Bound		2	<5	3												
Upper Bound		5	10	6												

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
DUPLICATES																
EMI2-400W/200S		2.8	1.66	14.90	0.09	2.8	0.017	1.26	13.6	4.7	0.28	192	0.65	2.22	3.9	7.9
DUP		2.8	1.74	15.95	0.10	2.9	0.016	1.39	15.4	5.1	0.29	199	0.69	2.37	4.2	8.0
Target Range - Lower Bound		2.5	1.61	14.60	<0.05	2.6	0.011	1.25	13.3	4.5	0.26	181	0.59	2.17	3.7	7.4
Upper Bound		3.1	1.80	16.25	0.10	3.1	0.022	1.40	15.7	5.3	0.31	210	0.75	2.42	4.4	8.5
EMI2-700W/650S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMI2-700W/750S		4.2	2.11	14.90	0.13	5.8	0.021	1.57	25.5	5.9	0.39	332	0.45	2.70	7.4	8.9
DUP		3.6	2.39	15.40	0.12	6.0	0.021	1.63	30.7	6.6	0.44	376	0.50	2.82	8.0	10.0
Target Range - Lower Bound		3.5	2.13	14.35	0.07	5.5	0.015	1.51	26.2	5.7	0.38	331	0.40	2.61	7.2	8.8
Upper Bound		4.3	2.37	15.95	0.18	6.3	0.027	1.69	30.0	6.8	0.45	377	0.55	2.91	8.2	10.1
EMI2-900W/200S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMI2-1000W/700S																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		7.9	1.85	21.6	0.15	7.5	0.104	3.56	34.7	31.0	1.40	276	2.89	0.30	15.1	1.5
DUP		5.5	1.81	20.8	0.16	7.4	0.099	3.47	37.8	30.1	1.41	269	2.54	0.29	14.6	1.4
Target Range - Lower Bound		6.2	1.73	20.1	0.10	7.0	0.091	3.33	33.9	28.8	1.32	254	2.53	0.27	14.0	1.2
Upper Bound		7.2	1.93	22.3	0.21	7.9	0.112	3.70	38.6	32.3	1.49	291	2.90	0.32	15.7	1.7
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Method Analyte Units	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Sample Description	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	
LOR	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	
DUPLICATES																
EM12-400W/200S	310	11.2	45.1	<0.002	0.02	<0.05	5.1	2	0.6	305	0.25	<0.05	2.2	0.140	0.21	
DUP	330	12.3	49.9	<0.002	0.02	<0.05	5.3	3	0.6	326	0.27	<0.05	3.0	0.153	0.23	
Target Range - Lower Bound	290	10.7	45.0	<0.002	<0.01	<0.05	4.8	<1	0.4	300	0.20	<0.05	2.3	0.134	0.18	
Upper Bound	350	12.8	50.0	0.004	0.03	0.10	5.6	4	0.8	331	0.32	0.10	2.9	0.159	0.26	
EM12-700W/650S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EM12-700W/750S	580	14.1	53.0	<0.002	<0.01	0.05	6.7	2	0.8	366	0.43	<0.05	6.7	0.219	0.24	
DUP	610	13.8	52.9	<0.002	<0.01	<0.05	7.4	2	1.0	385	0.54	<0.05	6.7	0.251	0.24	
Target Range - Lower Bound	560	12.8	50.2	<0.002	<0.01	<0.05	6.6	<1	0.7	357	0.41	<0.05	6.2	0.218	0.20	
Upper Bound	630	15.1	55.7	0.004	0.02	0.10	7.5	3	1.1	394	0.56	0.10	7.2	0.252	0.28	
EM12-900W/200S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EM12-1000W/700S																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL	100	27.6	81.3	<0.002	0.04	0.11	5.4	2	4.9	27.1	1.18	<0.05	15.1	0.113	0.46	
DUP	100	26.9	80.4	<0.002	0.03	<0.05	5.4	2	4.7	26.6	1.12	<0.05	15.9	0.109	0.45	
Target Range - Lower Bound	90	25.4	76.7	<0.002	0.02	<0.05	5.0	<1	4.4	25.3	1.04	<0.05	14.5	0.100	0.40	
Upper Bound	120	29.1	85.0	0.004	0.05	0.10	5.8	3	5.2	28.4	1.26	0.10	16.5	0.122	0.51	
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	B-MS61 B ppm 10
DUPLICATES							
EM12-400W/200S	1.1	28	0.2	7.1	13	95.2	40
DUP	1.2	30	0.1	7.7	13	97.3	60
Target Range - Lower Bound	1.0	27	<0.1	6.9	10	90.9	40
Upper Bound	1.3	31	0.2	7.9	16	101.5	60
EM12-700W/650S							
DUP							
Target Range - Lower Bound							
Upper Bound							
EM12-700W/750S	1.1	39	0.3	14.9	20	177.5	10
DUP	1.2	44	0.4	16.4	22	190.5	130
Target Range - Lower Bound	1.0	38	0.2	14.8	18	174.5	60
Upper Bound	1.3	45	0.5	16.5	24	193.5	80
EM12-900W/200S							
DUP							
Target Range - Lower Bound							
Upper Bound							
EM12-1000W/700S							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL	4.0	5	7.1	11.4	112	254	
DUP	3.9	6	7.0	11.6	109	251	
Target Range - Lower Bound	3.7	4	6.4	10.8	103	239	
Upper Bound	4.2	7	7.7	12.2	118	266	
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Sample Description	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
	DUPLICATES														
ORIGINAL	8	6	<1												
DUP	20	9	14												
Target Range	12	<5	6												
Lower Bound															
Upper Bound	16	10	9												

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	
Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
Sample Description	LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
DUPLICATES																
ORIGINAL																
DUP																
Target Range:																
Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02

DUPLICATES

ORIGINAL
DUP

Target Range Lower Bound

Upper Bound

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 7 - D

Total # Pages: 7 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108068

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
Analyte	U	V	W	Y	Zn	Zr	B	
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.1	1	0.1	0.1	2	0.5	10	
ORIGINAL DUP	DUPLICATES							
Target Range - Lower Bound								
Upper Bound								

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 27-OCT-2009
Account: MVR

QC CERTIFICATE SD09108069

Project: EASTMAIN MINE

P.O. No.:

This report is for 114 Soil samples submitted to our lab in Sudbury, ON, Canada on 1-OCT-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108069

Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	
Sample Description	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	
STANDARDS																
G2000				3.35	5.14	492	2410	1.27	1.00	0.61	7.02	51.2	23.9	107	12.20	
Target Range - Lower Bound				3.22	4.52	435	2000	1.25	0.98	0.51	6.82	47.9	22.6	80	11.10	
Upper Bound				3.96	5.54	533	2720	1.63	1.22	0.65	8.38	58.5	27.8	112	13.70	
GBM3961c				8.07	4.32	784	430	0.80	21.0	3.07	21.9	44.4	157.5	671	5.06	
GBM3961c				8.72	4.47	759	150	0.97	21.3	3.24	22.6	46.3	161.0	638	5.07	
GBM3961c				8.82	4.20	729	120	1.01	20.9	3.04	21.7	49.6	159.5	629	5.77	
Target Range - Lower Bound				7.28	3.75	669	210	0.77	18.15	2.77	19.35	43.5	144.0	594	4.83	
Upper Bound				8.92	4.60	818	300	1.05	22.2	3.40	23.7	53.2	176.5	728	6.01	
GBM999-5				59.2	4.74	3.4	180	1.42	0.60	0.13	0.22	27.1	3.1	6	0.81	
GBM999-5				59.3	4.72	3.7	180	1.36	0.61	0.10	0.21	27.8	3.5	6	0.80	
Target Range - Lower Bound				53.5	4.26	3.0	140	1.12	0.50	0.08	0.17	23.6	2.9	4	0.69	
Upper Bound				65.4	5.22	4.2	210	1.48	0.64	0.12	0.25	28.9	3.7	8	0.95	
GEOMS-03				0.78	5.12	647	2460	1.63	0.40	0.40	0.34	52.3	10.9	122	10.05	
GEOMS-03				0.74	5.36	653	2520	1.39	0.35	0.39	0.37	55.8	11.8	120	10.80	
Target Range - Lower Bound				0.67	4.61	570	2060	1.34	0.31	0.33	0.30	47.0	10.7	105	9.04	
Upper Bound				0.85	5.65	697	2810	1.74	0.41	0.43	0.42	57.4	13.3	131	11.15	
GPP-01	891	929	706													
Target Range - Lower Bound	841	892	682													
Upper Bound	969	1040	786													
MRGeo08				4.40	7.68	31.1	1020	3.47	0.65	2.50	2.27	77.5	20.3	94	12.80	
MRGeo08				5.01	8.11	28.2	1150	3.47	0.69	2.70	2.49	88.4	20.4	90	13.60	
MRGeo08				4.69	7.88	29.8	1090	3.54	0.78	2.67	2.43	85.4	22.6	96	13.05	
Target Range - Lower Bound				4.16	7.00	29.7	920	2.80	0.63	2.35	2.01	72.9	18.4	82	11.00	
Upper Bound				5.10	8.57	36.7	1270	3.54	0.79	2.90	2.50	89.1	22.8	102	13.60	
OxA71	77	<5	<1													
Target Range - Lower Bound	78															
Upper Bound	92															
OxD73	409	<5	<1													
Target Range - Lower Bound																
Upper Bound																
PGMS-15	423	108	435													
Target Range - Lower Bound	380	86	397													
Upper Bound	440	110	459													
PGMS-16	1155	1275	4790													
Target Range - Lower Bound	1040	1140	4330													
Upper Bound	1200	1320	4990													
PK2	4800	4840	5830													
Target Range - Lower Bound	4450	4410	5500													
Upper Bound	5120	5090	6330													
SL34	5910	<5	3													

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108069

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	
Sample Description	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	
STANDARDS																
G2000	309	3.87	12.30	0.14	1.5	0.364	1.24	27.8	42.3	0.74	562	6.16	0.15	11.4	280	
Target Range - Lower Bound	273	3.46	11.65	0.09	1.1	0.355	1.14	25.9	37.0	0.67	506	5.62	0.12	10.4	246	
Upper Bound	334	4.26	14.35	0.22	1.6	0.445	1.42	32.7	45.6	0.85	630	6.98	0.16	13.0	302	
GBM3961c	3050	8.68	11.90	0.23	1.8	1.310	0.77	23.9	17.6	2.60	888	10.25	0.66	3.2	2110	
GBM3961c	3070	9.16	11.70	0.32	1.6	1.380	0.81	23.1	17.1	2.70	924	9.72	0.68	3.2	2230	
GBM3961c	2940	8.58	13.25	0.20	1.7	1.325	0.76	27.6	20.0	2.53	860	10.20	0.66	3.6	1980	
Target Range - Lower Bound	2590	8.00	11.75	0.17	1.5	1.250	0.68	22.9	16.8	2.32	780	8.97	0.56	3.0	1925	
Upper Bound	3160	9.80	14.45	0.32	2.1	1.540	0.85	29.1	21.0	2.85	964	11.10	0.71	3.9	2350	
GBM999-5	483	3.03	15.80	0.12	0.8	0.029	3.59	14.5	3.6	0.04	72	4.11	0.97	6.5	4.4	
GBM999-5	485	2.94	17.10	0.11	0.7	0.037	3.41	13.9	4.2	0.03	66	4.23	0.93	6.1	4.4	
Target Range - Lower Bound	429	2.67	14.70	0.07	0.6	0.022	3.10	11.8	2.8	0.03	54	3.77	0.83	5.3	3.8	
Upper Bound	525	3.29	18.10	0.19	1.0	0.038	3.81	15.6	3.8	0.05	78	4.71	1.03	6.7	5.0	
GEOMS-03	136.0	4.09	13.05	0.12	1.4	0.048	1.11	28.6	44.0	0.51	541	3.14	0.09	14.8	58.4	
GEOMS-03	142.5	4.17	13.75	0.12	1.6	0.048	1.11	30.1	37.8	0.51	526	3.36	0.09	13.8	56.3	
Target Range - Lower Bound	120.5	3.64	12.00	0.10	1.2	0.035	1.03	25.6	37.6	0.48	483	3.05	0.06	13.1	48.1	
Upper Bound	147.5	4.48	14.75	0.24	1.6	0.053	1.29	32.4	46.4	0.60	601	3.83	0.10	16.3	59.3	
GPP-01																
Target Range - Lower Bound																
Upper Bound																
MRGeo08	647	3.79	19.65	0.19	3.6	0.176	2.94	39.0	37.1	1.31	545	15.65	1.93	21.6	665	
MRGeo08	670	4.14	19.85	0.27	3.4	0.203	3.23	43.1	35.0	1.41	588	15.35	2.07	21.7	707	
MRGeo08	645	4.04	20.5	0.22	3.5	0.195	3.06	37.0	34.2	1.36	569	15.80	2.03	22.1	678	
Target Range - Lower Bound	568	3.61	17.50	0.09	2.8	0.161	2.79	36.3	30.4	1.24	506	13.65	1.76	18.3	617	
Upper Bound	694	4.43	21.5	0.23	3.6	0.207	3.43	45.5	37.6	1.54	630	16.75	2.18	22.5	755	
OxA71																
Target Range - Lower Bound																
Upper Bound																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-15																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																
PK2																
Target Range - Lower Bound																
Upper Bound																
SL34																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108069

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	
Sample Description	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	
STANDARDS																
G2000	1020	671	72.1	0.004	0.28	32.4	10.7	5	2.2	120.0	0.76	0.13	7.3	0.356	1.01	
Target Range - Lower Bound	870	603	62.9	0.003	0.23	29.3	10.3	4	1.8	104.5	0.65	0.09	6.4	0.314	0.84	
Upper Bound	1080	738	77.1	0.009	0.30	39.7	12.8	7	2.6	128.0	0.91	0.22	8.2	0.395	1.18	
GBM3961c	290	1950	67.2	0.005	3.85	30.6	12.8	7	6.6	91.5	0.86	3.37	6.7	0.247	0.97	
GBM3961c	290	2040	62.9	0.005	3.86	32.3	12.7	7	6.6	91.9	0.82	3.56	6.1	0.260	1.01	
GBM3961c	280	1930	64.5	0.003	3.71	32.0	14.3	7	6.6	91.1	0.72	3.29	6.2	0.238	0.99	
Target Range - Lower Bound	250	1725	60.5	<0.002	3.33	25.3	11.9	6	5.7	83.7	0.71	3.01	5.8	0.213	0.82	
Upper Bound	330	2110	74.1	0.007	4.10	34.4	14.8	9	7.4	102.5	0.98	3.79	7.5	0.272	1.15	
GBM999-5	50	542	500	0.003	0.30	5.73	2.1	3	1.6	17.1	0.28	0.35	5.7	0.023	2.04	
GBM999-5	50	628	480	0.005	0.30	5.53	2.1	3	1.6	17.8	0.31	0.33	5.7	0.019	2.25	
Target Range - Lower Bound	40	487	433	0.003	0.26	4.78	1.7	<1	1.3	14.5	0.26	0.21	4.4	0.013	1.75	
Upper Bound	70	597	529	0.008	0.34	6.58	2.3	3	2.1	18.2	0.42	0.37	5.8	0.027	2.41	
GEOMS-03	1090	7.4	65.3	<0.002	0.03	17.50	13.9	3	2.5	169.5	0.98	0.14	6.6	0.466	1.33	
GEOMS-03	1140	7.3	56.3	<0.002	0.04	19.45	15.1	3	2.6	185.0	1.00	0.15	6.9	0.475	1.33	
Target Range - Lower Bound	970	7.2	55.7	<0.002	0.03	15.85	12.4	2	2.1	157.5	0.81	0.07	6.2	0.409	0.99	
Upper Bound	1210	9.9	68.3	0.004	0.05	21.5	15.4	4	3.0	192.5	1.10	0.19	8.0	0.511	1.39	
GPP-01																
Target Range - Lower Bound																
Upper Bound																
MRGeo08	1040	1030	194.0	0.009	0.32	4.74	12.8	2	4.2	312	1.62	<0.05	22.0	0.490	1.07	
MRGeo08	1080	1120	204	0.010	0.32	5.26	13.1	2	4.5	324	1.80	<0.05	22.3	0.527	1.17	
MRGeo08	1080	1060	187.5	0.010	0.32	5.57	12.5	2	4.6	312	1.81	<0.05	19.5	0.505	1.16	
Target Range - Lower Bound	910	965	187.0	0.008	0.27	4.08	11.0	<1	3.5	272	1.48	<0.05	19.2	0.454		
Upper Bound	1140	1180	229	0.014	0.35	5.64	13.6	2	4.7	332	1.92	0.10	23.9	0.566		
OxA71																
Target Range - Lower Bound																
Upper Bound																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-15																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																
PK2																
Target Range - Lower Bound																
Upper Bound																
SL34																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108069

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	B ppm
		0.1	1	0.1	0.1	2	0.5	10
STANDARDS								
G2000		3.3	106	16.7	23.6	1340	47.1	70
Target Range - Lower Bound		2.9	94	15.2	21.1	1155	37.5	<10
Upper Bound		3.7	117	20.8	26.0	1415	51.9	20
GBM3961c		1.6	109	17.6	11.2	6950	59.3 ^{LL}	40
GBM3961c		1.6	111	18.2	10.3	6990	59.2	<10
GBM3961c		1.5	104	16.7	11.3	6550	63.4	<10
Target Range - Lower Bound		1.4	97	14.6	10.7	6280	52.6	
Upper Bound		1.9	120	20.0	13.3	7680	72.4	
GBM999-5		2.3	8	2.5	12.3	114	21.4	200
GBM999-5		2.3	7	2.6	12.8	108	18.4	<10
Target Range - Lower Bound		1.8	5	2.1	10.3	102	16.4	
Upper Bound		2.4	9	3.0	12.8	129	23.4	
GEOIMS-03		3.8	114	21.8	21.7	45	46.8	170
GEOIMS-03		3.8	117	21.8	22.5	48	63.8	<10
Target Range - Lower Bound		3.1	104	18.1	19.8	40	44.0	
Upper Bound		4.0	130	24.7	24.4	54	60.8	
GPP-01								
Target Range - Lower Bound								
Upper Bound								
MRGeo08		5.7	109	4.9	28.8	819	109.0	60
MRGeo08		6.7	114	5.5	28.3	843	114.0	<10
MRGeo08		5.6	110	5.6	28.4	809	119.0	<10
Target Range - Lower Bound		5.6	99	4.3	24.3	712	92.2	
Upper Bound		7.0	123	6.1	29.9	874	126.0	
OxA71								
Target Range - Lower Bound								
Upper Bound								
OXD73								
Target Range - Lower Bound								
Upper Bound								
PGMS-15								
Target Range - Lower Bound								
Upper Bound								
PGMS-16								
Target Range - Lower Bound								
Upper Bound								
PK2								
Target Range - Lower Bound								
Upper Bound								
SL34								

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108069

Method Analyte Units LOR	PGM-ICP23 Au ppb	PGM-ICP23 Pt ppb	PGM-ICP23 Pd ppb	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	
Sample Description	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	
STANDARDS																
Target Range - Lower Bound	5480															
Upper Bound	6310															
ST-252	54	<5	1													
Target Range - Lower Bound	54	<5	<1													
Upper Bound	64	10	2													
BLANKS																
BLANK	<1	<5	<1													
BLANK	<1	<5	<1													
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	0.02	<0.1	1	<0.05	
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.01	0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
Target Range - Lower Bound	<1	<5	<1	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
Upper Bound	2	10	2	0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	
DUPLICATES																
H874794				0.15	8.54	145.0	530	1.62	0.20	1.39	0.11	53.3	26.0	132	11.90	
DUP				0.14	8.21	160.5	520	1.51	0.22	1.33	0.11	54.6	26.0	129	11.80	
Target Range - Lower Bound				0.13	7.95	145.0	480	1.44	0.19	1.28	0.08	51.2	24.6	123	11.20	
Upper Bound				0.16	8.80	160.5	570	1.69	0.23	1.44	0.14	56.7	27.4	138	12.50	
EMI2-700W/650S	1	<5	<1													
DUP	<1	<5	<1													
Target Range - Lower Bound	<1	<5	<1													
Upper Bound	2	10	2													
EMI2-900W/200S	<1	<5	<1													
DUP	<1	<5	<1													
Target Range - Lower Bound	<1	<5	<1													
Upper Bound	2	10	2													

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108069

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
Sample Description	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	
	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	
STANDARDS																
Target Range - Lower Bound																
Upper Bound																
ST-252																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK	0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
BLANK	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.2	
BLANK	<0.2	<0.01	0.06	0.08	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
BLANK	<0.2	<0.01	0.07	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
BLANK	0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
Target Range - Lower Bound	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
Upper Bound	0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	
DUPLICATES																
H874794	69.0	4.55	25.0	0.15	3.2	0.049	2.23	23.9	129.5	1.58	588	1.79	3.21	5.9	85.8	
DUP	68.4	4.47	24.4	0.17	3.3	0.049	2.24	24.2	115.0	1.55	579	1.85	3.23	5.8	85.3	
Target Range - Lower Bound	65.1	4.27	23.4	0.10	3.0	0.042	2.11	22.3	116.0	1.48	549	1.68	3.05	5.5	81.1	
Upper Bound	72.3	4.75	26.0	0.22	3.5	0.056	2.36	25.8	128.5	1.65	618	1.96	3.39	6.2	90.0	
EMI2-700W/650S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMI2-900W/200S																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108069

Method Analyte Units LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
STANDARDS															
Target Range: Lower Bound															
Upper Bound															
ST-252															
Target Range: Lower Bound															
Upper Bound															
BLANKS															
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	1	0.3	0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	<0.1	<0.002	<0.01	0.06	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.2	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	0.7	<0.1	<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Target Range: Lower Bound	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound	20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04
DUPLICATES															
H874794	630	15.5	88.6	<0.002	0.20	0.09	21.8	2	1.5	268	0.51	<0.05	7.6	0.348	0.75
DUP	620	15.6	85.5	<0.002	0.20	0.10	22.1	1	1.4	267	0.52	<0.05	7.9	0.348	0.73
Target Range: Lower Bound	580	14.3	82.6	<0.002	0.18	<0.05	20.8	<1	1.2	254	0.44	<0.05	7.2	0.328	0.66
Upper Bound	670	16.8	91.5	0.004	0.22	0.10	23.1	2	1.7	281	0.59	0.10	8.3	0.370	0.82
EMI2-700W/650S DUP															
Target Range: Lower Bound															
Upper Bound															
EMI2-900W/200S DUP															
Target Range: Lower Bound															
Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 27-OCT-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108069

Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	B-MS61 B ppm 10
STANDARDS							
Target Range - Lower Bound							
Upper Bound							
ST-252							
Target Range - Lower Bound							
Upper Bound							
BLANKS							
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	80
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	<10
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	230
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	<10
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	10
Target Range - Lower Bound	<0.1	<1	<0.1	<0.1	<2	<0.5	<10
Upper Bound	0.2	2	0.2	0.2	4	1.0	20
DUPLICATES							
H874794	2.2	136	4.1	8.5	77	106.5	<10
DUP	2.3	136	4.2	8.7	78	109.5	80
Target Range - Lower Bound	2.0	128	3.7	8.1	72	102.0	30
Upper Bound	2.5	144	4.6	9.1	83	114.0	60
EMI2-700W/650S							
DUP							
Target Range - Lower Bound							
Upper Bound							
EMI2-900W/200S							
DUP							
Target Range - Lower Bound							
Upper Bound							

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108069

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
DUPLICATES																
EMI2-900W/950S					<0.01	6.36	1.1	490	1.38	0.07	1.65	0.08	39.5	4.4	40	0.66
DUP					0.01	6.30	1.2	490	1.42	0.06	1.65	0.08	32.4	4.5	41	0.66
Target Range - Lower Bound					<0.01	6.00	0.9	440	1.28	0.05	1.56	0.06	34.1	4.1	37	0.58
Upper Bound					0.02	6.66	1.4	540	1.52	0.08	1.74	0.10	37.8	4.8	44	0.74
EMI2-1000W/700S		<1	<5	<1												
DUP		<1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EMI2-1200W/400S					0.05	6.82	1.1	560	1.21	0.07	1.44	0.07	38.0	3.7	34	0.84
DUP					0.04	6.89	1.0	560	1.23	0.07	1.43	0.07	41.7	3.6	32	0.85
Target Range - Lower Bound					0.03	6.50	0.8	510	1.11	0.06	1.35	0.05	37.8	3.4	30	0.75
Upper Bound					0.06	7.21	1.3	610	1.33	0.08	1.52	0.09	41.9	3.9	38	0.94
EMI-1100E/1200S		<1	<5	<1												
DUP		<1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EMI-1200E/1050S					<0.01	6.51	1.5	530	1.19	0.10	1.75	0.08	58.4	4.4	39	0.63
DUP					<0.01	6.36	1.6	510	1.36	0.10	1.77	0.08	64.5	4.3	40	0.58
Target Range - Lower Bound					<0.01	6.10	1.3	470	1.16	0.09	1.66	0.08	58.4	4.0	37	0.52
Upper Bound					0.02	6.77	1.8	570	1.39	0.12	1.88	0.10	64.5	4.7	42	0.69
RHETL-8700N/6350E		4	<5	<1												
DUP		1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		4	10	2												
H820766					0.02	8.15	5.5	560	1.51	0.04	4.96	0.03	63.4	25.6	176	3.84
DUP					0.02	8.31	4.9	570	1.50	0.05	5.04	0.02	59.9	26.2	192	3.67
Target Range - Lower Bound					<0.01	7.81	4.7	510	1.38	0.03	4.74	<0.02	58.6	24.5	174	3.52
Upper Bound					0.03	8.65	5.7	620	1.63	0.06	5.28	0.04	64.7	27.3	194	3.99

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108069

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
Units		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
DUPLICATES																
EMI2-900W/950S		5.7	1.93	14.90	0.09	5.3	0.024	1.36	17.2	5.8	0.38	313	0.33	2.47	6.2	11.8
DUP		3.0	1.98	14.80	0.10	5.7	0.023	1.40	13.8	6.1	0.39	315	0.33	2.51	6.0	11.7
Target Range - Lower Bound		3.9	1.85	14.05	<0.05	5.1	0.017	1.30	14.2	5.5	0.36	293	0.26	2.36	5.7	11.0
Upper Bound		4.8	2.06	15.65	0.10	5.9	0.030	1.46	16.8	6.4	0.41	335	0.40	2.82	6.5	12.5
EMI2-1000W/700S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMI2-1200W/400S		3.2	2.40	16.90	0.13	6.0	0.024	1.54	17.6	5.5	0.36	319	0.44	2.37	5.9	10.7
DUP		2.3	2.34	17.20	0.13	6.0	0.023	1.58	19.2	5.5	0.35	325	0.34	2.37	6.1	10.4
Target Range - Lower Bound		2.4	2.24	16.15	0.07	5.6	0.017	1.47	17.0	5.0	0.33	301	0.32	2.24	5.8	9.8
Upper Bound		3.1	2.50	17.95	0.19	6.4	0.030	1.65	19.8	6.0	0.38	343	0.46	2.50	6.4	11.3
EMI-1100E/1200S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMI-1200E/1050S		4.7	2.25	13.60	0.11	6.0	0.024	1.53	22.9	5.6	0.43	339	0.42	2.60	6.2	10.8
DUP		3.9	2.32	13.40	0.10	6.2	0.022	1.45	26.0	5.1	0.44	352	0.40	2.51	6.1	10.2
Target Range - Lower Bound		3.9	2.16	12.80	<0.05	5.7	0.017	1.41	22.7	4.9	0.40	323	0.34	2.42	5.7	9.8
Upper Bound		4.7	2.41	14.25	0.16	6.5	0.029	1.57	26.2	5.8	0.47	368	0.48	2.69	6.6	11.2
RHETL-8700N/6350E																
DUP																
Target Range - Lower Bound																
Upper Bound																
H820766		33.7	4.23	18.35	0.16	2.1	0.035	1.52	31.1	27.6	3.55	787	0.87	3.36	3.6	100.0
DUP		34.0	4.32	18.05	0.22	2.3	0.031	1.55	29.7	27.6	3.63	802	0.80	3.38	3.5	101.5
Target Range - Lower Bound		32.0	4.05	17.25	0.13	2.0	0.026	1.45	28.4	26.0	3.40	750	0.74	3.19	3.3	95.5
Upper Bound		35.7	4.50	19.15	0.25	2.4	0.040	1.62	32.4	29.2	3.78	839	0.93	3.55	3.8	106.0

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108069

Method Analyte Units LOR	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm
Sample Description	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
DUPLICATES															
EMI2-900W/950S	410	13.6	50.0	<0.002	0.01	0.07	6.7	2	1.4	352	0.39	<0.05	4.8	0.198	0.23
DUP	410	13.3	50.7	<0.002	0.01	0.05	6.8	2	0.8	352	0.36	<0.05	3.4	0.200	0.24
Target Range - Lower Bound	380	12.3	47.7	<0.002	<0.01	<0.05	6.3	<1	0.8	334	0.31	<0.05	3.7	0.184	0.20
Upper Bound	440	14.6	53.0	0.004	0.02	0.10	7.2	3	1.4	370	0.44	0.10	4.5	0.214	0.27
EMI2-1000W/700S															
DUP															
Target Range - Lower Bound															
Upper Bound															
EMI2-1200W/400S	340	14.4	50.2	<0.002	0.01	0.14	5.9	1	1.0	330	0.42	<0.05	5.0	0.249	0.28
DUP	340	14.9	51.3	<0.002	0.01	0.09	6.1	1	1.0	332	0.41	<0.05	7.4	0.256	0.29
Target Range - Lower Bound	310	13.4	48.1	<0.002	<0.01	0.06	5.6	<1	0.8	314	0.34	<0.05	5.7	0.235	0.24
Upper Bound	370	15.9	53.4	0.004	0.02	0.17	6.4	2	1.3	348	0.49	0.10	6.7	0.270	0.33
EMI-1100E/1200S															
DUP															
Target Range - Lower Bound															
Upper Bound															
EMI-1200E/1050S	650	13.3	48.9	<0.002	0.01	0.09	6.4	1	0.9	359	0.41	<0.05	6.6	0.233	0.23
DUP	690	13.1	46.9	<0.002	0.01	0.07	6.3	1	0.8	341	0.42	<0.05	7.5	0.240	0.24
Target Range - Lower Bound	630	12.0	45.4	<0.002	<0.01	<0.05	5.9	<1	0.6	332	0.34	<0.05	6.5	0.220	0.20
Upper Bound	710	14.4	50.4	0.004	0.02	0.10	6.8	2	1.1	368	0.49	0.10	7.6	0.253	0.27
RHETL-8700N/6350E															
DUP															
Target Range - Lower Bound															
Upper Bound															
H820766	1060	2.4	86.7	<0.002	0.04	0.32	15.0	1	1.1	479	0.21	<0.05	6.4	0.301	0.31
DUP	1080	2.3	88.4	<0.002	0.05	0.31	15.4	1	0.8	482	0.23	<0.05	6.7	0.307	0.30
Target Range - Lower Bound	1010	1.7	83.1	<0.002	0.03	0.24	14.3	<1	0.7	456	0.16	<0.05	6.0	0.284	0.26
Upper Bound	1130	3.0	92.0	0.004	0.06	0.39	16.1	2	1.2	505	0.28	0.10	7.1	0.324	0.35

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 27-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108069

Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	B-MS61 B ppm 10
DUPLICATES							
EM12-900W/950S	0.9	37	0.3	12.2	23	165.0	60
DUP	0.9	39	0.3	11.6	22	175.0	70
Target Range - Lower Bound	0.8	35	0.2	11.2	19	161.0	50
Upper Bound	1.0	41	0.4	12.6	26	179.0	80
EM12-1000W/700S							
DUP							
Target Range - Lower Bound							
Upper Bound							
EM12-1200W/400S	1.0	47	0.5	7.9	23	209	<10
DUP	1.1	46	0.6	8.5	22	209	<10
Target Range - Lower Bound	0.9	43	0.4	7.7	19	198.0	<10
Upper Bound	1.2	50	0.7	8.7	26	220	20
EMI-1100E/1200S							
DUP							
Target Range - Lower Bound							
Upper Bound							
EMI-1200E/1050S	1.3	45	0.4	13.9	22	223	<10
DUP	1.2	45	0.5	13.9	20	230	<10
Target Range - Lower Bound	1.1	42	0.3	13.1	18	215	<10
Upper Bound	1.4	48	0.6	14.7	24	238	20
RHETL-8700N/6350E							
DUP							
Target Range - Lower Bound							
Upper Bound							
H820766	1.6	111	1.2	9.3	51	74.0	180
DUP	1.7	114	1.2	8.9	51	73.4	190
Target Range - Lower Bound	1.5	106	1.0	8.5	46	69.5	170
Upper Bound	1.8	119	1.4	9.7	56	77.9	200

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09108069

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 4-OCT-2009
Account: MVR

QC CERTIFICATE SD09095402

Project: EASTMAIN MINE

P.O. No.:

This report is for 156 Soil samples submitted to our lab in Sudbury, ON, Canada on 3-SEP-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
DRY-22	Drying - Maximum Temp 60C

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	
Sample Description	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	
STANDARDS																
GAU-11a	9	<5	<1													
Target Range - Lower Bound	9															
Upper Bound	12															
GBM3961c				8.66	4.26	747	350	0.95	21.1	3.13	22.4	48.2	165.5	662	4.84	
GBM3961c				8.06	4.08	723	600	0.77	21.5	2.93	22.5	48.8	163.5	648	5.20	
GBM3961c				8.29	4.38	743	380	0.80	20.9	3.13	22.0	50.6	159.0	696	5.33	
GBM3961c				8.61	4.37	768	180	0.91	21.6	3.13	24.0	48.5	161.5	675	5.51	
Target Range - Lower Bound				7.28	3.75	669	210	0.77	18.15	2.77	19.35	43.5	144.0	594	4.83	
Upper Bound				8.92	4.60	818	300	1.05	22.2	3.40	23.7	53.2	176.5	728	6.01	
GBM999-5				60.7	5.03	3.3	190	1.18	0.52	0.11	0.19	24.4	3.7	7	0.70	
GBM999-5				58.0	4.64	3.2	170	1.35	0.52	0.10	0.21	27.1	3.7	8	0.84	
GBM999-5				55.5	4.36	3.2	170	1.14	0.56	0.10	0.21	24.9	3.1	7	0.75	
Target Range - Lower Bound				53.5	4.26	3.0	140	1.12	0.50	0.08	0.17	23.6	2.9	4	0.69	
Upper Bound				65.4	5.22	4.2	210	1.48	0.64	0.12	0.25	28.9	3.7	8	0.95	
GEOMS-03				0.75	5.04	597	2370	1.60	0.34	0.38	0.34	51.1	12.7	117	10.55	
GEOMS-03				0.71	5.21	648	2550	1.47	0.38	0.41	0.36	54.2	12.1	122	10.80	
GEOMS-03				0.67	4.61	570	2060	1.34	0.31	0.33	0.30	47.0	10.7	105	9.04	
Target Range - Lower Bound				0.85	5.65	697	2810	1.74	0.41	0.43	0.42	57.4	13.3	131	11.15	
Upper Bound																
GPP-01	961	1035	795													
GPP-01	853	952	738													
GPP-01	807	946	682													
GPP-01	860	953	701													
GPP-01	988	930	737													
GPP-01	1035	937	712													
Target Range - Lower Bound	841	892	682													
Upper Bound	969	1040	786													
MRGeo08				4.59	7.95	31.7	1090	3.31	0.65	2.69	2.20	77.1	20.8	94	11.35	
MRGeo08				4.50	7.60	34.5	1040	3.42	0.64	2.50	2.40	74.3	22.4	92	13.00	
MRGeo08				4.34	7.57	30.0	1050	3.52	1625	2.57	2.30	77.2	19.3	94	12.70	
MRGeo08				4.58	7.52	29.6	1060	3.47	0.79	2.57	2.46	77.1	20.5	88	13.30	
Target Range - Lower Bound				4.16	7.00	29.7	920	2.80	0.63	2.35	2.01	72.9	18.4	82	11.00	
Upper Bound				5.10	8.57	36.7	1270	3.54	0.79	2.90	2.50	89.1	22.8	102	13.60	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method Analyte Units LOR	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	
Sample Description	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	
STANDARDS																
GAu-11a																
Target Range - Lower Bound																
Upper Bound																
GBM3961c	3120	9.06	14.25	0.27	1.9	1.280	0.78	26.3	17.6	2.61	896	11.60	0.65	3.7	2090	
GBM3961c	2870	8.35	13.00	0.27	1.8	1.380	0.74	26.6	17.5	2.47	850	11.50	0.62	3.0	2040	
GBM3961c	3050	8.86	12.20	0.24	1.7	1.295	0.76	26.4	17.0	2.57	891	10.50	0.66	3.4	2210	
GBM3961c	3010	8.80	13.45	0.20	1.8	1.485	0.79	26.1	19.7	2.60	884	10.90	0.65	3.5	2110	
Target Range - Lower Bound	2590	8.00	11.75	0.17	1.5	1.250	0.68	22.9	16.8	2.32	780	8.97	0.56	3.0	1925	
Upper Bound	3160	9.80	14.45	0.32	2.1	1.540	0.85	29.1	21.0	2.85	964	11.10	0.71	3.9	2350	
GBM999-5	510	3.26	16.95	0.12	0.9	0.021	3.78	14.2	3.4	0.04	71	4.66	1.04	5.5	4.1	
GBM999-5	475	2.93	17.05	0.17	0.7	0.029	3.40	14.6	3.6	0.04	65	4.50	0.94	5.7	3.8	
GBM999-5	479	2.92	15.80	0.09	0.6	0.029	3.45	13.5	3.3	0.03	64	4.24	0.91	5.7	3.9	
Target Range - Lower Bound	429	2.67	14.70	0.07	0.6	0.022	3.10	11.8	2.8	0.03	54	3.77	0.83	5.3	3.8	
Upper Bound	525	3.29	18.10	0.19	1.0	0.038	3.81	15.6	3.8	0.05	78	4.71	1.03	6.7	5.0	
GEOMS-03	132.0	3.98	14.15	0.15	1.7	0.050	1.06	29.3	42.2	0.49	526	3.23	0.06	16.2	52.2	
GEOMS-03	138.0	4.35	14.25	0.14	1.3	0.048	1.11	30.4	45.7	0.51	551	3.77	0.08	15.9	55.0	
Target Range - Lower Bound	120.5	3.64	12.00	0.10	1.2	0.035	1.03	25.6	37.6	0.48	483	3.05	0.06	13.1	48.1	
Upper Bound	147.5	4.48	14.75	0.24	1.6	0.053	1.29	32.4	46.4	0.60	601	3.83	0.10	16.3	59.3	
GPP-01																
GPP-01																
GPP-01																
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
MRGeo08	669	4.23	20.6	0.20	3.4	0.162	3.24	37.8	30.5	1.35	581	15.90	1.99	21.8	702	
MRGeo08	624	3.82	21.0	0.23	3.6	0.194	2.92	37.4	36.7	1.29	556	15.35	1.87	21.9	664	
MRGeo08	641	3.91	19.10	0.18	3.3	0.181	2.90	38.1	37.5	1.29	555	15.65	1.90	21.0	675	
MRGeo08	621	3.90	20.8	0.16	3.3	0.192	2.98	37.6	37.3	1.30	549	15.85	1.93	22.4	656	
Target Range - Lower Bound	568	3.61	17.50	0.09	2.8	0.161	2.79	36.3	30.4	1.24	506	13.65	1.76	18.3	617	
Upper Bound	694	4.43	21.5	0.23	3.6	0.207	3.43	45.5	37.6	1.54	630	18.75	2.18	22.5	755	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method Analyte Units LOR	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm
Sample Description	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
STANDARDS															
GAu-11a															
Target Range - Lower Bound															
Upper Bound															
GBM3961c															
GBM3961c	280	1885	72.6	0.004	3.80	32.3	14.1	8	7.4	98.9	0.95	3.41	6.4	0.242	1.02
GBM3961c	260	1835	70.5	0.006	3.92	32.4	14.0	7	6.9	89.6	0.80	3.45	6.8	0.223	0.99
GBM3961c	280	1915	64.8	0.005	3.97	29.4	13.3	7	6.2	88.2	0.99	3.17	7.0	0.253	0.98
GBM3961c	280	1910	73.8	0.005	3.85	31.3	14.8	9	6.7	99.2	0.85	3.40	6.9	0.249	1.08
Target Range - Lower Bound	250	1725	60.5	<0.002	3.33	25.3	11.9	6	5.7	83.7	0.71	3.01	5.8	0.213	0.82
Upper Bound	330	2110	74.1	0.007	4.10	34.4	14.8	9	7.4	102.5	0.98	3.79	7.5	0.272	1.15
GBM999-5	60	584	530	0.006	0.32	6.02	2.1	3	1.8	16.6	0.27	0.32	4.5	0.022	2.13
GBM999-5	50	545	470	0.007	0.32	5.99	2.0	3	1.8	17.2	0.29	0.32	5.2	0.020	2.13
GBM999-5	50	516	470	0.007	0.28	5.32	1.8	3	1.5	16.5	0.35	0.33	5.1	0.018	2.08
Target Range - Lower Bound	40	487	433	0.003	0.26	4.78	1.7	<1	1.3	14.5	0.26	0.21	4.4	0.013	1.75
Upper Bound	70	597	529	0.008	0.34	6.58	2.3	3	2.1	18.2	0.42	0.37	5.8	0.027	2.41
GEOMS-03															
GEOMS-03	1050	7.1	62.2	0.002	0.04	19.30	13.5	4	2.7	167.0	1.09	0.13	6.8	0.447	1.30
GEOMS-03	1150	7.2	63.8	0.003	0.04	19.45	13.5	4	2.7	184.5	1.00	0.15	6.6	0.467	1.30
Target Range - Lower Bound	970	7.2	55.7	<0.002	0.03	15.85	12.4	2	2.1	157.5	0.81	0.07	6.2	0.409	0.99
Upper Bound	1210	9.9	68.3	0.004	0.05	21.5	15.4	4	3.0	192.5	1.10	0.19	8.0	0.511	1.39
GPP-01															
GPP-01															
GPP-01															
GPP-01															
GPP-01															
GPP-01															
Target Range - Lower Bound															
Upper Bound															
MRGeo08															
MRGeo08	1100	1105	214	0.009	0.32	4.67	11.9	3	4.3	328	1.64	<0.05	19.4	0.511	1.04
MRGeo08	1000	1020	191.0	0.008	0.33	5.07	13.1	3	4.6	298	1.76	0.05	20.5	0.480	1.15
MRGeo08	1010	1030	193.5	0.008	0.33	9.29	11.9	3	4.1	294	1.53	0.10	20.4	0.484	1.03
MRGeo08	1040	1035	182.0	0.009	0.31	4.82	13.4	2	4.3	313	1.50	<0.05	20.8	0.489	1.17
Target Range - Lower Bound	910	965	187.0	0.008	0.27	4.08	11.0	<1	3.5	272	1.48	<0.05	19.2	0.454	
Upper Bound	1140	1180	229	0.014	0.35	5.64	13.6	2	4.7	332	1.92	0.10	23.9	0.566	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	B ppm
		0.1	1	0.1	0.1	2	0.5	10
STANDARDS								
GAu-11a								
Target Range - Lower Bound								
Upper Bound								
GBM3961c								60
GBM3961c		1.7	107	19.3	11.0	6500	75.1	90
GBM3961c		1.7	105	17.3	11.4	6410	62.8	<10
GBM3961c		1.9	108	17.9	11.3	6660	58.6	<10
GBM3961c		1.7	108	18.4	12.3	6710	64.1	
Target Range - Lower Bound		1.4	97	14.6	10.7	6280	52.6	
Upper Bound		1.9	120	20.0	13.3	7680	72.4	
GBM999-5		1.8	8	2.7	10.6	116	22.7	70
GBM999-5		2.0	7	2.8	11.3	117	23.2	<10
GBM999-5		2.0	7	2.5	10.8	113	20.1	<10
Target Range - Lower Bound		1.8	5	2.1	10.3	102	16.4	
Upper Bound		2.4	9	3.0	12.8	129	23.4	
GEOMS-03								80
GEOMS-03		3.7	109	24.0	23.6	45	60.1	<10
GEOMS-03		3.7	115	23.0	23.2	47	49.0	<10
Target Range - Lower Bound		3.1	104	18.1	19.8	40	44.0	
Upper Bound		4.0	130	24.7	24.4	54	60.8	
GPP-01								
GPP-01								
GPP-01								
GPP-01								
GPP-01								
Target Range - Lower Bound								
Upper Bound								
MRGeo08								20
MRGeo08		5.6	114	5.4	24.8	827	110.0	150
MRGeo08		5.8	110	5.6	27.1	774	111.0	<10
MRGeo08		5.6	108	5.3	27.1	789	103.0	<10
MRGeo08		5.9	107	4.9	28.0	792	111.0	
Target Range - Lower Bound		5.6	99	4.3	24.3	712	92.2	
Upper Bound		7.0	123	6.1	29.9	874	126.0	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
STANDARDS																
OxA59		79	<5	<1												
OxA59		77	<5	<1												
OxA59		72	<5	<1												
OxA59		79	<5	1												
OxA59		76	<5	<1												
Target Range - Lower Bound		75														
Upper Bound		88														
OxA71		80	<5	<1												
Target Range - Lower Bound		78														
Upper Bound		92														
OXD73		416	<5	<1												
OXD73		427	<5	1												
OXD73		405	<5	1												
OXD73		419	<5	2												
OXD73		416	<5	1												
OXD73		408	<5	2												
Target Range - Lower Bound																
Upper Bound																
PGMS-15		379	99	421												
Target Range - Lower Bound		380	86	397												
Upper Bound		440	110	459												
PGMS-16		1165	1285	4860												
PGMS-16		1045	1260	4850												
PGMS-16		1220	1190	4630												
PGMS-16		1255	1225	4770												
PGMS-16		1065	1300	4880												
Target Range - Lower Bound		1040	1140	4330												
Upper Bound		1200	1320	4990												
SL34		5770	<5	3												
Target Range - Lower Bound		5480														
Upper Bound		6310														
ST-252		60	<5	<1												
Target Range - Lower Bound		54	<5	<1												
Upper Bound		64	10	2												

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	
Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	
STANDARDS																
OxA59																
OxA59																
OxA59																
OxA59																
OxA59																
Target Range - Lower Bound																
Upper Bound																
OxA71																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
OXD73																
OXD73																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-15																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
PGMS-16																
PGMS-16																
PGMS-16																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																
SL34																
Target Range - Lower Bound																
Upper Bound																
ST-252																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	
STANDARDS																
OxA59																
OxA59																
OxA59																
OxA59																
Target Range - Lower Bound																
Upper Bound																
OxA71																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
OXD73																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-15																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
PGMS-16																
PGMS-16																
PGMS-16																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																
SL34																
Target Range - Lower Bound																
Upper Bound																
ST-252																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	B-MS61 B ppm 10
Sample Description	STANDARDS						
OxA59							
OxA59							
OxA59							
OxA59							
Target Range - Lower Bound							
Upper Bound							
OxA71							
Target Range - Lower Bound							
Upper Bound							
OXD73							
OXD73							
OXD73							
OXD73							
OXD73							
OXD73							
Target Range - Lower Bound							
Upper Bound							
PGMS-15							
Target Range - Lower Bound							
Upper Bound							
PGMS-16							
PGMS-16							
PGMS-16							
PGMS-16							
PGMS-16							
Target Range - Lower Bound							
Upper Bound							
SL34							
Target Range - Lower Bound							
Upper Bound							
ST-252							
Target Range - Lower Bound							
Upper Bound							

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method Analyte Units LOR	PGM-ICP23 Au ppb	PGM-ICP23 Pt ppb	PGM-ICP23 Pd ppb	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	
	Sample Description	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
BLANKS																
BLANK				<0.01	<0.01	0.2	<10	<0.05	0.02	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK				<0.01	0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	0.02	<0.1	2	<0.05	
BLANK				<0.01	<0.01	0.4	<10	<0.05	0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	
BLANK				0.01	<0.01	0.2	<10	0.09	<0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	
BLANK	1	<5	<1													
BLANK	<1	<5	<1													
BLANK	1	<5	<1													
BLANK	<1	<5	<1													
BLANK				<0.01	<0.01	0.3	<10	<0.05	0.03	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK	<1	<5	1													
BLANK	<1	<5	<1													
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.03	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK	<1	<5	<1													
Target Range - Lower Bound	<1	<5	<1	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
Upper Bound	2	10	2	0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	
DUPLICATES																
ORIGINAL	2	<5	1													
DUP	2	<5	1													
Target Range - Lower Bound	<1	<5	<1													
Upper Bound	3	10	2													
ORIGINAL	1	<5	1													
DUP	2	<5	1													
Target Range - Lower Bound	<1	<5	<1													
Upper Bound	2	10	2													
ORIGINAL	72	<5	4													
DUP	73	<5	4													
Target Range - Lower Bound	68	<5	3													
Upper Bound	77	10	5													

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method Analyte Units LOR	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm
Sample Description	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
BLANKS															
BLANK	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK	<0.2	0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.3
BLANK	<0.2	<0.01	0.07	0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.2
BLANK	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK	0.2	<0.01	0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK															
BLANK															
BLANK															
BLANK	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK															
BLANK	<0.2	<0.01	0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.4
BLANK															
Target Range - Lower Bound	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Upper Bound	0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method Analyte Units LOR	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm
Sample Description	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
BLANKS															
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	0.3	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	0.8	<0.1	<0.002	<0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	0.1	0.002	<0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK															
BLANK															
BLANK															
BLANK	<10	<0.5	0.1	<0.002	<0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK															
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Target Range - Lower Bound	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound	20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method Analyte Units LOR	PGM-ICP23 Au ppb	PGM-ICP23 Pt ppb	PGM-ICP23 Pd ppb	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	
Sample Description	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	
DUPLICATES																
ORIGINAL	<1	<5	<1													
DUP	<1	<5	<1													
Target Range - Lower Bound	<1	<5	<1													
Upper Bound	2	10	2													
ORIGINAL	153	<5	<1													
DUP	162	<5	1													
Target Range - Lower Bound	149	<5	<1													
Upper Bound	166	10	2													
ORIGINAL	4	<5	2													
DUP	2	<5	1													
Target Range - Lower Bound	2	<5	<1													
Upper Bound	4	10	2													
EMNW-3100W/150N	1	<5	<1													
DUP	2	<5	<1													
Target Range - Lower Bound	<1	<5	<1													
Upper Bound	2	10	2													
EMNW-3000W/600S				0.04	5.91	0.9	440	1.21	0.03	1.61	0.11	43.2	4.8	31	0.88	
DUP				0.03	5.78	0.6	420	1.06	0.02	1.57	0.08	41.6	4.1	28	0.73	
Target Range - Lower Bound				0.02	5.54	0.5	390	1.03	<0.01	1.50	0.07	40.3	4.1	27	0.71	
Upper Bound				0.05	6.15	1.0	470	1.24	0.04	1.68	0.12	44.5	4.8	32	0.90	
EMNW-3200W/100S	<1	<5	<1													
DUP	1	<5	1													
Target Range - Lower Bound	<1	<5	<1													
Upper Bound	2	10	2													
EMNW-3200W/250S				0.08	5.74	0.5	530	1.28	0.05	1.22	0.05	29.8	2.7	25	0.90	
DUP				0.07	5.74	0.6	540	1.42	0.06	1.22	0.06	30.4	2.7	22	0.90	
Target Range - Lower Bound				0.06	5.44	0.3	480	1.23	0.04	1.15	0.03	28.6	2.5	21	0.81	
Upper Bound				0.09	6.04	0.8	590	1.47	0.07	1.29	0.08	31.6	2.9	28	1.00	
EMNW-2700W/200S	13	<5	<1													
DUP	<1	<5	<1													
Target Range - Lower Bound	6	<5	<1													
Upper Bound	8	10	2													

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method Analyte Units LOR	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm
Sample Description	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
EMNW-3100W/150N DUP Target Range - Lower Bound Upper Bound															
EMNW-3000W/600S DUP Target Range - Lower Bound Upper Bound	5.4 4.3 4.4 5.3	1.58 1.52 1.46 1.64	15.00 12.40 12.95 14.45	0.09 0.06 <0.05 0.10	4.9 3.8 4.0 4.7	0.024 0.022 0.017 0.029	1.25 1.21 1.16 1.30	21.4 20.6 19.5 22.6	8.3 7.2 7.2 8.3	0.47 0.45 0.43 0.49	363 342 330 375	0.93 0.81 0.78 0.96	2.26 2.21 2.11 2.36	4.8 4.5 4.3 5.0	12.1 10.0 10.3 11.8
EMNW-3200W/100S DUP Target Range - Lower Bound Upper Bound															
EMNW-3200W/250S DUP Target Range - Lower Bound Upper Bound	3.3 3.3 2.9 3.7	1.25 1.24 1.17 1.32	18.30 18.45 17.40 19.35	0.12 0.12 0.06 0.18	5.0 4.9 4.6 5.3	0.021 0.019 0.014 0.026	1.46 1.48 1.39 1.55	14.2 14.5 13.1 15.6	4.8 4.9 4.4 5.3	0.25 0.25 0.23 0.27	194 196 180 210	0.45 0.46 0.38 0.53	2.17 2.20 2.07 2.30	6.4 6.3 5.9 6.8	6.1 6.2 5.6 6.7
EMNW-2700W/200S DUP Target Range - Lower Bound Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method Analyte Units LOR	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm
Sample Description	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
EMNW-3100W/150N DUP Target Range - Lower Bound Upper Bound															
EMNW-3000W/600S DUP Target Range - Lower Bound Upper Bound	300 280 270 310	13.3 11.1 11.1 13.3	51.8 44.1 45.5 50.4	<0.002 <0.002 <0.002 0.004	0.05 0.04 0.03 0.06	0.05 <0.05 <0.05 0.10	8.0 7.0 7.0 8.0	1 1 1 2	0.7 0.6 0.4 0.9	327 319 307 339	0.34 0.27 0.24 0.37	<0.05 <0.05 <0.05 0.10	5.8 4.9 4.9 5.8	0.185 0.180 0.168 0.197	0.27 0.21 0.20 0.28
EMNW-3200W/100S DUP Target Range - Lower Bound Upper Bound															
EMNW-3200W/250S DUP Target Range - Lower Bound Upper Bound	180 190 170 200	16.1 16.1 14.8 17.4	50.7 51.0 48.2 53.5	<0.002 <0.002 <0.002 0.004	0.01 0.01 <0.01 0.02	0.05 0.05 <0.05 0.10	5.2 5.2 4.8 5.6	2 2 1 3	1.0 1.0 0.8 1.3	309 309 293 325	0.40 0.39 0.33 0.46	<0.05 <0.05 <0.05 0.10	3.7 4.3 3.8 4.4	0.210 0.213 0.196 0.227	0.26 0.27 0.23 0.30
EMNW-2700W/200S DUP Target Range - Lower Bound Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	B-MS61 B ppm 10
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES							
ORIGINAL DUP Target Range - Lower Bound Upper Bound								
ORIGINAL DUP Target Range - Lower Bound Upper Bound								
EMNW-3100W/150N DUP Target Range - Lower Bound Upper Bound								
EMNW-3000W/600S DUP Target Range - Lower Bound Upper Bound	1.0 0.9 0.8 1.1	37 36 34 39	1.0 1.2 0.9 1.3	13.3 11.4 11.6 13.1	26 25 22 29	161.5 127.0 136.5 152.0	30 30 20 40	
EMNW-3200W/100S DUP Target Range - Lower Bound Upper Bound								
EMNW-3200W/250S DUP Target Range - Lower Bound Upper Bound	0.8 0.8 0.7 0.9	34 34 31 37	0.4 0.4 0.3 0.5	6.9 6.8 6.4 7.3	13 12 10 15	181.0 175.0 168.5 187.5	<10 <10 <10 20	
EMNW-2700W/200S DUP Target Range - Lower Bound Upper Bound								

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
DUPLICATES																
EMNW-3200W/50N		1	<5	<1	0.04	6.56	2.2	460	1.23	0.08	1.15	0.06	39.3	3.4	35	0.73
DUP		<1	<5	<1	0.03	6.59	2.3	450	1.26	0.11	1.16	0.07	33.5	3.3	36	0.72
Target Range - Lower Bound		<1	<5	<1	0.02	6.24	1.9	410	1.13	0.08	1.09	0.04	34.6	3.1	33	0.64
Upper Bound		2	10	2	0.05	6.91	2.6	500	1.36	0.11	1.22	0.09	38.2	3.6	38	0.81
EMNW-4500W/500S		<1	<5	<1												
DUP		<1	<5	1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EMNW-4500W/50N					0.09	3.71	10.5	300	0.71	0.25	1.03	0.16	26.6	5.8	27	1.18
DUP					0.07	3.65	10.5	290	0.74	0.29	1.03	0.16	31.0	5.6	27	1.20
Target Range - Lower Bound					0.07	3.49	9.8	260	0.64	0.25	0.97	0.13	27.4	5.3	25	1.08
Upper Bound					0.09	3.87	11.2	330	0.81	0.29	1.09	0.19	30.3	6.1	29	1.30
EMNW-5400W/0					0.08	6.17	1.1	500	0.85	0.07	1.20	0.04	22.6	2.5	25	0.60
DUP					0.07	5.75	0.8	470	0.83	0.08	1.14	0.04	23.9	2.6	22	0.56
Target Range - Lower Bound					0.06	5.65	0.7	440	0.75	0.06	1.10	<0.02	22.1	2.3	21	0.50
Upper Bound					0.09	6.27	1.2	530	0.93	0.09	1.24	0.06	24.4	2.8	26	0.66
H927219					0.10	7.60	79.4	240	1.90	6.72	0.71	0.06	13.00	1.8	8	14.75
DUP					0.10	7.27	80.4	240	1.83	6.32	0.68	0.06	11.30	1.9	8	14.30
Target Range - Lower Bound					0.09	7.05	75.7	210	1.72	6.18	0.65	0.04	11.55	1.7	7	13.75
Upper Bound					0.12	7.82	84.1	270	2.01	6.86	0.74	0.08	12.75	2.0	9	15.30
ORIGINAL		1	<5	<1												
DUP		<1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
ORIGINAL		188	<5	28												
DUP		183	<5	27												
Target Range - Lower Bound		175	<5	25												
Upper Bound		196	10	30												
ORIGINAL		74	<5	3												
DUP		85	<5	3												
Target Range - Lower Bound		75	<5	2												
Upper Bound		84	10	4												

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method Analyte Units LOR	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	
Sample Description	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	
DUPLICATES																
EMNW-3200W/50N	3.4	2.55	22.4	0.11	5.5	0.028	1.33	19.0	4.6	0.28	232	0.46	1.84	7.0	9.0	
DUP	3.2	2.57	23.1	0.12	6.3	0.030	1.32	16.4	4.7	0.28	232	0.48	1.84	7.2	8.5	
Target Range - Lower Bound	2.9	2.42	21.6	0.06	5.5	0.023	1.25	16.3	4.2	0.26	215	0.40	1.74	6.6	8.1	
Upper Bound	3.7	2.70	23.9	0.17	6.3	0.035	1.40	19.1	5.1	0.30	249	0.54	1.94	7.6	9.4	
EMNW-4500W/500S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMNW-4500W/50N	8.6	3.49	11.65	0.10	2.9	0.025	0.83	13.6	6.3	0.32	312	6.69	1.30	4.0	10.4	
DUP	7.9	3.52	12.05	0.10	2.4	0.025	0.81	15.9	6.0	0.31	307	6.58	1.30	3.9	10.3	
Target Range - Lower Bound	7.6	3.32	11.20	<0.05	2.4	0.019	0.77	13.5	5.6	0.29	289	6.25	1.23	3.7	9.6	
Upper Bound	8.9	3.69	12.50	0.16	2.9	0.031	0.87	16.0	6.7	0.34	330	7.02	1.38	4.2	11.1	
EMNW-5400W/0	1.7	1.85	20.6	0.11	6.6	0.020	1.48	12.4	3.2	0.27	226	0.39	2.01	7.0	6.1	
DUP	1.6	1.74	20.5	0.14	6.7	0.017	1.37	13.4	3.2	0.25	213	0.36	1.88	6.3	6.9	
Target Range - Lower Bound	1.4	1.70	19.45	0.07	6.2	0.013	1.34	11.8	2.8	0.24	204	0.31	1.84	6.2	6.0	
Upper Bound	1.9	1.89	21.6	0.18	7.1	0.024	1.51	14.0	3.6	0.28	235	0.44	2.05	7.1	7.0	
H927219	2.5	1.01	20.8	0.10	1.8	0.010	4.22	5.8	31.7	0.16	213	0.42	3.13	8.2	3.7	
DUP	2.6	1.00	20.9	0.12	1.7	0.010	4.07	5.0	32.5	0.15	211	0.40	3.06	8.4	4.0	
Target Range - Lower Bound	2.2	0.94	19.75	<0.05	1.6	<0.005	3.93	4.6	30.3	0.14	196	0.34	2.93	7.8	3.5	
Upper Bound	2.9	1.07	21.9	0.17	1.9	0.016	4.36	6.2	33.9	0.17	228	0.48	3.26	8.8	4.2	
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method Analyte Units LOR	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb1 ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm
Sample Description	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
DUPLICATES															
EMNW-3200W/50N	510	18.2	53.5	<0.002	0.02	0.07	6.3	2	1.2	266	0.47	<0.05	7.3	0.232	0.25
DUP	520	17.9	53.2	<0.002	0.02	0.07	6.4	2	1.2	267	0.49	<0.05	6.3	0.233	0.24
Target Range - Lower Bound	480	16.6	50.6	<0.002	<0.01	<0.05	5.9	<1	0.9	253	0.41	<0.05	6.3	0.216	0.21
Upper Bound	550	19.5	56.1	0.004	0.03	0.10	6.8	3	1.5	280	0.55	0.10	7.3	0.249	0.28
EMNW-4500W/500S															
DUP															
Target Range - Lower Bound															
Upper Bound															
EMNW-4500W/50N	690	23.8	28.8	<0.002	0.07	0.20	4.4	3	1.2	196.0	0.25	0.10	3.0	0.154	0.19
DUP	690	23.8	28.2	<0.002	0.07	0.20	4.4	3	1.2	197.5	0.24	0.13	3.8	0.150	0.18
Target Range - Lower Bound	650	22.1	27.0	<0.002	0.06	0.14	4.1	2	0.9	186.5	0.18	0.06	3.0	0.139	0.15
Upper Bound	730	25.5	30.0	0.004	0.08	0.27	4.7	4	1.5	207	0.31	0.17	3.8	0.165	0.22
EMNW-5400W/0	400	17.4	46.9	<0.002	0.02	0.07	5.2	2	1.1	302	0.48	<0.05	3.7	0.247	0.22
DUP	370	15.2	47.5	<0.002	0.02	0.07	5.4	2	1.0	283	0.38	<0.05	4.3	0.230	0.23
Target Range - Lower Bound	360	15.0	44.7	<0.002	<0.01	<0.05	4.9	<1	0.8	278	0.36	<0.05	3.6	0.222	0.19
Upper Bound	410	17.6	49.7	0.004	0.03	0.10	5.7	3	1.3	307	0.50	0.10	4.4	0.255	0.28
H927219	250	51.6	182.5	<0.002	0.01	0.27	3.8	2	2.3	147.5	1.31	<0.05	8.7	0.034	0.91
DUP	240	51.4	179.5	<0.002	0.01	0.24	3.9	1	2.2	143.0	1.36	<0.05	8.1	0.035	0.90
Target Range - Lower Bound	220	48.4	172.0	<0.002	<0.01	0.19	3.6	<1	1.9	138.0	1.22	<0.05	7.8	0.028	0.82
Upper Bound	270	54.6	190.0	0.004	0.02	0.32	4.1	2	2.6	152.5	1.45	0.10	9.0	0.041	0.99
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	U	V	W	Y	Zn	Zr	B
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.1	1	0.1	0.1	2	0.5	10
DUPLICATES								
EMNW-3200W/50N		1.0	54	0.6	8.1	17	179.5	<10
DUP		1.0	52	0.6	7.7	16	196.5	<10
Target Range - Lower Bound		0.9	49	0.5	7.4	14	178.0	<10
Upper Bound		1.2	57	0.7	8.4	19	198.0	20
EMNW-4500W/500S								
DUP								
Target Range - Lower Bound								
Upper Bound								
EMNW-4500W/50N		1.0	81	3.9	6.6	32	95.8	10
DUP		1.1	81	3.8	6.5	32	82.5	30
Target Range - Lower Bound		0.9	76	3.5	6.1	28	84.2	<10
Upper Bound		1.2	86	4.2	7.0	36	94.1	30
EMNW-5400W/0		0.9	46	0.4	5.9	12	234	
DUP		1.0	41	0.4	6.3	11	230	
Target Range - Lower Bound		0.8	40	0.3	5.7	9	220	
Upper Bound		1.1	47	0.5	6.5	14	244	
H927219		9.6	6	0.5	10.1	22	30.1	40
DUP		9.1	6	0.5	9.8	22	29.9	50
Target Range - Lower Bound		8.8	5	0.4	9.4	19	28.0	30
Upper Bound		9.9	7	0.6	10.5	25	32.0	60
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
	DUPLICATES														
ORIGINAL				32.6	0.29	961	4390	0.12	142.5	0.12	6.08	11.90	14.1	9	0.59
DUP				33.6	0.29	971	3970	0.14	149.0	0.12	6.32	14.15	14.3	8	0.60
Target Range - Lower Bound				31.4	0.27	918	3860	0.07	138.5	0.10	5.87	12.35	13.4	7	0.52
Upper Bound				34.8	0.31	1015	4500	0.19	153.0	0.14	6.53	13.70	15.0	10	0.67
ORIGINAL	<1	<5	1												
DUP	<1	<5	<1												
Target Range - Lower Bound	<1	<5	<1												
Upper Bound	2	10	2												
ORIGINAL	16	10	5												
DUP	12	<5	5												
Target Range - Lower Bound	12	<5	4												
Upper Bound	16	10	6												
ORIGINAL	3	<5	<1												
DUP	2	<5	1												
Target Range - Lower Bound	<1	<5	<1												
Upper Bound	4	10	2												

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method Analyte Units	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
Sample Description	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	
LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	
DUPLICATES																
ORIGINAL	127.0	14.15	1.55	0.16	0.1	0.087	0.08	6.7	5.8	0.06	908	7.37	<0.01	0.2	96.2	
DUP	128.0	14.15	1.55	0.15	0.1	0.088	0.08	8.1	5.9	0.06	902	7.52	<0.01	0.3	97.1	
Target Range - Lower Bound	121.0	13.45	1.42	0.10	<0.1	0.078	0.07	6.5	5.4	0.05	855	7.02	<0.01	<0.1	91.6	
Upper Bound	134.0	14.85	1.68	0.21	0.2	0.097	0.09	8.3	6.3	0.07	955	7.87	0.02	0.4	101.5	
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method Analyte Units LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
	DUPLICATES														
ORIGINAL	1160	7210	5.0	<0.002	0.27	36.5	2.1	4	1.4	48.2	<0.05	0.15	0.6	0.005	0.48
DUP	1170	7190	5.1	<0.002	0.26	37.8	2.1	4	1.4	47.8	<0.05	0.16	0.6	0.005	0.51
Target Range - Lower Bound	1100	6840	4.7	<0.002	0.24	34.3	1.9	3	1.1	45.4	<0.05	0.10	0.4	<0.005	0.44
Upper Bound	1230	7560	5.4	0.004	0.29	40.0	2.3	5	1.7	50.6	0.10	0.21	0.8	0.010	0.55
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 7 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
Analyte	U	V	W	Y	Zn	Zr	B
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Sample Description	LOR						
	0.1	1	0.1	0.1	2	0.5	10
	DUPLICATES						
ORIGINAL	10.0	9	1.0	4.3	5170	5.2	
DUP	10.3	9	1.0	4.3	5140	5.3	<10
Target Range - Lower Bound	9.5	8	0.8	4.0	4900	4.5	<10
Upper Bound	10.8	10	1.2	4.6	5410	6.0	20
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095402

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 30-SEP-2009
Account: MVR

QC CERTIFICATE SD09095403

Project: EASTMAIN MINE

P.O. No.:

This report is for 147 Soil samples submitted to our lab in Sudbury, ON, Canada on 3-SEP-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
DRY-22	Drying - Maximum Temp 60C


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095403

Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	
Sample Description	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	
STANDARDS																
GBM3961c				8.69	4.12	726	690	0.89	21.1	3.08	23.2	52.3	160.0	646	5.68	
GBM3961c				8.29	4.38	743	380	0.80	20.9	3.13	22.0	50.6	159.0	696	5.33	
GBM3961c				8.18	4.10	767	560	0.98	21.7	3.14	22.3	52.0	157.5	677	5.43	
GBM3961c				8.00	4.53	770	170	0.93	22.6	3.20	23.4	46.8	161.0	648	5.13	
Target Range - Lower Bound				7.28	3.75	669	210	0.77	18.15	2.77	19.35	43.5	144.0	594	4.83	
Upper Bound				8.92	4.60	818	300	1.05	22.2	3.40	23.7	53.2	176.5	728	6.01	
GBM999-5				55.4	4.46	3.6	170	1.25	0.54	0.10	0.21	25.7	3.3	4	0.77	
GBM999-5				58.6	4.76	4.0	180	1.31	0.56	0.10	0.21	27.7	3.4	5	0.79	
Target Range - Lower Bound				53.5	4.26	3.0	140	1.12	0.50	0.08	0.17	23.6	2.9	4	0.69	
Upper Bound				65.4	5.22	4.2	210	1.48	0.64	0.12	0.25	28.9	3.7	8	0.95	
GEOMS-03				0.79	4.83	603	2340	1.66	0.41	0.39	0.37	54.5	13.1	120	10.80	
GEOMS-03				0.73	5.48	655	2560	1.44	0.37	0.41	0.33	52.7	11.4	126	10.05	
Target Range - Lower Bound				0.67	4.61	570	2060	1.34	0.31	0.33	0.30	47.0	10.7	105	9.04	
Upper Bound				0.85	5.65	697	2810	1.74	0.41	0.43	0.42	57.4	13.3	131	11.15	
GPP-01	1065	961	706													
GPP-01	873	936	727													
Target Range - Lower Bound	841	892	682													
Upper Bound	969	1040	786													
MRGeo08				4.44	7.44	30.1	1030	3.39	0.65	2.61	2.34	73.1	21.9	85	13.35	
MRGeo08				4.34	7.57	30.0	1050	3.52	1625	2.57	2.30	77.2	19.3	94	12.70	
MRGeo08				4.35	7.32	29.6	1040	3.52	0.70	2.59	2.32	83.1	20.4	91	13.10	
Target Range - Lower Bound				4.16	7.00	29.7	920	2.80	0.63	2.35	2.01	72.9	18.4	82	11.00	
Upper Bound				5.10	8.57	36.7	1270	3.54	0.79	2.90	2.50	89.1	22.8	102	13.60	
OxA59	78	<5	1													
OxA59	73	<5	<1													
Target Range - Lower Bound	75															
Upper Bound	88															
OXD73	409	<5	<1													
OXD73	401	<5	1													
Target Range - Lower Bound																
Upper Bound																
PGMS-16	1235	1175	4670													
PGMS-16	1120	1230	4720													
Target Range - Lower Bound	1040	1140	4330													
Upper Bound	1200	1320	4990													
PK2	5020	4860	5890													

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
STANDARDS																
GBM3961c		2800	8.55	13.95	0.29	1.9	1.515	0.76	28.7	20.7	2.59	854	11.05	0.66	3.7	1970
GBM3961c		3050	8.86	12.20	0.24	1.7	1.295	0.76	26.4	17.0	2.57	891	10.50	0.66	3.4	2210
GBM3961c		3050	9.01	12.40	0.21	1.9	1.380	0.77	28.0	17.4	2.57	892	10.65	0.63	3.5	2120
GBM3961c		3080	9.00	12.65	0.27	1.9	1.430	0.80	25.6	19.3	2.68	900	10.75	0.65	3.5	2090
Target Range - Lower Bound		2590	8.00	11.75	0.17	1.5	1.250	0.68	22.9	16.8	2.32	780	8.97	0.56	3.0	1925
Upper Bound		3160	9.80	14.45	0.32	2.1	1.540	0.85	29.1	21.0	2.85	964	11.10	0.71	3.9	2350
GBM999-5		444	2.90	15.75	0.22	0.8	0.031	3.38	13.9	3.3	0.03	62	4.27	0.96	5.3	4.1
GBM999-5		482	2.96	17.40	0.12	0.7	0.027	3.69	14.5	4.3	0.04	64	4.48	1.00	6.6	3.8
Target Range - Lower Bound		429	2.67	14.70	0.07	0.6	0.022	3.10	11.8	2.8	0.03	54	3.77	0.83	5.3	3.8
Upper Bound		525	3.29	18.10	0.19	1.0	0.038	3.81	15.6	3.8	0.05	78	4.71	1.03	6.7	5.0
GEOMS-03		131.0	4.04	14.65	0.24	1.7	0.054	1.09	30.9	44.6	0.50	496	3.70	0.09	16.2	56.1
GEOMS-03		134.0	4.34	14.05	0.12	1.2	0.045	1.17	29.5	45.6	0.53	546	3.41	0.07	14.0	50.2
Target Range - Lower Bound		120.5	3.64	12.00	0.10	1.2	0.035	1.03	25.6	37.6	0.48	483	3.05	0.08	13.1	48.1
Upper Bound		147.5	4.48	14.75	0.24	1.6	0.053	1.29	32.4	46.4	0.60	601	3.83	0.10	16.3	59.3
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		611	3.91	20.8	0.23	3.6	0.191	3.05	36.7	37.1	1.33	550	16.10	1.96	22.2	651
MRGeo08		641	3.91	19.10	0.18	3.3	0.181	2.90	38.1	37.5	1.29	555	15.65	1.90	21.0	675
MRGeo08		635	4.05	19.75	0.18	3.5	0.184	3.04	40.8	34.5	1.29	561	15.55	1.93	21.9	652
Target Range - Lower Bound		568	3.61	17.50	0.09	2.8	0.161	2.79	36.3	30.4	1.24	506	13.65	1.76	18.3	617
Upper Bound		694	4.43	21.5	0.23	3.6	0.207	3.43	45.5	37.6	1.54	630	16.75	2.18	22.5	755
OxA59																
OxA59																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																
PK2																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095403

Method Analyte Units LOR	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm	
Sample Description	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	
STANDARDS																
GBM3961c	270	1790	74.6	0.007	3.65	32.6	14.2	8	7.2	92.0	0.83	3.53	7.3	0.244	1.08	
GBM3961c	280	1915	64.8	0.005	3.97	29.4	13.3	7	6.2	88.2	0.99	3.17	7.0	0.253	0.98	
GBM3961c	270	1905	68.6	0.004	3.66	33.2	13.9	7	6.9	92.1	0.96	3.37	6.8	0.247	1.06	
GBM3961c	290	1940	72.5	0.005	3.96	31.1	14.1	9	6.2	97.5	0.81	3.65	6.4	0.254	1.03	
Target Range - Lower Bound	250	1725	60.5	<0.002	3.33	25.3	11.9	6	5.7	83.7	0.71	3.01	5.8	0.213	0.82	
Upper Bound	330	2110	74.1	0.007	4.10	34.4	14.8	9	7.4	102.5	0.98	3.79	7.5	0.272	1.15	
GBM999-5	50	500	460	0.006	0.29	5.45	2.0	2	1.6	16.3	0.29	0.33	5.2	0.019	2.09	
GBM999-5	50	551	480	0.005	0.31	5.84	2.0	3	1.7	16.8	0.40	0.33	5.2	0.020	2.19	
Target Range - Lower Bound	40	487	433	0.003	0.26	4.78	1.7	<1	1.3	14.5	0.26	0.21	4.4	0.013	1.75	
Upper Bound	70	597	529	0.008	0.34	6.58	2.3	3	2.1	18.2	0.42	0.37	5.8	0.027	2.41	
GEOMS-03	1040	7.7	66.9	0.002	0.03	19.60	14.7	4	2.7	173.0	1.06	0.17	7.4	0.441	1.28	
GEOMS-03	1140	7.2	64.6	0.002	0.04	18.25	13.7	3	2.5	177.5	0.98	0.13	6.8	0.488	1.27	
Target Range - Lower Bound	970	7.2	55.7	<0.002	0.03	15.85	12.4	2	2.1	157.5	0.81	0.07	6.2	0.409	0.99	
Upper Bound	1210	9.9	68.3	0.004	0.05	21.5	15.4	4	3.0	192.5	1.10	0.19	8.0	0.511	1.39	
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
MRGeo08	1020	998	187.0	0.010	0.31	4.80	12.1	3	4.3	310	1.88	0.07	19.7	0.497	1.07	
MRGeo08	1010	1030	193.5	0.008	0.33	9.29	11.9	3	4.1	294	1.53	0.10	20.4	0.484	1.03	
MRGeo08	1060	1040	191.5	0.007	0.31	4.72	13.6	3	4.2	307	1.62	<0.05	23.0	0.486	1.12	
Target Range - Lower Bound	910	965	187.0	0.008	0.27	4.08	11.0	<1	3.5	272	1.48	<0.05	19.2	0.454		
Upper Bound	1140	1180	229	0.014	0.35	5.64	13.6	2	4.7	332	1.92	0.10	23.9	0.566		
OxA59																
OxA59																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																
PK2																

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	B ppm
		0.1	1	0.1	0.1	2	0.5	10
STANDARDS								
GBM3961c		1.9	106	19.0	12.5	6350	71.7	<10
GBM3961c		1.9	108	17.9	11.3	6660	58.6	<10
GBM3961c		1.6	106	18.3	11.2	6710	58.8	
GBM3961c		1.6	111	16.0	11.7	6720	62.2	
Target Range - Lower Bound		1.4	97	14.6	10.7	6280	52.6	
Upper Bound		1.9	120	20.0	13.3	7680	72.4	
GBM999-5		1.9	7	2.6	11.9	107	17.7	10
GBM999-5		2.0	6	2.5	12.3	117	20.3	40
Target Range - Lower Bound		1.8	5	2.1	10.3	102	16.4	
Upper Bound		2.4	9	3.0	12.6	129	23.4	
GEOMS-03		3.8	110	24.4	24.0	43	63.9	<10
GEOMS-03		3.6	117	22.6	20.4	49	37.7	20
Target Range - Lower Bound		3.1	104	18.1	19.8	40	44.0	
Upper Bound		4.0	130	24.7	24.4	54	60.8	
GPP-01								
GPP-01								
Target Range - Lower Bound								
Upper Bound								
MRGeo08								<10
MRGeo08		6.1	111	5.4	27.4	782	111.5	<10
MRGeo08		5.6	108	5.3	27.1	789	103.0	<10
MRGeo08		6.1	108	5.0	27.4	776	97.7	
Target Range - Lower Bound		5.6	99	4.3	24.3	712	92.2	
Upper Bound		7.0	123	6.1	29.9	874	126.0	
OxA59								
OxA59								
Target Range - Lower Bound								
Upper Bound								
OXD73								
OXD73								
Target Range - Lower Bound								
Upper Bound								
PGMS-16								
PGMS-16								
Target Range - Lower Bound								
Upper Bound								
PK2								

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095403

Method Analyte Units LOR	PGM-ICP23 Au ppb 1	PGM-ICP23 Pt ppb 5	PGM-ICP23 Pd ppb 1	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	
STANDARDS																
Target Range - Lower Bound	4450	4410	5500													
Upper Bound	5120	5090	6330													
SL34	5970	5	2													
Target Range - Lower Bound	5480															
Upper Bound	6310															
ST-252	63	<5	1													
Target Range - Lower Bound	54	<5	<1													
Upper Bound	64	10	2													
BLANKS																
BLANK	1	<5	<1													
BLANK	<1	<5	<1													
BLANK				<0.01	<0.01	0.2	<10	<0.05	0.01	<0.01	0.03	<0.01	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	0.3	<10	<0.05	0.02	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK	<1	<5	<1													
BLANK				<0.01	<0.01	0.3	<10	<0.05	0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	0.3	<10	<0.05	0.03	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.02	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
Target Range - Lower Bound	<1	<5	<1	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
Upper Bound	2	10	2	0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	
DUPLICATES																
EMNW-4300W/650S	56	<5	<1													
DUP	<1	<5	<1													
Target Range - Lower Bound	28	<5	<1													
Upper Bound	31	10	2													

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095403

Method Analyte Units	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Sample Description	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	
LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	
STANDARDS																
Target Range - Lower Bound																
Upper Bound																
SL34																
Target Range - Lower Bound																
Upper Bound																
ST-252																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK	<0.2	<0.01	0.06	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.2	
BLANK	<0.2	<0.01	0.08	0.06	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
BLANK	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
BLANK	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
BLANK	<0.2	<0.01	0.05	0.07	<0.1	0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
BLANK	0.2	<0.01	0.05	0.08	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
Target Range - Lower Bound	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
Upper Bound	0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	
DUPLICATES																
EMNW-4300W/650S																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095403

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
Sample Description	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	
	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	
STANDARDS																
Target Range: Lower Bound																
Upper Bound																
SL34																
Target Range: Lower Bound																
Upper Bound																
ST-252																
Target Range: Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK	10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	
BLANK																
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	0.02	
BLANK	<10	<0.5	0.1	<0.002	<0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	
BLANK	<10	<0.5	0.2	<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	
Target Range: Lower Bound	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	
Upper Bound	20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04	
DUPLICATES																
EMNW-4300W/650S																
DUP																
Target Range: Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095403

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
Analyte	U	V	W	Y	Zn	Zr	B
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.1	1	0.1	0.1	2	0.5	10
STANDARDS							
Target Range - Lower Bound							
Upper Bound							
SL34							
Target Range - Lower Bound							
Upper Bound							
ST-252							
Target Range - Lower Bound							
Upper Bound							
BLANKS							
BLANK							
BLANK							
BLANK							<10
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	<10
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	<10
BLANK							
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	70
BLANK	0.2	<1	<0.1	<0.1	<2	<0.5	<10
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	
Target Range - Lower Bound	<0.1	<1	<0.1	<0.1	<2	<0.5	<10
Upper Bound	0.2	2	0.2	0.2	4	1.0	20
DUPLICATES							
EMNW-4300W/650S							
DUP							
Target Range - Lower Bound							
Upper Bound							

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
DUPLICATES																
EMNW-4300W/150S					0.03	4.50	<0.2	540	0.82	0.10	0.87	0.06	29.9	0.9	14	0.53
DUP					0.01	4.33	<0.2	540	0.86	0.10	0.86	0.08	28.9	0.9	13	0.53
Target Range - Lower Bound					<0.01	4.18	<0.2	490	0.75	0.09	0.81	0.05	27.9	0.8	12	0.45
Upper Bound					0.03	4.65	0.4	590	0.93	0.12	0.92	0.09	30.9	1.0	15	0.61
EMNW-5600W/600S		1	<5	<1												
DUP		1	5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EMNW-4900W/200N					0.05	5.90	2.7	480	1.00	0.09	1.16	0.07	31.2	2.7	32	0.65
DUP					0.04	5.65	2.3	460	1.08	0.10	1.11	0.06	30.0	2.5	30	0.65
Target Range - Lower Bound					0.03	5.48	2.2	420	0.94	0.08	1.07	0.04	29.1	2.4	28	0.57
Upper Bound					0.06	6.07	2.8	520	1.14	0.11	1.20	0.09	32.1	2.8	34	0.73
EMNW-4400W/550S		<1	<5	<1												
DUP		2	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EMNW-5300W/800S		14	<5	<1												
DUP		3	<5	<1												
Target Range - Lower Bound		7	<5	<1												
Upper Bound		10	10	2												
EMNW-5300W/650S					0.01	5.50	1.0	520	1.15	0.11	1.20	0.06	39.1	3.1	28	0.87
DUP					0.02	5.46	1.8	510	1.03	0.11	1.19	0.06	39.3	3.1	29	0.85
Target Range - Lower Bound					<0.01	5.20	1.1	470	0.99	0.09	1.13	0.04	37.2	2.8	26	0.77
Upper Bound					0.02	5.76	1.7	560	1.19	0.13	1.26	0.08	41.2	3.4	31	0.95
EMNW-5400W/450S		2	<5	1												
DUP		4	<5	<1												
Target Range - Lower Bound		2	<5	<1												
Upper Bound		4	10	2												
EMNW-4700W/100S					0.05	4.79	1.6	530	0.96	0.24	1.05	0.06	26.6	2.1	23	0.70
DUP					0.06	4.74	1.5	520	1.02	0.17	1.03	0.05	24.6	1.9	21	0.66
Target Range - Lower Bound					0.04	4.52	1.3	480	0.89	0.18	0.98	0.03	24.3	1.8	20	0.60
Upper Bound					0.07	5.01	1.8	570	1.09	0.23	1.10	0.08	26.9	2.2	24	0.76

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095403

Method Analyte Units LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	
Sample Description																
	DUPLICATES															
EMNW-4300W/150S	4.2	0.56	12.80	0.06	9.2	0.009	1.53	15.0	3.0	0.09	134	0.39	1.68	6.1	3.2	
DUP	3.7	0.57	12.70	0.06	9.5	0.009	1.45	14.6	2.9	0.09	131	0.36	1.63	6.0	2.8	
Target Range - Lower Bound	3.6	0.53	12.05	<0.05	8.8	<0.005	1.41	13.6	2.6	0.08	121	0.31	1.56	5.6	2.7	
Upper Bound	4.3	0.60	13.45	0.10	9.9	0.010	1.57	16.0	3.3	0.10	144	0.44	1.75	6.5	3.4	
EMNW-5600W/600S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMNW-4900W/200N	2.6	2.66	20.8	0.10	6.8	0.020	1.40	15.4	4.6	0.25	276	0.56	1.95	6.7	5.8	
DUP	2.5	2.40	20.3	0.10	6.4	0.019	1.33	14.9	5.0	0.23	263	0.53	1.86	6.8	5.6	
Target Range - Lower Bound	2.2	2.39	19.45	<0.05	6.2	0.014	1.29	13.9	4.4	0.22	251	0.47	1.80	6.3	5.2	
Upper Bound	2.9	2.67	21.6	0.16	7.0	0.025	1.44	16.4	5.2	0.26	288	0.62	2.01	7.2	6.2	
EMNW-4400W/550S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMNW-5300W/800S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMNW-5300W/650S	2.5	1.80	20.8	0.12	7.6	0.023	1.64	20.4	4.8	0.30	242	0.83	2.12	8.8	7.9	
DUP	2.3	1.86	19.65	0.11	7.7	0.017	1.63	20.5	4.2	0.30	260	0.72	2.12	10.0	7.3	
Target Range - Lower Bound	2.1	1.73	19.15	0.06	7.2	0.014	1.54	18.9	4.1	0.28	233	0.69	2.00	8.8	7.0	
Upper Bound	2.7	1.93	21.3	0.17	8.1	0.026	1.73	22.0	4.9	0.33	269	0.86	2.24	10.0	8.2	
EMNW-5400W/450S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMNW-4700W/100S	1.3	1.26	16.45	0.16	6.7	0.014	1.53	13.7	3.4	0.19	188	0.48	1.86	5.8	5.9	
DUP	1.6	1.26	15.85	0.20	6.2	0.011	1.51	12.6	3.2	0.18	192	0.46	1.84	5.9	4.9	
Target Range - Lower Bound	1.2	1.19	15.30	0.12	6.0	0.007	1.43	12.0	2.9	0.17	176	0.40	1.75	5.5	4.9	
Upper Bound	1.7	1.33	17.00	0.24	6.9	0.018	1.61	14.3	3.7	0.20	205	0.54	1.95	6.2	5.9	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
Units		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
LOR		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	
DUPLICATES																
EMNW-4300W/150S		190	16.7	49.7	<0.002	0.01	0.09	2.2	2	1.2	265	0.42	<0.05	6.3	0.251	0.26
DUP		190	16.0	49.0	<0.002	<0.01	0.07	2.2	2	1.2	255	0.39	<0.05	5.9	0.239	0.25
Target Range - Lower Bound		170	15.0	46.8	<0.002	<0.01	<0.05	2.0	<1	0.9	247	0.33	<0.05	5.6	0.228	0.22
Upper Bound		210	17.7	51.9	0.004	0.02	0.10	2.4	3	1.5	273	0.48	0.10	6.6	0.262	0.29
EMNW-5600W/600S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMNW-4900W/200N		410	15.4	48.0	<0.002	0.01	0.23	5.4	2	1.1	282	0.42	<0.05	5.0	0.279	0.27
DUP		410	15.0	48.0	<0.002	0.01	0.19	5.3	2	1.1	270	0.43	<0.05	5.0	0.254	0.24
Target Range - Lower Bound		380	13.9	45.5	<0.002	<0.01	0.14	5.0	<1	0.8	262	0.35	<0.05	4.6	0.248	0.22
Upper Bound		440	16.5	50.5	0.004	0.02	0.28	5.7	3	1.4	290	0.50	0.10	5.5	0.285	0.29
EMNW-4400W/550S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMNW-5300W/800S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMNW-5300W/650S		210	19.0	64.9	<0.002	0.01	0.09	5.5	2	1.5	297	0.60	<0.05	7.2	0.269	0.31
DUP		210	18.9	61.7	<0.002	0.01	0.08	5.4	1	1.5	296	0.77	<0.05	8.0	0.270	0.29
Target Range - Lower Bound		190	17.5	60.0	<0.002	<0.01	<0.05	5.1	<1	1.2	281	0.60	<0.05	7.0	0.251	0.26
Upper Bound		230	20.4	66.6	0.004	0.02	0.10	5.8	2	1.8	312	0.77	0.10	8.2	0.288	0.34
EMNW-5400W/450S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMNW-4700W/100S		190	18.4	53.5	<0.002	0.01	0.07	4.1	1	1.2	275	0.38	<0.05	5.7	0.230	0.29
DUP		190	17.5	52.1	<0.002	0.01	0.07	3.8	1	1.2	272	0.39	<0.05	4.8	0.235	0.28
Target Range - Lower Bound		170	16.6	50.1	<0.002	<0.01	<0.05	3.7	<1	0.9	260	0.32	<0.05	4.8	0.216	0.24
Upper Bound		210	19.3	55.5	0.004	0.02	0.10	4.2	2	1.5	287	0.45	0.10	5.7	0.249	0.33

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	U	V	W	Y	Zn	Zr	B
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.1	1	0.1	0.1	2	0.5	10
DUPLICATES								
EMNW-4300W/150S		1.1	21	0.6	3.9	2	270	<10
DUP		1.1	20	0.6	4.0	3	273	<10
Target Range - Lower Bound		0.9	18	0.5	3.7	<2	257	<10
Upper Bound		1.3	23	0.7	4.2	4	286	20
EMNW-5600W/600S								
DUP								
Target Range - Lower Bound								
Upper Bound								
EMNW-4900W/200N		1.0	52	0.6	6.8	16	238	30
DUP		0.9	47	0.6	6.7	14	212	20
Target Range - Lower Bound		0.8	46	0.5	6.3	12	213	<10
Upper Bound		1.1	53	0.7	7.2	18	237	40
EMNW-4400W/550S								
DUP								
Target Range - Lower Bound								
Upper Bound								
EMNW-5300W/800S								
DUP								
Target Range - Lower Bound								
Upper Bound								
EMNW-5300W/650S		1.3	59	0.7	7.9	13	252	<10
DUP		1.5	60	0.7	8.2	13	252	<10
Target Range - Lower Bound		1.2	56	0.5	7.5	10	239	<10
Upper Bound		1.6	63	0.9	8.6	16	265	20
EMNW-5400W/450S								
DUP								
Target Range - Lower Bound								
Upper Bound								
EMNW-4700W/100S		1.0	39	0.5	5.3	9	223	<10
DUP		0.9	39	0.5	4.7	9	207	<10
Target Range - Lower Bound		0.8	36	0.4	4.7	7	204	<10
Upper Bound		1.1	42	0.6	5.4	11	226	20

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	0.05	
DUPLICATES																
EMNW-4400W/100S		<1	<5	<1												
DUP		<1	6	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
ORIGINAL		<1	<5	<1												
DUP		<1	5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
ORIGINAL					32.6	0.29	961	4390	0.12	142.5	0.12	6.08	11.90	14.1	9	0.59
DUP					33.6	0.29	971	3970	0.14	149.0	0.12	6.32	14.15	14.3	8	0.60
Target Range - Lower Bound					31.4	0.27	918	3860	0.07	138.5	0.10	5.87	12.35	13.4	7	0.52
Upper Bound					34.8	0.31	1015	4500	0.19	153.0	0.14	6.53	13.70	15.0	10	0.87

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095403

Method Analyte Units LOR	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm
Sample Description	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
EMNW-4400W/100S DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL	127.0	14.15	1.55	0.16	0.1	0.087	0.08	6.7	5.8	0.06	908	7.37	<0.01	0.2	96.2
DUP	128.0	14.15	1.55	0.15	0.1	0.088	0.08	8.1	5.9	0.06	902	7.52	<0.01	0.3	97.1
Target Range - Lower Bound	121.0	13.45	1.42	0.10	<0.1	0.078	0.07	6.5	5.4	0.05	855	7.02	<0.01	<0.1	91.6
Upper Bound	134.0	14.85	1.68	0.21	0.2	0.097	0.09	8.3	6.3	0.07	955	7.87	0.02	0.4	101.5

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method Analyte Units LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
DUPLICATES																
EMNW-4400W/100S DUP Target Range - Lower Bound Upper Bound																
ORIGINAL DUP Target Range - Lower Bound Upper Bound																
ORIGINAL DUP Target Range - Lower Bound Upper Bound		1160 1170 1100 1230	7210 7190 6840 7560	5.0 5.1 4.7 5.4	<0.002 <0.002 <0.002 0.004	0.27 0.26 0.24 0.29	36.5 37.8 34.3 40.0	2.1 2.1 1.9 2.3	4 4 3 5	1.4 1.4 1.1 1.7	48.2 47.8 45.4 50.6	<0.05 <0.05 <0.05 0.10	0.15 0.16 0.10 0.21	0.6 0.6 0.4 0.8	0.005 0.005 <0.005 0.010	0.48 0.51 0.44 0.55

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095403

Sample Description	Method	Analyte	Units	LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	U	V	W	Y	Zn	Zr	B				
	ppm	ppm	ppm	ppm	ppm	ppm	ppm				
	0.1	1	0.1	0.1	2	0.5	10				
EMNW-4400W/100S DUP Target Range - Lower Bound Upper Bound	DUPLICATES										
ORIGINAL DUP Target Range - Lower Bound Upper Bound											
ORIGINAL DUP Target Range - Lower Bound Upper Bound	10.0 10.3 9.5 10.8	9 9 8 10	1.0 1.0 0.8 1.2	4.3 4.3 4.0 4.6	5170 5140 4900 5410	5.2 5.3 4.5 6.0	<10 <10 20				

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095403

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 30-SEP-2009
Account: MVR

QC CERTIFICATE SD09095404

Project: EASTMAIN MINE

P.O. No.:

This report is for 123 Soil samples submitted to our lab in Sudbury, ON, Canada on 3-SEP-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
DRY-22	Drying - Maximum Temp 60C

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
STANDARDS																
GBM3961c					8.18	4.26	751	150	0.73	21.8	3.15	23.2	50.1	160.5	682	5.28
GBM3961c					8.12	4.31	750	240	0.77	20.5	3.17	20.7	47.3	155.0	663	5.09
Target Range - Lower Bound					7.28	3.75	689	210	0.77	18.15	2.77	19.35	43.5	144.0	594	4.83
Upper Bound					8.92	4.60	818	300	1.05	22.2	3.40	23.7	53.2	176.5	728	6.01
GBM999-5					55.5	4.36	3.2	170	1.14	0.56	0.10	0.21	24.9	3.1	7	0.75
GBM999-5					64.6	4.63	3.7	180	1.32	0.56	0.10	0.21	27.3	3.4	6	0.75
Target Range - Lower Bound					53.5	4.26	3.0	140	1.12	0.50	0.08	0.17	23.6	2.9	4	0.69
Upper Bound					65.4	5.22	4.2	210	1.48	0.64	0.12	0.25	28.9	3.7	8	0.95
GEOMS-03					0.71	5.21	648	2550	1.47	0.38	0.41	0.36	54.2	12.1	122	10.80
GEOMS-03					0.62	5.01	629	2430	1.63	0.32	0.40	0.31	48.0	10.8	118	9.40
Target Range - Lower Bound					0.67	4.61	570	2060	1.34	0.31	0.33	0.30	47.0	10.7	105	9.04
Upper Bound					0.85	5.65	697	2810	1.74	0.41	0.43	0.42	57.4	13.3	131	11.15
GPP-01		807	946	682												
GPP-01		848	997	734												
GPP-01		857	972	703												
Target Range - Lower Bound		841	892	682												
Upper Bound		969	1040	786												
MRGeo08					4.51	7.86	31.4	1080	3.04	0.73	2.64	2.41	85.8	20.9	92	13.25
MRGeo08					4.53	7.70	30.8	1080	3.41	0.67	2.65	2.37	78.9	19.9	92	13.35
Target Range - Lower Bound					4.16	7.00	29.7	920	2.80	0.63	2.35	2.01	72.9	18.4	82	11.00
Upper Bound					5.10	8.57	36.7	1270	3.54	0.79	2.90	2.50	89.1	22.8	102	13.60
OxA59		72	<5	<1												
OxA59		77	7	1												
OxA59		74	<5	<1												
Target Range - Lower Bound		75														
Upper Bound		88														
OXD73		405	<5	1												
OXD73		407	6	1												
OXD73		399	<5	<1												
Target Range - Lower Bound																
Upper Bound																
PGMS-15		423	113	458												
Target Range - Lower Bound		380	86	397												
Upper Bound		440	110	459												
PGMS-16		1160	1285	4600												
Target Range - Lower Bound		1040	1140	4330												
Upper Bound		1200	1320	4990												
PK2		4870	4800	6210												

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095404

Sample Description	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	
Method Analyte Units LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	
STANDARDS																
GBM3961c	2950	9.05	12.60	0.25	1.9	1.420	0.77	26.9	14.5	2.64	874	10.55	0.66	3.4	2090	
GBM3961c	2950	9.08	12.00	0.24	1.7	1.285	0.79	25.4	17.5	2.66	875	9.85	0.68	3.3	2030	
Target Range - Lower Bound	2590	8.00	11.75	0.17	1.5	1.250	0.68	22.9	16.8	2.32	780	8.97	0.56	3.0	1925	
Upper Bound	3160	9.80	14.45	0.32	2.1	1.540	0.85	29.1	21.0	2.85	964	11.10	0.71	3.9	2350	
GBM999-5	479	2.92	15.80	0.09	0.6	0.029	3.45	13.5	3.3	0.03	64	4.24	0.91	5.7	3.9	
GBM999-5	474	3.02	15.25	0.09	0.7	0.031	3.51	14.7	3.4	0.03	63	4.34	0.98	5.4	4.3	
Target Range - Lower Bound	429	2.67	14.70	0.07	0.6	0.022	3.10	11.8	2.8	0.03	54	3.77	0.83	5.3	3.8	
Upper Bound	525	3.29	18.10	0.19	1.0	0.038	3.81	15.6	3.8	0.05	78	4.71	1.03	6.7	5.0	
GEOMS-03	138.0	4.35	14.25	0.14	1.3	0.048	1.11	30.4	45.7	0.51	551	3.77	0.08	15.9	55.0	
GEOMS-03	128.0	4.14	12.65	0.12	1.6	0.048	1.10	26.8	44.9	0.50	514	3.15	0.08	14.5	48.7	
Target Range - Lower Bound	120.5	3.64	12.00	0.10	1.2	0.035	1.03	25.6	37.6	0.48	483	3.05	0.08	13.1	48.1	
Upper Bound	147.5	4.48	14.75	0.24	1.6	0.053	1.29	32.4	46.4	0.60	601	3.83	0.10	16.3	59.3	
GPP-01																
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
MRGeo08	623	4.00	20.7	0.20	3.5	0.200	3.02	44.0	30.9	1.36	557	15.60	1.95	22.3	670	
MRGeo08	626	3.97	20.3	0.19	3.4	0.191	3.04	39.4	35.2	1.36	554	15.30	1.95	21.4	661	
Target Range - Lower Bound	568	3.61	17.50	0.09	2.8	0.161	2.79	36.3	30.4	1.24	506	13.65	1.76	18.3	617	
Upper Bound	694	4.43	21.5	0.23	3.6	0.207	3.43	45.5	37.6	1.54	630	16.75	2.18	22.5	755	
OxA59																
OxA59																
OxA59																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-15																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																
PK2																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095404

Sample Description	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	
Method Analyte Units LOR	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	
STANDARDS																
GBM3961c	280	1905	67.3	0.005	3.73	31.9	13.4	6	6.6	89.2	0.88	3.15	7.2	0.252	1.00	
GBM3961c	270	1890	64.0	0.004	3.74	28.2	13.2	6	5.9	94.6	0.86	3.02	6.3	0.252	0.84	
Target Range - Lower Bound	250	1725	60.5	<0.002	3.33	25.3	11.9	6	5.7	83.7	0.71	3.01	5.8	0.213	0.82	
Upper Bound	330	2110	74.1	0.007	4.10	34.4	14.8	9	7.4	102.5	0.98	3.79	7.5	0.272	1.15	
GBM999-5	50	516	470	0.007	0.28	5.32	1.8	3	1.5	16.5	0.35	0.33	5.1	0.018	2.08	
GBM999-5	40	534	480	0.005	0.30	5.25	1.8	3	1.5	17.2	0.31	0.31	5.4	0.019	1.96	
Target Range - Lower Bound	40	487	433	0.003	0.26	4.78	1.7	<1	1.3	14.5	0.26	0.21	4.4	0.013	1.75	
Upper Bound	70	597	529	0.008	0.34	6.58	2.3	3	2.1	18.2	0.42	0.37	5.8	0.027	2.41	
GEOMS-03	1150	7.2	63.8	0.003	0.04	19.45	13.5	4	2.7	184.5	1.00	0.15	6.6	0.467	1.30	
GEOMS-03	1060	6.9	57.5	<0.002	0.03	16.10	12.6	3	2.3	171.5	0.95	0.10	6.3	0.457	1.08	
Target Range - Lower Bound	970	7.2	55.7	<0.002	0.03	15.85	12.4	2	2.1	157.5	0.81	0.07	6.2	0.409	0.99	
Upper Bound	1210	9.9	68.3	0.004	0.05	21.5	15.4	4	3.0	192.5	1.10	0.19	8.0	0.511	1.39	
GPP-01																
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
MRGeo08	1040	1035	222	0.009	0.31	4.85	13.0	3	4.3	316	1.74	0.05	23.0	0.496	1.08	
MRGeo08	1030	1035	199.0	0.008	0.31	4.65	12.9	3	4.1	312	1.66	<0.05	20.9	0.495	1.04	
Target Range - Lower Bound	910	965	187.0	0.008	0.27	4.08	11.0	<1	3.5	272	1.48	<0.05	19.2	0.454		
Upper Bound	1140	1180	229	0.014	0.35	5.64	13.6	2	4.7	332	1.92	0.10	23.9	0.566		
OxA59																
OxA59																
OxA59																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-15																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																
PK2																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	U	V	W	Y	Zn	Zr	B
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.1	1	0.1	0.1	2	0.5	10
STANDARDS								
GBM3961c		1.8	107	18.1	11.2	6830	61.6	<10
GBM3961c		1.5	108	16.9	11.3	6790	57.6	20
Target Range - Lower Bound		1.4	97	14.6	10.7	6280	52.6	
Upper Bound		1.9	120	20.0	13.3	7680	72.4	
GBM999-5		2.0	7	2.5	10.8	113	20.1	<10
GBM999-5		1.9	7	2.4	10.9	112	19.5	50
Target Range - Lower Bound		1.8	5	2.1	10.3	102	16.4	
Upper Bound		2.4	9	3.0	12.8	129	23.4	
GEOMS-03		3.7	115	23.0	23.2	47	49.0	<10
GEOMS-03		3.2	111	19.9	20.2	46	59.7	<10
Target Range - Lower Bound		3.1	104	18.1	19.8	40	44.0	
Upper Bound		4.0	130	24.7	24.4	54	60.8	
GPP-01								
GPP-01								
GPP-01								
Target Range - Lower Bound								
Upper Bound								
MRGeo08		6.4	109	5.2	28.6	814	110.0	<10
MRGeo08		5.7	108	5.0	28.2	798	104.0	40
Target Range - Lower Bound		5.6	99	4.3	24.3	712	92.2	
Upper Bound		7.0	123	6.1	29.9	874	126.0	
OxA59								
OxA59								
OxA59								
Target Range - Lower Bound								
Upper Bound								
OXD73								
OXD73								
OXD73								
Target Range - Lower Bound								
Upper Bound								
PGMS-15								
Target Range - Lower Bound								
Upper Bound								
PGMS-16								
Target Range - Lower Bound								
Upper Bound								
PK2								

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095404

Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
Sample Description	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
STANDARDS															
Target Range - Lower Bound	4450	4410	5500												
Upper Bound	5120	5090	6330												
SL34	5880	<5	3												
Target Range - Lower Bound	5480														
Upper Bound	6310														
ST-252	56	<5	<1												
Target Range - Lower Bound	54	<5	<1												
Upper Bound	64	10	2												
BLANKS															
BLANK				0.01	<0.01	0.2	<10	0.09	<0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.02	<0.01	<0.02	0.02	<0.1	<1	<0.05
BLANK				<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
BLANK				0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05
BLANK	<1	<5	<1												
BLANK	2	<5	1												
BLANK	1	<5	1												
BLANK	<1	<5	<1												
Target Range - Lower Bound	<1	<5	<1	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
Upper Bound	2	10	2	0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10
DUPLICATES															
EMNW-3200W/50N	1	<5	<1												
DUP	<1	<5	<1												
Target Range - Lower Bound	<1	<5	<1												
Upper Bound	2	10	2												
EMNW-4500W/500S	<1	<5	<1												
DUP	<1	<5	1												
Target Range - Lower Bound	<1	<5	<1												
Upper Bound	2	10	2												

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095404

Method Analyte Units LOR	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm
Sample Description	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
STANDARDS															
Target Range: Lower Bound															
Upper Bound															
SL34															
Target Range: Lower Bound															
Upper Bound															
ST-252															
Target Range: Lower Bound															
Upper Bound															
BLANKS															
BLANK	0.2	<0.01	0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK	<0.2	<0.01	0.07	0.10	<0.1	0.007	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK															
BLANK															
BLANK															
Target Range: Lower Bound	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Upper Bound	0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4
DUPLICATES															
EMNW-3200W/50N DUP															
Target Range: Lower Bound															
Upper Bound															
EMNW-4500W/500S DUP															
Target Range: Lower Bound															
Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095404

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
STANDARDS															
Target Range - Lower Bound															
Upper Bound															
SL34															
Target Range - Lower Bound															
Upper Bound															
ST-252															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK	<10	<0.5	0.1	0.002	<0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	0.9	0.6	<0.002	<0.01	0.07	0.1	1	<0.2	0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	0.6	0.2	<0.002	<0.01	0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	0.2	<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK															
BLANK															
BLANK															
BLANK															
Target Range - Lower Bound	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound	20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04
DUPLICATES															
EMNW-3200W/50N															
DUP															
Target Range - Lower Bound															
Upper Bound															
EMNW-4500W/500S															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095404

Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	B-MS61 B ppm 10
STANDARDS							
Target Range - Lower Bound							
Upper Bound							
SL34							
Target Range - Lower Bound							
Upper Bound							
ST-252							
Target Range - Lower Bound							
Upper Bound							
BLANKS							
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	30
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	30
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	20
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	80
BLANK							
BLANK							
BLANK							
BLANK							
Target Range - Lower Bound	<0.1	<1	<0.1	<0.1	<2	<0.5	<10
Upper Bound	0.2	2	0.2	0.2	4	1.0	20
DUPLICATES							
EMNW-3200W/50N DUP							
Target Range - Lower Bound							
Upper Bound							
EMNW-4500W/500S DUP							
Target Range - Lower Bound							
Upper Bound							

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - A

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 30-SEP-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
DUPLICATES																
EMNW-4500W/50N					0.09	3.71	10.5	300	0.71	0.25	1.03	0.16	26.6	5.8	27	1.18
DUP					0.07	3.65	10.5	290	0.74	0.29	1.03	0.16	31.0	5.6	27	1.20
Target Range - Lower Bound					0.07	3.49	9.8	260	0.64	0.25	0.97	0.13	27.4	5.3	25	1.08
Upper Bound					0.09	3.87	11.2	330	0.81	0.29	1.09	0.19	30.3	6.1	29	1.30
EMNW-3500W/250N					0.23	3.16	0.6	290	1.24	0.10	0.98	0.22	42.0	3.0	47	0.64
DUP					0.24	3.05	1.0	280	1.25	0.11	0.95	0.22	34.0	3.0	43	0.69
Target Range - Lower Bound					0.21	2.94	0.6	250	1.13	0.09	0.91	0.19	36.1	2.8	42	0.58
Upper Bound					0.26	3.27	1.0	320	1.36	0.12	1.02	0.25	39.9	3.3	48	0.75
EMNW-5600W/50S		2	<5	1												
DUP		2	<5	1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		3	10	2												
EMNW-4200W/300S		3	<5	<1												
DUP		3	<5	1												
Target Range - Lower Bound		2	<5	<1												
Upper Bound		4	10	2												
EMNW-5500W/0					0.08	6.26	1.3	490	1.85	0.12	1.27	0.09	38.5	4.1	40	0.84
DUP					0.03	5.93	1.9	470	1.72	0.12	1.20	0.08	50.7	4.0	38	0.83
Target Range - Lower Bound					0.04	5.78	1.3	430	1.65	0.10	1.16	0.06	42.4	3.7	36	0.74
Upper Bound					0.07	6.41	1.9	530	1.92	0.14	1.31	0.11	46.8	4.4	42	0.93
EMNW-4100W/350S		4	<5	<1												
DUP		1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		4	10	2												
EMNW-4200W/450S					0.03	7.27	0.8	430	1.22	0.07	1.25	0.07	29.7	3.1	35	0.73
DUP					0.02	7.32	0.5	430	1.26	0.08	1.24	0.10	32.0	3.2	37	0.76
Target Range - Lower Bound					<0.01	6.92	0.4	390	1.13	0.06	1.17	0.06	29.3	2.9	33	0.66
Upper Bound					0.04	7.67	0.9	470	1.35	0.09	1.32	0.11	32.4	3.4	39	0.83
EMNW-4800W/600S		4	<5	<1												
DUP		1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		4	10	2												

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095404

Method Analyte Units LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
DUPLICATES															
EMNW-4500W/50N	8.6	3.49	11.65	0.10	2.9	0.025	0.83	13.6	6.3	0.32	312	6.69	1.30	4.0	10.4
DUP	7.9	3.52	12.05	0.10	2.4	0.025	0.81	15.9	6.0	0.31	307	6.58	1.30	3.9	10.3
Target Range - Lower Bound	7.6	3.32	11.20	<0.05	2.4	0.019	0.77	13.5	5.6	0.29	289	6.25	1.23	3.7	9.6
Upper Bound	8.9	3.69	12.50	0.16	2.9	0.031	0.87	16.0	6.7	0.34	330	7.02	1.38	4.2	11.1
EMNW-3500W/250N	16.5	1.15	8.67	0.12	4.4	0.043	0.74	21.5	4.8	0.41	235	2.01	0.98	5.1	15.3
DUP	18.7	1.12	8.58	0.10	3.9	0.043	0.69	17.8	5.1	0.39	232	2.16	0.92	5.6	15.6
Target Range - Lower Bound	16.5	1.07	8.14	<0.05	3.8	0.036	0.67	18.2	4.5	0.37	217	1.93	0.89	5.0	14.5
Upper Bound	18.7	1.20	9.11	0.17	4.5	0.050	0.76	21.1	5.4	0.43	250	2.24	1.01	5.7	16.4
EMNW-5600W/50S															
DUP															
Target Range - Lower Bound															
Upper Bound															
EMNW-4200W/300S															
DUP															
Target Range - Lower Bound															
Upper Bound															
EMNW-5500W/0	6.5	2.43	19.50	0.11	6.9	0.029	1.52	18.2	7.4	0.33	256	0.78	2.12	7.7	9.9
DUP	6.3	2.35	18.90	0.12	7.5	0.031	1.45	25.0	7.2	0.32	247	0.79	2.05	7.6	9.9
Target Range - Lower Bound	5.9	2.26	18.20	0.06	6.7	0.024	1.40	20.0	6.7	0.30	234	0.70	1.97	7.2	9.2
Upper Bound	6.9	2.52	20.2	0.17	7.7	0.037	1.57	23.2	7.9	0.35	269	0.87	2.20	8.1	10.6
EMNW-4100W/350S															
DUP															
Target Range - Lower Bound															
Upper Bound															
EMNW-4200W/450S	2.8	2.66	19.05	0.09	4.8	0.032	1.23	13.3	5.2	0.30	226	0.40	1.96	6.1	7.6
DUP	3.8	2.65	19.20	0.10	5.1	0.034	1.26	14.3	5.3	0.30	228	0.42	2.00	6.4	7.4
Target Range - Lower Bound	2.9	2.51	18.10	<0.05	4.6	0.026	1.17	12.6	4.8	0.28	211	0.34	1.87	5.8	6.9
Upper Bound	3.7	2.80	20.1	0.10	5.3	0.040	1.32	15.0	5.7	0.33	243	0.48	2.09	6.7	8.1
EMNW-4800W/600S															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095404

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	
Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	
DUPLICATES																
EMNW-4500W/50N	690	23.8	28.8	<0.002	0.07	0.20	4.4	3	1.2	196.0	0.25	0.10	3.0	0.154	0.19	
DUP	690	23.8	28.2	<0.002	0.07	0.20	4.4	3	1.2	197.5	0.24	0.13	3.8	0.150	0.18	
Target Range - Lower Bound	650	22.1	27.0	<0.002	0.06	0.14	4.1	2	0.9	186.5	0.18	0.08	3.0	0.139	0.15	
Upper Bound	730	25.5	30.0	0.004	0.08	0.27	4.7	4	1.5	207	0.31	0.17	3.8	0.165	0.22	
EMNW-3500W/250N	1050	12.2	30.0	<0.002	0.14	0.09	9.7	2	1.6	167.0	0.35	<0.05	8.8	0.195	0.17	
DUP	1100	11.9	30.3	<0.002	0.15	0.10	10.3	3	1.6	161.0	0.37	<0.05	4.6	0.196	0.17	
Target Range - Lower Bound	1010	10.9	28.5	<0.002	0.13	<0.05	9.4	<1	1.3	155.5	0.29	<0.05	6.2	0.181	0.14	
Upper Bound	1140	13.2	31.8	0.004	0.16	0.10	10.6	4	1.9	172.5	0.43	0.10	7.2	0.210	0.20	
EMNW-5600W/50S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMNW-4200W/300S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMNW-5500W/0	400	21.1	57.5	<0.002	0.01	0.15	7.1	2	1.1	298	0.53	0.06	6.9	0.202	0.30	
DUP	400	20.0	54.3	<0.002	0.01	0.13	7.0	2	1.1	287	0.51	0.06	8.7	0.200	0.29	
Target Range - Lower Bound	370	19.0	53.0	<0.002	<0.01	0.08	6.6	<1	0.8	278	0.44	<0.05	7.2	0.188	0.25	
Upper Bound	430	22.1	58.8	0.004	0.02	0.20	7.5	3	1.4	307	0.60	0.10	8.4	0.216	0.34	
EMNW-4100W/350S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMNW-4200W/450S	710	17.8	43.3	<0.002	0.03	0.11	6.6	2	0.9	280	0.42	<0.05	4.5	0.210	0.22	
DUP	740	18.4	44.0	<0.002	0.04	0.13	6.6	2	0.9	285	0.41	<0.05	4.7	0.216	0.23	
Target Range - Lower Bound	680	16.7	41.4	<0.002	0.02	0.06	6.2	<1	0.7	268	0.34	<0.05	4.2	0.197	0.19	
Upper Bound	770	19.5	45.9	0.004	0.05	0.18	7.0	3	1.1	297	0.49	0.10	5.0	0.229	0.26	
EMNW-4800W/600S																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095404

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	U	V	W	Y	Zn	Zr	B
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.1	1	0.1	0.1	2	0.5	10
DUPLICATES								
EMNW-4500W/50N		1.0	81	3.9	6.6	32	95.8	10
DUP		1.1	81	3.8	6.5	32	82.5	30
Target Range - Lower Bound		0.9	76	3.5	6.1	28	84.2	<10
Upper Bound		1.2	86	4.2	7.0	36	94.1	30
EMNW-3500W/250N		2.0	25	0.5	13.0	35	144.5	<10
DUP		1.9	24	0.5	13.0	35	132.0	60
Target Range - Lower Bound		1.8	22	0.4	12.3	31	131.0	20
Upper Bound		2.1	27	0.6	13.8	39	145.5	50
EMNW-5600W/50S								
DUP								
Target Range - Lower Bound								
Upper Bound								
EMNW-4200W/300S								
DUP								
Target Range - Lower Bound								
Upper Bound								
EMNW-5500W/0		1.2	43	0.6	8.7	15	217	<10
DUP		1.3	43	0.6	8.8	15	234	30
Target Range - Lower Bound		1.1	40	0.5	8.2	12	214	<10
Upper Bound		1.4	46	0.7	9.3	18	237	30
EMNW-4100W/350S								
DUP								
Target Range - Lower Bound								
Upper Bound								
EMNW-4200W/450S		0.9	45	0.5	8.4	18	152.0	10
DUP		0.9	44	0.6	8.7	19	165.0	50
Target Range - Lower Bound		0.8	41	0.4	8.0	16	150.0	20
Upper Bound		1.0	48	0.7	9.1	21	167.0	40
EMNW-4800W/600S								
DUP								
Target Range - Lower Bound								
Upper Bound								

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095404

Method Analyte Units LOR	PGM-ICP23 Au ppb	PGM-ICP23 Pt ppb	PGM-ICP23 Pd ppb	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	
Sample Description	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	
DUPLICATES																
ORIGINAL	<1	<5	2													
DUP	1	<5	3													
Target Range - Lower Bound	<1	<5	<1													
Upper Bound	2	10	4													
ORIGINAL	15	9	87													
DUP	11	6	84													
Target Range - Lower Bound	11	<5	80													
Upper Bound	15	10	91													
ORIGINAL	3	5	91													
DUP	8	<5	112													
Target Range - Lower Bound	4	<5	95													
Upper Bound	7	10	108													
ORIGINAL	<1	<5	1													
DUP	<1	<5	<1													
Target Range - Lower Bound	<1	<5	<1													
Upper Bound	2	10	2													

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095404

Method Analyte Units	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Sample Description LOR	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095404

Method Analyte Units LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
ORIGINAL DUP Target Range: Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range: Lower Bound Upper Bound															
ORIGINAL DUP Target Range: Lower Bound Upper Bound															
ORIGINAL DUP Target Range: Lower Bound Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095404

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
Analyte	U	V	W	Y	Zn	Zr	B
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.1	1	0.1	0.1	2	0.5	10
Sample Description	DUPLICATES						
ORIGINAL DUP Target Range - Lower Bound Upper Bound							
ORIGINAL DUP Target Range - Lower Bound Upper Bound							
ORIGINAL DUP Target Range - Lower Bound Upper Bound							
ORIGINAL DUP Target Range - Lower Bound Upper Bound							

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 30-SEP-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095404

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 26-SEP-2009
Account: MVR

QC CERTIFICATE SD09095405

Project: EASTMAIN MINE

P.O. No.:

This report is for 120 Soil samples submitted to our lab in Sudbury, ON, Canada on 3-SEP-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
DRY-22	Drying - Maximum Temp 60C

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - A

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 26-SEP-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095405

Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
Sample Description	ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
STANDARDS															
GBM3961c				8.61	4.38	779	80	0.78	22.8	3.23	22.0	50.9	155.5	657	4.93
GBM3961c				7.93	4.11	728	100	0.78	19.85	3.01	21.0	44.2	154.0	628	4.84
GBM3961c				8.23	4.04	707	290	0.87	22.0	3.01	21.7	52.6	151.0	626	5.21
GBM3961c				8.13	4.01	733	240	0.77	21.6	3.02	20.7	45.4	151.0	648	4.93
GBM3961c				8.77	4.27	756	150	0.91	20.2	3.08	21.4	44.8	156.0	647	5.15
GBM3961c															
GBM3961c				8.60	4.18	743	400	0.86	21.1	3.13	22.6	45.6	151.5	641	5.02
GBM3961c				8.66	4.26	747	350	0.95	21.1	3.13	22.4	48.2	165.5	662	4.84
Target Range - Lower Bound				7.28	3.75	669	210	0.77	18.15	2.77	19.35	43.5	144.0	594	4.83
Upper Bound				8.92	4.60	818	300	1.05	22.2	3.40	23.7	53.2	176.5	728	6.01
GBM999-5				59.0	4.77	3.1	180	1.45	0.60	0.10	0.22	26.5	3.3	7	0.80
Target Range - Lower Bound				53.5	4.26	3.0	140	1.12	0.50	0.08	0.17	23.6	2.9	4	0.69
Upper Bound				65.4	5.22	4.2	210	1.48	0.64	0.12	0.25	28.9	3.7	8	0.95
GEOMS-03				0.74	5.14	643	2450	1.57	0.38	0.40	0.31	47.9	11.5	118	9.98
Target Range - Lower Bound				0.67	4.61	570	2060	1.34	0.31	0.33	0.30	47.0	10.7	105	9.04
Upper Bound				0.85	5.65	697	2810	1.74	0.41	0.43	0.42	57.4	13.3	131	11.15
GPP-01	909	919	686												
GPP-01	900	945	712												
GPP-01	922	910	704												
GPP-01	1030	916	688												
Target Range - Lower Bound	841	892	682												
Upper Bound	969	1040	786												
LKSD-3															
Target Range - Lower Bound															
Upper Bound															
MRGeo08				4.16	7.79	31.3	1060	3.62	0.64	2.64	2.17	74.9	19.4	92	11.80
MRGeo08				4.34	7.40	28.9	1030	2.87	0.77	2.51	2.20	78.8	21.0	91	12.50
MRGeo08				4.36	7.11	30.4	1000	3.50	0.72	2.51	2.28	73.5	19.4	90	13.05
MRGeo08				4.47	7.31	26.6	1020	3.48	0.73	2.55	2.32	77.5	20.8	90	12.75
MRGeo08				4.58	7.88	42.9	1040	3.28	1.00	2.60	2.34	82.8	19.9	88	13.05
MRGeo08															
MRGeo08				4.59	7.95	31.7	1090	3.31	0.65	2.69	2.20	77.1	20.8	94	11.35
Target Range - Lower Bound				4.16	7.00	29.7	920	2.80	0.63	2.35	2.01	72.9	18.4	82	11.00
Upper Bound				5.10	8.57	36.7	1270	3.54	0.79	2.90	2.50	89.1	22.8	102	13.60

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095405

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	
Sample Description	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	
STANDARDS																
GBM3961c	3000	9.21	14.00	0.20	1.9	1.325	0.81	26.5	17.5	2.70	907	10.90	0.70	3.2	2050	
GBM3961c	2820	8.70	12.40	0.18	1.7	1.255	0.76	23.1	17.1	2.52	857	9.94	0.63	3.1	1990	
GBM3961c	2750	8.58	11.85	0.17	1.8	1.360	0.75	28.7	17.0	2.55	845	10.30	0.64	3.2	1970	
GBM3961c	2790	8.66	12.10	0.15	1.7	1.300	0.77	24.0	16.0	2.57	850	9.71	0.63	3.2	2030	
GBM3961c	2890	8.85	13.60	0.27	1.9	1.265	0.78	24.2	18.4	2.60	841	11.05	0.66	3.5	2040	
GBM3961c	2900	8.67	13.20	0.20	1.9	1.315	0.78	23.3	18.2	2.63	842	10.90	0.66	3.4	2070	
GBM3961c	3120	9.06	14.25	0.27	1.9	1.280	0.78	26.3	17.6	2.61	896	11.60	0.65	3.7	2090	
Target Range - Lower Bound	2590	8.00	11.75	0.17	1.5	1.250	0.68	22.9	16.8	2.32	780	8.97	0.58	3.0	1925	
Upper Bound	3160	9.80	14.45	0.32	2.1	1.540	0.85	29.1	21.0	2.85	964	11.10	0.71	3.9	2350	
GBM999-5	479	3.03	16.15	0.14	0.7	0.031	3.71	14.1	3.6	0.04	64	4.43	1.01	6.6	4.0	
Target Range - Lower Bound	429	2.67	14.70	0.07	0.6	0.022	3.10	11.8	2.8	0.03	54	3.77	0.83	5.3	3.8	
Upper Bound	525	3.29	18.10	0.19	1.0	0.038	3.81	15.6	3.8	0.05	78	4.71	1.03	6.7	5.0	
GEOMS-03	129.5	4.14	13.10	0.14	1.6	0.053	1.15	28.2	44.1	0.53	538	3.56	0.12	14.6	51.0	
Target Range - Lower Bound	120.5	3.64	12.00	0.10	1.2	0.035	1.03	25.6	37.6	0.48	483	3.05	0.06	13.1	48.1	
Upper Bound	147.5	4.48	14.75	0.24	1.6	0.053	1.29	32.4	46.4	0.60	601	3.83	0.10	16.3	59.3	
GPP-01																
GPP-01																
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
LKSD-3																
Target Range - Lower Bound																
Upper Bound																
MRGeo08	623	4.09	21.1	0.14	3.4	0.166	3.04	40.4	33.3	1.36	559	14.95	1.97	20.6	652	
MRGeo08	603	3.93	19.90	0.20	3.5	0.185	2.96	40.1	31.0	1.31	541	15.65	1.91	21.2	640	
MRGeo08	600	3.87	19.40	0.16	3.4	0.180	2.92	35.3	34.7	1.30	533	15.55	1.91	20.8	640	
MRGeo08	592	3.78	20.8	0.20	3.6	0.195	2.96	37.2	39.1	1.33	534	15.75	1.93	21.9	666	
MRGeo08	625	3.99	21.1	0.18	3.5	0.179	3.02	43.1	33.0	1.35	546	16.50	1.94	22.3	654	
MRGeo08	669	4.23	20.6	0.20	3.4	0.162	3.24	37.8	30.5	1.35	581	15.90	1.99	21.8	702	
Target Range - Lower Bound	568	3.61	17.50	0.09	2.8	0.161	2.79	36.3	30.4	1.24	506	13.85	1.76	18.3	617	
Upper Bound	694	4.43	21.5	0.23	3.6	0.207	3.43	45.5	37.6	1.54	630	16.75	2.18	22.5	755	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm
		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
STANDARDS																
GBM3961c		290	1910	75.4	0.003	3.82	32.4	13.5	6	7.0	94.9	0.95	3.59	7.3	0.242	1.04
GBM3961c		270	1790	61.7	0.004	3.58	28.2	13.4	7	6.1	88.4	0.90	3.25	6.7	0.236	0.93
GBM3961c		260	1820	63.9	0.004	3.47	28.7	13.5	6	6.6	87.1	0.72	3.23	7.4	0.235	0.92
GBM3961c		270	1810	68.0	0.004	3.53	28.9	13.0	6	6.1	85.0	0.72	3.04	6.5	0.244	0.95
GBM3961c		270	1890	66.9	0.004	3.65	30.9	13.9	7	6.3	91.7	0.90	3.24	6.3	0.239	1.00
GBM3961c		270	1835	64.9	0.005	3.67	30.4	14.1	7	6.4	91.8	0.89	3.29	6.5	0.240	1.05
GBM3961c		280	1885	72.6	0.004	3.80	32.3	14.1	8	7.4	98.9	0.95	3.41	6.4	0.242	1.02
Target Range - Lower Bound		250	1725	60.5	<0.002	3.33	25.3	11.9	6	5.7	83.7	0.71	3.01	5.8	0.213	0.82
Upper Bound		330	2110	74.1	0.007	4.10	34.4	14.8	9	7.4	102.5	0.98	3.79	7.5	0.272	1.15
GBM999-5		60	543	490	0.005	0.30	5.67	1.9	2	1.7	17.5	0.43	0.37	5.3	0.020	2.03
Target Range - Lower Bound		40	487	433	0.003	0.26	4.78	1.7	<1	1.3	14.5	0.26	0.21	4.4	0.013	1.75
Upper Bound		70	597	529	0.008	0.34	6.58	2.3	3	2.1	18.2	0.42	0.37	5.8	0.027	2.41
GEOMS-03		1080	8.5	64.5	<0.002	0.03	18.05	12.8	4	2.5	172.5	1.01	0.16	6.5	0.457	1.31
Target Range - Lower Bound		970	7.2	55.7	<0.002	0.03	15.85	12.4	2	2.1	157.5	0.81	0.07	6.2	0.409	0.99
Upper Bound		1210	9.9	68.3	0.004	0.05	21.5	15.4	4	3.0	192.5	1.10	0.19	8.0	0.511	1.39
GPP-01																
GPP-01																
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
LKSD-3																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		1030	1020	185.5	0.007	0.31	4.33	12.5	3	4.2	310	1.60	<0.05	21.3	0.492	1.03
MRGeo08		1040	983	203	0.008	0.30	4.51	12.8	2	4.0	295	1.54	<0.05	22.9	0.481	0.97
MRGeo08		990	999	166.0	0.007	0.29	4.49	12.2	2	4.0	291	1.68	0.05	20.0	0.469	0.97
MRGeo08		990	994	185.5	0.010	0.29	4.74	12.8	2	4.3	289	1.53	0.05	20.7	0.482	1.08
MRGeo08		1070	1020	201	0.011	0.32	4.72	12.5	3	5.1	306	1.53	<0.05	22.1	0.486	1.06
MRGeo08		1100	1105	214	0.009	0.32	4.67	11.9	3	4.3	328	1.64	<0.05	19.4	0.511	1.04
Target Range - Lower Bound		910	965	187.0	0.008	0.27	4.08	11.0	<1	3.5	272	1.48	<0.05	19.2	0.454	
Upper Bound		1140	1180	229	0.014	0.35	5.64	13.6	2	4.7	332	1.92	0.10	23.9	0.586	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	U	V	W	Y	Zn	Zr	B
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.1	1	0.1	0.1	2	0.5	10
STANDARDS								
GBM3961c		1.8	107	18.2	11.9	6590	59.1	<10
GBM3961c		1.6	102	17.2	11.1	6350	56.8	<10
GBM3961c		1.8	103	17.5	11.1	6520	55.9	80
GBM3961c		1.6	105	16.5	10.9	6650	57.9	<10
GBM3961c		1.5	105	17.0	11.2	6760	58.5	<10
GBM3961c								<10
GBM3961c		1.6	106	17.9	10.8	6420	63.8	
GBM3961c		1.7	107	19.3	11.0	6500	75.1	
Target Range - Lower Bound		1.4	97	14.6	10.7	6280	52.6	
Upper Bound		1.9	120	20.0	13.3	7680	72.4	
GBM999-5		2.1	8	2.5	11.7	118	20.6	<10
Target Range - Lower Bound		1.8	5	2.1	10.3	102	16.4	
Upper Bound		2.4	9	3.0	12.8	129	23.4	
GEOMS-03		3.5	112	21.9	22.4	45	59.3	20
Target Range - Lower Bound		3.1	104	18.1	19.8	40	44.0	
Upper Bound		4.0	130	24.7	24.4	54	60.8	
GPP-01								
GPP-01								
GPP-01								
GPP-01								
Target Range - Lower Bound								
Upper Bound								
LKSD-3								100
Target Range - Lower Bound								
Upper Bound								
MRGeo08		5.7	110	5.2	27.9	788	101.0	<10
MRGeo08		6.1	105	4.8	29.1	768	104.5	60
MRGeo08		5.9	106	5.0	25.0	769	98.6	60
MRGeo08		5.7	107	4.9	27.8	757	110.5	<10
MRGeo08		5.8	108	5.2	29.7	832	105.5	40
MRGeo08								50
MRGeo08		5.6	114	5.4	24.8	827	110.0	
Target Range - Lower Bound		5.6	99	4.3	24.3	712	92.2	
Upper Bound		7.0	123	6.1	29.9	874	126.0	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095405

Method Analyte Units LOR	PGM-ICP23 Au ppb	PGM-ICP23 Pt ppb	PGM-ICP23 Pd ppb	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	
Sample Description	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	
STANDARDS																
OxA59	75	<5	<1													
OxA59	77	<5	<1													
OxA59	73	<5	1													
OxA59	74	<5	<1													
Target Range - Lower Bound	75															
Upper Bound	88															
OXD73	438	<5	<1													
OXD73	413	<5	<1													
OXD73	401	<5	<1													
OXD73	404	<5	<1													
Target Range - Lower Bound																
Upper Bound																
PGMS-16	1060	1275	4870													
PGMS-16	1060	1255	4680													
PGMS-16	1075	1190	4500													
Target Range - Lower Bound	1040	1140	4330													
Upper Bound	1200	1320	4990													
BLANKS																
BLANK				<0.01	<0.01	0.4	<10	<0.05	<0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	
BLANK	<1	<5	<1													
BLANK	1	<5	<1													
BLANK	1	<5	1													
BLANK	1	<5	<1													
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.02	<0.01	<0.02	<0.01	<0.1	1	<0.05	
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	0.3	<10	<0.05	0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	0.4	<10	<0.05	0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	
Target Range - Lower Bound	<1	<5	<1	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
Upper Bound	2	10	2	0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
STANDARDS																
OxA59																
OxA59																
OxA59																
OxA59																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
PGMS-16																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		0.4	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.2	<0.01	0.09	0.10	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.2
BLANK		0.4	<0.01	<0.05	0.06	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK																
BLANK																
BLANK																
BLANK		0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.2	<0.01	<0.05	0.05	<0.1	0.009	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.2	<0.01	0.06	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK																
BLANK		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.2	<0.01	0.07	0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.2
Target Range - Lower Bound		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Upper Bound		0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
STANDARDS																
OxA59																
OxA59																
OxA59																
OxA59																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
PGMS-16																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<10	<0.5	0.2	<0.002	<0.01	0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK		<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK		<10	<0.5	0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK																
BLANK																
BLANK																
BLANK		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK		<10	<0.5	0.2	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK		<10	<0.5	0.3	<0.002	<0.01	0.10	0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK																
BLANK		<10	<0.5	0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK		<10	0.8	<0.1	<0.002	<0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Target Range - Lower Bound		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound		20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	1	0.1	0.1	2	0.5	10
STANDARDS								
OxA59								
OxA59								
OxA59								
OxA59								
Target Range - Lower Bound								
Upper Bound								
OXD73								
OXD73								
OXD73								
OXD73								
Target Range - Lower Bound								
Upper Bound								
PGMS-16								
PGMS-16								
PGMS-16								
Target Range - Lower Bound								
Upper Bound								
BLANKS								
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	<10
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	40
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	140
BLANK								
BLANK								
BLANK								
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	20
BLANK		<0.1	1	<0.1	<0.1	<2	<0.5	60
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	<10
BLANK								20
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	
Target Range - Lower Bound		<0.1	<1	<0.1	<0.1	<2	<0.5	<10
Upper Bound		0.2	2	0.2	0.2	4	1.0	20

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
DUPLICATES																
ORIGINAL					11.80	5.43	<0.2	1080	1.81	2.53	1.30	2.59	44.3	3.9	7	2.54
DUP					11.55	5.19	<0.2	1050	1.50	2.52	1.25	2.63	48.1	3.6	5	2.48
Target Range - Lower Bound					11.10	5.03	<0.2	980	1.52	2.39	1.20	2.46	43.9	3.5	5	2.33
Upper Bound					12.25	5.59	0.4	1150	1.79	2.66	1.35	2.76	48.5	4.0	7	2.69
ORIGINAL					0.16	6.27	194.0	560	6.10	0.67	0.59	0.11	196.5	1.9	6	13.10
DUP					0.18	6.40	155.0	290	6.25	0.74	0.60	0.12	198.5	2.0	6	13.25
Target Range - Lower Bound					0.15	6.01	165.5	380	5.82	0.66	0.56	0.09	187.5	1.8	5	12.45
Upper Bound					0.19	6.66	183.5	470	6.53	0.75	0.63	0.14	207	2.1	7	13.90
ORIGINAL					0.14	5.47	380	530	3.42	0.27	3.22	0.13	46.3	14.0	137	8.61
DUP					0.13	5.24	368	510	3.12	0.22	3.08	0.13	44.7	14.5	131	8.85
Target Range - Lower Bound					0.12	5.08	355	470	3.06	0.22	2.98	0.10	43.2	13.4	126	8.24
Upper Bound					0.15	5.63	393	570	3.48	0.27	3.32	0.16	47.8	15.1	142	9.22
ORIGINAL					12.45	0.16	11.1	10	0.13	4550	0.88	14.35	2.58	728	4	0.73
DUP					13.10	0.15	10.8	<10	<0.05	4880	0.88	14.60	2.09	718	4	0.71
Target Range - Lower Bound					12.15	0.14	10.2	<10	<0.05	4480	0.83	13.75	2.21	687	3	0.63
Upper Bound					13.40	0.17	11.7	20	0.10	4950	0.93	15.20	2.46	759	5	0.81
ORIGINAL		4	<5	10												
DUP		5	<5	13												
Target Range - Lower Bound		3	<5	10												
Upper Bound		6	10	13												
ORIGINAL		126	<5	<1												
DUP		111	<5	<1												
Target Range - Lower Bound		112	<5	<1												
Upper Bound		125	10	2												
ORIGINAL		97	<5	<1												
DUP		95	<5	<1												
Target Range - Lower Bound		90	<5	<1												
Upper Bound		102	10	2												
ORIGINAL		72	<5	<1												
DUP		70	<5	<1												
Target Range - Lower Bound		66	<5	<1												
Upper Bound		76	10	2												

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
DUPLICATES																
ORIGINAL		4540	1.07	16.30	0.37	0.2	0.199	3.14	25.0	17.7	0.14	140	636	1.56	9.5	<0.2
DUP		4380	1.03	16.25	0.39	0.2	0.187	3.05	27.6	17.3	0.14	136	626	1.53	9.6	<0.2
Target Range - Lower Bound		4240	0.99	15.40	0.31	<0.1	0.178	2.93	24.5	16.4	0.12	126	599	1.46	9.0	<0.2
Upper Bound		4680	1.11	17.15	0.45	0.3	0.208	3.26	28.1	18.6	0.16	150	663	1.63	10.1	0.4
ORIGINAL		18.8	4.64	35.1	0.37	10.2	0.114	2.47	92.3	47.0	0.74	687	5.12	0.38	71.3	14.5
DUP		19.4	4.71	35.0	0.32	10.5	0.121	2.51	93.5	48.4	0.75	692	5.12	0.39	72.5	14.4
Target Range - Lower Bound		17.9	4.43	33.2	0.28	9.7	0.107	2.36	87.8	45.1	0.70	650	4.81	0.36	68.2	13.5
Upper Bound		20.3	4.92	36.9	0.41	11.0	0.128	2.62	98.0	50.3	0.79	729	5.43	0.41	75.6	15.4
ORIGINAL		39.0	4.07	12.00	0.08	1.7	0.042	1.38	23.0	35.4	1.48	1180	1.05	0.64	3.6	74.5
DUP		40.2	3.89	12.50	0.10	1.7	0.035	1.32	22.3	35.6	1.40	1120	1.11	0.61	3.5	76.4
Target Range - Lower Bound		37.4	3.77	11.60	<0.05	1.5	0.032	1.27	21.0	33.5	1.36	1090	0.98	0.58	3.3	71.5
Upper Bound		41.8	4.19	12.90	0.10	1.9	0.045	1.43	24.3	37.5	1.52	1215	1.18	0.67	3.8	79.4
ORIGINAL		5870	>50	1.23	0.96	0.2	26.0	0.01	1.9	3.1	0.30	236	3.97	0.02	0.6	596
DUP		5970	>50	1.23	0.90	<0.1	26.0	<0.01	1.4	3.2	0.29	235	2.98	0.01	0.6	590
Target Range - Lower Bound		5620	47.5	1.12	0.83	<0.1	24.7	<0.01	1.1	2.8	0.27	219	3.25	<0.01	0.5	563
Upper Bound		6220	50.0	1.34	1.03	0.2	27.3	0.02	2.2	3.5	0.32	252	3.70	0.02	0.7	623
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm
		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
DUPLICATES																
ORIGINAL		140	51.1	109.0	0.048	0.67	0.44	1.1	5	6.8	418	0.75	0.60	9.7	0.063	0.94
DUP		130	50.2	111.0	0.036	0.64	0.47	1.2	5	6.2	402	0.73	0.50	9.6	0.063	0.92
Target Range - Lower Bound		120	47.6	104.5	0.038	0.61	0.37	1.0	4	6.0	389	0.65	0.47	9.0	0.055	0.84
Upper Bound		150	53.7	115.5	0.046	0.70	0.54	1.3	6	7.0	431	0.83	0.63	10.3	0.071	1.02
ORIGINAL		150	5.2	127.0	0.003	1.51	10.10	0.9	3	9.6	66.5	3.87	0.06	22.6	0.250	1.60
DUP		160	5.3	127.0	0.003	1.53	10.10	1.0	4	9.8	66.9	3.88	0.06	22.7	0.256	1.57
Target Range - Lower Bound		140	4.5	120.5	<0.002	1.43	9.29	0.8	2	9.0	63.2	3.63	<0.05	21.3	0.235	1.45
Upper Bound		170	6.0	133.5	0.004	1.61	10.90	1.1	5	10.4	70.2	4.12	0.10	24.0	0.271	1.72
ORIGINAL		770	6.1	76.7	<0.002	0.62	9.44	10.8	1	1.2	401	0.19	0.07	5.4	0.204	4.76
DUP		720	6.4	80.5	<0.002	0.58	9.63	11.3	1	1.2	385	0.18	<0.05	5.4	0.184	4.93
Target Range - Lower Bound		700	5.4	74.6	<0.002	0.56	8.77	10.4	<1	0.9	373	0.13	<0.05	4.9	0.179	4.46
Upper Bound		790	7.1	82.6	0.004	0.64	10.30	11.7	2	1.5	413	0.24	0.10	5.9	0.209	5.23
ORIGINAL		50	16.2	0.6	<0.002	>10.0	3.45	0.6	65	119.5	44.5	0.06	2.31	0.2	0.023	0.05
DUP		50	16.2	0.6	<0.002	>10.0	4.41	0.5	68	126.0	47.3	<0.05	2.74	<0.2	0.020	0.04
Target Range - Lower Bound		40	14.9	0.5	<0.002	9.49	3.59	0.4	62	116.5	43.4	<0.05	2.35	<0.2	0.015	<0.02
Upper Bound		60	17.5	0.7	0.004	10.00	4.27	0.7	71	129.0	48.4	0.10	2.70	0.4	0.028	0.07
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	B ppm
		0.1	1	0.1	0.1	2	0.5	10
DUPLICATES								
ORIGINAL		2.2	9	26.6	5.3	124	4.7	
DUP		2.0	9	25.9	5.6	116	5.1	60
Target Range - Lower Bound		1.9	8	24.2	5.1	112	4.2	50
Upper Bound		2.3	10	28.3	5.8	128	5.6	70
ORIGINAL		6.6	4	7.8	67.4	110	457	
DUP		6.8	4	8.0	67.5	121	480	<10
Target Range - Lower Bound		6.3	3	7.2	64.0	108	445	<10
Upper Bound		7.1	5	8.6	70.9	123	492	20
ORIGINAL		1.7	115	5.7	10.5	83	55.0	
DUP		1.7	111	5.5	10.9	80	57.1	10
Target Range - Lower Bound		1.5	106	5.1	10.1	75	52.7	<10
Upper Bound		1.9	120	6.1	11.3	88	59.4	20
ORIGINAL		<0.1	8	52.7	0.5	1400	3.8	
DUP		<0.1	8	57.6	0.5	1390	1.5	20
Target Range - Lower Bound		<0.1	7	50.9	0.4	1325	2.0	<10
Upper Bound		0.2	9	59.4	0.6	1465	3.3	30
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61		
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppb	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	
DUPLICATES																	
ORIGINAL		<1	9	9													
DUP		<1	8	8													
Target Range - Lower Bound		<1	<5	7													
Upper Bound		2	10	10													
ORIGINAL					0.18	6.73	2080	1110	2.62	0.46	1.36	0.13	46.4	19.8	215	18.80	
DUP					0.15	6.41	2010	1090	2.73	0.46	1.31	0.13	46.0	19.3	205	17.90	
Target Range - Lower Bound					0.15	6.23	1945	1010	2.49	0.43	1.26	0.10	43.9	18.5	199	17.40	
Upper Bound					0.18	6.91	2150	1190	2.86	0.49	1.41	0.16	48.5	20.6	222	19.30	
ORIGINAL		<1	<5	<1													
DUP		<1	<5	<1													
Target Range - Lower Bound		<1	<5	<1													
Upper Bound		2	10	2													
EMNW-3600W/100S		1	<5	<1													
DUP		4	<5	<1													
Target Range - Lower Bound		<1	<5	<1													
Upper Bound		4	10	2													
EMNW-5400W/0					0.08	6.17	1.1	500	0.85	0.07	1.20	0.04	22.6	2.5	25	0.60	
DUP					0.07	5.75	0.8	470	0.83	0.08	1.14	0.04	23.9	2.6	22	0.56	
Target Range - Lower Bound					0.06	5.65	0.7	440	0.75	0.06	1.10	<0.02	22.1	2.3	21	0.50	
Upper Bound					0.09	6.27	1.2	530	0.93	0.09	1.24	0.06	24.4	2.8	26	0.66	
EMNW-5100W/0					0.05	4.43	0.3	530	0.73	0.12	0.96	0.04	46.7	1.7	18	0.79	
DUP					0.05	4.69	0.5	540	0.96	0.09	1.00	0.04	59.9	1.8	19	0.83	
Target Range - Lower Bound					0.04	4.32	<0.2	480	0.75	0.09	0.92	<0.02	50.6	1.6	17	0.72	
Upper Bound					0.06	4.80	0.6	590	0.94	0.12	1.04	0.06	56.0	1.9	20	0.80	
EMNW-2600W/500S		1	<5	<1													
DUP		1	<5	<1													
Target Range - Lower Bound		<1	<5	<1													
Upper Bound		2	10	2													
EMNW-4600W/50N					0.04	6.42	2.0	480	1.29	0.10	1.25	0.08	41.6	3.3	41	0.74	
DUP					0.04	6.26	1.4	470	1.23	0.10	1.22	0.07	33.6	3.2	38	0.69	
Target Range - Lower Bound					0.03	6.01	1.4	430	1.15	0.09	1.16	0.05	35.7	3.0	37	0.63	
Upper Bound					0.05	6.67	2.0	520	1.37	0.12	1.31	0.10	39.5	3.5	42	0.80	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095405

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
ORIGINAL DUP Target Range - Lower Bound Upper Bound		DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound		44.2 41.4 40.5 45.1	4.29 4.16 4.00 4.45	17.70 16.45 16.15 18.00	0.11 0.08 <0.05 0.10	1.9 2.0 1.8 2.1	0.050 0.046 0.041 0.055	2.31 2.25 2.16 2.40	23.2 23.3 21.6 24.9	60.0 63.2 58.3 64.9	2.01 1.98 1.89 2.10	494 478 457 515	2.33 2.24 2.12 2.45	0.40 0.38 0.36 0.42	4.7 5.7 4.8 5.6	159.0 153.5 148.0 164.5
EMNW-3600W/100S DUP Target Range - Lower Bound Upper Bound																
EMNW-5400W/0 DUP Target Range - Lower Bound Upper Bound		1.7 1.6 1.4 1.9	1.85 1.74 1.70 1.89	20.6 20.5 19.45 21.6	0.11 0.14 0.07 0.18	6.6 6.7 6.2 7.1	0.020 0.017 0.013 0.024	1.48 1.37 1.34 1.51	12.4 13.4 11.8 14.0	3.2 3.2 2.8 3.6	0.27 0.25 0.24 0.28	226 213 204 235	0.39 0.36 0.31 0.44	2.01 1.88 1.84 2.05	7.0 6.3 6.2 7.1	6.1 6.9 6.0 7.0
EMNW-5100W/0 DUP Target Range - Lower Bound Upper Bound		1.9 1.7 1.5 2.1	0.95 1.01 0.92 1.04	15.65 16.75 15.35 17.05	0.10 0.12 <0.05 0.17	10.8 9.6 9.6 10.8	0.020 0.017 0.013 0.024	1.57 1.61 1.50 1.68	21.7 27.2 22.7 26.2	4.0 4.7 3.9 4.8	0.18 0.19 0.17 0.20	166 170 155 181	0.51 0.70 0.52 0.69	1.77 1.86 1.71 1.92	6.9 7.1 6.6 7.5	5.1 5.4 4.8 5.7
EMNW-2600W/500S DUP Target Range - Lower Bound Upper Bound																
EMNW-4600W/50N DUP Target Range - Lower Bound Upper Bound		3.6 3.9 3.4 4.1	2.36 2.28 2.19 2.45	16.10 15.30 14.85 16.55	0.13 0.12 0.07 0.18	5.8 5.6 5.3 6.1	0.028 0.024 0.020 0.032	1.47 1.44 1.37 1.54	20.1 16.8 17.0 19.9	5.2 5.6 4.9 5.9	0.31 0.31 0.28 0.34	241 235 221 255	0.65 0.63 0.56 0.72	2.10 2.05 1.96 2.19	6.3 6.1 5.8 6.6	8.0 7.6 7.2 8.4

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095405

Method Analyte Units LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound	580 590 550 620	6.6 6.2 5.6 7.2	124.0 124.0 117.5 130.5	0.003 0.003 <0.002 0.004	0.90 0.84 0.82 0.92	43.2 41.5 39.1 45.6	17.4 16.5 16.0 17.9	3 3 2 4	2.2 2.2 1.9 2.5	215 207 200 222	0.27 0.35 0.24 0.38	0.12 0.11 0.06 0.17	6.4 6.4 5.9 6.9	0.237 0.284 0.242 0.279	2.77 2.72 2.52 2.97
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
EMNW-3600W/100S DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
EMNW-5400W/0 DUP Target Range - Lower Bound Upper Bound	400 370 360 410	17.4 15.2 15.0 17.6	46.9 47.5 44.7 49.7	<0.002 <0.002 <0.002 0.004	0.02 0.02 <0.01 0.03	0.07 0.07 <0.05 0.10	5.2 5.4 4.9 5.7	2 2 <1 3	1.1 1.0 0.8 1.3	302 283 278 307	0.48 0.38 0.36 0.50	<0.05 <0.05 <0.05 0.10	3.7 4.3 3.6 4.4	0.247 0.230 0.222 0.255	0.22 0.23 0.19 0.26
EMNW-5100W/0 DUP Target Range - Lower Bound Upper Bound	160 170 150 180	17.3 18.0 16.3 19.0	53.1 55.1 51.3 56.9	<0.002 <0.002 <0.002 0.004	0.01 0.01 <0.01 0.02	0.08 0.08 <0.05 0.10	3.5 3.7 3.3 3.9	1 1 <1 2	1.2 1.3 1.0 1.5	250 265 244 271	0.43 0.41 0.35 0.49	<0.05 <0.05 <0.05 0.10	10.4 13.8 11.3 12.9	0.277 0.281 0.280 0.298	0.28 0.27 0.23 0.32
EMNW-2600W/500S DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
EMNW-4600W/50N DUP Target Range - Lower Bound Upper Bound	390 370 350 410	15.7 15.2 14.2 16.7	50.9 49.8 47.7 53.0	<0.002 <0.002 <0.002 0.004	0.02 0.02 <0.01 0.03	0.08 0.08 <0.05 0.10	6.1 5.8 5.6 6.3	1 1 <1 2	1.0 1.0 0.8 1.3	296 290 278 308	0.54 0.41 0.40 0.55	<0.05 <0.05 <0.05 0.10	8.3 6.9 7.0 8.2	0.220 0.213 0.201 0.232	0.22 0.21 0.18 0.25

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095405

Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	B-MS61 B ppm 10
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES						
ORIGINAL DUP Target Range - Lower Bound Upper Bound	1.7 1.7 1.5 1.9	172 168 161 180	7.8 8.9 7.6 9.1	12.2 12.2 11.5 12.9	102 97 93 106	71.5 74.1 68.7 76.9	
ORIGINAL DUP Target Range - Lower Bound Upper Bound	↓						
EMNW-3600W/100S DUP Target Range - Lower Bound Upper Bound							
EMNW-5400W/0 DUP Target Range - Lower Bound Upper Bound	0.9 1.0 0.8 1.1	46 41 40 47	0.4 0.4 0.3 0.5	5.9 6.3 5.7 6.5	12 11 9 14	234 230 220 244	70 120 80 110
EMNW-5100W/0 DUP Target Range - Lower Bound Upper Bound	1.5 1.4 1.3 1.6	34 34 31 37	0.4 0.5 0.3 0.6	6.0 6.4 5.8 6.6	10 10 8 13	327 295 295 327	<10 30 <10 30
EMNW-2600W/500S DUP Target Range - Lower Bound Upper Bound							
EMNW-4600W/50N DUP Target Range - Lower Bound Upper Bound	1.0 1.0 0.9 1.2	45 44 41 48	0.6 0.6 0.5 0.7	8.2 7.5 7.4 8.3	15 14 12 17	191.5 187.5 179.5 199.5	<10 30 <10 30

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095405

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 20-SEP-2009
Account: MVR

QC CERTIFICATE SD09095407

Project: EASTMAIN MINE

P.O. No.:

This report is for 8 Soil samples submitted to our lab in Sudbury, ON, Canada on 3-SEP-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
DRY-22	Drying - Maximum Temp 60C

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095407

Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	
ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
Sample Description	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	
STANDARDS																
GBM3961c				8.30	4.46	793	220	0.96	22.9	3.30	22.9	55.8	164.5	678	5.40	
Target Range: Lower Bound				7.28	3.75	669	210	0.77	18.15	2.77	19.35	43.5	144.0	594	4.83	
Upper Bound				8.92	4.60	818	300	1.05	22.2	3.40	23.7	53.2	176.5	728	6.01	
LKSD-3				2.47	6.08	24.5	590	1.41	2.79	1.58	0.53	93.9	28.4	67	2.28	
Target Range: Lower Bound				2.42	5.93	24.1	530	1.48	2.78	1.47	0.52	84.1	26.9	62	2.20	
Upper Bound				2.98	7.27	29.9	730	1.92	3.42	1.81	0.68	103.0	33.1	77	2.80	
MRGeo08				4.27	7.41	35.4	1050	3.53	0.71	2.64	2.39	73.3	20.9	91	13.15	
Target Range: Lower Bound				4.16	7.00	29.7	920	2.80	0.63	2.35	2.01	72.9	18.4	82	11.00	
Upper Bound				5.10	8.57	36.7	1270	3.54	0.79	2.90	2.50	89.1	22.8	102	13.80	
OxA59	76	<5	<1													
Target Range: Lower Bound	75															
Upper Bound	88															
OXD73	392	<5	<1													
Target Range: Lower Bound																
Upper Bound																
PGMS-16	1125	1180	4500													
Target Range: Lower Bound	1040	1140	4330													
Upper Bound	1200	1320	4990													
BLANKS																
BLANK	1	<5	<1	0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	0.01	<0.1	1	<0.05	
BLANK				0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
Target Range: Lower Bound	<1	<5	<1	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
Upper Bound	2	10	2	0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	
DUPLICATES																
ORIGINAL				0.04	6.47	0.7	30	0.52	0.12	7.06	0.04	12.15	41.3	143	0.28	
DUP				0.04	7.11	0.4	30	0.58	0.13	7.61	0.04	13.40	45.5	163	0.29	
Target Range: Lower Bound				0.03	6.44	0.3	20	0.47	0.11	6.96	<0.02	12.15	41.1	144	0.21	
Upper Bound				0.05	7.14	0.8	40	0.63	0.14	7.71	0.06	13.40	45.7	162	0.34	

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - B

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 20-SEP-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095407

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Sample Description	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	
	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	
STANDARDS																
GBM3961c	3060	9.42	13.65	0.23	1.9	1.450	0.82	30.3	20.2	2.81	926	10.65	0.70	3.3	2160	
Target Range - Lower Bound	2590	8.00	11.75	0.17	1.5	1.250	0.68	22.9	16.8	2.32	780	8.97	0.56	3.0	1925	
Upper Bound	3160	9.80	14.45	0.32	2.1	1.540	0.85	29.1	21.0	2.85	964	11.10	0.71	3.9	2350	
LKSD-3	32.4	3.81	15.45	0.14	3.3	0.061	1.65	52.0	26.8	1.10	1290	1.07	1.59	8.4	49.0	
Target Range - Lower Bound	31.3	3.46	15.05	0.15	3.1	0.049	1.63	46.3	24.1	1.08	1210	1.03	1.52	7.1	42.1	
Upper Bound	38.7	4.26	18.55	0.29	4.1	0.071	2.01	57.7	29.9	1.34	1490	1.37	1.88	8.9	51.9	
MRGeo08	625	4.07	20.6	0.16	3.5	0.202	3.04	36.4	36.5	1.35	562	15.90	1.99	22.1	667	
Target Range - Lower Bound	568	3.61	17.50	0.09	2.8	0.161	2.79	36.3	30.4	1.24	506	13.65	1.76	18.3	617	
Upper Bound	694	4.43	21.5	0.23	3.8	0.207	3.43	45.5	37.6	1.54	630	16.75	2.18	22.5	755	
OxA59																
Target Range - Lower Bound																
Upper Bound																
OxD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
Target Range - Lower Bound	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
Upper Bound	0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	
DUPLICATES																
ORIGINAL	145.0	8.55	16.40	0.11	1.5	0.118	0.20	5.1	18.4	4.77	1780	1.72	1.88	3.4	99.8	
DUP	162.5	9.39	18.10	0.11	1.6	0.131	0.22	5.7	20.0	5.24	1960	1.85	2.08	3.8	108.0	
Target Range - Lower Bound	146.0	8.51	16.35	<0.05	1.4	0.113	0.19	4.6	18.0	4.74	1770	1.65	1.87	3.3	98.5	
Upper Bound	161.5	9.43	18.15	0.17	1.7	0.136	0.23	6.2	20.4	5.27	1970	1.92	2.09	3.9	109.5	

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - C

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 20-SEP-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095407

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	
ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	
Sample Description															
STANDARDS															
GBM3961c	290	1980	73.3	0.005	3.85	32.0	14.7	7	6.6	98.4	0.95	3.16	7.5	0.250	1.02
Target Range - Lower Bound	250	1725	60.5	<0.002	3.33	25.3	11.9	6	5.7	83.7	0.71	3.01	5.8	0.213	0.82
Upper Bound	330	2110	74.1	0.007	4.10	34.4	14.8	9	7.4	102.5	0.98	3.79	7.5	0.272	1.15
LKSD-3	990	31.4	75.4	0.002	0.16	1.14	11.8	2	1.7	245	0.61	0.06	11.7	0.267	0.50
Target Range - Lower Bound	910	25.6	68.3	<0.002	0.12	1.06	11.5	<1	1.7	239	0.47	<0.05	10.1	0.247	0.41
Upper Bound	1130	32.4	83.7	0.004	0.16	1.55	14.3	3	2.5	293	0.89	0.10	12.7	0.313	0.60
MRGeo08	1030	1040	183.5	0.009	0.30	4.70	13.0	3	4.2	307	1.73	<0.05	19.7	0.491	1.06
Target Range - Lower Bound	910	965	187.0	0.008	0.27	4.08	11.0	<1	3.5	272	1.48	<0.05	19.2	0.454	
Upper Bound	1140	1180	229	0.014	0.35	5.64	13.6	2	4.7	332	1.92	0.10	23.9	0.566	
OxA59															
Target Range - Lower Bound															
Upper Bound															
OXD73															
Target Range - Lower Bound															
Upper Bound															
PGMS-16															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK	<10	<0.5	0.1	<0.002	<0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Target Range - Lower Bound	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound	20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04
DUPLICATES															
ORIGINAL	360	2.1	5.9	0.009	0.62	0.08	38.8	3	0.6	74.3	0.27	0.17	0.7	0.557	0.04
DUP	400	1.6	6.3	0.009	0.68	0.08	42.6	4	0.8	81.7	0.27	0.20	0.7	0.604	0.04
Target Range - Lower Bound	350	1.3	5.7	0.007	0.61	<0.05	38.6	2	0.4	73.9	0.21	0.13	0.5	0.548	<0.02
Upper Bound	410	2.4	6.5	0.011	0.69	0.10	42.8	5	0.8	82.1	0.33	0.24	0.9	0.615	0.06

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095407

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		U ppm 0.1	V ppm 1	W ppm 0.1	Y ppm 0.1	Zn ppm 2	Zr ppm 0.5	B ppm 10
STANDARDS								
GBM3961c		1.8	112	18.8	12.5	7150	59.6	<10
Target Range: Lower Bound		1.4	97	14.6	10.7	6280	52.6	
Upper Bound		1.9	120	20.0	13.3	7680	72.4	
LKSD-3		4.4	70	1.1	27.3	136	99.1	160
Target Range: Lower Bound		4.0	67	0.7	26.9	135	96.4	
Upper Bound		5.2	84	1.2	33.1	169	131.5	
MRGeo08		6.3	109	5.2	27.4	809	99.4	10
Target Range: Lower Bound		5.6	99	4.3	24.3	712	92.2	
Upper Bound		7.0	123	6.1	29.9	874	126.0	
OxA59								
Target Range: Lower Bound								
Upper Bound								
OXD73								
Target Range: Lower Bound								
Upper Bound								
PGMS-16								
Target Range: Lower Bound								
Upper Bound								
BLANKS								
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	<10
Target Range: Lower Bound		<0.1	<1	<0.1	<0.1	<2	<0.5	<10
Upper Bound		0.2	2	0.2	0.2	4	1.0	20
DUPLICATES								
ORIGINAL		0.6	264	0.5	20.9	38	42.7	
DUP		0.7	291	0.5	22.9	41	48.9	200
Target Range: Lower Bound		0.5	263	0.4	20.7	36	43.0	180
Upper Bound		0.8	292	0.6	23.1	43	48.6	220

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095407

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
DUPLICATES																
ORIGINAL		15	13	16												
DUP		15	15	16												
Target Range - Lower Bound		13	8	14												
Upper Bound		17	20	18												
ORIGINAL		1	11	14												
DUP		2	11	19												
Target Range - Lower Bound		<1	<5	15												
Upper Bound		2	17	18												
ORIGINAL		1	<5	<1												
DUP		1	<5	1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095407

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
ORIGINAL DUP Target Range: Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range: Lower Bound Upper Bound															
ORIGINAL DUP Target Range: Lower Bound Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095407

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
ORIGINAL DUP Target Range - Lower Bound Upper Bound		DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound																
ORIGINAL DUP Target Range - Lower Bound Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 3 - D

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 20-SEP-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095407

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
Analyte	U	V	W	Y	Zn	Zr	B
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.1	1	0.1	0.1	2	0.5	10
Sample Description	DUPLICATES						
ORIGINAL DUP Target Range - Lower Bound Upper Bound							
ORIGINAL DUP Target Range - Lower Bound Upper Bound							
ORIGINAL DUP Target Range - Lower Bound Upper Bound							

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09095407

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 1-OCT-2009
Account: MVR

QC CERTIFICATE SD09097670

Project: EASTMAIN MINE

P.O. No.:

This report is for 107 Soil samples submitted to our lab in Sudbury, ON, Canada on 9-SEP-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
STANDARDS																
GBM3961c					8.28	4.16	745	220	0.78	21.1	3.06	22.4	55.4	150.0	633	5.66
GBM3961c					7.94	4.26	760	170	0.87	22.1	3.12	22.1	53.1	153.5	630	5.39
Target Range - Lower Bound					7.28	3.75	689	210	0.77	18.15	2.77	19.35	43.5	144.0	594	4.83
Upper Bound					8.92	4.60	818	300	1.05	22.2	3.40	23.7	53.2	176.5	728	6.01
GBM999-5					58.8	4.74	3.1	180	1.42	0.56	0.10	0.23	28.5	3.2	6	0.86
Target Range - Lower Bound					53.5	4.26	3.0	140	1.12	0.50	0.08	0.17	23.6	2.9	4	0.69
Upper Bound					65.4	5.22	4.2	210	1.48	0.64	0.12	0.25	28.9	3.7	8	0.95
GEOMS-03					0.76	5.09	627	2440	1.41	0.34	0.39	0.35	51.7	11.2	118	10.85
Target Range - Lower Bound					0.67	4.61	570	2060	1.34	0.31	0.33	0.30	47.0	10.7	105	9.04
Upper Bound					0.85	5.65	697	2810	1.74	0.41	0.43	0.42	57.4	13.3	131	11.15
GPP-01		885	943	714												
GPP-01		818	936	721												
Target Range - Lower Bound		841	892	682												
Upper Bound		969	1040	786												
MRGeo8					4.30	7.08	32.0	1060	3.03	0.66	2.55	2.26	73.0	19.4	90	13.15
MRGeo8					4.21	7.12	30.7	1020	3.30	0.64	2.54	2.22	72.8	19.6	89	12.55
Target Range - Lower Bound					4.16	7.00	29.7	920	2.80	0.63	2.35	2.01	72.9	18.4	82	11.00
Upper Bound					5.10	8.57	36.7	1270	3.54	0.79	2.90	2.50	89.1	22.8	102	13.60
OxA59		79	<5	<1												
OxA59		77	<5	<1												
Target Range - Lower Bound		75														
Upper Bound		88														
OXD73		428	<5	1												
OXD73		412	<5	2												
Target Range - Lower Bound																
Upper Bound																
PGMS-15		405	105	450												
Target Range - Lower Bound		380	86	397												
Upper Bound		440	110	459												
PK2		4940	4960	6010												
Target Range - Lower Bound		4450	4410	5500												
Upper Bound		5120	5090	6330												
SL34		5960	<5	3												
Target Range - Lower Bound		5480														
Upper Bound		6310														
ST-252		58	<5	2												
Target Range - Lower Bound		54	<5	<1												
Upper Bound		64	10	2												

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo %	Na %	Nb ppm	Ni ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
STANDARDS																
GBM3961c		2880	8.83	12.00	0.21	1.9	1.370	0.76	30.0	17.1	2.59	847	10.55	0.65	3.1	2040
GBM3961c		2920	9.01	11.85	0.21	1.7	1.405	0.78	28.9	17.3	2.63	867	10.05	0.66	3.2	2060
Target Range - Lower Bound		2590	8.00	11.75	0.17	1.5	1.250	0.68	22.9	16.8	2.32	780	8.97	0.56	3.0	1925
Upper Bound		3160	9.80	14.45	0.32	2.1	1.540	0.85	29.1	21.0	2.85	964	11.10	0.71	3.9	2350
GBM999-5		474	3.03	15.90	0.15	0.7	0.023	3.52	15.3	3.5	0.04	66	4.19	1.00	6.5	4.3
Target Range - Lower Bound		429	2.67	14.70	0.07	0.6	0.022	3.10	11.8	2.8	0.03	54	3.77	0.83	5.3	3.8
Upper Bound		525	3.29	18.10	0.19	1.0	0.038	3.81	15.6	3.8	0.05	78	4.71	1.03	6.7	5.0
GEOMS-03		127.5	4.15	13.00	0.16	1.6	0.044	1.10	29.6	44.4	0.50	534	3.27	0.08	14.8	52.5
Target Range - Lower Bound		120.5	3.64	12.00	0.10	1.2	0.035	1.03	25.6	37.6	0.48	483	3.05	0.06	13.1	48.1
Upper Bound		147.5	4.48	14.75	0.24	1.6	0.053	1.29	32.4	46.4	0.60	601	3.83	0.10	16.3	59.3
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		618	3.86	19.25	0.17	3.6	0.188	2.96	34.5	32.5	1.28	544	15.30	1.92	20.6	666
MRGeo08		604	3.83	18.45	0.19	3.2	0.186	2.93	35.3	32.1	1.27	541	14.95	1.90	20.5	642
Target Range - Lower Bound		568	3.61	17.50	0.09	2.8	0.161	2.79	36.3	30.4	1.24	506	13.65	1.76	18.3	617
Upper Bound		694	4.43	21.5	0.23	3.6	0.207	3.43	45.5	37.6	1.54	630	16.75	2.18	22.5	755
OxA59																
OxA59																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-15																
Target Range - Lower Bound																
Upper Bound																
PK2																
Target Range - Lower Bound																
Upper Bound																
SL34																
Target Range - Lower Bound																
Upper Bound																
ST-252																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - C

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 1-OCT-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm
		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
STANDARDS																
GBM3961c		270	1835	73.9	0.005	3.62	31.6	13.6	6	6.8	89.0	0.83	3.34	7.4	0.238	0.95
GBM3961c		280	1870	71.5	0.004	3.70	28.3	14.7	6	6.0	91.8	0.73	3.07	7.2	0.243	1.00
Target Range - Lower Bound		250	1725	60.5	<0.002	3.33	25.3	11.9	6	5.7	83.7	0.71	3.01	5.8	0.213	0.82
Upper Bound		330	2110	74.1	0.007	4.10	34.4	14.8	9	7.4	102.5	0.98	3.79	7.5	0.272	1.15
GBM999-5		50	532	480	0.006	0.29	5.53	2.0	3	1.6	18.2	0.28	0.35	5.6	0.019	2.28
Target Range - Lower Bound		40	487	433	0.003	0.26	4.78	1.7	<1	1.3	14.5	0.26	0.21	4.4	0.013	1.75
Upper Bound		70	597	529	0.008	0.34	6.58	2.3	3	2.1	18.2	0.42	0.37	5.8	0.027	2.41
GEOMS-03		1100	7.2	63.0	0.002	0.03	17.70	14.0	4	2.4	174.0	0.96	0.16	6.6	0.452	1.38
Target Range - Lower Bound		970	7.2	55.7	<0.002	0.03	15.85	12.4	2	2.1	157.5	0.81	0.07	6.2	0.409	0.99
Upper Bound		1210	9.9	68.3	0.004	0.05	21.5	15.4	4	3.0	192.5	1.10	0.19	8.0	0.511	1.39
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		1000	1005	175.5	0.007	0.30	4.84	11.5	2	4.2	302	1.59	0.06	19.3	0.484	1.01
MRGeo08		1010	993	160.0	0.008	0.30	4.24	12.6	2	3.8	302	1.52	0.05	19.2	0.478	1.01
Target Range - Lower Bound		910	965	187.0	0.008	0.27	4.08	11.0	<1	3.5	272	1.48	<0.05	19.2	0.454	
Upper Bound		1140	1180	229	0.014	0.35	5.64	13.6	2	4.7	332	1.92	0.10	23.9	0.566	
OxA59																
OxA59																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-15																
Target Range - Lower Bound																
Upper Bound																
PK2																
Target Range - Lower Bound																
Upper Bound																
SL34																
Target Range - Lower Bound																
Upper Bound																
ST-252																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	B ppm
		0.1	1	0.1	0.1	2	0.5	10
STANDARDS								
GBM3961c		1.8	105	17.1	11.6	6360	56.0	60
GBM3961c		1.8	107	16.8	11.4	6590	55.9	40
Target Range - Lower Bound		1.4	97	14.6	10.7	6280	52.6	
Upper Bound		1.9	120	20.0	13.3	7680	72.4	
GBM999-5		2.2	7	2.5	12.6	117	20.3	20
Target Range - Lower Bound		1.8	5	2.1	10.3	102	16.4	
Upper Bound		2.4	9	3.0	12.8	129	23.4	
GEOMS-03		3.7	111	21.5	23.0	46	59.0	<10
Target Range - Lower Bound		3.1	104	18.1	19.8	40	44.0	
Upper Bound		4.0	130	24.7	24.4	54	60.8	
GPP-01								
GPP-01								
Target Range - Lower Bound								
Upper Bound								
MRGeo08		5.3	109	4.8	24.5	782	103.0	80
MRGeo08		5.7	109	4.6	24.9	768	99.7	60
Target Range - Lower Bound		5.6	99	4.3	24.3	712	92.2	
Upper Bound		7.0	123	6.1	29.9	874	126.0	
OxA59								
OxA59								
Target Range - Lower Bound								
Upper Bound								
OXD73								
OXD73								
Target Range - Lower Bound								
Upper Bound								
PGMS-15								
Target Range - Lower Bound								
Upper Bound								
PK2								
Target Range - Lower Bound								
Upper Bound								
SL34								
Target Range - Lower Bound								
Upper Bound								
ST-252								
Target Range - Lower Bound								
Upper Bound								

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
BLANK		3	<5	1												
BLANK		2	<5	<1												
BLANK					<0.01	<0.01	<0.2	<10	<0.05	0.02	<0.01	<0.02	0.02	<0.1	<1	
BLANK					<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	1	
BLANK					<0.01	<0.01	<0.2	<10	<0.05	0.02	<0.01	<0.02	<0.01	<0.1	1	
BLANK		1	<5	<1												
Target Range - Lower Bound		<1	<5	<1	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	
Upper Bound		2	10	2	0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	
DUPLICATES																
ORIGINAL		530	<5	1												
DUP		519	<5	1												
Target Range - Lower Bound		497	<5	<1												
Upper Bound		552	10	2												
ORIGINAL		73	<5	1												
DUP		74	<5	1												
Target Range - Lower Bound		69	<5	<1												
Upper Bound		78	10	2												
RHERL-9200N/6350E		3	<5	1												
DUP		2	<5	1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		4	10	2												
EMNW-3500W/700S					0.03	5.91	1.1	490	1.22	0.09	1.38	0.07	42.7	3.8	31	
DUP					0.03	5.76	0.6	470	1.30	0.07	1.33	0.06	56.8	3.6	28	
Target Range - Lower Bound					0.02	5.53	0.6	430	1.15	0.07	1.28	0.04	47.3	3.4	27	
Upper Bound					0.04	6.14	1.1	530	1.37	0.09	1.43	0.09	52.2	4.0	32	
EMNW-3900W/600S		3	<5	<1												
DUP		3	<5	<1												
Target Range - Lower Bound		2	<5	<1												
Upper Bound		4	10	2												

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
BLANKS																
BLANK																
BLANK																
BLANK		<0.2	<0.01	0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.3
BLANK		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.2
BLANK																
Target Range - Lower Bound		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Upper Bound		0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
RHERL-9200N/6350E																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMNW-3500W/700S		6.1	1.57	14.50	0.11	5.0	0.025	1.49	19.4	5.0	0.37	268	0.31	2.28	4.8	9.8
DUP		6.0	1.47	14.30	0.12	5.0	0.018	1.46	27.3	5.8	0.34	245	0.35	2.23	4.5	9.0
Target Range - Lower Bound		5.5	1.43	13.65	0.06	4.7	0.015	1.39	21.7	4.9	0.33	239	0.26	2.13	4.3	8.7
Upper Bound		6.6	1.61	15.15	0.17	5.4	0.028	1.56	25.0	5.9	0.38	274	0.40	2.38	5.0	10.1
EMNW-3900W/600S																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm
BLANKS																
BLANK																
BLANK																
BLANK		<10	<0.5	0.4	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK																
Target Range - Lower Bound		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound		20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
RHERL-9200N/6350E																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMNW-3500W/700S		340	14.6	55.9	<0.002	0.01	0.08	5.9	1	0.7	307	0.33	<0.05	5.9	0.161	0.24
DUP		350	15.0	56.6	<0.002	0.01	0.10	5.9	1	0.7	300	0.31	<0.05	8.6	0.159	0.25
Target Range - Lower Bound		320	13.6	53.3	<0.002	<0.01	<0.05	5.5	<1	0.5	288	0.25	<0.05	6.7	0.147	0.21
Upper Bound		370	16.0	59.2	0.004	0.02	0.10	6.3	2	0.9	319	0.39	0.10	7.8	0.173	0.28
EMNW-3900W/600S																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	B-MS61 B ppm 10
BLANKS								
BLANK		<0.1	1	<0.1	<0.1	<2	<0.5	120
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	20
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	110
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	<10
Target Range - Lower Bound		<0.1	<1	<0.1	<0.1	<2	<0.5	<10
Upper Bound		0.2	2	0.2	0.2	4	1.0	20
DUPLICATES								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
RHERL-9200N/6350E								
DUP								
Target Range - Lower Bound								
Upper Bound								
EMNW-3500W/700S		1.0	32	0.4	10.1	15	147.5	60
DUP		1.0	30	0.4	9.9	14	148.0	100
Target Range - Lower Bound		0.9	28	0.3	9.4	12	140.0	70
Upper Bound		1.2	34	0.5	10.6	17	155.5	90
EMNW-3900W/600S								
DUP								
Target Range - Lower Bound								
Upper Bound								

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
DUPLICATES																
EMNW-3900W/300N		3	<5	<1												
DUP		3	<5	1												
Target Range - Lower Bound		2	<5	<1												
Upper Bound		4	10	2												
EMNW-3900W/300S					0.05	6.98	2.1	430	1.10	0.05	1.29	0.09	34.8	3.5	36	0.81
DUP					0.06	7.04	2.0	440	1.21	0.05	1.26	0.09	32.5	3.6	35	0.86
Target Range - Lower Bound					0.04	6.65	1.7	390	1.05	0.04	1.20	0.07	32.0	3.3	33	0.74
Upper Bound					0.07	7.37	2.4	480	1.26	0.06	1.35	0.11	35.3	3.8	38	0.93
EMNW-4000W/700S					0.04	5.37	0.5	530	0.97	0.07	1.12	0.06	26.5	2.2	23	0.85
DUP					0.02	5.28	0.6	530	1.14	0.06	1.11	0.05	25.8	2.2	23	0.84
Target Range - Lower Bound					0.02	5.05	0.3	480	0.95	0.05	1.05	0.03	24.8	2.0	21	0.75
Upper Bound					0.04	5.60	0.8	580	1.16	0.08	1.18	0.08	27.5	2.4	25	0.94
EMNW-3700W/500S		1	<5	1												
DUP		1	<5	1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
ORIGINAL		1	<5	1												
DUP		2	<5	1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
EMNW-3900W/300N DUP		DUPLICATES														
	Target Range - Lower Bound															
	Upper Bound															
EMNW-3900W/300S		4.6	2.36	14.55	0.11	3.9	0.020	1.26	15.0	6.0	0.32	240	0.44	2.04	5.4	8.9
DUP		4.6	2.26	15.10	0.13	4.2	0.020	1.29	14.0	6.7	0.32	239	0.48	2.09	5.7	9.2
	Target Range - Lower Bound	4.2	2.18	14.05	0.06	3.7	0.014	1.20	13.3	5.8	0.29	223	0.39	1.95	5.2	8.4
	Upper Bound	5.0	2.44	15.60	0.18	4.4	0.026	1.35	15.7	6.9	0.35	256	0.53	2.18	5.9	9.7
EMNW-4000W/700S		2.1	1.36	18.80	0.09	6.0	0.019	1.51	13.5	3.5	0.24	177	0.60	1.96	5.9	6.4
DUP		2.0	1.37	18.70	0.09	5.5	0.018	1.52	13.2	3.5	0.24	177	0.55	1.94	5.8	6.2
	Target Range - Lower Bound	1.7	1.29	17.75	<0.05	5.4	0.013	1.43	12.2	3.1	0.22	163	0.50	1.84	5.5	5.8
	Upper Bound	2.4	1.44	19.75	0.10	6.1	0.024	1.60	14.5	3.9	0.26	191	0.65	2.08	6.2	6.8
EMNW-3700W/500S DUP		DUPLICATES														
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL DUP		DUPLICATES														
	Target Range - Lower Bound															
	Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61		
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm		
		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	
EMNW-3900W/300N DUP		DUPLICATES ↓															
	Target Range - Lower Bound																
	Upper Bound																
EMNW-3900W/300S		620	15.7	43.2	<0.002	0.05	0.10	6.5	2	0.7	288	0.35	<0.05	6.0	0.179	0.20	
DUP		640	16.0	45.9	<0.002	0.05	0.10	6.7	2	0.8	296	0.35	<0.05	5.0	0.179	0.21	
	Target Range - Lower Bound	590	14.6	42.2	<0.002	0.04	<0.05	6.2	<1	0.5	277	0.28	<0.05	5.0	0.165	0.17	
	Upper Bound	670	17.1	46.9	0.004	0.06	0.16	7.0	3	1.0	307	0.42	0.10	6.0	0.193	0.24	
EMNW-4000W/700S		180	19.5	55.9	<0.002	0.01	0.05	4.7	2	1.1	288	0.35	<0.05	4.3	0.232	0.26	
DUP		180	19.5	55.1	<0.002	0.01	0.05	4.7	2	1.1	285	0.34	<0.05	4.0	0.229	0.25	
	Target Range - Lower Bound	160	18.0	52.6	<0.002	<0.01	<0.05	4.4	<1	0.8	272	0.28	<0.05	3.7	0.214	0.22	
	Upper Bound	200	21.0	58.4	0.004	0.02	0.10	5.0	3	1.4	301	0.41	0.10	4.6	0.247	0.29	
EMNW-3700W/500S DUP		DUPLICATES															
	Target Range - Lower Bound																
	Upper Bound																
ORIGINAL DUP		DUPLICATES															
	Target Range - Lower Bound																
	Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 1-OCT-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09097670

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	U	V	W	Y	Zn	Zr	B
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.1	1	0.1	0.1	2	0.5	10
EMNW-3900W/300N DUP		DUPLICATES						
Target Range - Lower Bound								
Upper Bound								
EMNW-3900W/300S DUP		0.8	38	0.4	8.3	18	131.0	<10
Target Range - Lower Bound		0.7	36	0.4	8.3	19	137.5	40
Upper Bound		0.6	34	0.3	7.8	16	127.0	<10
EMNW-4000W/700S DUP		0.9	40	0.5	8.8	21	141.5	40
Target Range - Lower Bound		0.9	42	0.4	5.3	11	189.5	70
Upper Bound		0.9	42	0.4	5.1	11	175.5	130
EMNW-3700W/500S DUP		0.8	39	0.3	4.8	8	173.0	90
Target Range - Lower Bound		1.0	45	0.5	5.6	14	192.0	120
Upper Bound								
ORIGINAL DUP								
Target Range - Lower Bound								
Upper Bound								

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1-OCT-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09097670

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method. ↓



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 12-SEP-2009
Account: MVR

QC CERTIFICATE SD09090060

Project: EASTMAIN MINE

P.O. No.:

This report is for 81 Soil samples submitted to our lab in Sudbury, ON, Canada on 25-AUG-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
DRY-22	Drying - Maximum Temp 60C

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090060

Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	
Sample Description	ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	
STANDARDS																
G2000				3.59	5.09	491	2450	1.54	1.21	0.62	8.19	54.6	26.7	103	13.35	
Target Range - Lower Bound				3.22	4.52	435	2000	1.25	0.98	0.51	6.82	47.9	22.6	90	11.10	
Upper Bound				3.96	5.54	533	2720	1.63	1.22	0.65	8.38	58.5	27.8	112	13.70	
GBM3961c				8.85	4.36	770	130	1.00	21.5	3.20	21.8	46.8	163.0	625	5.19	
GBM3961c				8.72	4.45	805	140	0.98	21.6	3.32	21.7	50.9	170.5	703	5.94	
Target Range - Lower Bound				7.28	3.75	669	210	0.77	18.15	2.77	19.35	43.5	144.0	594	4.83	
Upper Bound				8.92	4.60	818	300	1.05	22.2	3.40	23.7	53.2	176.5	728	6.01	
GBM999-5				57.1	4.60	3.6	170	1.36	0.60	0.10	0.23	28.0	3.4	4	0.82	
Target Range - Lower Bound				53.5	4.26	3.0	140	1.12	0.50	0.08	0.17	23.6	2.9	4	0.69	
Upper Bound				65.4	5.22	4.2	210	1.48	0.64	0.12	0.25	28.9	3.7	8	0.95	
GEOMS-03				0.76	5.17	617	2440	1.71	0.34	0.39	0.32	52.0	12.0	119	10.15	
GEOMS-03				0.66	5.37	670	2560	1.60	0.56	0.42	0.32	50.8	10.9	122	10.80	
Target Range - Lower Bound				0.67	4.61	570	2060	1.34	0.31	0.33	0.30	47.0	10.7	105	9.04	
Upper Bound				0.85	5.65	697	2810	1.74	0.41	0.43	0.42	57.4	13.3	131	11.15	
GPP-01	894	907	693													
GPP-01	932	865	698													
GPP-01	935	942	702													
Target Range - Lower Bound	841	892	682													
Upper Bound	969	1040	786													
OxA59	76	<5	<1													
OxA59	85	<5	<1													
OxA59	78	<5	<1													
Target Range - Lower Bound	75															
Upper Bound	88															
OXD73	413	<5	<1													
OXD73	419	<5	<1													
OXD73	404	<5	<1													
Target Range - Lower Bound																
Upper Bound																
PGMS-16	1255	1205	4490													
PGMS-16	1050	1200	4590													
PGMS-16	1125	1250	4680													
Target Range - Lower Bound	1040	1140	4330													
Upper Bound	1200	1320	4990													

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090060

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	
Sample Description	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	
STANDARDS																
G2000	304	3.97	13.70	0.12	1.3	0.426	1.30	31.9	44.3	0.76	560	6.30	0.13	12.4	277	
Target Range - Lower Bound	273	3.46	11.65	0.09	1.1	0.355	1.14	25.9	37.0	0.67	506	5.62	0.12	10.4	246	
Upper Bound	334	4.26	14.35	0.22	1.6	0.445	1.42	32.7	45.6	0.85	630	6.98	0.16	13.0	302	
GBM3961c	3010	8.97	13.15	0.28	2.0	1.335	0.79	25.3	19.6	2.68	900	10.65	0.69	3.3	2090	
GBM3961c	3060	9.57	13.75	0.22	2.0	1.430	0.84	28.0	18.2	2.83	945	11.00	0.69	3.6	2290	
Target Range - Lower Bound	2590	8.00	11.75	0.17	1.5	1.250	0.68	22.9	16.8	2.32	780	6.97	0.56	3.0	1925	
Upper Bound	3160	9.80	14.45	0.32	2.1	1.540	0.85	29.1	21.0	2.85	964	11.10	0.71	3.9	2350	
GBM999-5	468	2.96	16.60	0.08	0.8	0.032	3.49	14.8	3.5	0.04	63	4.48	0.99	6.6	4.3	
Target Range - Lower Bound	429	2.67	14.70	0.07	0.6	0.022	3.10	11.8	2.8	0.03	54	3.77	0.83	5.3	3.8	
Upper Bound	525	3.29	18.10	0.19	1.0	0.038	3.81	15.6	3.8	0.05	78	4.71	1.03	6.7	5.0	
GEOMS-03	135.0	4.17	13.85	0.21	1.6	0.045	1.07	29.1	44.7	0.51	509	3.53	0.08	15.3	54.1	
GEOMS-03	134.5	4.35	13.95	0.10	1.4	0.052	1.19	29.3	40.0	0.55	542	3.16	0.11	15.1	51.3	
Target Range - Lower Bound	120.5	3.64	12.00	0.10	1.2	0.035	1.03	25.6	37.6	0.48	483	3.05	0.06	13.1	48.1	
Upper Bound	147.5	4.46	14.75	0.24	1.6	0.053	1.29	32.4	46.4	0.60	601	3.83	0.10	16.3	59.3	
GPP-01																
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
OxA59																
OxA59																
OxA59																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
PGMS-16																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - C

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 12-SEP-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
STANDARDS																
G2000		990	675	76.0	0.004	0.27	34.9	12.7	6	2.3	121.5	0.79	0.16	7.5	0.347	1.10
Target Range - Lower Bound		870	603	62.9	0.003	0.23	29.3	10.3	4	1.8	104.5	0.65	0.09	6.4	0.314	0.84
Upper Bound		1080	738	77.1	0.009	0.30	39.7	12.8	7	2.6	128.0	0.91	0.22	8.2	0.395	1.18
GBM3961c		280	1915	62.7	0.003	3.80	30.0	14.2	7	6.4	93.5	0.85	3.48	6.4	0.241	1.00
GBM3961c		290	2000	71.7	0.005	3.91	33.0	14.4	8	6.9	99.4	0.86	3.52	7.4	0.260	1.08
Target Range - Lower Bound		250	1725	60.5	<0.002	3.33	25.3	11.9	6	5.7	83.7	0.71	3.01	5.8	0.213	0.82
Upper Bound		330	2110	74.1	0.007	4.10	34.4	14.8	9	7.4	102.5	0.98	3.79	7.5	0.272	1.15
GBM999-5		60	523	490	0.006	0.29	5.68	2.1	3	1.7	17.7	0.28	0.34	5.4	0.017	2.13
Target Range - Lower Bound		40	487	433	0.003	0.26	4.78	1.7	<1	1.3	14.5	0.26	0.21	4.4	0.013	1.75
Upper Bound		70	597	529	0.008	0.34	6.58	2.3	3	2.1	18.2	0.42	0.37	5.8	0.027	2.41
GEOMS-03		1080	7.1	67.6	<0.002	0.03	18.65	12.9	3	2.5	175.0	0.97	0.15	6.4	0.448	1.23
GEOMS-03		1140	7.3	61.6	0.002	0.04	18.90	13.4	4	2.6	175.0	1.02	0.13	6.8	0.492	1.24
Target Range - Lower Bound		970	7.2	55.7	<0.002	0.03	15.85	12.4	2	2.1	157.5	0.81	0.07	6.2	0.409	0.99
Upper Bound		1210	9.9	68.3	0.004	0.05	21.5	15.4	4	3.0	192.5	1.10	0.19	8.0	0.511	1.39
GPP-01																
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
OxA59																
OxA59																
OxA59																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
PGMS-16																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 12-SEP-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		U	V	W	Y	Zn	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	1	0.1	0.1	2	0.5	10
STANDARDS								
G2000		3.6	105	18.3	24.6	1330	42.8	<10
Target Range - Lower Bound		2.9	94	15.2	21.1	1155	37.5	<10
Upper Bound		3.7	117	20.8	26.0	1415	51.9	20
GBM3961c		1.5	111	20.2	11.4	6820	60.7	20
GBM3961c		1.8	114	18.3	13.0	7380	71.7	<10
Target Range - Lower Bound		1.4	97	14.8	10.7	6280	52.6	
Upper Bound		1.9	120	20.0	13.3	7680	72.4	
GBM999-5		2.2	7	2.7	12.4	111	20.7	<10
Target Range - Lower Bound		1.8	5	2.1	10.3	102	16.4	
Upper Bound		2.4	9	3.0	12.8	129	23.4	
GEOMS-03		3.2	114	21.2	22.4	45	51.3	<10
GEOMS-03		3.6	117	22.9	23.7	52	51.9	30
Target Range - Lower Bound		3.1	104	18.1	19.8	40	44.0	
Upper Bound		4.0	130	24.7	24.4	54	60.8	
GPP-01								
GPP-01								
GPP-01								
Target Range - Lower Bound								
Upper Bound								
OxA59								
OxA59								
OxA59								
Target Range - Lower Bound								
Upper Bound								
OXD73								
OXD73								
OXD73								
Target Range - Lower Bound								
Upper Bound								
PGMS-16								
PGMS-16								
PGMS-16								
Target Range - Lower Bound								
Upper Bound								

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
BLANKS																
BLANK					<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
BLANK					<0.01	<0.01	<0.2	<10	<0.05	0.02	<0.01	<0.02	<0.01	<0.1	<1	<0.05
BLANK					<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	1	<0.05
BLANK		2	<5	<1												
BLANK		2	<5	<1												
BLANK		1	<5	<1												
Target Range - Lower Bound		<1	<5	<1	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
Upper Bound		2	10	2	0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10
DUPLICATES																
ORIGINAL		2	<5	<1												
DUP		2	<5	1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		3	10	2												
ORIGINAL		2	<5	<1												
DUP		2	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		3	10	2												
EMS-2100E/1650S		1	<5	<1												
DUP		1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EMS-2300E/1750S					0.02	6.29	0.9	490	1.61	0.09	1.54	0.05	41.1	3.7	31	0.72
DUP					0.04	6.27	0.8	480	1.39	0.07	1.52	0.05	38.4	3.6	29	0.70
Target Range - Lower Bound					0.02	5.96	0.6	440	1.38	0.07	1.44	0.03	37.8	3.4	28	0.62
Upper Bound					0.04	6.60	1.1	530	1.63	0.09	1.62	0.07	41.7	3.9	33	0.80
EMS-1900E/1150S		2	<5	<1												
DUP		2	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		3	10	2												

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
BLANKS																
BLANK		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Target Range - Lower Bound		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Upper Bound		0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMS-2100E/1650S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMS-2300E/1750S		1.6	1.81	17.20	0.09	7.0	0.029	1.44	19.1	5.3	0.35	286	0.39	2.33	7.0	10.0
DUP		1.5	1.75	17.00	0.09	5.8	0.025	1.46	18.1	5.5	0.34	268	0.38	2.38	6.4	9.0
Target Range - Lower Bound		1.3	1.66	16.20	<0.05	6.0	0.021	1.37	17.2	4.9	0.32	258	0.32	2.23	6.3	8.8
Upper Bound		1.8	1.88	18.00	0.10	6.8	0.033	1.53	20.0	5.9	0.37	296	0.45	2.48	7.1	10.2
EMS-1900E/1150S																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
BLANKS																
BLANK		<10	<0.5	0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK																
BLANK																
Target Range - Lower Bound		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound		20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMS-2100E/1650S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMS-2300E/1750S		350	13.2	50.5	<0.002	0.01	0.08	8.9	2	0.8	326	0.46	<0.05	5.9	0.209	0.24
DUP		360	12.9	50.5	<0.002	0.01	0.06	8.8	2	0.8	327	0.38	<0.05	5.8	0.201	0.23
Target Range - Lower Bound		330	11.9	47.9	<0.002	<0.01	<0.05	8.3	<1	0.6	310	0.35	<0.05	5.4	0.190	0.20
Upper Bound		380	14.2	53.1	0.004	0.02	0.10	9.4	3	1.0	343	0.49	0.10	6.3	0.220	0.27
EMS-1900E/1150S																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	B-MS61 B ppm 10
BLANKS								
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	60
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	20
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	10
BLANK								
BLANK								
BLANK								
Target Range - Lower Bound		<0.1	<1	<0.1	<0.1	<2	<0.5	<10
Upper Bound		0.2	2	0.2	0.2	4	1.0	20
DUPLICATES								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
EMS-2100E/1650S								
DUP								
Target Range - Lower Bound								
Upper Bound								
EMS-2300E/1750S		1.2	35	0.4	11.7	15	203	<10
DUP		1.0	34	0.4	10.7	14	179.0	<10
Target Range - Lower Bound		0.9	32	0.3	10.5	12	181.0	<10
Upper Bound		1.3	37	0.5	11.9	17	201	20
EMS-1900E/1150S								
DUP								
Target Range - Lower Bound								
Upper Bound								

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
DUPLICATES																
EMS-2000E/1450S					0.01	6.83	1.2	500	2.02	0.05	1.86	0.08	53.4	4.2	29	0.83
DUP					0.04	6.78	2.5	510	1.49	0.08	1.87	0.09	51.4	4.2	31	0.84
Target Range - Lower Bound					<0.01	6.45	1.6	460	1.62	0.05	1.76	0.06	49.8	3.9	28	0.74
Upper Bound					0.04	7.16	2.1	550	1.89	0.08	1.97	0.11	55.0	4.5	33	0.93
EMS-2000E/1550S		1	5	<1												
DUP		1	<5	1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
ORIGINAL		16	84	17												
DUP		17	65	19												
Target Range - Lower Bound		15	66	16												
Upper Bound		18	83	20												
ORIGINAL		4	<5	2												
DUP		4	5	2												
Target Range - Lower Bound		3	<5	<1												
Upper Bound		5	10	3												
ORIGINAL					0.17	0.08	8.0	20	0.08	0.07	19.45	0.06	1.44	1.0	1	0.17
DUP					0.24	0.08	<5.0	10	0.09	0.03	19.60	0.06	1.45	1.0	1	0.16
Target Range - Lower Bound					0.18	0.07	6.0	<10	<0.05	0.04	18.55	0.04	1.36	0.9	<1	0.11
Upper Bound					0.23	0.09	7.0	20	0.10	0.06	20.5	0.08	1.53	1.2	2	0.22

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
DUPLICATES																
EMS-2000E/1450S		3.6	1.76	16.60	0.10	4.8	0.027	1.54	27.7	7.1	0.45	432	1.30	2.75	6.6	9.7
DUP		4.4	1.79	16.35	0.08	5.4	0.023	1.55	26.4	6.1	0.46	440	1.39	2.74	7.6	10.0
Target Range - Lower Bound		3.6	1.68	15.60	<0.05	4.7	0.019	1.46	25.2	6.1	0.42	409	1.23	2.60	6.6	9.2
Upper Bound		4.4	1.87	17.35	0.10	5.5	0.031	1.63	28.9	7.1	0.49	463	1.46	2.89	7.6	10.5
EMS-2000E/1550S																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		2.2	0.41	0.32	0.18	<0.1	0.009	0.04	0.9	1.2	12.95	189	0.08	0.01	0.5	0.6
DUP		1.5	0.41	0.34	0.28	<0.1	0.009	0.03	0.9	1.2	13.00	190	0.07	0.01	0.4	0.7
Target Range - Lower Bound		1.6	0.38	0.26	0.17	<0.1	<0.005	0.02	<0.5	0.9	12.30	175	<0.05	<0.01	0.3	0.4
Upper Bound		2.1	0.44	0.40	0.29	0.2	0.010	0.05	1.0	1.5	13.65	204	0.10	0.02	0.6	0.9

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm
		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
DUPLICATES																
EMS-2000E/1450S		240	13.5	51.8	0.002	0.06	0.06	8.7	3	0.9	379	0.44	<0.05	7.8	0.217	0.26
DUP		280	14.0	51.3	0.002	0.07	0.09	8.3	3	0.9	375	0.47	<0.05	7.3	0.241	0.26
Target Range - Lower Bound		240	12.6	48.9	<0.002	0.05	<0.05	8.0	2	0.7	358	0.38	<0.05	7.0	0.213	0.22
Upper Bound		280	14.9	54.2	0.004	0.08	0.10	9.0	4	1.1	396	0.53	0.10	8.1	0.245	0.30
EMS-2000E/1550S																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		220	1.3	1.1	<0.002	0.01	0.08	0.3	1	<0.2	46.9	<0.05	<0.05	<0.2	0.005	<0.02
DUP		220	1.3	1.0	<0.002	0.01	0.06	0.3	2	<0.2	48.7	<0.05	0.05	<0.2	<0.005	<0.02
Target Range - Lower Bound		200	0.7	0.9	<0.002	<0.01	<0.05	0.2	<1	<0.2	45.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound		240	1.9	1.2	0.004	0.02	0.10	0.4	2	0.4	50.4	0.10	0.10	0.4	0.010	0.04

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 12-SEP-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090060

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	B ppm
		0.1	1	0.1	0.1	2	0.5	10
DUPLICATES								
EMS-2000E/1450S		1.1	37	1.3	16.0	25	146.0	<10
DUP		1.2	37	1.0	16.8	25	171.0	160
Target Range - Lower Bound		1.0	34	1.0	15.5	22	150.0	70
Upper Bound		1.3	40	1.3	17.3	28	167.0	100
EMS-2000E/1550S								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL		0.3	2	0.1	1.0	14	0.5	
DUP		0.4	2	0.1	1.0	14	0.7	<10
Target Range - Lower Bound		0.2	<1	<0.1	0.9	11	<0.5	<10
Upper Bound		0.5	3	0.2	1.2	17	1.0	20

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 12-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090060

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 17-SEP-2009
Account: MVR

QC CERTIFICATE SD09090061

Project: EASTMAIN MINE

P.O. No.:

This report is for 143 Soil samples submitted to our lab in Sudbury, ON, Canada on 25-AUG-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
DRY-22	Drying - Maximum Temp 60C

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - A

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090061

Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	
	ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
Sample Description	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	
STANDARDS																
GBM3961c				8.38	4.17	743	100	0.90	21.6	3.10	21.9	52.8	154.5	650	5.16	
GBM3961c				7.87	4.12	758	200	0.96	21.1	3.06	23.0	50.3	154.5	618	5.32	
GBM3961c				8.84	4.40	812	130	0.80	22.1	3.25	22.4	46.8	160.5	620	5.43	
Target Range - Lower Bound				7.28	3.75	689	210	0.77	18.15	2.77	19.35	43.5	144.0	594	4.83	
Upper Bound				8.92	4.60	818	300	1.05	22.2	3.40	23.7	53.2	178.5	728	6.01	
GBM999-5				59.1	4.81	3.1	180	1.28	0.58	0.11	0.21	28.4	3.5	6	0.90	
GBM999-5				62.3	4.87	4.0	190	1.40	0.59	0.11	0.23	28.2	3.6	7	0.87	
Target Range - Lower Bound				53.5	4.26	3.0	140	1.12	0.50	0.08	0.17	23.6	2.9	4	0.69	
Upper Bound				65.4	5.22	4.2	210	1.48	0.64	0.12	0.25	28.9	3.7	8	0.95	
GEOMS-03				0.68	5.06	622	2400	1.48	0.40	0.40	0.34	47.4	11.9	113	10.95	
GEOMS-03				0.66	5.17	640	2470	1.43	0.45	0.41	0.36	51.1	12.0	113	10.75	
Target Range - Lower Bound				0.67	4.61	570	2060	1.34	0.31	0.33	0.30	47.0	10.7	105	9.04	
Upper Bound				0.85	5.65	697	2810	1.74	0.41	0.43	0.42	57.4	13.3	131	11.15	
GPP-01	874	924	705													
GPP-01	914	890	694													
GPP-01	954	911	718													
GPP-01	917	877	685													
GPP-01	882	895	703													
Target Range - Lower Bound	841	892	682													
Upper Bound	969	1040	786													
MRGeo08				4.41	7.21	33.6	1030	3.39	0.68	2.59	2.35	71.9	20.5	93	12.65	
MRGeo08				4.43	7.11	33.6	1040	3.45	0.71	2.60	2.44	75.9	20.9	92	13.30	
MRGeo08				4.54	7.86	33.1	1080	3.22	0.73	2.67	2.28	73.9	20.6	99	13.15	
Target Range - Lower Bound				4.16	7.00	29.7	920	2.80	0.63	2.35	2.01	72.9	18.4	82	11.00	
Upper Bound				5.10	8.57	36.7	1270	3.54	0.79	2.90	2.50	89.1	22.8	102	13.60	
OxA59	79	<5	<1													
OxA59	76	<5	<1													
OxA59	76	<5	<1													
OxA59	74	<5	<1													
OxA59	75	5	<1													
Target Range - Lower Bound	75															
Upper Bound	88															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090061

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
STANDARDS															
GBM3961c															
GBM3961c	2870	8.90	12.75	0.22	1.9	1.335	0.78	28.5	17.3	2.59	876	10.45	0.66	3.3	2050
GBM3961c	2850	8.74	12.40	0.25	1.8	1.390	0.77	28.1	16.6	2.55	865	10.90	0.63	3.1	2010
GBM3961c	3060	9.06	12.45	0.21	1.9	1.370	0.81	25.7	16.2	2.71	910	10.80	0.67	3.4	2200
Target Range - Lower Bound	2590	8.00	11.75	0.17	1.5	1.250	0.68	22.9	16.8	2.32	780	8.97	0.56	3.0	1925
Upper Bound	3160	9.80	14.45	0.32	2.1	1.540	0.85	29.1	21.0	2.85	984	11.10	0.71	3.9	2350
GBM999-5	493	3.11	17.85	0.18	0.8	0.029	3.68	15.3	3.7	0.04	67	4.65	1.05	6.5	5.2
GBM999-5	487	3.22	17.25	0.12	0.8	0.032	3.69	15.1	3.6	0.04	70	4.64	0.97	6.3	4.9
Target Range - Lower Bound	429	2.67	14.70	0.07	0.6	0.022	3.10	11.8	2.8	0.03	54	3.77	0.83	5.3	3.8
Upper Bound	525	3.29	18.10	0.19	1.0	0.038	3.81	15.6	3.8	0.05	78	4.71	1.03	6.7	5.0
GEOMS-03	133.5	4.12	14.30	0.19	1.3	0.045	1.13	28.5	41.3	0.51	511	3.35	0.07	15.2	55.5
GEOMS-03	132.5	4.30	13.60	0.14	1.5	0.053	1.13	29.5	40.1	0.52	534	3.29	0.11	15.5	54.7
Target Range - Lower Bound	120.5	3.64	12.00	0.10	1.2	0.035	1.03	25.6	37.6	0.48	483	3.05	0.08	13.1	48.1
Upper Bound	147.5	4.48	14.75	0.24	1.6	0.053	1.29	32.4	46.4	0.80	601	3.83	0.10	16.3	59.3
GPP-01															
GPP-01															
GPP-01															
GPP-01															
Target Range - Lower Bound															
Upper Bound															
MRGeo08															
MRGeo08	610	4.00	19.85	0.14	3.6	0.187	2.99	34.8	32.1	1.28	549	15.80	1.96	21.6	659
MRGeo08	618	4.01	20.6	0.22	3.5	0.195	3.00	37.0	33.6	1.28	555	16.40	1.89	21.9	671
MRGeo08	635	4.01	20.2	0.17	3.6	0.187	3.12	37.4	34.2	1.35	566	16.10	1.99	22.1	684
Target Range - Lower Bound	568	3.61	17.50	0.09	2.8	0.161	2.79	36.3	30.4	1.24	506	13.85	1.76	18.3	617
Upper Bound	694	4.43	21.5	0.23	3.6	0.207	3.43	45.5	37.6	1.54	630	16.75	2.18	22.5	755
OxA59															
OxA59															
OxA59															
OxA59															
OxA59															
Target Range - Lower Bound															
Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm
		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
STANDARDS																
GBM3961c		270	1840	73.6	0.004	3.66	29.6	13.6	8	6.2	92.9	0.88	3.25	7.2	0.236	0.97
GBM3961c		270	1800	73.7	0.005	3.61	30.9	13.9	6	6.7	89.8	0.83	3.28	6.7	0.227	0.96
GBM3961c		290	1995	61.2	0.006	3.90	30.6	13.0	8	6.4	98.9	1.07	3.40	6.9	0.251	1.00
Target Range - Lower Bound		250	1725	60.5	<0.002	3.33	25.3	11.9	6	5.7	83.7	0.71	3.01	5.8	0.213	0.82
Upper Bound		330	2110	74.1	0.007	4.10	34.4	14.8	9	7.4	102.5	0.98	3.79	7.5	0.272	1.15
GBM999-5		50	538	500	0.002	0.30	6.27	2.0	2	1.8	17.9	0.34	0.34	5.6	0.021	2.18
GBM999-5		60	572	500	0.004	0.31	6.11	2.2	3	1.8	18.8	0.30	0.38	5.7	0.019	2.37
Target Range - Lower Bound		40	487	433	0.003	0.26	4.78	1.7	<1	1.3	14.5	0.26	0.21	4.4	0.013	1.75
Upper Bound		70	597	529	0.008	0.34	6.58	2.3	3	2.1	18.2	0.42	0.37	5.8	0.027	2.41
GEOMS-03		1050	7.1	65.2	<0.002	0.03	19.25	13.9	4	2.7	172.0	1.07	0.13	7.0	0.458	1.31
GEOMS-03		1110	7.2	66.5	<0.002	0.04	19.65	13.4	4	2.7	177.5	1.04	0.17	6.7	0.452	1.30
Target Range - Lower Bound		970	7.2	55.7	<0.002	0.03	15.85	12.4	2	2.1	157.5	0.81	0.07	6.2	0.409	0.89
Upper Bound		1210	9.9	66.3	0.004	0.05	21.5	15.4	4	3.0	192.5	1.10	0.19	8.0	0.511	1.39
GPP-01																
GPP-01																
GPP-01																
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		1020	1000	157.5	0.008	0.30	4.58	12.1	3	4.1	307	1.67	<0.05	19.3	0.483	1.03
MRGeo08		1010	1010	179.5	0.010	0.30	5.10	13.4	3	4.5	308	1.73	0.05	20.7	0.486	1.06
MRGeo08		1050	1070	191.0	0.010	0.32	4.73	13.1	3	4.1	326	1.51	<0.05	20.3	0.501	1.02
Target Range - Lower Bound		910	965	187.0	0.008	0.27	4.08	11.0	<1	3.6	272	1.48	<0.05	18.2	0.454	
Upper Bound		1140	1180	229	0.014	0.35	5.64	13.6	2	4.7	332	1.92	0.10	23.9	0.588	
OxA59																
OxA59																
OxA59																
OxA59																
OxA59																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 2 - D

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	U	V	W	Y	Zn	Zr	B
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.1	1	0.1	0.1	2	0.5	10
STANDARDS								
GBM3961c								<10
GBM3961c		1.7	105	16.7	11.6	6680	60.6	10
GBM3961c		1.7	104	17.9	11.0	6370	57.3	60
GBM3961c		1.6	109	19.7	11.4	6840	59.9	
Target Range - Lower Bound		1.4	97	14.6	10.7	6290	52.8	
Upper Bound		1.9	120	20.0	13.3	7680	72.4	
GBM999-5		2.2	7	2.8	12.7	119	22.3	30
GBM999-5		2.4	7	2.6	12.4	118	20.1	80
Target Range - Lower Bound		1.8	5	2.1	10.3	102	16.4	
Upper Bound		2.4	9	3.0	12.8	129	23.4	
GEOMS-03		3.5	111	24.3	21.4	44	41.7	<10
GEOMS-03		3.7	111	22.8	22.7	46	45.1	70
Target Range - Lower Bound		3.1	104	18.1	19.8	40	44.0	
Upper Bound		4.0	130	24.7	24.4	54	60.8	
GPP-01								
GPP-01								
GPP-01								
GPP-01								
GPP-01								
Target Range - Lower Bound								
Upper Bound								
MRGeo08								<10
MRGeo08		6.0	108	4.9	25.5	775	107.0	20
MRGeo08		6.2	110	5.3	27.1	791	104.5	50
MRGeo08		5.6	110	5.1	27.6	815	109.5	
Target Range - Lower Bound		5.6	99	4.3	24.3	712	92.2	
Upper Bound		7.0	123	6.1	29.9	874	126.0	
OxA59								
OxA59								
OxA59								
OxA59								
OxA59								
Target Range - Lower Bound								
Upper Bound								

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61		
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	
STANDARDS																	
OXD73		422	<5	3													
OXD73		392	<5	<1													
OXD73		418	<5	<1													
OXD73		397	<5	1													
OXD73		403	<5	<1													
Target Range - Lower Bound																	
Upper Bound																	
PGMS-16		1125	1230	4670													
PGMS-16		1180	1295	4880													
PGMS-16		1075	1270	4840													
PGMS-16		1085	1205	4540													
PGMS-16		1280	1190	4530													
Target Range - Lower Bound		1040	1140	4330													
Upper Bound		1200	1320	4990													
PK2		4990	5030	6330													
Target Range - Lower Bound		4450	4410	5500													
Upper Bound		5120	5090	6330													
SL34		6000	<5	2													
Target Range - Lower Bound		5480															
Upper Bound		6310															
ST-252		64	<5	4													
Target Range - Lower Bound		54	<5	<1													
Upper Bound		64	10	2													
BLANKS																	
BLANK					<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK		2	<5	1													
BLANK		<1	<5	<1													
BLANK		<1	<5	<1													
BLANK					<0.01	<0.01	0.2	<10	<0.05	0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	
BLANK					<0.01	<0.01	0.6	<10	<0.05	0.02	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK					<0.01	<0.01	<0.2	<10	<0.05	0.02	<0.01	<0.02	0.01	<0.1	<1	<0.05	
BLANK		<1	<5	<1													
BLANK					<0.01	<0.01	0.4	<10	<0.05	0.01	0.01	<0.02	<0.01	<0.1	1	<0.05	
BLANK		1	<5	<1													

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 3 - B

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
Units		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
STANDARDS																
OXD73																
OXD73																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
PGMS-16																
PGMS-16																
PGMS-16																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																
PK2																
Target Range - Lower Bound																
Upper Bound																
SL34																
Target Range - Lower Bound																
Upper Bound																
ST-252																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.2	<0.01	<0.05	0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	0.08	<0.01	<0.1	0.2
BLANK																
BLANK																
BLANK																
BLANK		0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.3
BLANK		<0.2	<0.01	0.05	0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK																
BLANK		<0.2	<0.01	0.07	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.4
BLANK																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
Units		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
LOR		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	
STANDARDS																
OXD73																
OXD73																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
PGMS-16																
PGMS-16																
PGMS-16																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																
PK2																
Target Range - Lower Bound																
Upper Bound																
SL34																
Target Range - Lower Bound																
Upper Bound																
ST-252																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<10	<0.5	0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK																
BLANK																
BLANK																
BLANK		10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK		10	<0.5	0.3	<0.002	<0.01	0.06	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK		<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK																
BLANK		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 3 - D

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	U	V	W	Y	Zn	Zr	B
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.1	1	0.1	0.1	2	0.5	10
STANDARDS								
OXD73								
OXD73								
OXD73								
OXD73								
Target Range - Lower Bound								
Upper Bound								
PGMS-16								
PGMS-16								
PGMS-16								
PGMS-16								
PGMS-16								
Target Range - Lower Bound								
Upper Bound								
PK2								
Target Range - Lower Bound								
Upper Bound								
SL34								
Target Range - Lower Bound								
Upper Bound								
ST-252								
Target Range - Lower Bound								
Upper Bound								
BLANKS								
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	30
BLANK								
BLANK								
BLANK								
BLANK								30
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	50
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	100
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	100
BLANK								
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	
BLANK								

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - A

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
BLANKS																
BLANK		1	<5	<1												
Target Range - Lower Bound		<1	<5	<1	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
Upper Bound		2	10	2	0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10
DUPLICATES																
ORIGINAL		63	<5	<1												
DUP		76	6	<1												
Target Range - Lower Bound		65	<5	<1												
Upper Bound		74	10	2												
ORIGINAL		<1	<5	1												
DUP		2	<5	1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EMS-3000E/1300S					<0.01	6.41	0.5	510	1.29	0.06	1.40	0.06	32.4	3.3	27	0.82
DUP					0.01	6.38	<0.2	510	1.30	0.05	1.40	0.05	30.0	3.1	26	0.73
Target Range - Lower Bound					<0.01	6.07	<0.2	480	1.18	0.04	1.32	0.03	29.6	2.9	24	0.89
Upper Bound					0.02	6.72	0.4	560	1.41	0.07	1.48	0.08	32.8	3.5	29	0.86
EMS-2600E/1150S		<1	<5	<1												
DUP		<1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EMS-2500E/1650S		<1	<5	<1												
DUP		<1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EMS-2500E/1950S					0.03	6.61	0.8	500	1.30	0.10	1.94	0.07	63.2	4.2	33	0.70
DUP					0.02	6.36	0.8	480	1.25	0.08	1.88	0.05	55.4	4.1	36	0.67
Target Range - Lower Bound					<0.01	6.15	0.6	440	1.16	0.08	1.80	0.04	56.3	3.8	32	0.80
Upper Bound					0.04	6.82	1.0	540	1.39	0.10	2.02	0.08	62.3	4.5	37	0.77
EMS-1800E/1850S		2	<5	<1												
DUP		<1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - B

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090061

Method Analyte Units LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
BLANKS															
BLANK															
Target Range - Lower Bound	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Upper Bound	0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
EMS-3000E/1300S	2.9	1.65	16.20	0.15	4.3	0.015	1.54	14.9	4.8	0.29	242	0.29	2.44	5.7	9.0
DUP	2.8	1.64	14.85	0.13	3.9	0.015	1.55	13.9	4.7	0.29	236	0.27	2.42	5.0	8.3
Target Range - Lower Bound	2.5	1.55	14.70	0.08	3.8	0.009	1.46	13.2	4.3	0.27	222	0.22	2.30	5.0	8.0
Upper Bound	3.2	1.74	16.35	0.20	4.4	0.021	1.63	15.6	5.2	0.31	256	0.34	2.56	5.7	9.3
EMS-2600E/1150S															
DUP															
Target Range - Lower Bound															
Upper Bound															
EMS-2500E/1650S															
DUP															
Target Range - Lower Bound															
Upper Bound															
EMS-2500E/1950S	3.0	1.48	16.20	0.10	6.0	0.026	1.48	29.7	6.7	0.46	445	0.36	2.70	8.0	10.6
DUP	2.5	1.43	15.70	0.09	6.9	0.024	1.42	25.9	6.7	0.44	435	0.38	2.60	8.4	10.2
Target Range - Lower Bound	2.4	1.37	15.10	<0.05	6.0	0.019	1.37	25.9	6.2	0.42	413	0.30	2.61	7.7	9.7
Upper Bound	3.1	1.54	16.80	0.10	6.9	0.031	1.53	29.7	7.2	0.48	467	0.44	2.79	8.7	11.1
EMS-1800E/1850S															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 4 - C

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
Units		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
LOR		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	
BLANKS																
BLANK																
Target Range - Lower Bound		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound		20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMS-3000E/1300S		400	13.7	53.9	<0.002	0.01	0.05	5.8	1	0.8	329	0.34	<0.05	5.0	0.175	0.25
DUP		400	12.8	49.7	<0.002	0.01	<0.05	5.3	1	0.8	327	0.32	<0.05	4.6	0.169	0.24
Target Range - Lower Bound		370	12.1	49.1	<0.002	<0.01	<0.05	5.2	<1	0.6	311	0.28	<0.05	4.4	0.158	0.21
Upper Bound		430	14.4	54.5	0.004	0.02	0.10	5.9	2	1.0	345	0.40	0.10	5.2	0.186	0.28
EMS-2600E/1150S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMS-2500E/1650S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMS-2500E/1950S		580	13.7	55.1	<0.002	<0.01	0.05	8.5	3	1.0	391	0.47	<0.05	9.5	0.252	0.23
DUP		610	12.7	52.5	<0.002	<0.01	<0.05	8.3	3	1.0	378	0.47	<0.05	6.4	0.263	0.21
Target Range - Lower Bound		560	12.0	51.0	<0.002	<0.01	<0.05	7.9	2	0.8	365	0.40	<0.05	7.4	0.240	0.18
Upper Bound		630	14.4	58.8	0.004	0.02	0.10	8.9	4	1.3	404	0.54	0.10	8.5	0.275	0.26
EMS-1800E/1850S																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090061

Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	B-MS61 B ppm 10
BLANKS							
BLANK							
Target Range - Lower Bound	<0.1	<1	<0.1	<0.1	<2	<0.5	<10
Upper Bound	0.2	2	0.2	0.2	4	1.0	20
DUPLICATES							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
EMS-3000E/1300S	0.7	31	0.5	8.5	13	139.5	<10
DUP	0.7	31	0.3	7.6	14	125.5	40
Target Range - Lower Bound	0.6	28	0.3	7.5	11	125.5	<10
Upper Bound	0.8	34	0.5	8.6	16	139.5	40
EMS-2600E/1150S							
DUP							
Target Range - Lower Bound							
Upper Bound							
EMS-2500E/1650S							
DUP							
Target Range - Lower Bound							
Upper Bound							
EMS-2500E/1950S	1.4	32	1.0	18.1	23	191.5	
DUP	1.3	30	0.2	17.8	22	221	
Target Range - Lower Bound	1.2	28	0.5	17.0	19	195.5	
Upper Bound	1.5	34	0.7	18.9	26	217	
EMS-1800E/1850S							
DUP							
Target Range - Lower Bound							
Upper Bound							

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090061

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au ppb	Pt ppb	Pd ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
DUPLICATES																
EMS-1700E/1350S					<0.01	5.68	0.5	500	1.17	0.04	1.26	0.04	31.7	2.0	24	0.66
DUP					<0.01	5.76	0.7	500	1.18	0.05	1.28	0.04	30.4	2.0	23	0.73
Target Range - Lower Bound					<0.01	5.42	0.4	450	1.07	0.03	1.20	<0.02	29.5	1.8	21	0.61
Upper Bound					0.02	6.02	0.8	550	1.28	0.06	1.34	0.06	32.6	2.2	26	0.78
EMS-3000E/1700S		5	<5	<1												
DUP		<1	<5	<1												
Target Range - Lower Bound		2	<5	<1												
Upper Bound		4	10	2												
EMS-2700E/1050S					0.01	6.79	2.7	450	1.32	0.10	1.40	0.10	32.8	3.6	31	0.82
DUP					<0.01	6.72	2.6	450	1.39	0.11	1.37	0.09	28.5	3.6	32	0.81
Target Range - Lower Bound					<0.01	6.41	2.3	410	1.24	0.09	1.31	0.07	29.1	3.3	29	0.72
Upper Bound					0.02	7.10	3.0	490	1.47	0.12	1.46	0.12	32.2	3.9	34	0.91
EMS-1700E/1950S		1	6	<1												
DUP		1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
EMS-2900E/1300S					<0.01	6.59	0.9	570	1.41	0.06	1.80	0.06	55.5	4.6	32	0.76
DUP					<0.01	6.46	1.1	540	1.53	0.07	1.75	0.06	55.5	4.6	31	0.75
Target Range - Lower Bound					<0.01	6.19	0.8	500	1.35	0.05	1.68	0.04	52.7	4.3	29	0.67
Upper Bound					0.02	6.86	1.3	610	1.59	0.08	1.87	0.08	58.3	4.9	34	0.84
ORIGINAL		1	<5	<1												
DUP		1	<5	1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
ORIGINAL		41	5	3												
DUP		73	5	2												
Target Range - Lower Bound		53	<5	<1												
Upper Bound		61	10	4												

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090061

Method Analyte Units	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
Sample Description	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	
LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	
DURPLICATES																
EMS-1700E/1350S	0.9	1.16	13.65	<0.05	4.9	0.013	1.48	15.5	3.4	0.21	215	0.26	2.26	6.4	6.5	
DUP	0.9	1.09	14.35	0.06	4.2	0.018	1.50	14.9	3.5	0.21	216	0.28	2.28	5.6	5.8	
Target Range - Lower Bound	0.7	1.06	13.25	<0.05	4.2	0.010	1.41	13.9	3.1	0.19	200	0.21	2.15	5.6	5.6	
Upper Bound	1.1	1.19	14.75	0.10	4.9	0.021	1.57	16.5	3.8	0.23	231	0.33	2.39	6.4	6.7	
EMS-3000E/1700S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMS-2700E/1050S	4.1	2.33	16.75	0.11	3.3	0.024	1.34	15.2	5.6	0.32	285	0.44	2.24	7.0	9.2	
DUP	3.5	2.06	16.95	0.12	3.1	0.021	1.34	12.7	5.8	0.32	283	0.38	2.21	6.7	8.6	
Target Range - Lower Bound	3.4	2.08	15.95	0.06	2.9	0.016	1.26	12.6	5.2	0.29	265	0.34	2.10	6.4	8.3	
Upper Bound	4.2	2.31	17.75	0.17	3.5	0.029	1.42	15.1	6.2	0.35	303	0.48	2.35	7.3	9.5	
EMS-1700E/1950S																
DUP																
Target Range - Lower Bound																
Upper Bound																
EMS-2900E/1300S	3.3	1.96	15.85	0.11	6.4	0.022	1.67	22.2	5.9	0.41	318	0.34	2.68	6.9	12.3	
DUP	3.9	1.87	15.45	0.10	5.4	0.022	1.61	22.6	6.3	0.40	302	0.34	2.60	6.1	11.2	
Target Range - Lower Bound	3.2	1.81	14.80	<0.05	5.5	0.016	1.55	20.8	5.6	0.37	290	0.27	2.50	6.1	11.0	
Upper Bound	4.0	2.02	16.50	0.16	6.3	0.028	1.73	24.0	6.6	0.44	331	0.41	2.78	6.9	12.5	
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090061

Method Analyte Units LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
DUPLICATES															
EMS-1700E/1350S	290	13.7	54.7	<0.002	0.01	0.05	4.2	2	0.7	315	0.98	<0.05	4.4	0.169	0.24
DUP	290	14.0	57.1	<0.002	0.01	<0.05	4.4	2	0.8	320	0.36	<0.05	4.5	0.168	0.26
Target Range - Lower Bound	270	12.7	53.0	<0.002	<0.01	<0.05	4.0	<1	0.5	301	0.59	<0.05	4.0	0.155	0.21
Upper Bound	310	15.0	58.8	0.004	0.02	0.10	4.6	3	1.0	334	0.75	0.10	4.9	0.182	0.29
EMS-3000E/1700S	DUP														
Target Range - Lower Bound															
Upper Bound															
EMS-2700E/1050S	700	14.2	54.2	<0.002	0.01	0.24	6.1	1	0.9	320	0.46	<0.05	3.4	0.196	0.23
DUP	680	13.8	56.0	<0.002	0.01	0.18	6.0	1	0.8	319	0.44	<0.05	3.0	0.186	0.24
Target Range - Lower Bound	650	12.8	52.2	<0.002	<0.01	0.14	5.6	<1	0.6	303	0.38	<0.05	2.8	0.176	0.20
Upper Bound	730	15.2	58.0	0.004	0.02	0.28	6.5	2	1.1	336	0.52	0.10	3.8	0.206	0.27
EMS-1700E/1950S	DUP														
Target Range - Lower Bound															
Upper Bound															
EMS-2900E/1300S	550	15.0	58.8	<0.002	<0.01	<0.05	7.5	2	0.9	387	0.60	<0.05	6.3	0.207	0.29
DUP	520	14.3	57.2	<0.002	<0.01	<0.05	7.2	2	0.9	379	0.39	<0.05	6.1	0.194	0.27
Target Range - Lower Bound	500	13.4	55.0	<0.002	<0.01	<0.05	6.9	<1	0.7	364	0.42	<0.05	5.7	0.185	0.24
Upper Bound	570	15.9	61.0	0.004	0.02	0.10	7.8	3	1.1	402	0.57	0.10	6.7	0.216	0.32
ORIGINAL	DUP														
Target Range - Lower Bound															
Upper Bound															
ORIGINAL	DUP														
Target Range - Lower Bound															
Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.

834572 4TH LINE, MONO TWP.

RR #1

ORANGEVILLE ON L9W 2Y8

Page: 5 - D

Total # Pages: 5 (A - D)

Plus Appendix Pages

Finalized Date: 17-SEP-2009

Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090061

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
Analyte	U	V	W	Y	Zn	Zr	B
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.1	1	0.1	0.1	2	0.5	10
DUPLICATES							
EMS-1700E/1350S	0.7	22	0.3	6.9	9	153.5	10
DUP	0.7	22	0.3	7.2	9	128.0	40
Target Range - Lower Bound	0.6	20	0.2	6.6	7	133.0	<10
Upper Bound	0.8	24	0.4	7.5	11	148.5	40
EMS-3000E/1700S							
DUP							
Target Range - Lower Bound							
Upper Bound							
EMS-2700E/1050S	0.7	41	0.4	10.1	19	103.5	50
DUP	0.7	36	0.4	9.3	17	95.1	80
Target Range - Lower Bound	0.6	36	0.3	9.1	15	93.8	50
Upper Bound	0.8	41	0.5	10.3	21	105.0	80
EMS-1700E/1950S							
DUP							
Target Range - Lower Bound							
Upper Bound							
EMS-2900E/1300S	1.4	38	0.4	15.2	19	193.0	50
DUP	1.2	36	0.4	14.6	18	159.0	90
Target Range - Lower Bound	1.1	34	0.3	14.1	16	166.5	60
Upper Bound	1.5	40	0.5	15.7	21	185.5	80
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							

Comments: B results from ME-MS61 are semi-quantitative

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090061

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 1
Finalized Date: 17-SEP-2009
Account: MVR

QC CERTIFICATE SD09090062

Project: EASTMAIN MINE

P.O. No.:

This report is for 115 Soil samples submitted to our lab in Sudbury, ON, Canada on 25-AUG-2009.

The following have access to data associated with this certificate:

CATHY BUTELLA

DON ROBINSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
DRY-22	Drying - Maximum Temp 60C


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
B-MS61	B four-acid ICP-MS	ICP-MS
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: EASTMAIN RESOURCES INC.
ATTN: CATHY BUTELLA
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	
	ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
Sample Description	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	
STANDARDS																
G2000																
Target Range - Lower Bound																
Upper Bound																
GAU-11a	9	<5	<1													
Target Range - Lower Bound	9															
Upper Bound	12															
GBM3961c				8.32	4.07	730	310	0.91	21.4	3.01	22.6	48.7	152.5	641	5.67	
GBM3961c				8.60	4.26	749	100	0.87	21.4	3.13	23.3	45.1	158.0	657	5.25	
GBM3961c				8.16	4.21	756	190	0.94	22.2	3.12	22.4	51.4	152.0	688	5.30	
GBM3961c				8.58	4.26	704	270	0.98	20.5	3.04	21.4	47.2	150.5	630	5.41	
GBM3961c				8.21	4.12	753	430	0.95	21.6	3.08	21.9	51.7	148.5	641	5.44	
GBM3961c				8.49	4.18	722	160	0.95	20.8	3.13	22.1	50.1	161.0	651	5.27	
Target Range - Lower Bound				7.28	3.75	669	210	0.77	18.15	2.77	19.35	43.5	144.0	594	4.83	
Upper Bound				8.92	4.60	818	300	1.05	22.2	3.40	23.7	53.2	176.5	728	6.01	
GBM999-5				60.0	4.69	3.1	160	1.28	0.68	0.10	0.21	27.1	3.4	7	0.84	
GBM999-5				57.0	4.85	6.5	190	1.41	0.61	0.14	0.22	28.4	3.5	4	0.86	
Target Range - Lower Bound				53.5	4.26	3.0	140	1.12	0.50	0.08	0.17	23.6	2.9	4	0.69	
Upper Bound				65.4	5.22	4.2	210	1.48	0.64	0.12	0.25	28.9	3.7	8	0.95	
GEOMS-03				0.69	4.96	609	2380	1.60	0.33	0.39	0.34	53.5	11.9	119	10.85	
GEOMS-03				0.69	5.37	661	2560	1.71	0.38	0.41	0.37	55.6	13.1	118	11.00	
GEOMS-03				0.70	4.95	615	2280	1.54	0.32	0.38	0.35	49.3	11.9	110	10.80	
GEOMS-03				1.04	5.17	635	2460	1.71	0.40	0.40	0.35	52.0	12.5	120	10.90	
Target Range - Lower Bound				0.67	4.61	570	2060	1.34	0.31	0.33	0.30	47.0	10.7	105	9.04	
Upper Bound				0.85	5.65	697	2810	1.74	0.41	0.43	0.42	57.4	13.3	131	11.15	
GPP-01	1025	870	675													
GPP-01	935	942	702													
GPP-01	961	980	723													
GPP-01	952	929	700													
Target Range - Lower Bound	841	892	682													
Upper Bound	969	1040	786													
MRGeo08				4.50	7.63	32.1	1070	3.43	0.73	2.65	2.36	73.1	19.7	93	12.95	
MRGeo08				4.38	7.34	29.6	1020	3.58	0.67	2.49	2.29	77.6	19.3	90	13.35	
MRGeo08				4.49	7.54	31.0	1050	3.38	0.69	2.56	2.42	71.3	20.7	89	12.85	
MRGeo08				4.57	7.33	30.1	1030	3.43	0.65	2.53	2.21	74.6	20.8	93	12.80	
Target Range - Lower Bound				4.16	7.00	29.7	920	2.80	0.63	2.35	2.01	72.9	18.4	82	11.00	
Upper Bound				5.10	8.57	36.7	1270	3.54	0.79	2.90	2.50	89.1	22.8	102	13.60	

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
Sample Description	LOR	LOR	LOR	LOR	LOR	LOR	LOR	LOR	LOR	LOR	LOR	LOR	LOR	LOR	LOR
STANDARDS															
G2000															
Target Range - Lower Bound															
Upper Bound															
CAu-11a															
Target Range - Lower Bound															
Upper Bound															
GBM3961c	2840	8.49	12.20	0.20	1.9	1.395	0.73	25.7	18.2	2.49	846	10.55	0.64	3.4	2010
GBM3961c	2930	8.82	12.75	0.21	1.5	1.385	0.80	24.0	16.1	2.63	874	10.70	0.67	3.2	2070
GBM3961c	2960	8.75	13.00	0.29	2.0	1.405	0.80	28.2	17.7	2.64	867	10.70	0.67	3.5	2060
GBM3961c	2850	8.76	12.40	0.27	1.8	1.290	0.77	26.0	20.7	2.52	875	10.65	0.65	3.4	1960
GBM3961c	2820	8.88	12.75	0.22	1.7	1.350	0.78	27.6	18.1	2.63	876	10.25	0.64	3.1	2050
GBM3961c	2890	8.97	12.40	0.21	1.6	1.335	0.79	26.8	17.7	2.66	889	10.50	0.67	3.4	2060
Target Range - Lower Bound	2590	8.00	11.75	0.17	1.5	1.250	0.68	22.9	16.8	2.32	780	8.97	0.56	3.0	1925
Upper Bound	3160	9.80	14.45	0.32	2.1	1.540	0.85	29.1	21.0	2.85	964	11.10	0.71	3.9	2350
GBM999-5															
GBM999-5	478	3.00	17.35	0.09	0.7	0.028	3.58	14.6	3.0	0.04	66	4.40	1.01	6.4	4.1
GBM999-5	489	3.20	17.25	0.12	0.8	0.030	3.68	15.3	3.5	0.05	71	4.64	0.98	6.9	3.8
Target Range - Lower Bound	429	2.67	14.70	0.07	0.6	0.022	3.10	11.8	2.8	0.03	54	3.77	0.83	5.3	3.8
Upper Bound	525	3.29	18.10	0.19	1.0	0.038	3.81	15.6	3.8	0.05	78	4.71	1.03	6.7	5.0
GEOMS-03	132.0	4.09	14.15	0.15	1.5	0.051	1.04	30.3	43.4	0.50	516	3.24	0.09	15.9	52.5
GEOMS-03	139.5	4.40	14.85	0.12	1.6	0.052	1.15	32.1	46.6	0.53	532	3.56	0.08	16.0	56.7
GEOMS-03	124.0	4.00	13.35	0.11	1.6	0.046	1.08	29.7	43.6	0.50	516	3.34	0.07	14.7	52.0
GEOMS-03	134.5	4.17	14.60	0.17	1.7	0.052	1.13	30.7	44.3	0.52	525	3.59	0.07	14.8	53.0
Target Range - Lower Bound	120.5	3.64	12.00	0.10	1.2	0.035	1.03	25.6	37.6	0.48	483	3.05	0.06	13.1	48.1
Upper Bound	147.5	4.48	14.75	0.24	1.6	0.053	1.29	32.4	46.4	0.60	601	3.83	0.10	16.3	59.3
GPP-01															
GPP-01															
GPP-01															
GPP-01															
Target Range - Lower Bound															
Upper Bound															
MRGeo08	647	4.01	20.3	0.23	3.5	0.192	3.06	36.6	33.8	1.35	557	16.40	1.98	22.1	673
MRGeo08	612	3.92	19.50	0.24	3.4	0.169	2.91	38.0	37.3	1.28	543	15.90	1.90	21.6	647
MRGeo08	600	3.87	20.6	0.17	3.3	0.186	2.98	32.9	34.0	1.34	549	15.20	1.93	21.6	662
MRGeo08	609	3.81	19.40	0.15	3.2	0.182	3.00	37.1	33.5	1.31	541	15.40	1.94	21.6	648
Target Range - Lower Bound	568	3.61	17.50	0.09	2.8	0.161	2.79	36.3	30.4	1.24	506	13.65	1.76	18.3	617
Upper Bound	694	4.43	21.5	0.23	3.6	0.207	3.43	45.5	37.6	1.54	630	16.75	2.18	22.5	755

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Method Analyte Units LOR	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm	
STANDARDS																
G2000																
Target Range - Lower Bound																
Upper Bound																
GAU-11a																
Target Range - Lower Bound																
Upper Bound																
GBM3961c	270	1850	66.0	0.003	3.63	32.1	13.8	7	6.6	90.7	0.79	3.02	6.7	0.239	0.93	
GBM3961c	280	1910	68.2	0.004	3.68	30.3	13.1	7	6.3	93.6	0.80	3.43	6.6	0.245	1.02	
GBM3961c	280	1875	69.6	0.006	3.63	30.5	14.1	7	6.6	95.1	0.80	3.25	7.2	0.258	0.96	
GBM3961c	270	1820	73.4	0.007	3.58	31.3	14.2	7	6.2	92.9	0.84	3.25	6.3	0.243	0.98	
GBM3961c	260	1845	73.7	0.005	3.65	28.7	14.4	7	6.0	88.2	0.91	3.24	7.3	0.241	1.02	
GBM3961c	270	1870	67.2	0.007	3.68	29.7	14.0	6	6.4	91.1	0.77	3.45	6.4	0.245	0.97	
Target Range - Lower Bound	250	1725	60.5	<0.002	3.33	25.3	11.9	6	5.7	83.7	0.71	3.01	5.8	0.213	0.82	
Upper Bound	330	2110	74.1	0.007	4.10	34.4	14.8	9	7.4	102.5	0.98	3.79	7.5	0.272	1.15	
GBM999-5																
GBM999-5	50	516	480	0.006	0.29	5.58	2.1	3	1.6	17.6	0.34	0.31	5.3	0.018	2.20	
GBM999-5	50	547	490	0.006	0.31	6.12	1.9	2	1.7	17.8	0.32	0.35	5.8	0.019	2.07	
Target Range - Lower Bound	40	487	433	0.003	0.26	4.78	1.7	<1	1.3	14.5	0.26	0.21	4.4	0.013	1.75	
Upper Bound	70	597	529	0.008	0.34	6.58	2.3	3	2.1	18.2	0.42	0.37	5.8	0.027	2.41	
GEOMS-03	1090	7.2	63.3	<0.002	0.03	19.30	13.6	4	2.6	170.0	1.00	0.12	6.8	0.450	1.28	
GEOMS-03	1160	7.7	65.8	<0.002	0.04	20.0	14.8	4	2.7	184.0	1.06	0.15	7.4	0.471	1.34	
GEOMS-03	1040	7.0	63.4	<0.002	0.03	18.20	13.8	4	2.5	168.5	1.00	0.13	6.6	0.442	1.23	
GEOMS-03	1090	7.6	65.9	<0.002	0.03	20.0	14.1	4	2.7	176.0	1.06	0.15	7.2	0.463	1.30	
Target Range - Lower Bound	970	7.2	55.7	<0.002	0.03	15.85	12.4	2	2.1	157.5	0.81	0.07	6.2	0.409	0.89	
Upper Bound	1210	9.9	68.3	0.004	0.05	21.5	15.4	4	3.0	192.5	1.10	0.19	8.0	0.511	1.39	
GPP-01																
GPP-01																
GPP-01																
GPP-01																
Target Range - Lower Bound																
Upper Bound																
MRGeo08	1030	1040	188.5	0.008	0.31	4.86	12.3	3	4.3	311	1.70	<0.05	19.6	0.504	1.05	
MRGeo08	1010	982	188.5	0.011	0.29	4.68	13.5	2	4.0	292	1.60	0.05	20.0	0.481	1.07	
MRGeo08	1020	1010	163.5	0.008	0.30	4.69	12.2	2	4.0	299	1.61	<0.05	18.3	0.483	1.01	
MRGeo08	1010	991	160.5	0.009	0.30	4.59	12.5	2	4.0	296	1.69	<0.05	19.8	0.487	0.99	
Target Range - Lower Bound	910	965	187.0	0.008	0.27	4.08	11.0	<1	3.5	272	1.48	<0.05	18.2	0.454		
Upper Bound	1140	1180	229	0.014	0.35	5.64	13.6	2	4.7	332	1.92	0.10	23.9	0.566		

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	B-MS61 B ppm 10
STANDARDS							
G2000							<10
Target Range - Lower Bound							<10
Upper Bound							20
GAu-11a							
Target Range - Lower Bound							
Upper Bound							
GBM3961c	1.7	103	19.9	11.3	6590	64.9	90
GBM3961c	1.6	108	17.6	10.8	6650	56.4	100
GBM3961c	1.9	109	18.7	12.1	6770	64.4	
GBM3961c	1.6	103	18.3	11.4	6610	60.3	130
GBM3961c	1.9	106	16.1	11.1	6570	54.1	
GBM3961c	1.6	107	16.7	11.7	6730	60.4	
Target Range - Lower Bound	1.4	97	14.6	10.7	6280	52.6	
Upper Bound	1.9	120	20.0	13.3	7680	72.4	
GBM999-5							<10
GBM999-5	2.2	7	2.6	12.8	116	17.7	60
GBM999-5	2.3	7	2.8	12.6	117	19.6	
Target Range - Lower Bound	1.8	5	2.1	10.3	102	16.4	
Upper Bound	2.4	9	3.0	12.8	129	23.4	
GEOMS-03	3.7	110	21.3	22.7	42	52.0	<10
GEOMS-03	3.8	117	24.1	23.8	46	63.0	60
GEOMS-03	3.6	110	21.3	23.3	43	63.1	50
GEOMS-03	3.8	113	23.2	23.0	44	57.1	
Target Range - Lower Bound	3.1	104	18.1	19.8	40	44.0	
Upper Bound	4.0	130	24.7	24.4	54	60.8	
GPP-01							
GPP-01							
GPP-01							
GPP-01							
Target Range - Lower Bound							
Upper Bound							
MRGeo08	5.7	112	5.2	25.2	797	108.0	
MRGeo08							120
MRGeo08	5.7	108	4.8	27.4	762	105.5	110
MRGeo08	5.3	109	4.7	26.7	770	107.0	
MRGeo08	5.7	107	4.7	27.0	776	104.0	
Target Range - Lower Bound	5.6	99	4.3	24.3	712	92.2	
Upper Bound	7.0	123	6.1	29.9	874	126.0	

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ce	Cd	Co	Cr	Cs		
	ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	
STANDARDS																
OxA59	74	<5	<1													
OxA59	78	<5	<1													
OxA59	75	<5	<1													
OxA59	77	<5	1													
Target Range - Lower Bound	75															
Upper Bound	88															
OXD73	410	<5	1													
OXD73	404	<5	<1													
OXD73	408	<5	1													
OXD73	405	<5	<1													
Target Range - Lower Bound																
Upper Bound																
PGMS-15	500	101	436													
Target Range - Lower Bound	380	86	397													
Upper Bound	440	110	459													
PGMS-16	1150	1230	4680													
PGMS-16	1125	1250	4680													
PGMS-16	1125	1230	4700													
PGMS-16	1240	1200	4610													
Target Range - Lower Bound	1040	1140	4330													
Upper Bound	1200	1320	4990													
SL34	6000	<5	2													
Target Range - Lower Bound	5480															
Upper Bound	6310															
ST-252	52	<5	<1													
Target Range - Lower Bound	54	<5	<1													
Upper Bound	64	10	2													
BLANKS																
BLANK	<1	<5	<1													
BLANK	2	<5	<1													
BLANK				<0.01	<0.01	0.4	<10	<0.05	0.03	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK	1	<5	<1													
BLANK	<1	<5	<1													

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
STANDARDS															
OxA59															
OxA59															
OxA59															
OxA59															
Target Range - Lower Bound															
Upper Bound															
OXD73															
OXD73															
OXD73															
OXD73															
Target Range - Lower Bound															
Upper Bound															
PGMS-15															
Target Range - Lower Bound															
Upper Bound															
PGMS-16															
PGMS-16															
PGMS-16															
PGMS-16															
Target Range - Lower Bound															
Upper Bound															
SL34															
Target Range - Lower Bound															
Upper Bound															
ST-252															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK															
BLANK	0.2	<0.01	0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.4
BLANK															
BLANK															
BLANK															

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Tb	Th	Ti	Tl	
Sample Description	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	
STANDARDS																
OxA59																
OxA59																
OxA59																
OxA59																
Target Range - Lower Bound																
Upper Bound																
OXD73																
OXD73																
OXD73																
OXD73																
Target Range - Lower Bound																
Upper Bound																
PGMS-15																
Target Range - Lower Bound																
Upper Bound																
PGMS-16																
PGMS-16																
PGMS-16																
PGMS-16																
Target Range - Lower Bound																
Upper Bound																
SL34																
Target Range - Lower Bound																
Upper Bound																
ST-252																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK	<10	<0.5	0.2	<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	
BLANK																
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	
BLANK																
BLANK																

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
Analyte	U	V	W	Y	Zn	Zf	B
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR	0.1	1	0.1	0.1	2	0.5	10
STANDARDS							
OxA59							
OxA59							
OxA59							
OxA59							
Target Range - Lower Bound							
Upper Bound							
OXD73							
OXD73							
OXD73							
OXD73							
Target Range - Lower Bound							
Upper Bound							
PGMS-15							
Target Range - Lower Bound							
Upper Bound							
PGMS-16							
PGMS-16							
PGMS-16							
PGMS-16							
Target Range - Lower Bound							
Upper Bound							
SL34							
Target Range - Lower Bound							
Upper Bound							
ST-252							
Target Range - Lower Bound							
Upper Bound							
BLANKS							
BLANK							
BLANK							
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	120
BLANK							<10
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	120
BLANK							
BLANK							

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	
ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
Sample Description	1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	
BLANKS																
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.02	<0.01	<0.02	<0.01	<0.1	1	<0.05	
BLANK	1	<5	<1													
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	1	<0.05	
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.02	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.02	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
BLANK				<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
Target Range - Lower Bound	<1	<5	<1	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	
Upper Bound	2	10	2	0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	
DUPLICATES																
ORIGINAL	5	<5	<1													
DUP	5	<5	<1													
Target Range - Lower Bound	4	<5	<1													
Upper Bound	6	10	2													
ORIGINAL				0.16	5.29	1475	870	3.03	0.83	1.12	0.13	50.3	25.4	354	40.2	
DUP				0.14	5.25	1495	850	2.99	0.83	1.12	0.12	48.7	25.8	338	39.8	
Target Range - Lower Bound				0.13	5.00	1410	790	2.81	0.78	1.05	0.10	47.0	24.2	328	38.0	
Upper Bound				0.17	5.54	1560	930	3.21	0.88	1.19	0.15	52.0	27.0	364	42.1	
ORIGINAL				0.14	5.79	1725	840	1.77	1.01	4.40	0.92	55.3	22.4	135	18.60	
DUP				0.15	5.87	1840	870	1.65	0.94	4.58	0.96	53.9	21.3	138	18.10	
Target Range - Lower Bound				0.13	5.53	1695	780	1.57	0.92	4.26	0.87	51.9	20.7	129	17.40	
Upper Bound				0.16	6.13	1870	930	1.85	1.03	4.72	1.01	57.3	23.0	144	19.30	
EMS-2300E/1000S				<0.01	6.73	4.8	500	1.37	0.16	1.50	0.08	75.7	5.2	49	0.98	
DUP				0.01	6.73	2.5	450	1.38	0.10	1.50	0.08	72.2	5.1	50	0.89	
Target Range - Lower Bound				<0.01	6.38	3.3	430	1.26	0.11	1.42	0.06	70.2	4.8	48	0.84	
Upper Bound				0.02	7.08	4.0	520	1.49	0.15	1.59	0.10	77.7	5.5	53	1.03	
EMS-2300E/1150S																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Method Analyte Units LOR	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	
Sample Description	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	
BLANKS																
BLANK	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.2	
BLANK	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.5	
BLANK	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.2	
BLANK	<0.2	<0.01	0.05	0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
BLANK	0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
BLANK	0.3	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
Target Range - Lower Bound	<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	
Upper Bound	0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL	32.5	5.16	13.45	0.18	2.8	0.043	2.29	26.9	108.0	5.02	599	3.13	1.05	9.1	319	
DUP	33.3	5.17	13.70	0.18	2.8	0.047	2.27	26.7	107.5	4.98	607	3.34	1.05	8.7	315	
Target Range - Lower Bound	31.1	4.90	12.85	0.12	2.6	0.038	2.16	25.0	102.0	4.74	568	3.02	0.99	8.4	301	
Upper Bound	34.7	5.43	14.30	0.24	3.0	0.052	2.40	28.6	113.5	5.26	638	3.45	1.11	9.4	333	
ORIGINAL	61.8	4.56	15.30	0.14	2.2	0.068	2.14	29.0	31.3	1.75	586	5.22	0.34	4.5	102.0	
DUP	60.6	4.69	15.05	0.15	2.2	0.068	2.18	27.8	30.2	1.82	603	5.13	0.35	5.2	102.5	
Target Range - Lower Bound	57.9	4.38	14.35	0.09	2.0	0.060	2.04	26.5	29.0	1.69	560	4.87	0.32	4.5	96.9	
Upper Bound	64.5	4.87	16.00	0.20	2.4	0.076	2.28	30.3	32.5	1.88	629	5.48	0.37	5.2	107.5	
EMS-2300E/1000S	7.2	3.05	20.5	0.13	7.1	0.034	1.35	35.2	7.0	0.48	441	0.61	2.46	10.2	12.8	
DUP	4.3	3.19	20.4	0.14	6.9	0.030	1.35	34.4	6.4	0.43	402	0.48	2.23	9.3	11.9	
Target Range - Lower Bound	5.3	2.95	19.40	0.08	6.6	0.025	1.27	32.6	6.2	0.42	395	0.47	2.22	9.2	11.5	
Upper Bound	6.2	3.29	21.5	0.19	7.5	0.039	1.43	37.0	7.2	0.49	448	0.62	2.47	10.3	13.2	
EMS-2300E/1150S																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Method Analyte Units LOR	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm
Sample Description	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
BLANKS															
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	0.3	<0.002	<0.01	<0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	0.2	<0.002	<0.01	<0.05	<0.1	2	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	<0.1	0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	<0.5	<0.1	<0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK	<10	0.6	<0.1	0.002	<0.01	<0.05	0.1	1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Target Range - Lower Bound	<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound	20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL	990	5.6	192.0	0.003	0.63	47.1	14.1	3	2.9	152.0	0.59	0.08	7.8	0.310	2.94
DUP	980	5.6	188.5	0.003	0.62	46.4	14.0	3	2.9	152.5	0.56	0.07	7.6	0.299	2.89
Target Range - Lower Bound	930	4.9	180.5	<0.002	0.58	43.2	13.2	2	2.6	144.5	0.50	<0.05	7.1	0.284	2.68
Upper Bound	1040	6.4	200.0	0.004	0.67	50.3	14.9	4	3.2	160.0	0.65	0.10	8.3	0.325	3.15
ORIGINAL	410	7.1	124.0	0.009	1.67	17.60	16.1	4	1.8	354	0.26	0.17	6.6	0.221	1.53
DUP	440	6.5	122.5	0.009	1.71	17.55	16.2	4	1.8	356	0.30	0.19	6.3	0.260	1.43
Target Range - Lower Bound	390	6.0	117.0	0.007	1.60	16.20	15.2	3	1.5	337	0.22	0.12	5.9	0.223	1.35
Upper Bound	460	7.6	129.5	0.011	1.78	18.95	17.1	5	2.1	373	0.34	0.24	7.0	0.258	1.61
EMS-2300E/1000S	700	18.4	60.9	<0.002	0.03	0.48	9.1	3	1.2	343	0.63	<0.05	12.6	0.325	0.24
DUP	620	17.9	56.2	<0.002	0.02	0.13	9.2	2	1.1	308	0.59	<0.05	15.2	0.289	0.24
Target Range - Lower Bound	620	16.7	55.5	<0.002	<0.01	0.23	8.6	<1	0.9	309	0.53	<0.05	13.0	0.287	0.20
Upper Bound	700	19.6	61.6	0.004	0.04	0.38	9.7	4	1.4	342	0.69	0.10	14.8	0.327	0.28
EMS-2300E/1150S															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	B-MS61 B ppm 10
BLANKS							
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	110
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	220
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	170
BLANK	<0.1	1	0.1	<0.1	<2	<0.5	
BLANK	<0.1	<1	<0.1	<0.1	<2	<0.5	
Target Range - Lower Bound	<0.1	<1	<0.1	<0.1	<2	<0.5	<10
Upper Bound	0.2	2	0.2	0.2	4	1.0	20
DUPLICATES							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL	3.3	170	10.3	14.8	174	99.9	
DUP	3.2	166	9.8	14.9	171	98.8	
Target Range - Lower Bound	3.0	159	9.2	14.0	162	93.9	
Upper Bound	3.5	177	10.9	15.7	183	105.0	
ORIGINAL	2.9	139	3.5	16.3	135	76.9	
DUP	2.8	144	4.0	16.2	145	78.4	<10
Target Range - Lower Bound	2.6	133	3.4	15.3	131	73.3	<10
Upper Bound	3.1	150	4.1	17.2	148	82.0	20
EMS-2300E/1000S	1.7	59	1.7	15.7	29	232	
DUP	1.8	60	1.2	15.0	26	216	
Target Range - Lower Bound	1.6	56	1.2	14.5	24	212	
Upper Bound	1.9	63	1.7	16.2	31	236	
EMS-2300E/1150S							110
DUP							110
Target Range - Lower Bound							90
Upper Bound							130

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Method Analyte Units LOR	PGM-ICP23 Au ppb 1	PGM-ICP23 Pt ppb 5	PGM-ICP23 Pd ppb 1	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cu ppm 0.05
DUPLICATES															
EMS-2300E/1450S	<1	<5	<1												
DUP	<1	<5	<1												
Target Range - Lower Bound	<1	<5	<1												
Upper Bound	2	10	2												
EMS-2800E/1450S	2	<5	1												
DUP	<1	<5	<1												
Target Range - Lower Bound	<1	<5	<1												
Upper Bound	2	10	2												
EMS-2400E/1550S				0.01	6.70	1.1	430	1.57	0.11	1.44	0.10	37.5	3.9	33	0.88
DUP				0.02	6.52	3.7	420	1.54	0.09	1.36	0.09	29.4	3.8	35	0.84
Target Range - Lower Bound				<0.01	6.27	2.1	380	1.43	0.09	1.32	0.07	31.8	3.6	31	0.77
Upper Bound				0.02	6.95	2.7	470	1.68	0.12	1.48	0.12	35.1	4.1	37	0.95
EMS-2600E/1700S	1	<5	<1												
DUP	<1	<5	<1												
Target Range - Lower Bound	<1	<5	<1												
Upper Bound	2	10	2												
EMS-2100E/1850S	1	<5	<1												
DUP	2	<5	3												
Target Range - Lower Bound	<1	<5	<1												
Upper Bound	2	10	3												
EMS-1300E/1500S				0.02	6.19	1.8	490	1.27	0.11	1.45	0.08	37.8	4.0	35	0.71
DUP				0.02	6.32	1.8	510	1.40	0.10	1.49	0.07	34.3	4.0	34	0.73
Target Range - Lower Bound				<0.01	5.93	1.5	450	1.22	0.09	1.39	0.05	34.2	3.7	32	0.63
Upper Bound				0.03	6.58	2.1	550	1.45	0.12	1.55	0.10	37.9	4.3	37	0.81
EMS-1600E/1050S	1	<5	<1												
DUP	2	<5	<1												
Target Range - Lower Bound	<1	<5	<1												
Upper Bound	2	10	2												
ORIGINAL	11	36	79												
DUP	11	34	78												
Target Range - Lower Bound	9	28	74												
Upper Bound	13	42	83												

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
Units		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
EMS-2300E/1450S DUP Target Range - Lower Bound Upper Bound	DUPLICATES															
EMS-2800E/1450S DUP Target Range - Lower Bound Upper Bound	DUPLICATES															
EMS-2400E/1550S DUP Target Range - Lower Bound Upper Bound	1.9 1.8 1.6 2.1	2.22 2.14 2.06 2.30	19.55 19.30 18.40 20.4	0.08 0.07 0.05 0.10	4.0 4.0 3.7 4.3	0.023 0.023 0.017 0.029	1.38 1.36 1.29 1.45	17.1 13.5 14.0 16.6	6.6 6.7 6.1 7.2	0.32 0.33 0.30 0.35	291 261 257 295	0.50 0.48 0.42 0.56	2.25 2.20 2.10 2.35	6.5 6.2 5.9 6.8	8.9 10.4 9.0 10.3	
EMS-2600E/1700S DUP Target Range - Lower Bound Upper Bound	DUPLICATES															
EMS-2100E/1850S DUP Target Range - Lower Bound Upper Bound	DUPLICATES															
EMS-1300E/1500S DUP Target Range - Lower Bound Upper Bound	2.9 2.3 2.3 2.9	2.28 2.33 2.18 2.43	20.5 21.7 20.00 22.2	0.07 0.07 0.05 0.10	5.2 5.3 4.9 5.6	0.026 0.025 0.019 0.032	1.49 1.54 1.43 1.60	18.2 16.4 15.9 18.7	4.7 4.9 4.4 5.2	0.34 0.36 0.32 0.38	272 279 257 294	0.40 0.40 0.33 0.47	2.22 2.27 2.12 2.37	7.3 7.4 6.9 7.8	10.3 9.7 9.3 10.7	
EMS-1600E/1050S DUP Target Range - Lower Bound Upper Bound	DUPLICATES															
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES															

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Ti	
ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	
Sample Description															
EMS-2300E/1450S DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
EMS-2800E/1450S DUP Target Range - Lower Bound Upper Bound															
EMS-2400E/1550S DUP Target Range - Lower Bound Upper Bound	420 390 370 440	15.7 15.1 14.1 16.7	51.8 51.4 48.9 54.3	<0.002 <0.002 <0.002 0.004	0.01 0.01 <0.01 0.02	0.07 0.10 <0.05 0.10	7.6 7.3 7.0 7.9	2 2 <1 3	0.9 0.9 0.7 1.1	311 303 291 323	0.42 0.45 0.36 0.51	<0.05 <0.05 <0.05 0.10	5.6 3.7 4.2 5.1	0.204 0.202 0.188 0.218	0.26 0.24 0.21 0.29
EMS-2600E/1700S DUP Target Range - Lower Bound Upper Bound															
EMS-2100E/1850S DUP Target Range - Lower Bound Upper Bound															
EMS-1300E/1500S DUP Target Range - Lower Bound Upper Bound	310 320 290 340	17.4 17.5 16.1 18.8	51.2 52.1 49.0 54.3	<0.002 <0.002 <0.002 0.004	0.01 0.01 <0.01 0.02	0.18 0.06 0.06 0.18	6.4 7.1 6.3 7.2	2 2 <1 3	1.2 1.2 0.9 1.5	315 321 302 334	0.49 0.45 0.40 0.54	<0.05 <0.05 <0.05 0.10	5.9 5.7 5.3 6.3	0.261 0.266 0.245 0.282	0.26 0.27 0.23 0.30
EMS-1600E/1050S DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61	
		U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	B ppm
		0.1	1	0.1	0.1	2	0.5	10
EMS-2300E/1450S DUP Target Range - Lower Bound Upper Bound		DUPLICATES						
EMS-2800E/1450S DUP Target Range - Lower Bound Upper Bound		DUPLICATES						
EMS-2400E/1550S DUP Target Range - Lower Bound Upper Bound		0.9 0.8	43 41	0.4 0.4	10.9 9.7	16 15	129.0 135.0	30 100
EMS-2600E/1700S DUP Target Range - Lower Bound Upper Bound		DUPLICATES						
EMS-2100E/1850S DUP Target Range - Lower Bound Upper Bound		DUPLICATES						
EMS-1300E/1500S DUP Target Range - Lower Bound Upper Bound		0.9 0.9	55 57	0.7 0.5	8.9 8.5	16 15	182.5 182.0	60 70
EMS-1600E/1050S DUP Target Range - Lower Bound Upper Bound		DUPLICATES						
ORIGINAL DUP Target Range - Lower Bound Upper Bound		DUPLICATES						

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
DUPLICATES																
ORIGINAL		16	84	17												
DUP		17	65	19												
Target Range - Lower Bound		15	66	16												
Upper Bound		18	83	20												
ORIGINAL		257	5	2												
DUP		278	<5	1												
Target Range - Lower Bound		253	<5	<1												
Upper Bound		282	10	2												
ORIGINAL		1	<5	<1												
DUP		<1	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		2	10	2												
ORIGINAL		2	<5	<1												
DUP		3	<5	<1												
Target Range - Lower Bound		<1	<5	<1												
Upper Bound		4	10	2												
ORIGINAL		878	1020	4300												
DUP		891	1070	4360												
Target Range - Lower Bound		839	988	4110												
Upper Bound		930	1100	4550												
ORIGINAL		1285	<5	<1												
DUP		1440	<5	<1												
Target Range - Lower Bound		1295	<5	<1												
Upper Bound		1430	10	2												
ORIGINAL					0.07	8.49	0.8	260	0.52	0.01	8.52	0.09	20.5	36.4	78	0.72
DUP					0.07	8.50	0.6	260	0.53	0.01	8.52	0.08	19.80	34.4	81	0.72
Target Range - Lower Bound					0.06	8.06	0.5	230	0.45	<0.01	8.08	0.06	18.15	33.5	75	0.83
Upper Bound					0.08	8.93	0.9	290	0.60	0.02	8.96	0.11	21.2	37.3	84	0.81
ORIGINAL					0.38	0.75	8.3	20	0.32	0.40	0.89	0.05	0.18	126.0	<1	0.15
DUP					0.36	0.72	7.8	20	0.28	0.38	0.89	0.05	0.15	122.5	<1	0.16
Target Range - Lower Bound					0.34	0.69	7.4	<10	0.24	0.36	0.84	0.03	0.15	118.0	<1	0.10
Upper Bound					0.40	0.78	8.7	30	0.37	0.42	0.94	0.07	0.18	130.5	2	0.21

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
 834572 4TH LINE, MONO TWP.
 RR #1
 ORANGEVILLE ON L9W 2Y8

Page: 6 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 17-SEP-2009
 Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Method Analyte Units LOR	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ca ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm
Sample Description	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound	115.0 111.0 107.0 119.0	6.34 6.35 6.02 6.67	18.20 18.05 17.15 19.10	0.10 0.13 0.06 0.17	1.0 0.9 0.8 1.1	0.059 0.055 0.049 0.065	0.71 0.71 0.66 0.76	9.4 9.1 8.3 10.2	11.5 11.0 10.5 12.0	3.74 3.73 3.54 3.93	1060 1060 1000 1120	0.89 0.85 0.78 0.96	1.89 1.89 1.79 1.99	3.1 3.1 2.8 3.4	43.7 42.9 40.9 45.7
ORIGINAL DUP Target Range - Lower Bound Upper Bound	887 858 829 916	>50 >50 47.5 50.0	11.30 10.65 10.40 11.55	1.09 1.02 0.95 1.16	<0.1 <0.1 <0.1 0.2	0.088 0.088 0.072 0.091	0.06 0.06 0.05 0.07	<0.5 <0.5 <0.5 1.0	1.4 1.3 1.1 1.8	0.58 0.56 0.53 0.61	962 936 897 1000	0.14 0.13 0.08 0.19	0.04 0.04 0.03 0.05	0.4 0.3 0.2 0.5	67.7 64.8 62.7 69.8

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

**** See Appendix Page for comments regarding this certificate ****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Method Analyte Units	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	
ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
LOR				0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	
Sample Description	DUPLICATES														
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound	780 790 740 830	2.8 2.5 2.0 3.3	24.1 25.1 23.3 25.9	0.004 0.003 0.002 0.004	0.30 0.29 0.27 0.32	0.12 0.16 0.18 0.20	42.4 43.1 40.5 45.0	2 2 1 3	0.7 0.8 0.5 1.0	405 405 385 425	0.22 0.21 0.15 0.28	<0.05 <0.05 <0.05 0.10	1.3 1.2 1.0 1.5	0.641 0.641 0.604 0.678	0.10 0.10 0.07 0.13
ORIGINAL DUP Target Range - Lower Bound Upper Bound	60 60 50 70	0.6 0.6 <0.5 1.0	1.2 0.9 0.9 1.2	0.002 0.002 0.002 0.004	2.07 2.02 1.93 2.16	0.46 0.47 0.38 0.55	0.3 0.3 0.2 0.4	3 2 1 4	0.2 0.2 0.2 0.4	14.7 13.9 13.4 15.2	<0.05 <0.05 <0.05 0.10	0.19 0.17 0.12 0.24	<0.2 <0.2 <0.2 0.4	0.020 0.019 0.014 0.025	0.02 0.02 0.02 0.04

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
		U ppm 0.1	V ppm 1	W ppm 0.1	Y ppm 0.1	Zn ppm 2	Zr ppm 0.5	B ppm 10
ORIGINAL DUP Target Range - Lower Bound Upper Bound		DUPLICATES						
ORIGINAL DUP Target Range - Lower Bound Upper Bound								
ORIGINAL DUP Target Range - Lower Bound Upper Bound								
ORIGINAL DUP Target Range - Lower Bound Upper Bound								
ORIGINAL DUP Target Range - Lower Bound Upper Bound								
ORIGINAL DUP Target Range - Lower Bound Upper Bound								
ORIGINAL DUP Target Range - Lower Bound Upper Bound								
ORIGINAL DUP Target Range - Lower Bound Upper Bound		0.9 0.8 0.7 1.0	300 301 284 317	0.4 0.4 0.3 0.5	17.8 17.5 16.7 18.6	67 66 61 72	22.3 22.1 20.9 24.1	
ORIGINAL DUP Target Range - Lower Bound Upper Bound		0.2 0.1 <0.1 0.2	17 16 15 18	3.5 3.5 3.1 3.9	0.3 0.3 0.2 0.4	62 60 56 66	1.4 1.3 0.8 1.9	310 280 340

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method Analyte Units LOR	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		1	5	1	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
DUPLICATES																
ORIGINAL					0.51	0.21	504	530	0.16	0.79	31.7	2.69	7.80	2.3	3	0.54
DUP					0.52	0.26	488	510	0.18	0.75	30.5	2.52	8.13	2.3	2	0.54
Target Range	Lower Bound				0.48	0.21	471	470	0.11	0.72	28.5	2.45	7.56	2.1	<1	0.46
	Upper Bound				0.55	0.26	521	570	0.23	0.82	32.7	2.76	8.37	2.5	4	0.62

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
		DUPLICATES														
ORIGINAL		3.5	1.56	0.83	0.07	0.1	0.050	0.08	6.6	1.3	3.04	1330	0.34	<0.01	0.6	4.3
DUP		3.5	1.53	0.91	0.09	0.2	0.049	0.09	6.6	1.1	2.94	1300	0.31	0.02	0.7	4.4
Target Range - Lower Bound		3.1	1.46	0.78	<0.05	<0.1	0.042	0.07	5.8	0.9	2.83	1245	0.26	<0.01	0.5	3.9
Upper Bound		3.9	1.63	0.96	0.10	0.2	0.057	0.10	7.4	1.5	3.15	1385	0.39	0.02	0.8	4.8

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
Units		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
LOR		10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	
DUPLICATES																
ORIGINAL		100	31.5	4.2	<0.002	0.01	1.66	1.0	2	0.2	60.1	<0.05	0.07	0.3	0.016	0.16
DUP		100	30.6	4.3	<0.002	0.01	1.54	1.1	2	0.2	60.3	<0.05	0.09	0.3	0.019	0.15
Target Range		90	29.0	3.9	<0.002	<0.01	1.43	0.9	<1	<0.2	57.0	<0.05	<0.05	<0.2	0.012	0.12
Lower Bound		120	33.1	4.6	0.004	0.02	1.77	1.2	3	0.4	63.4	0.10	0.10	0.4	0.023	0.19
Upper Bound																

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: 7 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	B-MS61
	Analyte	U	V	W	Y	Zn	Zr	B
Units		ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.1	1	0.1	0.1	2	0.5	10
DUPLICATES								
ORIGINAL		0.4	3	20.1	6.2	489	3.6	
DUP		0.4	4	19.5	6.2	474	6.5	
Target Range - Lower Bound		0.3	2	18.2	5.8	455	4.3	
Upper Bound		0.5	5	21.4	6.6	508	5.8	

Comments: B results from ME-MS61 are semi-quantitative SAMPLE EMS-1500E/1600S DISCARDED FROM WORKORDER AS PER PETER DADSONS REQUEST 1-SEP-2009

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EASTMAIN RESOURCES INC.
834572 4TH LINE, MONO TWP.
RR #1
ORANGEVILLE ON L9W 2Y8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17-SEP-2009
Account: MVR

Project: EASTMAIN MINE

QC CERTIFICATE OF ANALYSIS SD09090062

Method	CERTIFICATE COMMENTS
ME-MS61	REE's may not be totally soluble in this method.

APPENDIX 5
LABORATORY PROCEDURES



Assay Procedure – ME-OG62
**Ore Grade Elements by Four Acid Digestion Using
 Conventional ICP-AES Analysis**

Sample Decomposition: HNO₃-HClO₄-HF-HCl Digestion (ASY-4A01)
Analytical Method: Inductively Coupled Plasma - Atomic
 Emission Spectroscopy (ICP - AES)*

Assays for the evaluation of ores and high-grade materials are optimized for accuracy and precision at high concentrations. Ultra high concentration samples (> 15 -20%) may require the use of methods such as titrimetric and gravimetric analysis, in order to achieve maximum accuracy.

A prepared sample is digested with nitric, perchloric, hydrofluoric, and hydrochloric acids, and then evaporated to incipient dryness. Hydrochloric acid and de-ionized water is added for further digestion, and the sample is heated for an additional allotted time. The sample is cooled to room temperature and transferred to a volumetric flask (100 mL). The resulting solution is diluted to volume with de-ionized water, homogenized and the solution is analyzed by inductively coupled plasma - atomic emission spectroscopy or by atomic absorption spectrometry.

***NOTE:** ICP-AES is the default finish technique for ME-OG62. However, under some conditions and at the discretion of the laboratory an AA finish may be substituted. The certificate will clearly reflect which instrument finish was used.

Element	Symbol	Units	Lower Limit	Upper Limit
Silver	Ag	ppm	1	1500
Arsenic	As	%	0.01	30
Bismuth	Bi	%	0.01	30
Cadmium	Cd	%	0.0001	10
Cobalt	Co	%	0.001	20



Element	Symbol	Units	Lower Limit	Upper Limit
Chromium	Cr	%	0.002	30
Copper	Cu	%	0.001	40
Iron	Fe	%	0.01	100
Manganese	Mn	%	0.01	50
Molybdenum	Mo	%	0.001	10
Nickel	Ni	%	0.001	30
Lead	Pb	%	0.001	20
Zinc	Zn	%	0.001	30



Sample Preparation Package – PREP-31

Standard Sample Preparation: Dry, Crush, Split and Pulverize


Sample preparation is the most critical step in the entire laboratory operation. The purpose of preparation is to produce a homogeneous analytical sub-sample that is fully representative of the material submitted to the laboratory.

The sample is logged in the tracking system, weighed, dried and finely crushed to better than 70 % passing a 2 mm (Tyler 9 mesh, US Std. No.10) screen. A split of up to 250 g is taken and pulverized to better than 85 % passing a 75 micron (Tyler 200 mesh, US Std. No. 200) screen. This method is appropriate for rock chip or drill samples.

Method Code	Description
LOG-22	Sample is logged in tracking system and a bar code label is attached.
CRU-31	Fine crushing of rock chip and drill samples to better than 70 % of the sample passing 2 mm.
SPL-21	Split sample using riffle splitter.
PUL-31	A sample split of up to 250 g is pulverized to better than 85 % of the sample passing 75 microns.



Flow Chart - Sample Preparation Package – PREP-31
Standard Sample Preparation: Dry, Crush, Split and Pulverize





Fire Assay Procedure – Ag-GRA21, Ag-GRA22, Au-GRA21 and Au-GRA22
Precious Metals Gravimetric Analysis Methods

Sample Decomposition: Fire Assay Fusion (FA-FUSAG1, FA-FUSAG2, FA-FUSGV1 and FA-FUSGV2)

Analytical Method: Gravimetric

A prepared sample is fused with a mixture of lead oxide, sodium carbonate, borax, silica and other reagents in order to produce a lead button. The lead button containing the precious metals is cupelled to remove the lead. The remaining gold and silver bead is parted in dilute nitric acid, annealed and weighed as gold. Silver, if requested, is then determined by the difference in weights.

Method Code	Element	Symbol	Units	Sample Weight (g)	Detection Limit	Upper Limit
Ag-GRA21	Silver	Ag	ppm	30	5	10,000
Ag-GRA22	Silver	Ag	ppm	50	5	10,000
Au-GRA21	Gold	Au	ppm	30	0.05	1000
Au-GRA22	Gold	Au	ppm	50	0.05	1000



Geochemical Procedure – ME-MS61
Ultra-Trace Level Method Using ICP-MS and ICP-AES

Sample Decomposition: HF-HNO₃-HClO₄ acid digestion, HCl leach (GEO-4A01)

Analytical Methods: Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP - AES)
 Inductively Coupled Plasma - Mass Spectrometry (ICP-MS)

A prepared sample (0.25 g) is digested with perchloric, nitric, hydrofluoric and hydrochloric acids. The residue is topped up with dilute hydrochloric acid and analyzed by inductively coupled plasma-atomic emission spectrometry. Following this analysis, the results are reviewed for high concentrations of bismuth, mercury, molybdenum, silver and tungsten and diluted accordingly. Samples meeting this criterion are then analyzed by inductively coupled plasma-mass spectrometry. Results are corrected for spectral interelement interferences.

NOTE: Four acid digestions are able to dissolve most minerals; however, although the term "near-total" is used, depending on the sample matrix, not all elements are quantitatively extracted.

Element	Symbol	Units	Lower Limit	Upper Limit
Silver	Ag	ppm	0.01	100
Aluminum	Al	%	0.01	50
Arsenic	As	ppm	0.2	10 000
Barium	Ba	ppm	10	10 000
Beryllium	Be	ppm	0.05	1 000
Bismuth	Bi	ppm	0.01	10 000
Calcium	Ca	%	0.01	50



Element	Symbol	Units	Lower Limit	Upper Limit
Cadmium	Cd	ppm	0.02	1 000
Cerium	Ce	ppm	0.01	500
Cobalt	Co	ppm	0.1	10 000
Chromium	Cr	ppm	1	10 000
Cesium	Cs	ppm	0.05	500
Copper	Cu	ppm	0.2	10 000
Iron	Fe	%	0.01	50
Gallium	Ga	ppm	0.05	10 000
Germanium	Ge	ppm	0.05	500
Hafnium	Hf	ppm	0.1	500
Indium	In	ppm	0.005	500
Potassium	K	%	0.01	10
Lanthanum	La	ppm	0.5	10 000
Lithium	Li	ppm	0.2	10 000
Magnesium	Mg	%	0.01	50
Manganese	Mn	ppm	5	100 000
Molybdenum	Mo	ppm	0.05	10 000
Sodium	Na	%	0.01	10
Niobium	Nb	ppm	0.1	500
Nickel	Ni	ppm	0.2	10 000
Phosphorous	P	ppm	10	10 000
Lead	Pb	ppm	0.5	10 000
Rubidium	Rb	ppm	0.1	10 000
Rhenium	Re	ppm	0.002	50
Sulphur	S	%	0.01	10
Antimony	Sb	ppm	0.05	10 000



Element	Symbol	Units	Lower Limit	Upper Limit
Scandium	Sc	ppm	0.1	10 000
Selenium	Se	ppm	1	1 000
Tin	Sn	ppm	0.2	500
Strontium	Sr	ppm	0.2	10 000
Tantalum	Ta	ppm	0.05	100
Tellurium	Te	ppm	0.05	500
Thorium	Th	ppm	0.2	10 000
Titanium	Ti	%	0.005	10
Thallium	Tl	ppm	0.02	10 000
Uranium	U	ppm	0.1	10 000
Vanadium	V	ppm	1	10 000
Tungsten	W	ppm	0.1	10 000
Yttrium	Y	ppm	0.1	500
Zinc	Zn	ppm	2	10 000
Zirconium	Zr	ppm	0.5	500



Whole Rock Geochemistry – ME-XRF06

Sample Decomposition: 50% Li₂B₄O₇ – 50% LiBO₂ (WEI-GRA06)
Analytical Method: X-Ray Fluorescence Spectroscopy (XRF)

A calcined or ignited sample (0.9 g) is added to 9.0g of Lithium Borate Flux (50 % - 50 % Li₂B₄O₇ – LiBO₂), mixed well and fused in an auto fluxer between 1050 - 1100°C. A flat molten glass disc is prepared from the resulting melt. This disc is then analysed by X-ray fluorescence spectrometry.

Element	Symbol	Units	Lower Limit	Upper Limit
Aluminum Oxide	Al ₂ O ₃	%	0.01	100
Barium Oxide	BaO	%	0.01	100
Calcium Oxide	CaO	%	0.01	100
Chromium Oxide	Cr ₂ O ₃	%	0.01	100
Ferric Oxide	Fe ₂ O ₃	%	0.01	100
Potassium Oxide	K ₂ O	%	0.01	100
Magnesium Oxide	MgO	%	0.01	100
Manganese Oxide	MnO	%	0.01	100
Sodium Oxide	Na ₂ O	%	0.01	100
Phosphorus Oxide	P ₂ O ₅	%	0.01	100
Silicon Oxide	SiO ₂	%	0.01	100
Strontium Oxide	SrO	%	0.01	100



Element	Symbol	Units	Lower Limit	Upper Limit
Titanium Oxide	TiO ₂	%	0.01	100
Loss On Ignition	LOI	%	0.01	100
	Total	%	0.01	101

Note: Since samples that are high in sulphides or base metals can damage Platinum crucibles, a ME-ICP06 finish method can be selected as an alternative method.



Geochemical Procedure - PGM-ICP23 and PGM-ICP24
Precious Metals Analysis Methods

Sample Decomposition: Fire Assay Fusion (FA-FUSPG1, FA-FUSPG2)
Analytical Method: Inductively Coupled Plasma – Atomic Emission Spectrometry (ICP-AES)

A prepared sample (30 – 50 g) is fused with a mixture of lead oxide, sodium carbonate, borax and silica, inquarted with 6 mg of gold-free silver and then cupelled to yield a precious metal bead. The bead is digested for 2 minutes at high power by microwave in dilute nitric acid. The solution is cooled and hydrochloric acid is added. The solution is digested for an additional 2 minutes at half power by microwave. The digested solution is then cooled, diluted to 4 mL with 2 % hydrochloric acid, homogenized and then analyzed for gold, platinum and palladium by inductively coupled plasma – atomic emission spectrometry.

Method Code	Element	Symbol	Units	Sample Mass (g)	Lower Limit	Upper Limit	Default Overlimit Method
PGM-ICP23	Gold	Au	ppm	30	0.001	10	Au-GRA21
PGM-ICP23	Platinum	Pt	ppm	30	0.005	10	PGM-ICP27
PGM-ICP23	Palladium	Pd	ppm	30	0.001	10	PGM-ICP27
PGM-ICP24	Gold	Au	ppm	50	0.001	10	Au-GRA21
PGM-ICP24	Platinum	Pt	ppm	50	0.005	10	PGM-ICP27
PGM-ICP24	Palladium	Pd	ppm	50	0.001	10	PGM-ICP27



Sample Preparation Package – PREP-41
**Standard Preparation: Dry sample and dry-sieve to –180
micron**


Sample preparation is the most critical step in the entire laboratory operation. The purpose of preparation is to produce a homogeneous analytical sub-sample that is fully representative of the material submitted to the laboratory.

An entire sample is dried and then dry-sieved using a 180 micron (Tyler 80 mesh) screen. The plus fraction is retained unless disposal is requested. This method is appropriate for soil or sediment samples up to 1 kg in weight.

Method Code	Description
LOG-22	Sample is logged in tracking system and a bar code label is attached.
SCR-41	Sample is dry-sieved to – 180 micron and both the plus and minus fractions are retained.



Sample Preparation Flowchart Package –PREP-41



Technical Report

EASTMAIN MINE PROJECT

REPORT ON EXPLORATION ACTIVITIES IN 2009


for

EASTMAIN RESOURCES INC.

Maps: Map 1 Sheets A and B

Map 2 Sheets A to E

Map 3 Sheets A and B



1304170