

# GM 11267

6 DIAMOND DRILL HOLE LOGS

Documents complémentaires

*Additional Files*



Licence



Licence

Cette première page a été ajoutée  
au document et ne fait pas partie du  
rapport tel que soumis par les auteurs.

Énergie et Ressources  
naturelles

Québec 

DIAMOND DRILL RECORD

COLLAR: base line  
 NORTH 5 - 22N of No. 1  
 EAST Line 6 East  
 ELEVATION  
 DIP  
 LOCATION  
 Azimuth: 015°

FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH
0'	-45°				
200'	-45½°				
400'	-44°				

PROPERTY Marian Lake  
 Galinée township  
 Moneta Porcupine Mines Limited

CORE SIZE  
 COMMENCED 13 May 61  
 FINISHED 16 May 61  
 PURPOSE OF HOLE To check west coordinator  
 HOLE NO. 1  
 SHEET NO. 1  
 LENGTH 494 feet  
 LOGGED BY P.H. Taylor

FOOTAGE		DESCRIPTION	CORE SAMPLE			ASSAYS				AVERAGES				
FROM	TO		NUMBER	FROM	TO	TOTAL	OZ/TON Au	OZ/TON AG.	% CU.	% ZN.	AuW	AgW	CuW	ZnW
0'	12.0	Casing												
		<u>Gabbro:</u> Gabbro is coarse grained, in general about 40% white feldspar usually as phenocrysts up to ~1 cm by 2 cm set in a chloritized groundmass; nearly all the feldspars are fractured and alteration to saussurite has begun; light green epidote is more evident from place to place but usually over 1' to 2' at contacts with dykes; 1-2% magnetite; occasional pyrite; a few specks of leucoxene honey coloured and reddish honey coloured in places usually more noticeable over 6" widths at contacts with dykes or in more highly chloritized sections of gabbro.												
		<u>Chloritized Gabbro:</u> Rock is almost all chlorite and contains only relicts of feldspars.												
		<u>Dykes:</u> Dykes have occasional qtz. carb. stringers about 1/8" thick.												

Ministère des Richesses Naturelles, Québec  
 SERVICE DE LA DOCUMENTATION TECHNIQUE  
 Date:  
 No GM: 11267

PUBLIC































































