


RANGE 2 LOT 52 LOT 53 LOT 54 LOT 55
 RANGE 1

C-136860 cl.1


C-136860 cl.2

C-136861 cl.1



ORE INTERSECTIONS					
HOLE NO.	ANGLE	FOOTAGE FROM	FOOTAGE TO	CORE LENGTH	OUNCES OF GOLD PER TON
M-1	45	280	285	5	.14
M-3	45	602.5	635	32.5	.188
M-4	50	553.3	567.6	14.3	.123
		689.9	684.6	4.7	.17
M-5	45	650	689.3	39.3	.285
		745	764.7	19.7	.185
M-7	45 N	191.9	215	23.1	.177
		351.5	361.6	10.1	.331
M-8	45	413.7	419.6	5.9	.23
		576.9	580.9	4	.144
M-10	65	688.2	692	3.8	.107
		795	805	10	.11
M-11	50	586.2	591.3	5.1	.10
		600.4	608.7	8.3	.127
M-12	90	406.3	450.8	44.5	.137
M-13	45	700	730	30	.179
		769.7	785	15.3	.093
		845	850	5	.09
		906	910.5	4.5	.361
M-14	90	465.9	472.4	6.5	.146
		615	620	5	.105
M-15	45	710	730	20	.139
		750	765	15	.205
		810	815	5	.175
		852.2	870	17.8	.358
		910	933.6	23.6	.169
		950	968.5	18.5	.191
M-17	45	539.5	542	2.5	.255
		775	785	10	.28
		850	881.6	31.6	.178
		916	940	24	.196
		955	961.6	6.6	.17
M-18	45	480	490	10	.15
		530	535	5	.18
		620	640	20	.114
M-19	45	727	742.9	15.9	.154
		830	857.2	27.2	.245
		1007.3	1015	7.7	.112
M-20	45	313.4	370	56.6	.27
		334.7	344	9.3	.245
		555	560	5	.175
M-21	45	736.4	865.3	128.9	.273
		1073.1	1082.7	9.6	.27
M-22	45	735	739.2	4.2	.10
		745.4	768.6	23.2	.25
		976.5	983.2	6.7	.393
M-23	45	907.4	916.6	9.2	.315
M-24	50	844	850	6	.10
		940	945	5	.105
		960	970	10	.13
		988.7	993.2	4.5	1.00
		1020	1025	5	.09
		1065	1160	95	.135
M-25	45	465	470.5	5.5	.105
		505	510.9	5.9	.10
M-27	50	1121.7	1129.6	7.9	.105
M-28	85 N	585	690	105	.14
		753.9	758	4.1	.85
M-29	45	351.1	356.1	5	.125
M-30	50	826.4	837.3	10.9	.19
		910	920	10	.123
		925	930	5	.15
		991	994.7	3.7	.25
M-31	55	888	892.9	4.9	.77
		950	955	5	.10
		993.9	997.7	3.7	.21
		1036.4	1050	13.6	.16
		1171.7	1189.5	17.8	.174
M-32	55	990	1005	15	.18
		1025	1065	40	.52
M-33	70	1015	1066	51	.199
M-35	73	1171.5	1200	28.5	.128
		1007.6	1025	17.4	.23
		1080	1089.9	9.9	.10
		1145	1148.5	3.5	1.00
M-37	90	646.2	651.5	5.3	.10
M-38	68	931.8	975	43.2	.28
		1010	1025	15	.18
		1223.9	1230.9	7	.247
M-39	55	632	640	8	.26
		810.5	813.6	3.1	.11
		1116	1118.6	2.6	.18

LOCATION MAP



LEGEND

- ORE
- FELDSPAR PORPHYRY
- DIORITE
- VOLCANICS
- SEDIMENTS

CAMFLO MATTAGAMI MINES LTD.

MALARTIC TWP. PROPERTY
 GENERALIZED GEOLOGICAL PLAN

Ministère des Richesses Naturelles,
 3 MAR, 1964
 SERVICE DES GITES MINÉ
 No GM-14020

GEOLOGY PROJECTED TO SURFACE UP AN ASSUMED APPARENT DIP TO THE NORTH OF 55°, WITH THE EXCEPTION OF THE FELDSPAR PORPHYRY WHICH HAS BEEN PROJECTED TO SURFACE UP AN ASSUMED APPARENT DIP TO THE NORTH OF 75°.

B. K. MEIKLE

SCALE

