

GM 26588

DIAMOND DRILL CORE LOG

Documents complémentaires

Additional Files



Licence



Licence

Cette première page a été ajoutée
au document et ne fait pas partie du
rapport tel que soumis par les auteurs.

Énergie et Ressources
naturelles

Québec 

DIAMOND DRILL CORE LOG

Sheet No. _____

LATITUDE 07 + 70 S

DEPARTURE 11 + 72 E

ELEVATION -----

BEARING 150 True Azimuth

DIP AT COLLAR 40°

Tests Depth	Dip	Magnetic Bearing	Corrected Bearing

PROPERTY ROUYN 1 - 69
 CLAIM NO. 290629 - 2
 HOLE NO. ROUYN 1 - 69 #1
 CORE SIZE AXT
 STARTED June 16, 1970
 FINISHED June 19, 1970

TOTAL DEPTH OF HOLE 503'

FOOTAGE		DESCRIPTION	SAMPLE No	ASSAYS					CORE LENGTH		
FROM	TO			AU OZ	AG OZ	% CU	% ZN	% NI	FROM	TO	ACC WIDTH
0	17	CASING									
17	154	ANDESITE uniform dense medium green & feebly sheared with abundant fine fractures carbonate filled local amygdales and very locally porphyritic rare traces pyrite core magnetic in places									
154		RHYOLITE rounded spherulatic 1/4" light colored sections from 154 - 170									
		170 - 258 light colored sheared carbonated and chloritised locally broken & fractured occasional short sections rounded spherulatic									
		258 - 300 sheared spherulatic type Traces pyrite Assay									
		300 - 350 Rhyolite light grey uniform local quartz									


Ministère des Richesses Naturelles, Québec
 29 DEC 1970
 SERVICE DES GITES MINÉRAUX
 No GM- **26588**

CONTRACTOR HOSKING D.D.

LOGGED BY W.A. Hogg

BEARING: 150 True Azimuth →

Rouyn I-69 #1
Section 11+72E



Ministère des Richesses Naturelles, Québec
30 DEC 1970
SERVICE DES GITES MINÉRAUX
NO GM- 26588

ROUYN I-69
ROUYN TWP.
D.D.H. SECTION

Scale: 1" = 100' JULY 8, 1970.