

GM 62231

Report of the Spectrem survey, Spartin project area

Documents complémentaires

Additional Files



Licence



License

Cette première page a été ajoutée
au document et ne fait pas partie du
rapport tel que soumis par les auteurs.

Énergie et Ressources
naturelles

Québec 



SPECTREM AIR LIMITED


ANGLO OPERATIONS LIMITED

Report of the SPECTREM SURVEY

SPARTIN PROJECT AREA


for

ANGLO AMERICAN EXPLORATION (CANADA) LTD



October 2005

GM 6 2 2 3 1



KEYWORDS

**Spartin, Canada, Anglo American Exploration (Canada) Ltd, SPECTREM, Airborne,
Electromagnetic, Magnetic**

621247

SUMMARY

The Spectrem Airborne Electromagnetic Survey over the Spartin Area located 71 anomalous zones.

The area is characterized by a large number of good conductors. These are often continuous for considerable distances along strike and they frequently occur close together as two or three parallel trending conductors

Despite the large number of conductors, two high priority zones (1 and 52) are regarded as a high priority targets requiring detailed ground follow up work.

Fifteen medium priority zones (6, 9, 10, 16, 17, 18, 19, 20, 21, 24, 25, 40, 43, 48 and 54) were identified and would require some form of ground investigation.

Another fifty four (54) low priority zones were also interpreted.

The survey added considerable geological information to this project, especially in area of limited outcrops.

CONTRIBUTORS

Philip Klinkert:

Louis Polome:

CIRCULATION LIST

Copies of this report have been sent to:

- Mr. E Yarrow - Director - Anglo American Exploration (Canada) Ltd
- Mr. R Osmond – Chief geophysicist - Anglo American Exploration (Canada) Ltd
- Mr. C Pretorius – Vice President - GSD
- SPECTREM's Archive

CONTENTS PAGE

1	SPECTREM SURVEY OF THE SPARTIN AREA.....	1
1.1	Introduction	1
2	AEM INTERPRETATION OF SPARTIN AREA.....	2
2.1	Geology of the survey area	2
3	INTERPRETATION OF AEM ANOMALIES.....	3
3.1	Zone 1 😊.....	4
3.2	Zone 2 😞.....	4
3.3	Zone 3 😞.....	4
3.4	Zone 4 😞.....	5
3.5	Zone 5 😞.....	5
3.6	Zone 6 😊.....	5
3.7	Zone 7 😞.....	5
3.8	Zone 8 😞.....	5
3.9	Zone 9 😊.....	6
3.10	Zone 10 😊.....	6
3.11	Zone 11 😞.....	6
3.12	Zone 12 😞.....	6
3.13	Zone 13 😞.....	6
3.14	Zone 14 😞.....	7
3.15	Zone 15 😞.....	7
3.16	Zone 16 😊.....	7
3.17	Zone 17 😊.....	7
3.18	Zone 18 😊.....	7
3.19	Zone 19 😊.....	7
3.20	Zone 20 😊.....	8
3.21	Zone 21 😊.....	8
3.22	Zone 22 😞.....	8

3.23	Zone 23	☹️	8
3.24	Zone 24	☹️	8
3.25	Zone 25	☹️	9
3.26	Zone 26	☹️	9
3.27	Zone 27	☹️	9
3.28	Zone 28	☹️	9
3.29	Zone 29	☹️	9
3.30	Zone 30	☹️	9
3.31	Zone 31	☹️	10
3.32	Zone 32	☹️	10
3.33	Zone 33	☹️	10
3.34	Zone 34	☹️	10
3.35	Zone 35	☹️	10
3.36	Zone 36	☹️	10
3.37	Zone 37	☹️	11
3.38	Zone 38	☹️	11
3.39	Zone 39	☹️	11
3.40	Zone 40	☹️	11
3.41	Zone 41	☹️	11
3.42	Zone 42	☹️	12
3.43	Zone 43	☹️	12
3.44	Zone 44	☹️	12
3.45	Zone 45	☹️	12
3.46	Zone 46	☹️	12
3.47	Zone 47	☹️	13
3.48	Zone 48	☹️	13
3.49	Zone 49	☹️	13
3.50	Zone 50	☹️	13

3.51	Zone 51 ☹️	13
3.52	Zone 52 😊	14
3.53	Zone 53 ☹️	14
3.54	Zone 54 😊	14
3.55	Zone 55 ☹️	14
3.56	Zone 56 ☹️	14
3.57	Zone 57 ☹️	14
3.58	Zone 58 ☹️	14
3.59	Zone 59 ☹️	15
3.60	Zone 60 ☹️	15
3.61	Zone 61 ☹️	15
3.62	Zone 62 ☹️	15
3.63	Zone 63 ☹️	15
3.64	Zone 64 ☹️	16
3.65	Zone 65 ☹️	16
3.66	Zone 66 ☹️	16
3.67	Zone 67 ☹️	16
3.68	Zone 68 ☹️	16
3.69	Zone 69 ☹️	16
3.70	Zone 70 ☹️	17
3.71	Zone 71 ☹️	17
4	APPENDIX 1: SURVEY DETAILS	18
	4.1.1 Logistics	18
	4.1.2 Datum	18
	4.1.3 Survey Area Coordinates	18
5	APPENDIX 2: SYSTEM SPECIFICATIONS	20
	5.1.1 EM system	20
	5.1.2 Magnetic system	20
	5.1.3 Positioning system	21
	5.1.4 Other sensors	21
6	APPENDIX 3: DATA PROCESSING	22
	6.1 Electromagnetic Processing	22
	6.1.1 Aircraft Processing	22

6.1.2	Profile data	22
6.1.3	Apparent Conductivity	22
6.1.4	Grids	23
6.2	Magnetic Processing	23
6.2.1	Tie-line leveling	23
6.2.2	Decorrugation	23
6.2.3	Micro-leveling	24
6.3	DEM processing	24
7	APPENDIX 4: DELIVERABLES	25
7.1	Digital Products	25
7.1.1	Grids / Profile Data	25
7.1.2	Report	26
7.1.3	Autopick Databases	26
7.2	Maps	26
8	APPENDIX 5: ANOMALY SELECTION	27
8.1	Electromagnetic Anomaly Selection	27
8.1.1	Conductor Parameterisation and Classification	27
8.1.2	EM Anomaly Grading	28
8.1.3	Complications of Anomaly Interpretation	28
8.1.4	Estimated Conductor Depth	28
9	APPENDIX 6: ANOMALY LISTING	29
9.1	Spartin Area – Anomalies List	30

List of Figures

Figure 1: Survey location	1
Figure 2 - An image of the magnetic data	2
Figure 3 - An Image of conductor time constant (Tau Z).....	2
Figure 4 - AEM Zone Map.....	3

1 SPECTREM SURVEY OF THE SPARTIN AREA

1.1 INTRODUCTION

From 03 September to 18 September 2005, SPECTREM Air Limited conducted airborne electromagnetic, magnetic and radiometric surveys over the Spartin Area in Canada. A total of 3430 line kilometres were surveyed. The general location of the survey is shown in Figure 1.




Figure 1: Survey location

Details of the survey can be found in Appendix 1. The system specifications are presented in Appendix 2 and the standard Spectrem Air data processing stream is described in Appendix 3. A list of the products delivered to the geophysicist in charge of the project is given in Appendix 4. The criteria and procedures used in anomaly selection are discussed in Appendix 5 and a listing of anomalies is given in Appendix 6. All the above data is also presented to the client in digital format.

2 AEM INTERPRETATION OF SPARTIN AREA

2.1 GEOLOGY OF THE SURVEY AREA

A detailed geological interpretation of the magnetic and electromagnetic data is currently being undertaken by Spectrem Air and will form part of a separate report.




Figure 2 - An image of the magnetic data




Figure 3 - An Image of conductor time constant (Tau Z)

3 INTERPRETATION OF AEM ANOMALIES




Figure 4 - AEM Zone Map

A large number of good conductors are present in the area surveyed. These are often continuous for considerable distances along strike and they frequently occur close together as two or three parallel trending conductors. Along the southern margin of the area flown sediments are present consisting mainly of phyllites (sometimes graphitic), grits and localized conglomerates. Within these sediments there are also igneous rocks consisting of basalt, gabbro and peridotite. The above mentioned zones of parallel trending conductors are more common within the sediments. These long conductors often have little or no magnetic association indicating that they are probably due to carbonaceous (graphitic) conductors or to non economic sulphides. However where magnetic rocks within the sediments were closely associated with good conductors, some targets were selected for ground follow up because these could be due to ultramafic sills or bodies which are the hosts for nickel sulphide orebodies. The same criteria for selecting ground follow up targets was used in the remainder of the area which is not underlain by sediments. It is expected that the prospective ultramafic rocks would generally be more magnetic than the basalt, gabbro, amphibolite, tuff and wacke occurring in the rest of the surveyed region. Therefore good conductors situated within or on the interpreted contacts of the more strongly magnetic bodies, were preferentially selected as targets for ground follow up work. Note however that serpentinized ultramafics can also be fairly good conductors so considerable care was taken in selecting only the more localized and better conductors as targets for further ground investigation..

From the magnetic map it is clear that the more strongly magnetic bodies vary considerably in thickness or are discontinuous along strike. Structural complexities could also account for some of the discontinuities in the observed magnetic pattern.

All the good conductors in the area were picked and plotted on the AEM anomaly map. It is obvious from their lack of magnetic association or other criteria that nearly all of these are due to carbonaceous conductors or to non economic sulphides. However the main reason for picking them is to map the geology under the thin glacial scree cover which is present over large parts of the region.

Most of the conductors have interpreted north north westerly dips. This probably represents the regional structure in the area.

Comparing the magnetic and AEM data with the geological map there are a number of places where the correlation is not very good. The lack of good outcrop probably contributed to the geology not being particularly well mapped.

The individual zones selected for ground follow up work will now be discussed in line order.

3.1 ZONE 1 ☺

This is a high priority zone situated in rocks mapped as gabbro. The three B grade AEM anomalies in the central part of the zone have high conductances of 131 Siemens and direct associated magnetic anomalies ranging between 134 and 270 nanoTeslas. The shape and amplitude of these associated magnetic anomalies suggests that they could be due to an ultramafic body which is an upgrading factor for this target. For ground follow up purposes the two best anomalies in the zone are located on Line 31110, Fiducial 5753, X = 542715, Y = 6849402 and on Line 31120, Fiducial 5059, X = 542582, Y = 6849200.

3.2 ZONE 2 ☹

A Low priority has been assigned to this zone which is situated in basalt. The AEM anomalies have conductances of 90 Siemens and relatively small associated magnetic anomalies of 30 nanoTeslas which could be due to pyrrhotite. The AEM depth estimates are all shallow. Any of the three anomalies would be suitable for ground follow up but the most favourable one is located on Line 31150, Fiducial 2411, X = 542337, Y = 6848044.

3.3 ZONE 3 ☹

The two anomalies in this zone have been given a low priority rating because they may not occur sufficiently close to ultramafic rocks. The anomalies have conductances of 90 Siemens and direct associated magnetic anomalies of 60 nanoTeslas. The AEM anomalies appear to be located along strike from those of Zone 1. The depth estimates indicate that the conductor is shallow. For follow up purposes the best anomaly is possibly located on Line 31170, Fiducial 23539, X = 541824, Y = 6848295

3.4 ZONE 4

This is a low priority zone situated in basalt. The anomalies have conductances of 90 Siemens and direct associated magnetic anomalies ranging between 30 and 100 nanoTeslas. It is possible that a thin ultramafic sill could be present here especially over the eastern half of the zone. For ground follow up purposes the anomalies on Line 31210 are possibly the best targets. These are located on Line 31210, Fiducial 20089, X = 541177, Y = 6847719 and on the same line, Fiducial 20096, X = 541154, Y = 6847806. Once again note that this zone may occur along strike from zones 1 and 3.

3.5 ZONE 5

Only one AEM anomaly has been selected for this low priority zone because it is closely associated with an isolated 300 nanoTesla magnetic anomaly which occurs on the contact between sediments and basalts. However the AEM anomaly could just as easily be part of a much longer north east trending zone of anomalies, so the magnetic association may be fortuitous. The location of the anomaly is on Line 31270, Fiducial 14756, X = 540735, Y = 6845329.

3.6 ZONE 6

A medium priority has been given to this zone which is situated in rocks mapped as peridotite. The AEM anomalies have associated magnetic anomalies with values as high as 295 nanoTeslas which supports the presence of ultramafic host rocks here. The most favorable sites for ground follow up would be on Line 31310, Fiducial 11332, X = 539545, Y = 6846330 and on the same line, Fiducial 11348, X = 539472, Y = 6846516.

3.7 ZONE 7

Although this low priority anomaly appears to be part of a much longer east north east trending zone of anomalies, it does have favorable parameters which have upgraded it to a target worth investigating on the ground. These parameters are its high 131 Siemens conductance, good anomaly peak shape and a 43 nanoTesla magnetic association. The anomaly occurs on a topographic high so outcrop is possibly good here. The anomaly is located on Line 31340, Fiducial 8799, X = 538677, Y = 6846981.

3.8 ZONE 8

High conductance and an apparently isolated 120 nanoTesla magnetic anomaly characterize this low priority anomaly. The small amplitude and peak shape of the AEM anomaly indicates that the conductor may be situated at a depth in excess of 100 metres below the surface. The host rock has been mapped as basalt. The anomaly is located on Line 31450, Fiducial 49885, X = 535529, Y = 6849363.

3.9 ZONE 9 ☹️

A medium priority has been assigned to this zone but the anomaly parameters are difficult to determine and a lower rating may be more appropriate. It is possible that the conductor occurs in a fold nose and the flightline may have been parallel to the conductor here which resulted in a broadening of the anomaly peak shape. The direct magnetic association of 577 nanoTeslas is also questionable. The conductance value of 131 Siemens is however high so the anomaly should receive some ground follow up attention. It is located on Line 31610, Fiducial 2768, X = 533027 Y = 6846785. A depth estimate indicates that the conductor is probably quite shallow.

3.10 ZONE 10 ☹️

This is a medium priority zone situated in basalt. The AEM anomalies all have conductances of 90 Siemens and direct associated magnetic anomalies ranging from 227 nanoTeslas to 1110 nanoTeslas. This strong magnetic association suggests that ultramafic rocks could well be present at some localities along the conductive zone. The central and western D grade AEM anomalies in the zone have less favourable characteristics so ground follow up should initially be concentrated on the remaining three C grade anomalies. These are located on Line 31630, Fiducial 30432, X = 530526, Y = 6852788, Line 31640, Fiducial 28090, X = 530339, Y = 6852724 and Line 31660, Fiducial 25451, X = 529891, Y = 6852786.

3.11 ZONE 11 ☹️

This low priority zone is situated close to a contact between basalt and gabbro. The three AEM anomalies in the zone have conductances of 90 Siemens and magnetic associations ranging between ranging 14 and 212 nanoTeslas. Ultramafic rocks may therefore be present along the zone. If any ground follow up work is carried out here, the best localities would be on Line 31640, Fiducial 28503, X = 532009, Y = 6847913 and on Line 31650, Fiducial 27437, X = 531797, Y = 6847942.

3.12 ZONE 12 ☹️

A low priority anomaly situated in basalt close to zone 10. If an ultramafic body is present at zone 10, the possibility exists that this anomaly is located on the base of that ultramafic body and it may therefore be worth following up on the ground. The anomaly is positioned on Line 31650, Fiducial 27849, X = 530212, Y = 6852463.

3.13 ZONE 13 ☹️

A low priority has been given to this zone which is located in basalt. The eastern anomaly on Line 31650 appears to be due to a conductor situated at some depth below the surface but its associated negative magnetic anomaly seems to be due to a magnetic body situated at a considerably shallower depth below surface. The magnetic anomaly may therefore be due to a shallow remanently magnetized body

such as a thin ironstone unit so this should be borne in mind if any ground follow up work is carried out here. The best locality for initial follow up work would be on Line 31650, Fiducial 27265, X = 532451, Y = 6846065.

3.14 ZONE 14

A low priority anomaly situated in sediments. The conductor has an associated 220 nanoTesla magnetic anomaly which could be due to an ultramafic body. The anomaly is located on Line 31650, Fiducial 26962, X = 533610, Y = 6842720

3.15 ZONE 15

Low priority has been assigned to this zone which is situated in basalt. The conductor has a magnetic association varying between 99 and 147 nanoTeslas. This could indicate the presence of pyrrhotite and/or ultramafic rocks. The best anomaly in the zone is located on Line 31690, Fiducial 22626, X = 529335, Y = 6852575.

3.16 ZONE 16

Although the five anomalies in this medium priority zone have been zoned together they may in fact be due to two separate conductors aligned at different angles to each other. All the AEM anomalies appear to be equally favorable for ground follow up but if a selection has to be made they would possibly be the 131 Siemens conductor on Line 31670, Fiducial 25278, X = 529583, Y = 6853094 and the one on Line 31710, Fiducial 19923, X = 528810, Y = 6852862.

3.17 ZONE 17

This is a medium priority zone situated close to a contact between basalt and gabbro. The AEM anomalies have conductances ranging between 90 and 131 Siemens and associated magnetic anomalies of 97 to 150 nanoTeslas. It is possible therefore that ultramafic rocks may be present here and this would be an upgrading factor for the zone. The best anomaly is located on Line 31750, Fiducial 14773, X = 527881, Y = 6853085.

3.18 ZONE 18

The AEM anomalies in this medium priority zone all have narrow peak shapes and they are situated in basalt adjacent to a fairly magnetic body – possibly an ultramafic one. For ground follow up purposes the most favorable site is probably on Line 31800, Fiducial 6417, X = 526929, Y = 6852743.

3.19 ZONE 19

The peak shapes of the AEM anomalies in this zone are peculiar which may be due to magnetic material within or adjacent to the conductor. There may also be multiple thin conductive lenses present here. Any of the three anomalies in the

zone are favourable for ground follow up purposes. The middle anomaly is located in basalt on Line 31850, Fiducial 35515, X = 528016, Y = 6846606.

3.20 ZONE 20 ☹️

A medium priority has been assigned to this zone which is situated in gabbro. For follow up purposes the most favorable anomaly is located on Line 31900, Fiducial 28142, X = 525315, Y = 6851346.

3.21 ZONE 21 ☹️

This medium priority zone is situated on the contact between sediments and basalt. It appears to be due to a localized conductor. Either of the two AEM anomalies would be suitable ones on which to initiate ground follow up work but the one on Line 31910, Fiducial 27142, X = 528047, Y = 6842866 is perhaps the most favorable site.

3.22 ZONE 22 ☹️

This is a low priority zone situated in gabbro. If any ground follow up work is carried out here, the best locality to start would be on Line 32030, Fiducial 11616, X = 524044, Y = 6847063.

3.23 ZONE 23 ☹️

A low priority zone which is located very close to the contact between sediments and basalt, gabbro and amphibolite. The conductor is associated with a magnetic anomaly ranging in amplitude from 44 nanoTeslas to 111 nanoTeslas. These magnetic values may be lower than those typically recorded over ultramafic rocks so this is the main reason for giving this zone a lower priority rating. If any ground follow up work is carried out here the best localities would be on Line 32030, Fiducial 11240, X = 525533, Y = 6842821 and on Line 32050, Fiducial 8403, X = 525146, Y = 6842708.

3.24 ZONE 24 ☺️

A medium priority has been assigned to this zone mainly on account of its associated magnetic anomaly which ranges in amplitude from 223 to 445 nanoTeslas. This magnetic anomaly could easily be caused by an ultramafic sill although BIF is another possibility. The host rocks here have been mapped as gabbro. The best anomaly in the zone is located on Line 32070, Fiducial 6061, X = 523263, Y = 6846835. Note also that this may be a strike continuation of zones 22, 25, 27 and possibly zone 28.

3.25 ZONE 25 ☹️

This medium priority zone appear to be situated along strike from zones 22, 24, 27 and possibly zone 28. The host rock here has been mapped as gabbro but the immediately adjacent magnetic anomaly indicates that a different rock type could be present here. The most favorable anomaly in the zone is located on Line 32130, Fiducial 14019, X = 522258, Y = 6846102

3.26 ZONE 26 ☹️

A low priority has been assigned to this anomaly which is situated in moderately magnetic rocks. These magnetic rocks are present within a thick sequence of sediments (phyllites, grits and minor conglomerates). There are numerous other AEM anomalies along strike in this same magnetic rock unit but this particular anomaly has somewhat more favorable parameters. It is located on Line 32150, Fiducial 10656, X = 524615, Y = 6838103.

3.27 ZONE 27 ☹️

A low priority zone which may be a strike continuation of zones 22, 24, 25 and possibly zone 28. The two anomalies in this zone have considerably broader peak shapes than those of the anomalies in the above mentioned zones so this could indicate a deeper conductor depth or some other structural complexity. Either of the two AEM anomalies in the zone would be suitable for initial ground follow up. These are located on Line 32160, Fiducial 9548, X = 521729, Y = 6845791 and on Line 32170, Fiducial 8631, X = 521544, Y = 6845782.

3.28 ZONE 28 ☹️

Narrow peak shape together with a 90 Siemens conductance and a 182 nanoTesla associated magnetic anomaly are favorable parameters recorded for this low priority anomaly. It is located on Line 32170, Fiducial 8591, X = 521701, Y = 6845327.

3.29 ZONE 29 ☹️

This low priority zone is situated in basalt, gabbro and amphibolites very close to a contact with sediments (siltstone, phyllite, grit and minor conglomerate). The rocks here are moderately magnetic. The best anomaly in the zone is located on Line 32190, Fiducial 5597, X = 522424, Y = 6841927.

3.30 ZONE 30 ☹️

Two parallel conductors are probably present at this low priority zone which appears to be situated in basalt, gabbro and amphibolites along strike from zone 29. The associated magnetic anomalies occurring here probably originate largely from the above mentioned host rocks but some residual magnetic anomalies may be due to sulphides such as pyrrhotite. The two north eastern anomalies in the zone have conductances of 131 Siemens so initial ground follow up work should probably be concentrated here. The anomalies are located on Line 32230, Fiducial 48611, X = 521746, Y = 6841504 and on Line 32240, Fiducial 47446, X = 521539, Y = 6841453.

3.31 ZONE 31 ☹️

This low priority anomaly is situated in gabbro. Other AEM anomalies are present along strike on adjacent flightlines but these are not as favorable as this zoned anomaly. Immediately north of here, considerably more magnetic rocks are present so this could represent a contact or sorts. The anomaly is located on Line 32230, Fiducial 49005, X = 520273, Y = 6845738.

3.32 ZONE 32 ☹️

A low priority has been assigned to this zone which is situated on a contact within gabbros. The conductor appears to be shallowest at its eastern end. The best anomaly here is located on Line 32250, Fiducial 46120, X = 520358, Y = 6844275.

3.33 ZONE 33 ☹️

A low priority zone consisting of two AEM anomalies which are situated in gabbro. The north eastern anomaly in the zone has an associated 159 nanoTesla magnetic anomaly having narrow peak shape which is favorable for the occurrence of sulphides. This anomaly is located on Line 32250, Fiducial 46419, X = 519241, Y = 6847498.

3.34 ZONE 34 ☹️

A low priority anomaly situated immediately north west of zone 33 in gabbro. From the AEM anomaly map it is clear that the conductor continues on adjacent flightlines in a north east and south west direction. The conductor is located on Line 32270, Fiducial 43693, X = 518847, Y = 6847403.

3.35 ZONE 35 ☹️

This low priority anomaly is probably situated on the strike direction of zone 30. It occurs in rocks mapped as basalt, gabbro and amphibolites. These rocks are quite magnetic here. The anomaly is located on Line 32280, Fiducial 41979, X = 520888, Y = 6840910.

3.36 ZONE 36 ☹️

A low priority anomaly which may be situated on the strike extension of zone 34. The host rock here has been mapped as gabbro. The anomaly has narrow peak shape and an associated 48 nanoTesla magnetic anomaly. It is located on Line 32290, Fiducial 40922, X = 518583, Y = 6846953.

3.37 ZONE 37 ☹️

This low priority anomaly is part of a much longer zone of anomalies situated in sediments which trend in a north easterly direction. The AEM anomalies are associated with a magnetic anomaly trending in the same direction. It is possible therefore that all these anomalies could be due to a thin ultramafic sill occurring within the sediments. A ground check of this anomaly is therefore recommended on Line 32300, Fiducial 39457, X = 521349, Y = 6838355.

3.38 ZONE 38 ☹️

A low priority has been assigned to this 131 Siemens conductor which is situated in rocks mapped as basalt, gabbro and amphibolites. These host rocks are moderately magnetic. The anomaly appears to be part of a longer zone of anomalies trending in an east north easterly direction. The location of the anomaly is on Line 32310, Fiducial 37732, X = 520161, Y = 6841134,

3.39 ZONE 39 ☹️

This low priority zone is situated in gabbro. From the magnetics and other AEM anomalies on the adjacent flightlines, the zone may be part of longer conductive zone trending in a west south westerly direction. For follow up purposes the best AEM anomaly is located on Line 32330, Fiducial 35517, X = 517961, Y = 6846305.

3.40 ZONE 40 ☹️

Medium priority has been assigned to this zone mainly on account of the good 131 Siemen conductor which is present on Line 32370. The conductor has an associated 83 nanoTesla magnetic anomaly and it is situated in rocks mapped as basalt, gabbro and amphibolite. Judging by the magnetics and other AEM anomalies on adjacent flightlines westwards, this conductor may just be part of a considerably longer conductive zone in which case it would receive a lower priority rating. If any ground follow up work is carried here the best locality to start would be on Line 32370, Fiducial 29505, X = 519517, Y = 6839352.

3.41 ZONE 41 ☹️

This low priority anomaly is situated in basalt close to a contact with sediments. It is part of a much longer zone of anomalies all of which have magnetic associations. However the associated magnetic anomaly on this particular AEM anomaly is more favorable than the others and this was the main reason for zoning it as a possible follow up target. The anomaly is located on Line 32370, Fiducial 29403, X = 519906, Y = 6838245. If anything of interest is found here, the other C grade anomalies along strike are recommended for further ground investigation as well.

3.42 ZONE 42 ☹

A low priority zone situated in rocks mapped as basalt, gabbro and amphibolite. The zone is part of a longer conductive zone trending east and north eastwards of here. The anomaly on Line 32410, Fiducial 24069, X = 518494, Y = 6839889 is the most favorable one for ground follow up purposes. If anything of interest is found on this zone, there are two other C grade AEM anomalies situated on the north eastern strike extension of this zone that are recommended for ground follow up as well. These are located on Line 32370, Fiducial 29583, X = 519214, Y = 6840232 and on Line 32350, Fiducial 32303, X = 519533, Y = 6840565.

3.43 ZONE43 ☹

There are two closely spaced conductors present here in this medium priority zone. Conductances of these are in the 90 to 131 Siemens range and they have associated magnetic anomalies with amplitudes that are smaller than 100 nanoTeslas. The host rock on the geological map is shown as basalt, gabbro and amphibolite. Any of the B grade anomalies in the zone would be suitable for ground follow up purposes. These are located on Line 32400, Fiducial 25763, X = 518920, Y = 6839262, Line 32400, Fiducial 25772, X = 518959, Y = 6839167, Line 32410, Fiducial 24001, X = 518772, Y = 6839123 and Line 32430, Fiducial 21231, X = 518339, Y = 6839103.

3.44 ZONE 44 ☹

This is a low priority zone situated in gabbro and diabase with dykes. The zone is part of a long east west trending conductor located on the northern flank of a magnetic rock type. For follow up purposes the most favorable anomaly is located on Line 32450, Fiducial 19062, X = 515493, Y = 6846025. If anything of interest is found here the two C grade anomalies along strike eastwards should be examined as well. These are located on Line 32420, Fiducial 22403, X = 516099, Y = 6846111 and on Line 32410, Fiducial 24631, X = 516314, Y = 6846138.

3.45 ZONE 45 ☹

A low priority zone which is situated in basalt, gabbro and amphibolite on the western strike extension of zone 43. Either of the two C grade anomalies in the zone would be suitable for ground follow up work. These are located on Line 32460, Fiducial 17569, X = 517712, Y = 6839077, and on Line 32470, Fiducial 15885, X = 517474, Y = 6839158,

3.46 ZONE 46 ☹

This low priority zone is situated in gabbro on the westward strike extension of zone 44. The best AEM anomaly in the zone is located on Line 32480, Fiducial 14567, X = 514881, Y = 6846017. Note however that this favorable anomaly has no direct magnetic association but it occurs on the flank of a magnetic body. If anything of interest is found here, it may be worth ground checking the C grade anomaly along

strike westwards as well. This anomaly is located on Line 32510, Fiducial 11728, X = 514275, Y = 6845951.

3.47 ZONE 47 ☹

A low priority has been assigned to this zone which is situated in gabbro. From the magnetic contour map it appears that the strike of the magnetic rocks present here changes from east-west to north-south at the eastern end of the zone. For ground follow up purposes all three of the AEM anomalies in the zone are equally favorable. These are located on Line 32490, Fiducial 14047, X = 514859, Y = 6845474, Line 32500, Fiducial 12266, X = 514646, Y = 6845482 and Line 32510, Fiducial 11691, X = 514419, Y = 6845533.

3.48 ZONE 48 ☹

This medium priority zone is situated in basalt approximately on a contact with sediments as interpreted from the magnetics. The two B grade anomalies in the zone have high conductances of 131 Siemens together with small associated 40 to 70 nanoTesla magnetic anomalies. These AEM anomalies are located on Line 32510, Fiducial 10919, X = 517472, Y = 6836709 and on Line 32540, Fiducial 8078, X = 516896, Y = 6836557.

3.49 ZONE 49 ☹

A low priority zone situated in gabbro. Judging by the magnetics the zone may lie on the westward strike extension of zone 47 although there appears to be some structural complexity between the two zones. By far the best anomaly for ground follow up work is the one on Line 32530, Fiducial 9266, X = 514067, Y = 6845276.

3.50 ZONE 50 ☹

A very low priority zone situated in gabbro. This zone is clearly part of a much longer east north east trending conductive zone. However the AEM anomalies together with their magnetic associations are more favorable at this particular place. The best anomaly for ground investigation is located on Line 32690, Fiducial 31180, X = 510564, Y = 6845671.

3.51 ZONE 51 ☹

A very low priority zone situated in basalt near the southern contact of a large magnetic body which is not well mapped on the geological map. The best anomaly is located on Line 32710, Fiducial 27928, X = 513364, Y = 6836365.

3.52 ZONE 52 ☺

This is a high priority zone located in basalt within a big magnetic body which is not well mapped on the geological map. The anomaly on Line 32740 is particularly favorable so follow up should commence here at Fiducial 24757, X = 512305, Y = 6837595.

3.53 ZONE 53 ☹

This is a low priority zone situated in peridotite. The AEM anomalies have broader peak shapes than those normally due to localized sulphides so it is more likely that they are caused by a thicker serpentinized layer within the peridotite. The most favorable anomaly in the zone is located on Line 32730, Fiducial 25272, X = 513678, Y = 6834195.

3.54 ZONE 54 ☺

A medium priority zone located in basalt immediately north west of zone 52. The conductor may be deep. If any ground follow up work is carried out here the best locality would be on Line 32750, Fiducial 23298, X = 512029, Y = 6837765.

3.55 ZONE 55 ☹

Low priority has been given to this zone which is situated in basalt. The zone has an associated 100 to 300 nanoTesla magnetic anomaly along its strike length and this is probably due to an ultramafic sill or other magnetic rock type. Ground follow up work is best initiated on Line 32830, Fiducial 14651, X = 511167, Y = 6835358.

3.56 ZONE 56 ☹

A low priority zone situated in basalt. The AEM anomaly on Line 32840, Fiducial 14082, X = 510624, Y = 6836319 has narrow peak shape indicating a relatively localized conductor. Ground follow up work should therefore commence here.

3.57 ZONE 57 ☹

This is a low priority zone situated in peridotite. A 500 nanoTesla magnetic anomaly is associated with the eastern B grade anomaly in the zone which is indicative of peridotite being the host rock here. This anomaly is located on Line 32850, Fiducial 12448, X = 511620, Y = 6832848.

3.58 ZONE 58 ☹

A very low priority zone situated in wacke. The host rocks are only weakly magnetic which is definitely a downgrading factor. However the anomaly on Line

32970, Fiducial 46673, X = 506577, Y = 6840065, has a 131 Siemens conductance value which may make it worth following up on the ground.

3.59 ZONE 59 ☹

This is a low priority zone situated in basalt. It has a fairly linear magnetic anomaly associated with it which may be due to a more mafic rock type. If any ground follow up work is carried out here, the most favorable locality is on Line 33110, Fiducial 34716, X = 505836, Y = 6833699.

3.60 ZONE 60 ☹

A low priority zone situated in basalt along strike from zone 59. The B grade anomaly on Line 33170, Fiducial 30666, X = 504770, Y = 6833101 is the most prospective one for ground follow up work. Note however that on the neighboring Line 33180, Fiducial 30495, X = 504642, Y = 6832800, there is another anomaly situated 150 meters to the south of this zone which may be worth checking on the ground at the same time. Along strike on Lines 33200 and 33210 there are another two C grade anomalies which may warrant some follow up work if anything of interest is found on this zone.

3.61 ZONE 61 ☹

A low priority zone situated in basalt near its contact with gabbro. Once again the zone appears to be associated with a long linear magnetic anomaly which may be due to a more mafic rock type. The anomaly on Line 33230, Fiducial 26868, X = 503580, Y = 6832841 is the most suitable one for initial ground follow up work.

3.62 ZONE 62 ☹

The rock type at this low priority zone is shown as tuff on the geological map. An east west trending 60 nanoTesla magnetic anomaly occurs along the zone. On Line 33230, Fiducial 27123, X = 502637, Y = 6835582, the anomaly parameters are most favorable for carrying out ground follow up work.

3.63 ZONE 63 ☹

This low priority zone is situated in basalt on the strike extension of zones 59 and 60. As in the case of these two zones, it has a linear east north east trending magnetic anomaly associated with it which could be due to a more mafic rock type. Any of the four C grade anomalies would be suitable for ground follow up work. However the one on Line 33370, Fiducial 17441, X = 501354, Y = 6830725 and the one on Line 33390, Fiducial 16176, X = 500932, Y = 6830566 perhaps have slightly better anomaly parameters.

3.64 ZONE 64 ☹️

A very low priority zone situated in tuff. A 50 nanoTesla magnetic anomaly is associated with the zone. The anomaly on Line 33380, Fiducial 16913, X = 499412, Y = 6835672 is probably the most suitable one for following up on the ground.

3.65 ZONE 65 ☹️

A low priority has been assigned to this zone which is shown as occurring in sediments on the geological map. The zone is associated with a 70 to 90 nanoTesla linear magnetic anomaly which could be due to a fairly thin mafic or ultramafic sill. The B grade anomaly on Line 33460, Fiducial 10181, X = 500150, Y = 6828662 is undoubtedly the best one for following up on the ground. At the south western end of this zone 150 meters across strike from it there is another zone of AEM anomalies which may be worth investigating on the ground if anything of interest is found here.

3.66 ZONE 66 ☹️

This is a low priority zone which is situated on the south western strike extension of zone 65. Once again it is associated with a linear 50 nanoTesla magnetic anomaly which may represent a thin mafic rock unit. On the geological map tuff is shown as the host rock which is present here. For follow up purposes the best AEM anomaly is located on Line 33500, Fiducial 7205, X = 499511, Y = 6828082.

3.67 ZONE 67 ☹️

A low priority zone situated on the strike extension of zones 65 and 66. Both AEM anomalies in the zone have 131 Siemens conductances and 40 nanoTesla magnetic associations. Ground follow up work is recommended on Line 33550, Fiducial 3247, X = 498724, Y = 6827282.

3.68 ZONE 68 ☹️

Low priority is the rating given to this zone which is situated in rocks mapped as tuffs. The anomaly on Line 33700, Fiducial 11778, X = 496123, Y = 6825627 is perhaps the most favorable one for ground follow up purposes.

3.69 ZONE 69 ☹️

A low priority zone situated in tuff along strike from zone 68. Both zones are associated with a magnetic anomaly which may be due to a more mafic rock type. The B grade anomaly on Line 33760, Fiducial 10993, X = 494997, Y = 6825307 is the most suitable one for following up on the ground.

3.70 ZONE 70 ☹

This is a low priority zone situated in basalt. The AEM anomalies are associated with a magnetic anomaly varying in amplitude from 60 to 155 nanoTeslas. The most favorable anomaly is the one located on Line 33750, Fiducial 11294, X = 495320, Y = 6824916. If anything of interest is found here, the two C grade anomalies along strike eastwards on Lines 33720 and 33730 should be examined as well. From the magnetics a fold nose is probably present here.


3.71 ZONE 71 ☹

Although this long zone has been given a low priority rating, the western anomalies in the zone are particularly favorable and may be worthy of a higher rating. On the geological map the host rock here has been mapped as tuff. However the linear magnetic anomaly which is directly associated with the good conductor indicates that a more mafic rock type as well as magnetic sulphides may well be present along the zone. For ground follow up purposes two anomalies are recommended. These are located on Line 33860, Fiducial 4550, X = 493012, Y = 6824841 and on Line 33880, Fiducial 3311, X = 492667, Y = 6824647.

STATEMENT OF QUALIFICATIONS, PASCAL PARÉ

I, Pascal Paré, Hereby certify that:

- 1) I am geophysicist residing at 1440 Boul. Auclair, Ste-Foy, Québec, Canada G2G 2M6
- 2) I am geophysicist for Anglo American Exploration (Canada) Ltd. performing geophysical services.
- 3) I am a graduate of ECOLE POLYTECHNIQUE DE MONTREAL in Applied Science, Geological Engineering (B. Sc. 1994).
- 4) I am a member of the Ordre des Ingénieurs du Québec (OIQ)
- 5) I have practiced by profession for over 10 years



Signed : _____

Pascal Paré, Eng.
Trois-Rivières, Québec
May 2006

4 APPENDIX 1: SURVEY DETAILS

4.1.1 Logistics

The specific details of the survey were as follows:

Base of operations	Puvirnitug - Canada
Flying Dates	Between 03 to 18 September 2005
Survey type	Electromagnetic, magnetic, radiometric, terrain
Aircraft type	DC3 – TP67
EM Base Frequency	45 Hz
Nominal aircraft altitude	90 m
Nominal aircraft speed	60 m/s
Acceptable Kilometres flown:	3430 Line kilometres
Nominal flight-line spacing	200 m
Nominal flight-line direction:	160 degrees
Nominal tie-line spacing	2000 m
Nominal tie-line direction:	250 degrees

4.1.2 Datum

All coordinates provided in this report, in maps and in processed digital data-sets have the following datum parameters.

Datum	NAD 83
Projection	UTM Spheroid : CL66 Zone : 18
Type	Transverse Mercator
Dx / Dy / Dx	4 / 159 / 188

4.1.3 Survey Area Coordinates

The corner coordinates of the survey areas were:

Area coordinates	Easting (m)	Northing (m)
SPARTIN	543534.66	6853222.27
	546356.06	6845097.71
	519625.44	6833670.67
	518851.19	6835900.20
	510434.55	6832702.12
	509608.48	6835080.88
	500623.91	6830469.91
	502087.00	6826256.75

	492184.51	6823679.37
	490253.12	6829241.05
	498653.41	6832486.22
	497381.38	6836149.19
	504070.01	6839446.00
	503241.78	6841830.97
	509684.64	6844068.37
	509390.74	6846744.41
	531578.52	6854119.99
	533143.40	6849613.72
	543534.66	6853222.27

5 APPENDIX 2: SYSTEM SPECIFICATIONS

SPECTREM simultaneously takes electromagnetic, total field magnetic and radiometric measurements. Both the electromagnetic and magnetic sensors are towed behind the aircraft in “birds” while the radiometric crystals are installed inside the cabin. The geometry of the system is shown below in Figure 2. Other system specifications are listed below.

5.1.1 EM system

Transmitter height above ground	91 m
Tx – Rx vertical separation	36.6 m
Tx – Rx horizontal separation	122.9 m
Transmitter coil axis	Vertical
Receiver coil axes	X : horizontal, parallel to flight direction
Current waveform	Square wave
Base frequencies	45 Hz
Transmitter loop area	420 m ²
RMS current	960 amperes
RMS dipole moment	400 000 A.m ²
Digitising rate @ 45Hz	46 080 Hz / component
Recording Rate	5 Hz
Number of windows	8 per component
Window distribution	Pseudo-binary

Window Times 45Hz

Window Number	Window Center (us)	Window Width (us)
1	21.7	21.7
2	54.3	43.4
3	119.4	86.8
4	249.6	173.6
5	501.0	347.2
6	1030.8	694.4
7	2072.5	1388.9
8	4155.8	2777.8

5.1.2 Magnetic system

Bird height above ground	72 m
Bird location	19 m below and 41 m behind center of aircraft
Sensor	Scintrex CS-2 Sensor with SPECTREM
Recording Rate	5 Hz
Sensitivity	0.01 nT
Resolution	0.1 nT

5.1.3 Positioning system

Sensor	Novatel RT-20 GPS receiver with Fugro
Recording Rate	5 Hz

5.1.4 Other sensors

Radar Altitude	Collins with 5 Hz sampling with 0.3 m
Laser Altitude	Riegl with 5 Hz sampling with 0.03 m resolution
Barometric Pressure	Rose Mount with 1 Hz sampling
Temperature (OAT)	PT-100 RTD with 1 Hz sampling
Analogue Chart Recorder	RMS GR-33

6 APPENDIX 3: DATA PROCESSING

The EM data was processed in Johannesburg using Geosoft packages.

6.1 ELECTROMAGNETIC PROCESSING

6.1.1 Aircraft Processing

Some of the most important EM data processing was carried out on the aircraft as it acquired the data. The first processing stage was stacking the data to 1024 samples. The data was then deconvolved to remove system response and transformed to a square wave. A square transmitter waveform was chosen as a periodic approximation of the step response.

In the next stage of processing the data was binned into 9 channels or windows. As the SPECTREM system makes its measurement while the transmitter is switched on, it is necessary to separate the primary (transmitted) field from the (induced) secondary field. The assumption is made that the induced field will have decayed to a minimal amount at the time the last channel is sampled. As the last channel only measured the primary field, it can be subtracted from the other channels to separate the secondary field. Hence there are actually 8 channels with geological information in the final data.

6.1.2 Profile data

The spikes in the line data have been removed using a 3 point Naudy filter. The line data have also been drift corrected and micro-leveled. The drift is particularly noticeable on the later time channels and has been applied to channels 4 to 8. This is an iterative process, with the assumption that there is a constant drift on a single line. This is reasonable if the lines are short. The processing steps are:

- The channel data are clipped retaining the data in the resistive areas where the response should be close to zero.
- The average of the clipped data is then calculated and subtracted from the channel data.

The steps are then repeated, refining the correction.

Decorrugation and micro-leveling has been applied to all the channels to reduce small residual errors that have not been corrected through the drift correction method.

6.1.3 Apparent Conductivity

The apparent conductivity for each channel was calculated from its channel amplitude and the aircraft height. An apparent conductivity is the conductivity of a half space that would produce an amplitude equivalent to the measured response. It is useful in providing a

physically sensible unit and partially compensates for aircraft ground clearance variations. The unit for apparent conductivity is milliSiemens/meter.

6.1.4 Grids

The data were gridded using an Akima spline. System lag was corrected before gridding.

A decorrugation filter was applied to reduce the herringbone effects created by geometrical asymmetry inherent in AEM systems

6.2 MAGNETIC PROCESSING

The leveling processing included:

- Tie-line leveling
- Decorrugation
- Micro-leveling

6.2.1 Tie-line leveling

Tie line leveling is used to remove the diurnal variation and errors due to instrument drift, both are assumed to vary slowly over time.

Tie-line leveling is an iterative process:

- Calculate the mis-closures at the crossover points of the tie and traverse lines. The mis-closure is the difference between the magnetic value on the tie line and the traverse line. The mis-closures are weighted by the gradient of the total field at the crossover point.
- The error is approximated by a piecewise polynomial as a function of time along a flight and then along a tie line.

These steps are repeated until a good fit has been obtained.

6.2.2 Decorrugation

This is a grid based operation designed to reduce the residual errors that the tie-line leveling does not remove. These are due to inaccuracies in the crossovers, localized diurnal activity, and local altitude variations.

Elongated anomalies with the following characteristics are removed:

- 2 times the line spacing perpendicular to the line direction
- 2 times the tie line spacing parallel to the line direction
- small dynamic range

6.2.3 Micro-leveling

Applies the corrections made to the grid to the profile data and thereby enhances the line data by removing the final residual errors. The micro-leveled data are then gridded. The lag correction is 40m.

6.3 DEM PROCESSING

Initially, the GPS height and the radar altimeter channels are visually inspected and any spikes or discontinuities are removed. A Low Pass or Naudy Filter is then applied to both channels. The GPS height channel is then gridded and the resultant grid is checked. Due to the nature of the GPS data, it is normally necessary at this stage to perform some degree of decorrelation on the grid with the corrections then written back to the database.

The radar altimeter channel is then subtracted from the corrected GPS height channel in the database and the resultant channel is gridded and verified.

7 APPENDIX 4: DELIVERABLES

7.1 DIGITAL PRODUCTS

7.1.1 Grids / Profile Data

(Grids supplied in Geosoft format)

	GRIDS (digital)	LINE DATA	MAPS (paper)	PROFILES
EM Data	1	2	3	4
EMX1 to EMX7	Y	Y	-	-
EMZ1 to EMZ7	Y	Y	-	-
EMX1 to EMX7 Apparent	-	-	-	-
EMZ1 to EMZ7 Apparent	-	-	-	-
Tau X	Y	-	Y	-
Tau Z	Y	-	Y	-
Anomaly Map	Y	Y	Y	-
Bedrock Elevation X	-	-	-	-
Bedrock Elevation Z	-	-	-	-
Overburden Thickness X	-	-	-	-
Overburden Thickness Z	-	-	-	-
Conductivity Grids at Various	-	-	-	-
TF Magnetic Data				
TFMI	Y	Y	Y	
TFMI with IGRF/ DGRF Removed	-	-	-	-
Vertical Derivative	Y	Y	-	-
Miscellaneous, e.g. RTP, HD, AGC,	-	-	-	-
Terrain				
DEM	Y	Y		
Radiometric Data				
TC, K, U, Th	Y	Y	-	-
Ternary	-	-	-	-
CDI Data				
CDI Data - Stacked Lines	-	-	-	-
CDI Data - Individual Lines	Y	-	-	-
CDI - Depth Slice (50 m to 500 m)	Y	-	-	-

7.1.2 Report

- This anomaly selection and logistics report.

7.1.3 Autopick Databases

- Autopick databases in MS Excel format (copy attached to this report)

7.2 MAPS

- AEM Anomalies Interpretation

8 APPENDIX 5: ANOMALY SELECTION

Interpretation of AEM data should follow two approaches, one using profile data for EM anomaly selection and the other using gridded data to produce images for secondary interpretation.

8.1 ELECTROMAGNETIC ANOMALY SELECTION

The EM profiles were interpreted using the Autopick software developed by SPECTREM. Anomaly selections were made on the basis of anomaly shape, decay characteristics and magnetic correlation. Interpreting profile data is important as it contains detail that is lost in the later, grid based, secondary interpretation.

8.1.1 Conductor Parameterisation and Classification

The EM anomaly interpreter picks and parameterises all EM anomalies of interest in a survey area using a SPECTREM proprietary software suite called Autopick. Using Autopick, the physical location of the electromagnetic conductor can be recorded, and various parameters associated with the conductor can be assigned. These parameters include an anomaly grade, the conductivity-thickness product of the conductor, its mid-time (window 4) residual X channel amplitude, its estimated depth below ground surface, its dip with respect to the nominal survey direction, and the magnitude of its associated magnetic anomaly.

The many anomaly shapes recorded by the SPECTREM electromagnetic system can be classified into three types - cultural, surficial and bedrock.

Cultural conductors are man-made conductors such as fences, power-lines, buried pipes and other metal structures. These give rise to anomalies if they form closed conducting loops, either by being well grounded in a conducting environment, or due to their physical geometry. Cultural conductors can be flagged as such in Autopick in order to reduce the possibility of following these up in the field.

Surficial conductors are flat-lying conductors which occur on or just beneath the ground surface. They generate anomalies which are characteristically broad, of poor conductivity, and large in amplitude. Examples are Quaternary cover and conductive regolith.

Bedrock conductors are typically steeply-dipping narrow zones of high conductivity situated in a relatively resistive host environment. Strike length may be considerable. These conductors present an interpretative problem in selecting from a large number of bedrock anomalies those which are more likely to be due to economic base metal mineralisation. Anomalies which are seen as more favorable are given a higher grade.

8.1.2 EM Anomaly Grading

An anomaly grading scheme has been devised to assist in prioritising which anomalies should first be considered for ground follow-up. This grading scheme is essentially geophysical, being a cumulative assessment by the interpreter of the likelihood of a particular anomaly being a prospective mineral target. Anomaly grade takes cognisance of such features of the anomaly as its peak shape (width and amplitude), its conductivity-thickness product (CTP) and its magnetic association.

Massive sulphide bodies are usually fairly narrow and of short strike length, and they are often highly conductive. If sufficient pyrrhotite or magnetite is present, a magnetic anomaly may be associated with the EM anomaly. Stratiform deposits, however, commonly contain disseminated sulphide mineralisation, and electromagnetic responses over such bodies may be diffuse to almost non-existent. Strike length can be considerable in the case of stratiform deposits, and magnetic signatures, if any, tend to parallel the trend of the regional geology.

SPECTREM EM anomalies are graded A, B, C or D, with grade A anomalies being the most favorable.

8.1.3 Complications of Anomaly Interpretation

In the grading process, small, discrete conductors were given a better grade than larger bodies, which were assumed to be lithological. Lithological conductors are generally formational (i.e. composed of a particular stratigraphic unit), with extended strike lengths, broader anomalies, and moderate to large electromagnetic responses. Often their conductivity is due to graphitic content rather than economic mineralisation. However the conclusion should not be drawn that larger conductors are definitely not mineralised. If mineralisation is disseminated it may have produced a broader, low amplitude EM response. An ore body's response may also be masked by nearby lithological or surficial conductors.

The anomaly picking process is used to directly detect an ore body. This is not the only method through which SPECTREM should be applied. It is important to remember the geological mapping capabilities of the system, which are covered in the Data Imaging section.

8.1.4 Estimated Conductor Depth

Caution needs to be taken when using the depth estimates provided in the EM anomaly listings. Autopick uses as its reference model a 300m by 300m wire loop conductor, which approximates a typical volcanogenic massive sulphide target, but bears very little resemblance to a body of appreciably different dimensions, such as a typical stratiform deposit. For this reason, depth estimates reported by Autopick are unreliable for bodies of dimensions very much greater than 300m by 300m (reported depths are too shallow) and very much less (reported depths are too deep).

9 APPENDIX 6: ANOMALY LISTING

These are the EM anomalies interpreted through Autopick. They are stored digitally in a Microsoft Excel Worksheet stored in the report directory on the CD. The columns for the anomaly listing are:

Line #	line number
Fiducial	fiducial number
Lag	lag in fiducials applied to anomaly peak position before plotting
Head	heading of line
NomH	nominal survey heading
UTM X	X coordinate
UTM Y	Y coordinate
Type	model type, C=culture, ?=possible culture, P=probable culture, N=no culture,
CTP	Conductivity thickness product in Siemens
X4	EM window X4 residual amplitude (pp2t, parts per two thousand of the primary field at the receiver)
Depth	depth calculated for a 300m X 300m plate with the same response
Dip	dip of conductor (degrees)
Dip dir	dip direction of conductor
Strike	strike of conductor
Grade	EM anomaly grade, assigned by interpreter
Mag	Residual magnetic anomaly in nT

9.1 SPARTIN AREA – ANOMALIES LIST



C:\
Spartin_Anomalies.xls

Spartan Claims

(1) 2345-SPARTAN GROUP (QC)

Project Property List

Project Geologist: R.Dufresne/P.Smerchanski

Quebec

Disposition No.	Disposition Name	WORK REQUIREMENT	EXCESS CREDITS	PAYMENT DUE	Ha	NOTE	ANNIVERSARY DATE
	Claim			QC 2 YR Filing Fee			
35416		120.00	0.00	88.00	40.81		Jul 10, 2006
35417		120.00	0.00	88.00	40.81		Jul 10, 2006
35418		120.00	0.00	88.00	40.82		Jul 10, 2006
35419		120.00	0.00	88.00	40.82		Jul 10, 2006
35420		120.00	0.00	88.00	40.82		Jul 10, 2006
35421		120.00	0.00	88.00	40.82		Jul 10, 2006
35422		120.00	0.00	88.00	40.82		Jul 10, 2006
35423		120.00	0.00	88.00	40.82		Jul 10, 2006
35424		120.00	0.00	88.00	40.82		Jul 10, 2006
35425		120.00	0.00	88.00	40.82		Jul 10, 2006
35426		120.00	0.00	88.00	40.82		Jul 10, 2006
35427		120.00	0.00	88.00	40.82		Jul 10, 2006
35428		120.00	0.00	88.00	40.82		Jul 10, 2006
35429		120.00	0.00	88.00	40.82		Jul 10, 2006
35430		120.00	0.00	88.00	40.82		Jul 10, 2006
35431		120.00	0.00	88.00	40.82		Jul 10, 2006
35432		120.00	0.00	88.00	40.82		Jul 10, 2006
35433		120.00	0.00	88.00	40.82		Jul 10, 2006
35434		120.00	0.00	88.00	40.82		Jul 10, 2006
35435		120.00	0.00	88.00	40.82		Jul 10, 2006
35436		120.00	0.00	88.00	40.82		Jul 10, 2006
35437		120.00	0.00	88.00	40.82		Jul 10, 2006
35438		120.00	0.00	88.00	40.82		Jul 10, 2006
35439		120.00	0.00	88.00	40.83		Jul 10, 2006
35440		120.00	0.00	88.00	40.83		Jul 10, 2006
35441		120.00	0.00	88.00	40.83		Jul 10, 2006
35442		120.00	0.00	88.00	40.83		Jul 10, 2006
35443		120.00	0.00	88.00	40.83		Jul 10, 2006
35444		120.00	0.00	88.00	40.83		Jul 10, 2006
35445		120.00	0.00	88.00	40.83		Jul 10, 2006
35446		120.00	0.00	88.00	40.83		Jul 10, 2006
35447		120.00	0.00	88.00	40.83		Jul 10, 2006
35448		120.00	0.00	88.00	40.83		Jul 10, 2006
35449		120.00	0.00	88.00	40.83		Jul 10, 2006
35450		120.00	0.00	88.00	40.83		Jul 10, 2006
35451		120.00	0.00	88.00	40.83		Jul 10, 2006
35452		120.00	0.00	88.00	40.83		Jul 10, 2006
35453		120.00	0.00	88.00	40.83		Jul 10, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
35454		120.00	0.00	88.00	40.83		Jul 10, 2006
35455		120.00	0.00	88.00	40.83		Jul 10, 2006
35456		120.00	0.00	88.00	40.83		Jul 10, 2006
35457		120.00	0.00	88.00	40.83		Jul 10, 2006
35458		120.00	0.00	88.00	40.83		Jul 10, 2006
35459		120.00	0.00	88.00	40.83		Jul 10, 2006
35460		120.00	0.00	88.00	40.84		Jul 10, 2006
35461		120.00	0.00	88.00	40.84		Jul 10, 2006
35462		120.00	0.00	88.00	40.84		Jul 10, 2006
35463		120.00	0.00	88.00	40.84		Jul 10, 2006
35464		120.00	0.00	88.00	40.84		Jul 10, 2006
35465		120.00	0.00	88.00	40.84		Jul 10, 2006
35466		120.00	0.00	88.00	40.84		Jul 10, 2006
35467		120.00	0.00	88.00	40.84		Jul 10, 2006
35468		120.00	0.00	88.00	40.84		Jul 10, 2006
35469		120.00	0.00	88.00	40.84		Jul 10, 2006
35470		120.00	0.00	88.00	40.84		Jul 10, 2006
35471		120.00	0.00	88.00	40.84		Jul 10, 2006
35472		120.00	0.00	88.00	40.84		Jul 10, 2006
35473		120.00	0.00	88.00	40.84		Jul 10, 2006
35474		120.00	0.00	88.00	40.84		Jul 10, 2006
35475		120.00	0.00	88.00	40.84		Jul 10, 2006
35476		120.00	0.00	88.00	40.84		Jul 10, 2006
35477		120.00	0.00	88.00	40.84		Jul 10, 2006
35478		120.00	0.00	88.00	40.85		Jul 10, 2006
35479		120.00	0.00	88.00	40.85		Jul 10, 2006
35480		120.00	0.00	88.00	40.85		Jul 10, 2006
35481		120.00	0.00	88.00	40.85		Jul 10, 2006
35482		120.00	0.00	88.00	40.85		Jul 10, 2006
35483		120.00	0.00	88.00	40.85		Jul 10, 2006
35484		120.00	0.00	88.00	40.85		Jul 10, 2006
35485		120.00	0.00	88.00	40.85		Jul 10, 2006
35486		120.00	0.00	88.00	40.85		Jul 10, 2006
35487		120.00	0.00	88.00	40.85		Jul 10, 2006
35488		120.00	0.00	88.00	40.85		Jul 10, 2006
35489		120.00	0.00	88.00	40.85		Jul 10, 2006
35490		120.00	0.00	88.00	40.85		Jul 10, 2006
35491		120.00	0.00	88.00	40.85		Jul 10, 2006
35492		120.00	0.00	88.00	40.85		Jul 10, 2006
35493		120.00	0.00	88.00	40.85		Jul 10, 2006
35494		120.00	0.00	88.00	40.85		Jul 10, 2006
35495		120.00	0.00	88.00	40.80		Jul 10, 2006
35496		120.00	0.00	88.00	40.80		Jul 10, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
35497		120.00	0.00	88.00	40.80		Jul 10, 2006
35498		120.00	0.00	88.00	40.80		Jul 10, 2006
35499		120.00	0.00	88.00	40.80		Jul 10, 2006
35500		120.00	0.00	88.00	40.80		Jul 10, 2006
35501		120.00	0.00	88.00	40.80		Jul 10, 2006
35502		120.00	0.00	88.00	40.80		Jul 10, 2006
35503		120.00	0.00	88.00	40.80		Jul 10, 2006
35504		120.00	0.00	88.00	40.80		Jul 10, 2006
35505		120.00	0.00	88.00	40.81		Jul 10, 2006
35506		120.00	0.00	88.00	40.81		Jul 10, 2006
35507		120.00	0.00	88.00	40.81		Jul 10, 2006
35508		120.00	0.00	88.00	40.81		Jul 10, 2006
35509		120.00	0.00	88.00	40.81		Jul 10, 2006
35510		120.00	0.00	88.00	40.81		Jul 10, 2006
35511		120.00	0.00	88.00	40.81		Jul 10, 2006
35512		120.00	0.00	88.00	40.81		Jul 10, 2006
35513		120.00	0.00	88.00	40.81		Jul 10, 2006
35514		120.00	0.00	88.00	40.81		Jul 10, 2006
35515		120.00	0.00	88.00	40.81		Jul 10, 2006
35516		120.00	0.00	88.00	40.81		Jul 10, 2006
35517		120.00	0.00	88.00	40.81		Jul 10, 2006
35518		120.00	0.00	88.00	40.81		Jul 10, 2006
35519		120.00	0.00	88.00	40.82		Jul 10, 2006
35520		120.00	0.00	88.00	40.82		Jul 10, 2006
35521		120.00	0.00	88.00	40.82		Jul 10, 2006
35522		120.00	0.00	88.00	40.82		Jul 10, 2006
35523		120.00	0.00	88.00	40.82		Jul 10, 2006
35524		120.00	0.00	88.00	40.82		Jul 10, 2006
35525		120.00	0.00	88.00	40.82		Jul 10, 2006
35526		120.00	0.00	88.00	40.82		Jul 10, 2006
35527		120.00	0.00	88.00	40.82		Jul 10, 2006
35528		120.00	0.00	88.00	40.82		Jul 10, 2006
35529		120.00	0.00	88.00	40.82		Jul 10, 2006
35530		120.00	0.00	88.00	40.82		Jul 10, 2006
35531		120.00	0.00	88.00	40.82		Jul 10, 2006
35532		120.00	0.00	88.00	40.82		Jul 10, 2006
35533		120.00	0.00	88.00	40.83		Jul 10, 2006
35534		120.00	0.00	88.00	40.83		Jul 10, 2006
35535		120.00	0.00	88.00	40.83		Jul 10, 2006
35536		120.00	0.00	88.00	40.83		Jul 10, 2006
35537		120.00	0.00	88.00	40.83		Jul 10, 2006
35538		120.00	0.00	88.00	40.83		Jul 10, 2006
35539		120.00	0.00	88.00	40.83		Jul 10, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
35540		120.00	0.00	88.00	40.83		Jul 10, 2006
35541		120.00	0.00	88.00	40.83		Jul 10, 2006
35542		120.00	0.00	88.00	40.83		Jul 10, 2006
35543		120.00	0.00	88.00	40.83		Jul 10, 2006
35544		120.00	0.00	88.00	40.83		Jul 10, 2006
35545		120.00	0.00	88.00	40.83		Jul 10, 2006
35546		120.00	0.00	88.00	40.83		Jul 10, 2006
35547		120.00	0.00	88.00	40.83		Jul 10, 2006
35548		120.00	0.00	88.00	40.83		Jul 10, 2006
35549		120.00	0.00	88.00	40.83		Jul 10, 2006
35550		120.00	0.00	88.00	40.83		Jul 10, 2006
35551		120.00	0.00	88.00	40.83		Jul 10, 2006
35552		120.00	0.00	88.00	40.83		Jul 10, 2006
35553		120.00	0.00	88.00	40.83		Jul 10, 2006
35554		120.00	0.00	88.00	40.83		Jul 10, 2006
35555		120.00	0.00	88.00	40.83		Jul 10, 2006
35556		120.00	0.00	88.00	40.83		Jul 10, 2006
35557		120.00	0.00	88.00	40.84		Jul 10, 2006
35558		120.00	0.00	88.00	40.84		Jul 10, 2006
35559		120.00	0.00	88.00	40.84		Jul 10, 2006
35560		120.00	0.00	88.00	40.84		Jul 10, 2006
35561		120.00	0.00	88.00	40.84		Jul 10, 2006
35562		120.00	0.00	88.00	40.84		Jul 10, 2006
35563		120.00	0.00	88.00	40.84		Jul 10, 2006
35564		120.00	0.00	88.00	40.84		Jul 10, 2006
35565		120.00	0.00	88.00	40.84		Jul 10, 2006
35566		120.00	0.00	88.00	40.84		Jul 10, 2006
35567		120.00	0.00	88.00	40.85		Jul 10, 2006
35568		120.00	0.00	88.00	40.85		Jul 10, 2006
35569		120.00	0.00	88.00	40.85		Jul 10, 2006
35570		120.00	0.00	88.00	40.85		Jul 10, 2006
35571		120.00	0.00	88.00	40.85		Jul 10, 2006
35572		120.00	0.00	88.00	40.85		Jul 10, 2006
35573		120.00	0.00	88.00	40.85		Jul 10, 2006
35574		120.00	0.00	88.00	40.85		Jul 10, 2006
35575		120.00	0.00	88.00	40.85		Jul 10, 2006
35576		120.00	0.00	88.00	40.85		Jul 10, 2006
35577		120.00	0.00	88.00	40.85		Jul 10, 2006
35578		120.00	0.00	88.00	40.85		Jul 10, 2006
35579		120.00	0.00	88.00	40.85		Jul 10, 2006
35580		120.00	0.00	88.00	40.85		Jul 10, 2006
35581		120.00	0.00	88.00	40.85		Jul 10, 2006
35582		120.00	0.00	88.00	40.85		Jul 10, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
35583		120.00	0.00	88.00	40.85		Jul 10, 2006
35584		120.00	0.00	88.00	40.85		Jul 10, 2006
35585		120.00	0.00	88.00	40.85		Jul 10, 2006
35586		120.00	0.00	88.00	40.85		Jul 10, 2006
35587		120.00	0.00	88.00	40.85		Jul 10, 2006
35588		120.00	0.00	88.00	40.85		Jul 10, 2006
35589		120.00	0.00	88.00	40.85		Jul 10, 2006
35590		120.00	0.00	88.00	40.85		Jul 10, 2006
35591		120.00	0.00	88.00	40.85		Jul 10, 2006
35592		120.00	0.00	88.00	40.85		Jul 10, 2006
35593		120.00	0.00	88.00	40.85		Jul 10, 2006
35594		120.00	0.00	88.00	40.85		Jul 10, 2006
35595		120.00	0.00	88.00	40.85		Jul 10, 2006
35596		120.00	0.00	88.00	40.85		Jul 10, 2006
35597		120.00	0.00	88.00	40.85		Jul 10, 2006
35598		120.00	0.00	88.00	40.85		Jul 10, 2006
35599		120.00	0.00	88.00	40.85		Jul 10, 2006
35600		120.00	0.00	88.00	40.85		Jul 10, 2006
35601		120.00	0.00	88.00	40.90		Jul 10, 2006
35602		120.00	0.00	88.00	40.90		Jul 10, 2006
35603		120.00	0.00	88.00	40.90		Jul 10, 2006
35604		120.00	0.00	88.00	40.90		Jul 10, 2006
35605		120.00	0.00	88.00	40.90		Jul 10, 2006
35606		120.00	0.00	88.00	40.90		Jul 10, 2006
35607		120.00	0.00	88.00	40.90		Jul 10, 2006
35608		120.00	0.00	88.00	40.90		Jul 10, 2006
35609		120.00	0.00	88.00	40.90		Jul 10, 2006
35610		120.00	0.00	88.00	40.90		Jul 10, 2006
35611		120.00	0.00	88.00	40.90		Jul 10, 2006
35612		120.00	0.00	88.00	40.90		Jul 10, 2006
35613		120.00	0.00	88.00	40.90		Jul 10, 2006
35614		120.00	0.00	88.00	40.90		Jul 10, 2006
35615		120.00	0.00	88.00	40.90		Jul 10, 2006
35616		120.00	0.00	88.00	40.91		Jul 10, 2006
35617		120.00	0.00	88.00	40.91		Jul 10, 2006
35618		120.00	0.00	88.00	40.91		Jul 10, 2006
35619		120.00	0.00	88.00	40.91		Jul 10, 2006
35620		120.00	0.00	88.00	40.91		Jul 10, 2006
35621		120.00	0.00	88.00	40.91		Jul 10, 2006
35622		120.00	0.00	88.00	40.91		Jul 10, 2006
35623		120.00	0.00	88.00	40.91		Jul 10, 2006
35624		120.00	0.00	88.00	40.91		Jul 10, 2006
35625		120.00	0.00	88.00	40.91		Jul 10, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
35626		120.00	0.00	88.00	40.91		Jul 10, 2006
35627		120.00	0.00	88.00	40.91		Jul 10, 2006
35628		120.00	0.00	88.00	40.91		Jul 10, 2006
35629		120.00	0.00	88.00	40.91		Jul 10, 2006
35630		120.00	0.00	88.00	40.91		Jul 10, 2006
35631		120.00	0.00	88.00	40.92		Jul 10, 2006
35632		120.00	0.00	88.00	40.92		Jul 10, 2006
35633		120.00	0.00	88.00	40.92		Jul 10, 2006
35634		120.00	0.00	88.00	40.92		Jul 10, 2006
35635		120.00	0.00	88.00	40.92		Jul 10, 2006
35636		120.00	0.00	88.00	40.92		Jul 10, 2006
35637		120.00	0.00	88.00	40.92		Jul 10, 2006
35638		120.00	0.00	88.00	40.92		Jul 10, 2006
35639		120.00	0.00	88.00	40.92		Jul 10, 2006
35640		120.00	0.00	88.00	40.92		Jul 10, 2006
35641		120.00	0.00	88.00	40.92		Jul 10, 2006
35642		120.00	0.00	88.00	40.92		Jul 10, 2006
35643		120.00	0.00	88.00	40.92		Jul 10, 2006
35644		120.00	0.00	88.00	40.92		Jul 10, 2006
35645		120.00	0.00	88.00	40.92		Jul 10, 2006
35646		120.00	0.00	88.00	40.92		Jul 10, 2006
35647		120.00	0.00	88.00	40.92		Jul 10, 2006
35648		120.00	0.00	88.00	40.92		Jul 10, 2006
35649		120.00	0.00	88.00	40.92		Jul 10, 2006
35650		120.00	0.00	88.00	40.92		Jul 10, 2006
35651		120.00	0.00	88.00	40.92		Jul 10, 2006
35652		120.00	0.00	88.00	40.92		Jul 10, 2006
35653		120.00	0.00	88.00	40.92		Jul 10, 2006
35654		120.00	0.00	88.00	40.92		Jul 10, 2006
35655		120.00	0.00	88.00	40.92		Jul 10, 2006
35656		120.00	0.00	88.00	40.93		Jul 10, 2006
35657		120.00	0.00	88.00	40.93		Jul 10, 2006
35658		120.00	0.00	88.00	40.93		Jul 10, 2006
35659		120.00	0.00	88.00	40.93		Jul 10, 2006
35660		120.00	0.00	88.00	40.93		Jul 10, 2006
35661		120.00	0.00	88.00	40.93	STAKED-SEPT/04	Jul 10, 2006
35662		120.00	0.00	88.00	40.93		Jul 10, 2006
35663		120.00	0.00	88.00	40.93		Jul 10, 2006
35664		120.00	0.00	88.00	40.93		Jul 10, 2006
35665		120.00	0.00	88.00	40.93		Jul 10, 2006
35666		120.00	0.00	88.00	40.93		Jul 10, 2006
35667		120.00	0.00	88.00	40.93		Jul 10, 2006
35668		120.00	0.00	88.00	40.93		Jul 10, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
35669		120.00	0.00	88.00	40.93		Jul 10, 2006
35670		120.00	0.00	88.00	40.93		Jul 10, 2006
35671		120.00	0.00	88.00	40.93		Jul 10, 2006
35672		120.00	0.00	88.00	40.93		Jul 10, 2006
35673		120.00	0.00	88.00	40.93		Jul 10, 2006
35674		120.00	0.00	88.00	40.93		Jul 10, 2006
35675		120.00	0.00	88.00	40.93		Jul 10, 2006
35676		120.00	0.00	88.00	40.93		Jul 10, 2006
35677		120.00	0.00	88.00	40.93		Jul 10, 2006
35678		120.00	0.00	88.00	40.93		Jul 10, 2006
35679		120.00	0.00	88.00	40.93		Jul 10, 2006
35680		120.00	0.00	88.00	40.93		Jul 10, 2006
35681		120.00	0.00	88.00	40.94		Jul 10, 2006
35682		120.00	0.00	88.00	40.94		Jul 10, 2006
35683		120.00	0.00	88.00	40.94		Jul 10, 2006
35684		120.00	0.00	88.00	40.94		Jul 10, 2006
35685		120.00	0.00	88.00	40.94		Jul 10, 2006
35686		120.00	0.00	88.00	40.94		Jul 10, 2006
35687		120.00	0.00	88.00	40.94		Jul 10, 2006
35688		120.00	0.00	88.00	40.94		Jul 10, 2006
35689		120.00	0.00	88.00	40.94		Jul 10, 2006
35690		120.00	0.00	88.00	40.94		Jul 10, 2006
35691		120.00	0.00	88.00	40.94		Jul 10, 2006
35692		120.00	0.00	88.00	40.94		Jul 10, 2006
35693		120.00	0.00	88.00	40.94		Jul 10, 2006
35694		120.00	0.00	88.00	40.94		Jul 10, 2006
35695		120.00	0.00	88.00	40.94		Jul 10, 2006
35696		120.00	0.00	88.00	40.94		Jul 10, 2006
35697		120.00	0.00	88.00	40.94		Jul 10, 2006
35698		120.00	0.00	88.00	40.94		Jul 10, 2006
35699		120.00	0.00	88.00	40.94		Jul 10, 2006
35700		120.00	0.00	88.00	40.94		Jul 10, 2006
35701		120.00	0.00	88.00	40.94		Jul 10, 2006
35702		120.00	0.00	88.00	40.94		Jul 10, 2006
35703		120.00	0.00	88.00	40.94		Jul 10, 2006
35704		120.00	0.00	88.00	40.94		Jul 10, 2006
35705		120.00	0.00	88.00	40.94		Jul 10, 2006
35706		120.00	0.00	88.00	40.95		Jul 10, 2006
35707		120.00	0.00	88.00	40.95		Jul 10, 2006
35708		120.00	0.00	88.00	40.95		Jul 10, 2006
35709		120.00	0.00	88.00	40.95		Jul 10, 2006
35710		120.00	0.00	88.00	40.95		Jul 10, 2006
35711		120.00	0.00	88.00	40.95		Jul 10, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
35712		120.00	0.00	88.00	40.95		Jul 10, 2006
35713		120.00	0.00	88.00	40.95		Jul 10, 2006
35714		120.00	0.00	88.00	40.95		Jul 10, 2006
35715		120.00	0.00	88.00	40.95		Jul 10, 2006
35716		120.00	0.00	88.00	40.95		Jul 10, 2006
35717		120.00	0.00	88.00	40.95		Jul 10, 2006
35718		120.00	0.00	88.00	40.95		Jul 10, 2006
35719		120.00	0.00	88.00	40.95		Jul 10, 2006
35720		120.00	0.00	88.00	40.95		Jul 10, 2006
35721		120.00	0.00	88.00	40.97		Jul 10, 2006
35722		120.00	0.00	88.00	40.97		Jul 10, 2006
35723		120.00	0.00	88.00	40.97		Jul 10, 2006
35724		120.00	0.00	88.00	40.97		Jul 10, 2006
35725		120.00	0.00	88.00	40.97		Jul 10, 2006
35726		120.00	0.00	88.00	40.97		Jul 10, 2006
35727		120.00	0.00	88.00	40.97		Jul 10, 2006
35728		120.00	0.00	88.00	40.97		Jul 10, 2006
35729		120.00	0.00	88.00	40.97		Jul 10, 2006
35730		120.00	0.00	88.00	40.97		Jul 10, 2006
35731		120.00	0.00	88.00	40.97		Jul 10, 2006
35732		120.00	0.00	88.00	40.97		Jul 10, 2006
35733		120.00	0.00	88.00	40.97		Jul 10, 2006
35734		120.00	0.00	88.00	40.97		Jul 10, 2006
35735		120.00	0.00	88.00	40.97		Jul 10, 2006
35736		120.00	0.00	88.00	40.98		Jul 10, 2006
35737		120.00	0.00	88.00	40.98		Jul 10, 2006
35738		120.00	0.00	88.00	40.98		Jul 10, 2006
35739		120.00	0.00	88.00	40.98		Jul 10, 2006
35740		120.00	0.00	88.00	40.98		Jul 10, 2006
35741		120.00	0.00	88.00	40.98		Jul 10, 2006
35742		120.00	0.00	88.00	40.98		Jul 10, 2006
35743		120.00	0.00	88.00	40.98		Jul 10, 2006
35744		120.00	0.00	88.00	40.98		Jul 10, 2006
35745		120.00	0.00	88.00	40.98		Jul 10, 2006
35746		120.00	0.00	88.00	40.98		Jul 10, 2006
35747		120.00	0.00	88.00	40.98		Jul 10, 2006
35748		120.00	0.00	88.00	40.98		Jul 10, 2006
35749		120.00	0.00	88.00	40.98		Jul 10, 2006
35900		120.00	0.00	88.00	40.86		Jul 11, 2006
35901		120.00	0.00	88.00	40.86		Jul 11, 2006
35902		120.00	0.00	88.00	40.86		Jul 11, 2006
35903		120.00	0.00	88.00	40.86		Jul 11, 2006
35904		120.00	0.00	88.00	40.86		Jul 11, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
35905		120.00	0.00	88.00	40.86		Jul 11, 2006
35906		120.00	0.00	88.00	40.86		Jul 11, 2006
35907		120.00	0.00	88.00	40.86		Jul 11, 2006
35908		120.00	0.00	88.00	40.86		Jul 11, 2006
35909		120.00	0.00	88.00	40.86		Jul 11, 2006
35910		120.00	0.00	88.00	40.86		Jul 11, 2006
35911		120.00	0.00	88.00	40.86		Jul 11, 2006
35912		120.00	0.00	88.00	40.86		Jul 11, 2006
35913		120.00	0.00	88.00	40.86		Jul 11, 2006
35914		120.00	0.00	88.00	40.86		Jul 11, 2006
35915		120.00	0.00	88.00	40.86		Jul 11, 2006
35916		120.00	0.00	88.00	40.86		Jul 11, 2006
35917		120.00	0.00	88.00	40.86		Jul 11, 2006
35918		120.00	0.00	88.00	40.86		Jul 11, 2006
35919		120.00	0.00	88.00	40.86		Jul 11, 2006
35920		120.00	0.00	88.00	40.86		Jul 11, 2006
35921		120.00	0.00	88.00	40.86		Jul 11, 2006
35922		120.00	0.00	88.00	40.86		Jul 11, 2006
35923		120.00	0.00	88.00	40.86		Jul 11, 2006
35924		120.00	0.00	88.00	40.86		Jul 11, 2006
35925		120.00	0.00	88.00	40.86		Jul 11, 2006
35926		120.00	0.00	88.00	40.86		Jul 11, 2006
35927		120.00	0.00	88.00	40.86		Jul 11, 2006
35928		120.00	0.00	88.00	40.86		Jul 11, 2006
35929		120.00	0.00	88.00	40.86		Jul 11, 2006
35930		120.00	0.00	88.00	40.86		Jul 11, 2006
35931		120.00	0.00	88.00	40.86		Jul 11, 2006
35932		120.00	0.00	88.00	40.86		Jul 11, 2006
35933		120.00	0.00	88.00	40.86		Jul 11, 2006
35934		120.00	0.00	88.00	40.86		Jul 11, 2006
35935		120.00	0.00	88.00	40.86		Jul 11, 2006
35936		120.00	0.00	88.00	40.86		Jul 11, 2006
35937		120.00	0.00	88.00	40.87		Jul 11, 2006
35938		120.00	0.00	88.00	40.87		Jul 11, 2006
35939		120.00	0.00	88.00	40.87		Jul 11, 2006
35940		120.00	0.00	88.00	40.87		Jul 11, 2006
35941		120.00	0.00	88.00	40.87		Jul 11, 2006
35942		120.00	0.00	88.00	40.87		Jul 11, 2006
35943		120.00	0.00	88.00	40.87		Jul 11, 2006
35944		120.00	0.00	88.00	40.87		Jul 11, 2006
35945		120.00	0.00	88.00	40.87		Jul 11, 2006
35946		120.00	0.00	88.00	40.87		Jul 11, 2006
35947		120.00	0.00	88.00	40.87		Jul 11, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>H_a</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
35948		120.00	0.00	88.00	40.87		Jul 11, 2006
35949		120.00	0.00	88.00	40.87		Jul 11, 2006
35950		120.00	0.00	88.00	40.87		Jul 11, 2006
35951		120.00	0.00	88.00	40.87		Jul 11, 2006
35952		120.00	0.00	88.00	40.87		Jul 11, 2006
35953		120.00	0.00	88.00	40.87		Jul 11, 2006
35954		120.00	0.00	88.00	40.87		Jul 11, 2006
35955		120.00	0.00	88.00	40.87		Jul 11, 2006
35956		120.00	0.00	88.00	40.87		Jul 11, 2006
35957		120.00	0.00	88.00	40.87		Jul 11, 2006
35958		120.00	0.00	88.00	40.87		Jul 11, 2006
35959		120.00	0.00	88.00	40.87		Jul 11, 2006
35960		120.00	0.00	88.00	40.87		Jul 11, 2006
35961		120.00	0.00	88.00	40.87		Jul 11, 2006
35962		120.00	0.00	88.00	40.87		Jul 11, 2006
35963		120.00	0.00	88.00	40.87		Jul 11, 2006
35964		120.00	0.00	88.00	40.87		Jul 11, 2006
35965		120.00	0.00	88.00	40.87		Jul 11, 2006
35966		120.00	0.00	88.00	40.87		Jul 11, 2006
35967		120.00	0.00	88.00	40.87		Jul 11, 2006
35968		120.00	0.00	88.00	40.87		Jul 11, 2006
35969		120.00	0.00	88.00	40.87		Jul 11, 2006
35970		120.00	0.00	88.00	40.87		Jul 11, 2006
35971		120.00	0.00	88.00	40.87		Jul 11, 2006
35972		120.00	0.00	88.00	40.87		Jul 11, 2006
35973		120.00	0.00	88.00	40.87		Jul 11, 2006
35974		120.00	0.00	88.00	40.88		Jul 11, 2006
35975		120.00	0.00	88.00	40.88		Jul 11, 2006
35976		120.00	0.00	88.00	40.88		Jul 11, 2006
35977		120.00	0.00	88.00	40.88		Jul 11, 2006
35978		120.00	0.00	88.00	40.88		Jul 11, 2006
35979		120.00	0.00	88.00	40.88		Jul 11, 2006
35980		120.00	0.00	88.00	40.88		Jul 11, 2006
35981		120.00	0.00	88.00	40.88		Jul 11, 2006
35982		120.00	0.00	88.00	40.88		Jul 11, 2006
35983		120.00	0.00	88.00	40.88		Jul 11, 2006
35984		120.00	0.00	88.00	40.88		Jul 11, 2006
35985		120.00	0.00	88.00	40.88		Jul 11, 2006
35986		120.00	0.00	88.00	40.88		Jul 11, 2006
35987		120.00	0.00	88.00	40.88		Jul 11, 2006
35988		120.00	0.00	88.00	40.88	STAKED-SEPT/04	Jul 11, 2006
35989		120.00	0.00	88.00	40.88		Jul 11, 2006
35990		120.00	0.00	88.00	40.88		Jul 11, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
35991		120.00	0.00	88.00	40.88		Jul 11, 2006
35992		120.00	0.00	88.00	40.88		Jul 11, 2006
35993		120.00	0.00	88.00	40.88		Jul 11, 2006
35994		120.00	0.00	88.00	40.88		Jul 11, 2006
35995		120.00	0.00	88.00	40.88		Jul 11, 2006
35996		120.00	0.00	88.00	40.88		Jul 11, 2006
35997		120.00	0.00	88.00	40.88		Jul 11, 2006
35998		120.00	0.00	88.00	40.88		Jul 11, 2006
35999		120.00	0.00	88.00	40.88		Jul 11, 2006
36000		120.00	0.00	88.00	40.88		Jul 11, 2006
36001		120.00	0.00	88.00	40.88		Jul 11, 2006
36002		120.00	0.00	88.00	40.88		Jul 11, 2006
36003		120.00	0.00	88.00	40.88		Jul 11, 2006
36004		120.00	0.00	88.00	40.88		Jul 11, 2006
36005		120.00	0.00	88.00	40.88		Jul 11, 2006
36006		120.00	0.00	88.00	40.88		Jul 11, 2006
36007		120.00	0.00	88.00	40.88		Jul 11, 2006
36008		120.00	0.00	88.00	40.88		Jul 11, 2006
36009		120.00	0.00	88.00	40.88		Jul 11, 2006
36010		120.00	0.00	88.00	40.88		Jul 11, 2006
36011		120.00	0.00	88.00	40.89		Jul 11, 2006
36012		120.00	0.00	88.00	40.89		Jul 11, 2006
36013		120.00	0.00	88.00	40.89		Jul 11, 2006
36014		120.00	0.00	88.00	40.89		Jul 11, 2006
36015		120.00	0.00	88.00	40.89		Jul 11, 2006
36016		120.00	0.00	88.00	40.89		Jul 11, 2006
36017		120.00	0.00	88.00	40.89		Jul 11, 2006
36018		120.00	0.00	88.00	40.89		Jul 11, 2006
36019		120.00	0.00	88.00	40.89		Jul 11, 2006
36020		120.00	0.00	88.00	40.89		Jul 11, 2006
36021		120.00	0.00	88.00	40.89		Jul 11, 2006
36022		120.00	0.00	88.00	40.89		Jul 11, 2006
36023		120.00	0.00	88.00	40.89		Jul 11, 2006
36024		120.00	0.00	88.00	40.89		Jul 11, 2006
36025		120.00	0.00	88.00	40.89		Jul 11, 2006
36026		120.00	0.00	88.00	40.89		Jul 11, 2006
36027		120.00	0.00	88.00	40.89		Jul 11, 2006
36028		120.00	0.00	88.00	40.89		Jul 11, 2006
36029		120.00	0.00	88.00	40.89		Jul 11, 2006
36030		120.00	0.00	88.00	40.89		Jul 11, 2006
36031		120.00	0.00	88.00	40.89		Jul 11, 2006
36032		120.00	0.00	88.00	40.89		Jul 11, 2006
36033		120.00	0.00	88.00	40.89		Jul 11, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
36034		120.00	0.00	88.00	40.89		Jul 11, 2006
36035		120.00	0.00	88.00	40.89		Jul 11, 2006
36036		120.00	0.00	88.00	40.89		Jul 11, 2006
36037		120.00	0.00	88.00	40.89		Jul 11, 2006
36038		120.00	0.00	88.00	40.89		Jul 11, 2006
36039		120.00	0.00	88.00	40.89		Jul 11, 2006
36040		120.00	0.00	88.00	40.89		Jul 11, 2006
36041		120.00	0.00	88.00	40.89		Jul 11, 2006
36042		120.00	0.00	88.00	40.89		Jul 11, 2006
36043		120.00	0.00	88.00	40.89		Jul 11, 2006
36044		120.00	0.00	88.00	40.89		Jul 11, 2006
36045		120.00	0.00	88.00	40.89		Jul 11, 2006
36046		120.00	0.00	88.00	40.89		Jul 11, 2006
36047		120.00	0.00	88.00	40.89		Jul 11, 2006
36183		120.00	0.00	88.00	40.90		Jul 11, 2006
36184		120.00	0.00	88.00	40.90		Jul 11, 2006
36185		120.00	0.00	88.00	40.90		Jul 11, 2006
36186		120.00	0.00	88.00	40.90		Jul 11, 2006
36187		120.00	0.00	88.00	40.90		Jul 11, 2006
36188		120.00	0.00	88.00	40.90		Jul 11, 2006
36189		120.00	0.00	88.00	40.90		Jul 11, 2006
36190		120.00	0.00	88.00	40.90		Jul 11, 2006
36191		120.00	0.00	88.00	40.90		Jul 11, 2006
36192		120.00	0.00	88.00	40.90		Jul 11, 2006
36193		120.00	0.00	88.00	40.90		Jul 11, 2006
36194		120.00	0.00	88.00	40.90		Jul 11, 2006
36195		120.00	0.00	88.00	40.90		Jul 11, 2006
36196		120.00	0.00	88.00	40.90		Jul 11, 2006
36197		120.00	0.00	88.00	40.90		Jul 11, 2006
36198		120.00	0.00	88.00	40.90		Jul 11, 2006
36199		120.00	0.00	88.00	40.90		Jul 11, 2006
36200		120.00	0.00	88.00	40.90		Jul 11, 2006
36201		120.00	0.00	88.00	40.90		Jul 11, 2006
36202		120.00	0.00	88.00	40.90		Jul 11, 2006
36203		120.00	0.00	88.00	40.90		Jul 11, 2006
36204		120.00	0.00	88.00	40.90		Jul 11, 2006
36205		120.00	0.00	88.00	40.90		Jul 11, 2006
36206		120.00	0.00	88.00	40.90		Jul 11, 2006
36207		120.00	0.00	88.00	40.90		Jul 11, 2006
36208		120.00	0.00	88.00	40.90		Jul 11, 2006
36209		120.00	0.00	88.00	40.91		Jul 11, 2006
36210		120.00	0.00	88.00	40.91		Jul 11, 2006
36211		120.00	0.00	88.00	40.91		Jul 11, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
36212		120.00	0.00	88.00	40.91		Jul 11, 2006
36213		120.00	0.00	88.00	40.91		Jul 11, 2006
36214		120.00	0.00	88.00	40.91		Jul 11, 2006
36215		120.00	0.00	88.00	40.91		Jul 11, 2006
36216		120.00	0.00	88.00	40.91		Jul 11, 2006
36217		120.00	0.00	88.00	40.91		Jul 11, 2006
36218		120.00	0.00	88.00	40.91		Jul 11, 2006
36219		120.00	0.00	88.00	40.91		Jul 11, 2006
36220		120.00	0.00	88.00	40.91		Jul 11, 2006
36221		120.00	0.00	88.00	40.91		Jul 11, 2006
36222		120.00	0.00	88.00	40.91		Jul 11, 2006
36223		120.00	0.00	88.00	40.91		Jul 11, 2006
36224		120.00	0.00	88.00	40.91		Jul 11, 2006
36225		120.00	0.00	88.00	40.91		Jul 11, 2006
36226		120.00	0.00	88.00	40.91		Jul 11, 2006
36227		120.00	0.00	88.00	40.91		Jul 11, 2006
36228		120.00	0.00	88.00	40.91		Jul 11, 2006
36229		120.00	0.00	88.00	40.91		Jul 11, 2006
36230		120.00	0.00	88.00	40.91		Jul 11, 2006
36231		120.00	0.00	88.00	40.91		Jul 11, 2006
36232		120.00	0.00	88.00	40.91		Jul 11, 2006
36233		120.00	0.00	88.00	40.91		Jul 11, 2006
36234		120.00	0.00	88.00	40.91		Jul 11, 2006
36235		120.00	0.00	88.00	40.92		Jul 11, 2006
36236		120.00	0.00	88.00	40.92		Jul 11, 2006
36237		120.00	0.00	88.00	40.92		Jul 11, 2006
36238		120.00	0.00	88.00	40.92		Jul 11, 2006
36239		120.00	0.00	88.00	40.92		Jul 11, 2006
36240		120.00	0.00	88.00	40.92		Jul 11, 2006
36241		120.00	0.00	88.00	40.92		Jul 11, 2006
36242		120.00	0.00	88.00	40.92		Jul 11, 2006
36243		120.00	0.00	88.00	40.92		Jul 11, 2006
36244		120.00	0.00	88.00	40.92		Jul 11, 2006
36245		120.00	0.00	88.00	40.92		Jul 11, 2006
36246		120.00	0.00	88.00	40.92		Jul 11, 2006
36247		120.00	0.00	88.00	40.92		Jul 11, 2006
36248		120.00	0.00	88.00	40.92		Jul 11, 2006
36249		120.00	0.00	88.00	40.92		Jul 11, 2006
36250		120.00	0.00	88.00	40.92		Jul 11, 2006
36251		120.00	0.00	88.00	40.93		Jul 11, 2006
36252		120.00	0.00	88.00	40.93		Jul 11, 2006
36253		120.00	0.00	88.00	40.93		Jul 11, 2006
36254		120.00	0.00	88.00	40.93		Jul 11, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
36255		120.00	0.00	88.00	40.93		Jul 11, 2006
36256		120.00	0.00	88.00	40.93		Jul 11, 2006
36257		120.00	0.00	88.00	40.93		Jul 11, 2006
36258		120.00	0.00	88.00	40.93		Jul 11, 2006
36259		120.00	0.00	88.00	40.93		Jul 11, 2006
36260		120.00	0.00	88.00	40.93		Jul 11, 2006
36261		120.00	0.00	88.00	40.93		Jul 11, 2006
36262		120.00	0.00	88.00	40.93		Jul 11, 2006
36263		120.00	0.00	88.00	40.93		Jul 11, 2006
36264		120.00	0.00	88.00	40.93		Jul 11, 2006
36265		120.00	0.00	88.00	40.93		Jul 11, 2006
36266		120.00	0.00	88.00	40.93		Jul 11, 2006
36267		120.00	0.00	88.00	40.94		Jul 11, 2006
36268		120.00	0.00	88.00	40.94		Jul 11, 2006
36269		120.00	0.00	88.00	40.94		Jul 11, 2006
36270		120.00	0.00	88.00	40.94		Jul 11, 2006
36271		120.00	0.00	88.00	40.94		Jul 11, 2006
36272		120.00	0.00	88.00	40.96		Jul 11, 2006
36273		120.00	0.00	88.00	40.96		Jul 11, 2006
36274		120.00	0.00	88.00	40.96		Jul 11, 2006
36275		120.00	0.00	88.00	40.96		Jul 11, 2006
36276		120.00	0.00	88.00	40.96		Jul 11, 2006
36277		120.00	0.00	88.00	40.97		Jul 11, 2006
36278		120.00	0.00	88.00	40.97		Jul 11, 2006
36279		120.00	0.00	88.00	40.97		Jul 11, 2006
36280		120.00	0.00	88.00	40.97		Jul 11, 2006
36281		120.00	0.00	88.00	40.97		Jul 11, 2006
35195		120.00	0.00	88.00	40.86		Jul 12, 2006
35196		120.00	0.00	88.00	40.86		Jul 12, 2006
35197		120.00	0.00	88.00	40.86		Jul 12, 2006
35198		120.00	0.00	88.00	40.86		Jul 12, 2006
35199		120.00	0.00	88.00	40.86		Jul 12, 2006
35200		120.00	0.00	88.00	40.86		Jul 12, 2006
35201		120.00	0.00	88.00	40.86		Jul 12, 2006
35202		120.00	0.00	88.00	40.86		Jul 12, 2006
35203		120.00	0.00	88.00	40.86		Jul 12, 2006
35204		120.00	0.00	88.00	40.86		Jul 12, 2006
35205		120.00	0.00	88.00	40.86		Jul 12, 2006
35206		120.00	0.00	88.00	40.86		Jul 12, 2006
35207		120.00	0.00	88.00	40.86		Jul 12, 2006
35208		120.00	0.00	88.00	40.86		Jul 12, 2006
35209		120.00	0.00	88.00	40.86		Jul 12, 2006
35210		120.00	0.00	88.00	40.86		Jul 12, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
35211		120.00	0.00	88.00	40.86		Jul 12, 2006
35212		120.00	0.00	88.00	40.86		Jul 12, 2006
35213		120.00	0.00	88.00	40.86		Jul 12, 2006
35214		120.00	0.00	88.00	40.86		Jul 12, 2006
35215		120.00	0.00	88.00	40.86		Jul 12, 2006
35216		120.00	0.00	88.00	40.86		Jul 12, 2006
35217		120.00	0.00	88.00	40.86		Jul 12, 2006
35218		120.00	0.00	88.00	40.86		Jul 12, 2006
35219		120.00	0.00	88.00	40.86		Jul 12, 2006
35220		120.00	0.00	88.00	40.86		Jul 12, 2006
35221		120.00	0.00	88.00	40.86		Jul 12, 2006
35222		120.00	0.00	88.00	40.86		Jul 12, 2006
35223		120.00	0.00	88.00	40.86		Jul 12, 2006
35224		120.00	0.00	88.00	40.86		Jul 12, 2006
35225		120.00	0.00	88.00	40.86		Jul 12, 2006
35226		120.00	0.00	88.00	40.86		Jul 12, 2006
35227		120.00	0.00	88.00	40.86		Jul 12, 2006
35228		120.00	0.00	88.00	40.86		Jul 12, 2006
35229		120.00	0.00	88.00	40.87		Jul 12, 2006
35230		120.00	0.00	88.00	40.87		Jul 12, 2006
35231		120.00	0.00	88.00	40.87		Jul 12, 2006
35232		120.00	0.00	88.00	40.87		Jul 12, 2006
35233		120.00	0.00	88.00	40.87		Jul 12, 2006
35234		120.00	0.00	88.00	40.87		Jul 12, 2006
35235		120.00	0.00	88.00	40.87		Jul 12, 2006
35236		120.00	0.00	88.00	40.87		Jul 12, 2006
35237		120.00	0.00	88.00	40.87		Jul 12, 2006
35238		120.00	0.00	88.00	40.87		Jul 12, 2006
35239		120.00	0.00	88.00	40.87		Jul 12, 2006
35240		120.00	0.00	88.00	40.87		Jul 12, 2006
35241		120.00	0.00	88.00	40.87		Jul 12, 2006
35242		120.00	0.00	88.00	40.87		Jul 12, 2006
35243		120.00	0.00	88.00	40.87		Jul 12, 2006
35244		120.00	0.00	88.00	40.87		Jul 12, 2006
35245		120.00	0.00	88.00	40.87		Jul 12, 2006
35246		120.00	0.00	88.00	40.87		Jul 12, 2006
35247		120.00	0.00	88.00	40.87		Jul 12, 2006
35248		120.00	0.00	88.00	40.87		Jul 12, 2006
35249		120.00	0.00	88.00	40.87		Jul 12, 2006
35250		120.00	0.00	88.00	40.87		Jul 12, 2006
35251		120.00	0.00	88.00	40.87		Jul 12, 2006
35252		120.00	0.00	88.00	40.87		Jul 12, 2006
35253		120.00	0.00	88.00	40.87		Jul 12, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
35254		120.00	0.00	88.00	40.87		Jul 12, 2006
35255		120.00	0.00	88.00	40.87		Jul 12, 2006
35256		120.00	0.00	88.00	40.87		Jul 12, 2006
35257		120.00	0.00	88.00	40.87		Jul 12, 2006
35258		120.00	0.00	88.00	40.87		Jul 12, 2006
35259		120.00	0.00	88.00	40.87		Jul 12, 2006
35260		120.00	0.00	88.00	40.87		Jul 12, 2006
35261		120.00	0.00	88.00	40.87		Jul 12, 2006
35262		120.00	0.00	88.00	40.87		Jul 12, 2006
35263		120.00	0.00	88.00	40.88		Jul 12, 2006
35264		120.00	0.00	88.00	40.88		Jul 12, 2006
35265		120.00	0.00	88.00	40.88		Jul 12, 2006
35266		120.00	0.00	88.00	40.88		Jul 12, 2006
35267		120.00	0.00	88.00	40.88		Jul 12, 2006
35268		120.00	0.00	88.00	40.88		Jul 12, 2006
35269		120.00	0.00	88.00	40.88		Jul 12, 2006
35270		120.00	0.00	88.00	40.88		Jul 12, 2006
35271		120.00	0.00	88.00	40.88		Jul 12, 2006
35272		120.00	0.00	88.00	40.88		Jul 12, 2006
35273		120.00	0.00	88.00	40.88		Jul 12, 2006
35274		120.00	0.00	88.00	40.88		Jul 12, 2006
35275		120.00	0.00	88.00	40.88		Jul 12, 2006
35276		120.00	0.00	88.00	40.88		Jul 12, 2006
35277		120.00	0.00	88.00	40.88		Jul 12, 2006
35278		120.00	0.00	88.00	40.88		Jul 12, 2006
35279		120.00	0.00	88.00	40.88		Jul 12, 2006
35280		120.00	0.00	88.00	40.88		Jul 12, 2006
35281		120.00	0.00	88.00	40.88		Jul 12, 2006
35282		120.00	0.00	88.00	40.88		Jul 12, 2006
35283		120.00	0.00	88.00	40.88		Jul 12, 2006
35284		120.00	0.00	88.00	40.88		Jul 12, 2006
35285		120.00	0.00	88.00	40.88		Jul 12, 2006
35286		120.00	0.00	88.00	40.88		Jul 12, 2006
35287		120.00	0.00	88.00	40.88		Jul 12, 2006
35288		120.00	0.00	88.00	40.88		Jul 12, 2006
35289		120.00	0.00	88.00	40.88		Jul 12, 2006
35290		120.00	0.00	88.00	40.88		Jul 12, 2006
35291		120.00	0.00	88.00	40.88		Jul 12, 2006
35292		120.00	0.00	88.00	40.88		Jul 12, 2006
35293		120.00	0.00	88.00	40.88		Jul 12, 2006
35294		120.00	0.00	88.00	40.88		Jul 12, 2006
35295		120.00	0.00	88.00	40.88		Jul 12, 2006
35296		120.00	0.00	88.00	40.88		Jul 12, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
35297		120.00	0.00	88.00	40.89		Jul 12, 2006
35298		120.00	0.00	88.00	40.89		Jul 12, 2006
35299		120.00	0.00	88.00	40.89		Jul 12, 2006
35300		120.00	0.00	88.00	40.89		Jul 12, 2006
35301		120.00	0.00	88.00	40.89		Jul 12, 2006
35302		120.00	0.00	88.00	40.89		Jul 12, 2006
35303		120.00	0.00	88.00	40.89		Jul 12, 2006
35304		120.00	0.00	88.00	40.89		Jul 12, 2006
35305		120.00	0.00	88.00	40.89		Jul 12, 2006
35306		120.00	0.00	88.00	40.89		Jul 12, 2006
35307		120.00	0.00	88.00	40.89		Jul 12, 2006
35308		120.00	0.00	88.00	40.90		Jul 12, 2006
35309		120.00	0.00	88.00	40.90		Jul 12, 2006
35310		120.00	0.00	88.00	40.90		Jul 12, 2006
35311		120.00	0.00	88.00	40.90		Jul 12, 2006
35312		120.00	0.00	88.00	40.90		Jul 12, 2006
35313		120.00	0.00	88.00	40.90		Jul 12, 2006
35314		120.00	0.00	88.00	40.90		Jul 12, 2006
35347		120.00	0.00	88.00	40.94		Jul 12, 2006
35348		120.00	0.00	88.00	40.96		Jul 12, 2006
35349		120.00	0.00	88.00	40.97		Jul 12, 2006
42925		120.00	0.00	88.00	40.86		Oct 06, 2006
42926		120.00	0.00	88.00	40.86		Oct 06, 2006
42927		120.00	0.00	88.00	40.87		Oct 06, 2006
42928		120.00	0.00	88.00	40.89		Oct 06, 2006
42929		120.00	0.00	88.00	40.89		Oct 06, 2006
42930		120.00	0.00	88.00	40.89		Oct 06, 2006
42931		120.00	0.00	88.00	40.89		Oct 06, 2006
42932		120.00	0.00	88.00	40.89		Oct 06, 2006
42933		120.00	0.00	88.00	40.89		Oct 06, 2006
42934		120.00	0.00	88.00	40.89		Oct 06, 2006
42935		120.00	0.00	88.00	40.89		Oct 06, 2006
42936		120.00	0.00	88.00	40.89		Oct 06, 2006
42937		120.00	0.00	88.00	40.89		Oct 06, 2006
42938		120.00	0.00	88.00	40.89		Oct 06, 2006
42939		120.00	0.00	88.00	40.89		Oct 06, 2006
42940		120.00	0.00	88.00	40.89		Oct 06, 2006
42941		120.00	0.00	88.00	40.89		Oct 06, 2006
42942		120.00	0.00	88.00	40.89		Oct 06, 2006
42943		120.00	0.00	88.00	40.89		Oct 06, 2006
42944		120.00	0.00	88.00	40.89		Oct 06, 2006
42945		120.00	0.00	88.00	40.89		Oct 06, 2006
42946		120.00	0.00	88.00	40.89		Oct 06, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
42947		120.00	0.00	88.00	40.90		Oct 06, 2006
42948		120.00	0.00	88.00	40.90		Oct 06, 2006
42949		120.00	0.00	88.00	40.90		Oct 06, 2006
42950		120.00	0.00	88.00	40.90		Oct 06, 2006
42951		120.00	0.00	88.00	40.90		Oct 06, 2006
42952		120.00	0.00	88.00	40.90		Oct 06, 2006
42953		120.00	0.00	88.00	40.90		Oct 06, 2006
42954		120.00	0.00	88.00	40.90		Oct 06, 2006
42955		120.00	0.00	88.00	40.90		Oct 06, 2006
42956		120.00	0.00	88.00	40.90		Oct 06, 2006
42957		120.00	0.00	88.00	40.90		Oct 06, 2006
42958		120.00	0.00	88.00	40.90		Oct 06, 2006
42959		120.00	0.00	88.00	40.90		Oct 06, 2006
42960		120.00	0.00	88.00	40.91		Oct 06, 2006
42961		120.00	0.00	88.00	40.91		Oct 06, 2006
42962		120.00	0.00	88.00	40.91		Oct 06, 2006
42963		120.00	0.00	88.00	40.91		Oct 06, 2006
42964		120.00	0.00	88.00	40.91		Oct 06, 2006
42965		120.00	0.00	88.00	40.91		Oct 06, 2006
42966		120.00	0.00	88.00	40.91		Oct 06, 2006
42967		120.00	0.00	88.00	40.91		Oct 06, 2006
42968		120.00	0.00	88.00	40.91		Oct 06, 2006
42969		120.00	0.00	88.00	40.91		Oct 06, 2006
42970		120.00	0.00	88.00	40.91		Oct 06, 2006
42971		120.00	0.00	88.00	40.91		Oct 06, 2006
42972		120.00	0.00	88.00	40.91		Oct 06, 2006
42973		120.00	0.00	88.00	40.91		Oct 06, 2006
42974		120.00	0.00	88.00	40.91		Oct 06, 2006
42975		120.00	0.00	88.00	40.92		Oct 06, 2006
42976		120.00	0.00	88.00	40.92		Oct 06, 2006
42977		120.00	0.00	88.00	40.92		Oct 06, 2006
42978		120.00	0.00	88.00	40.92		Oct 06, 2006
42979		120.00	0.00	88.00	40.92		Oct 06, 2006
42980		120.00	0.00	88.00	40.92		Oct 06, 2006
42981		120.00	0.00	88.00	40.92		Oct 06, 2006
42982		120.00	0.00	88.00	40.92		Oct 06, 2006
42983		120.00	0.00	88.00	40.92		Oct 06, 2006
42984		120.00	0.00	88.00	40.92		Oct 06, 2006
42985		120.00	0.00	88.00	40.93		Oct 06, 2006
42986		120.00	0.00	88.00	40.93		Oct 06, 2006
42987		120.00	0.00	88.00	40.93		Oct 06, 2006
42988		120.00	0.00	88.00	40.93		Oct 06, 2006
42989		120.00	0.00	88.00	40.93		Oct 06, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
42990		120.00	0.00	88.00	40.93		Oct 06, 2006
42991		120.00	0.00	88.00	40.93		Oct 06, 2006
42992		120.00	0.00	88.00	40.93		Oct 06, 2006
43124		120.00	0.00	88.00	40.98		Oct 06, 2006
43125		120.00	0.00	88.00	40.99		Oct 06, 2006
43126		120.00	0.00	88.00	41.00		Oct 06, 2006
43127		120.00	0.00	88.00	41.01		Oct 06, 2006
43128		120.00	0.00	88.00	41.02		Oct 06, 2006
43129		120.00	0.00	88.00	41.02		Oct 06, 2006
43130		120.00	0.00	88.00	41.02		Oct 06, 2006
43131		120.00	0.00	88.00	41.03		Oct 06, 2006
43132		120.00	0.00	88.00	41.03		Oct 06, 2006
43133		120.00	0.00	88.00	41.03		Oct 06, 2006
43134		120.00	0.00	88.00	41.03		Oct 06, 2006
43135		120.00	0.00	88.00	41.03		Oct 06, 2006
43136		120.00	0.00	88.00	41.04		Oct 06, 2006
43137		120.00	0.00	88.00	41.04		Oct 06, 2006
43138		120.00	0.00	88.00	41.04		Oct 06, 2006
43139		120.00	0.00	88.00	41.04		Oct 06, 2006
43140		120.00	0.00	88.00	41.04		Oct 06, 2006
43141		120.00	0.00	88.00	41.04		Oct 06, 2006
43142		120.00	0.00	88.00	41.04		Oct 06, 2006
43143		120.00	0.00	88.00	41.04		Oct 06, 2006
43144		120.00	0.00	88.00	41.04		Oct 06, 2006
43145		120.00	0.00	88.00	41.05		Oct 06, 2006
43146		120.00	0.00	88.00	41.05		Oct 06, 2006
43147		120.00	0.00	88.00	41.05		Oct 06, 2006
43148		120.00	0.00	88.00	41.05		Oct 06, 2006
43149		120.00	0.00	88.00	41.05		Oct 06, 2006
43150		120.00	0.00	88.00	41.05		Oct 06, 2006
43151		120.00	0.00	88.00	41.05		Oct 06, 2006
43152		120.00	0.00	88.00	41.05		Oct 06, 2006
43153		120.00	0.00	88.00	41.05		Oct 06, 2006
43154		120.00	0.00	88.00	41.05		Oct 06, 2006
43155		120.00	0.00	88.00	41.05		Oct 06, 2006
43156		120.00	0.00	88.00	41.05		Oct 06, 2006
43157		120.00	0.00	88.00	41.05		Oct 06, 2006
43158		120.00	0.00	88.00	41.05		Oct 06, 2006
43159		120.00	0.00	88.00	41.06		Oct 06, 2006
43160		120.00	0.00	88.00	41.06		Oct 06, 2006
43161		120.00	0.00	88.00	41.06		Oct 06, 2006
43162		120.00	0.00	88.00	41.06		Oct 06, 2006
43163		120.00	0.00	88.00	41.06		Oct 06, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
43164		120.00	0.00	88.00	41.06		Oct 06, 2006
43165		120.00	0.00	88.00	41.06		Oct 06, 2006
43166		120.00	0.00	88.00	41.06		Oct 06, 2006
43167		120.00	0.00	88.00	41.06		Oct 06, 2006
43168		120.00	0.00	88.00	41.06		Oct 06, 2006
43169		120.00	0.00	88.00	41.06		Oct 06, 2006
43170		120.00	0.00	88.00	41.06		Oct 06, 2006
43171		120.00	0.00	88.00	41.06		Oct 06, 2006
43172		120.00	0.00	88.00	41.06		Oct 06, 2006
43173		120.00	0.00	88.00	41.06		Oct 06, 2006
43174		120.00	0.00	88.00	41.06		Oct 06, 2006
43175		120.00	0.00	88.00	41.06		Oct 06, 2006
43176		120.00	0.00	88.00	41.06		Oct 06, 2006
43177		120.00	0.00	88.00	41.06		Oct 06, 2006
43178		120.00	0.00	88.00	41.06		Oct 06, 2006
43179		120.00	0.00	88.00	41.08		Oct 06, 2006
43180		120.00	0.00	88.00	41.08		Oct 06, 2006
43181		120.00	0.00	88.00	41.08		Oct 06, 2006
43182		120.00	0.00	88.00	41.08		Oct 06, 2006
43183		120.00	0.00	88.00	41.08		Oct 06, 2006
43184		120.00	0.00	88.00	41.08		Oct 06, 2006
43185		120.00	0.00	88.00	41.08		Oct 06, 2006
43186		120.00	0.00	88.00	41.08		Oct 06, 2006
43187		120.00	0.00	88.00	41.08		Oct 06, 2006
43188		120.00	0.00	88.00	41.08		Oct 06, 2006
43189		120.00	0.00	88.00	41.08		Oct 06, 2006
43190		120.00	0.00	88.00	41.08		Oct 06, 2006
43191		120.00	0.00	88.00	41.08		Oct 06, 2006
43192		120.00	0.00	88.00	41.08		Oct 06, 2006
43193		120.00	0.00	88.00	41.08		Oct 06, 2006
43194		120.00	0.00	88.00	41.08		Oct 06, 2006
43195		120.00	0.00	88.00	41.09		Oct 06, 2006
43196		120.00	0.00	88.00	41.09		Oct 06, 2006
43197		120.00	0.00	88.00	41.09		Oct 06, 2006
43198		120.00	0.00	88.00	41.09		Oct 06, 2006
43199		120.00	0.00	88.00	41.09		Oct 06, 2006
43200		120.00	0.00	88.00	41.09		Oct 06, 2006
43201		120.00	0.00	88.00	41.09		Oct 06, 2006
43202		120.00	0.00	88.00	41.09		Oct 06, 2006
43203		120.00	0.00	88.00	41.09		Oct 06, 2006
43204		120.00	0.00	88.00	41.09		Oct 06, 2006
43205		120.00	0.00	88.00	41.09		Oct 06, 2006
43206		120.00	0.00	88.00	41.09		Oct 06, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
43207		120.00	0.00	88.00	41.09		Oct 06, 2006
43208		120.00	0.00	88.00	41.09		Oct 06, 2006
43209		120.00	0.00	88.00	41.09		Oct 06, 2006
42993		120.00	0.00	88.00	40.90		Oct 07, 2006
42994		120.00	0.00	88.00	40.90		Oct 07, 2006
42995		120.00	0.00	88.00	40.90		Oct 07, 2006
42996		120.00	0.00	88.00	40.91		Oct 07, 2006
42997		120.00	0.00	88.00	40.91		Oct 07, 2006
42998		120.00	0.00	88.00	40.91		Oct 07, 2006
42999		120.00	0.00	88.00	40.91		Oct 07, 2006
43000		120.00	0.00	88.00	40.91		Oct 07, 2006
43001		120.00	0.00	88.00	40.91		Oct 07, 2006
43002		120.00	0.00	88.00	40.92		Oct 07, 2006
43003		120.00	0.00	88.00	40.92		Oct 07, 2006
43004		120.00	0.00	88.00	40.92		Oct 07, 2006
43005		120.00	0.00	88.00	40.92		Oct 07, 2006
43006		120.00	0.00	88.00	40.92		Oct 07, 2006
43007		120.00	0.00	88.00	40.92		Oct 07, 2006
43008		120.00	0.00	88.00	40.92		Oct 07, 2006
43009		120.00	0.00	88.00	40.93		Oct 07, 2006
43010		120.00	0.00	88.00	40.93		Oct 07, 2006
43011		120.00	0.00	88.00	40.93		Oct 07, 2006
43012		120.00	0.00	88.00	40.93		Oct 07, 2006
43013		120.00	0.00	88.00	40.93		Oct 07, 2006
43014		120.00	0.00	88.00	40.93		Oct 07, 2006
43015		120.00	0.00	88.00	40.93		Oct 07, 2006
43016		120.00	0.00	88.00	40.94		Oct 07, 2006
43017		120.00	0.00	88.00	40.94		Oct 07, 2006
43018		120.00	0.00	88.00	40.94		Oct 07, 2006
43019		120.00	0.00	88.00	40.94		Oct 07, 2006
43020		120.00	0.00	88.00	40.94		Oct 07, 2006
43021		120.00	0.00	88.00	40.94		Oct 07, 2006
43022		120.00	0.00	88.00	40.94		Oct 07, 2006
43030		120.00	0.00	88.00	40.95		Oct 07, 2006
43031		120.00	0.00	88.00	40.95		Oct 07, 2006
43032		120.00	0.00	88.00	40.95		Oct 07, 2006
43033		120.00	0.00	88.00	40.95		Oct 07, 2006
43034		120.00	0.00	88.00	40.95		Oct 07, 2006
43035		120.00	0.00	88.00	40.95		Oct 07, 2006
43036		120.00	0.00	88.00	40.95		Oct 07, 2006
43037		120.00	0.00	88.00	40.95		Oct 07, 2006
43038		120.00	0.00	88.00	40.95		Oct 07, 2006
43039		120.00	0.00	88.00	40.95		Oct 07, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
43040		120.00	0.00	88.00	40.95		Oct 07, 2006
43041		120.00	0.00	88.00	40.95		Oct 07, 2006
43042		120.00	0.00	88.00	40.95		Oct 07, 2006
43060		120.00	0.00	88.00	40.97		Oct 07, 2006
43061		120.00	0.00	88.00	40.97		Oct 07, 2006
43062		120.00	0.00	88.00	40.97		Oct 07, 2006
43063		120.00	0.00	88.00	40.97		Oct 07, 2006
43064		120.00	0.00	88.00	40.97		Oct 07, 2006
43065		120.00	0.00	88.00	40.97		Oct 07, 2006
43066		120.00	0.00	88.00	40.97		Oct 07, 2006
43067		120.00	0.00	88.00	40.97		Oct 07, 2006
43068		120.00	0.00	88.00	40.97		Oct 07, 2006
43069		120.00	0.00	88.00	40.97		Oct 07, 2006
43087		120.00	0.00	88.00	40.98		Oct 07, 2006
43088		120.00	0.00	88.00	40.98		Oct 07, 2006
43089		120.00	0.00	88.00	40.98		Oct 07, 2006
43090		120.00	0.00	88.00	40.98		Oct 07, 2006
43091		120.00	0.00	88.00	40.98		Oct 07, 2006
43092		120.00	0.00	88.00	40.98		Oct 07, 2006
43093		120.00	0.00	88.00	40.98		Oct 07, 2006
43094		120.00	0.00	88.00	40.98		Oct 07, 2006
43095		120.00	0.00	88.00	40.98		Oct 07, 2006
43096		120.00	0.00	88.00	40.98		Oct 07, 2006
43097		120.00	0.00	88.00	40.98		Oct 07, 2006
43098		120.00	0.00	88.00	40.98		Oct 07, 2006
43099		120.00	0.00	88.00	40.98		Oct 07, 2006
43100		120.00	0.00	88.00	40.99		Oct 07, 2006
43101		120.00	0.00	88.00	40.99		Oct 07, 2006
43102		120.00	0.00	88.00	40.99		Oct 07, 2006
43103		120.00	0.00	88.00	40.99		Oct 07, 2006
43104		120.00	0.00	88.00	40.99		Oct 07, 2006
43105		120.00	0.00	88.00	40.99		Oct 07, 2006
43106		120.00	0.00	88.00	41.00		Oct 07, 2006
43107		120.00	0.00	88.00	41.00		Oct 07, 2006
43108		120.00	0.00	88.00	41.00		Oct 07, 2006
43109		120.00	0.00	88.00	41.00		Oct 07, 2006
43110		120.00	0.00	88.00	41.00		Oct 07, 2006
43111		120.00	0.00	88.00	41.00		Oct 07, 2006
43112		120.00	0.00	88.00	41.01		Oct 07, 2006
43113		120.00	0.00	88.00	41.01		Oct 07, 2006
43114		120.00	0.00	88.00	41.01		Oct 07, 2006
43115		120.00	0.00	88.00	41.01		Oct 07, 2006
43116		120.00	0.00	88.00	41.01		Oct 07, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
43117		120.00	0.00	88.00	41.01		Oct 07, 2006
43118		120.00	0.00	88.00	41.02		Oct 07, 2006
43119		120.00	0.00	88.00	41.02		Oct 07, 2006
43120		120.00	0.00	88.00	41.02		Oct 07, 2006
43121		120.00	0.00	88.00	41.02		Oct 07, 2006
43122		120.00	0.00	88.00	41.02		Oct 07, 2006
43123		120.00	0.00	88.00	41.02		Oct 07, 2006
43222		120.00	0.00	88.00	40.80		Oct 07, 2006
43223		120.00	0.00	88.00	40.80		Oct 07, 2006
43224		120.00	0.00	88.00	40.80		Oct 07, 2006
43225		120.00	0.00	88.00	40.80		Oct 07, 2006
43226		120.00	0.00	88.00	40.80		Oct 07, 2006
43227		120.00	0.00	88.00	40.81		Oct 07, 2006
43228		120.00	0.00	88.00	40.81		Oct 07, 2006
43229		120.00	0.00	88.00	40.81		Oct 07, 2006
43230		120.00	0.00	88.00	40.81		Oct 07, 2006
43231		120.00	0.00	88.00	40.81		Oct 07, 2006
43232		120.00	0.00	88.00	40.81		Oct 07, 2006
43233		120.00	0.00	88.00	40.81		Oct 07, 2006
43234		120.00	0.00	88.00	40.81		Oct 07, 2006
43235		120.00	0.00	88.00	40.81		Oct 07, 2006
43236		120.00	0.00	88.00	40.81		Oct 07, 2006
43237		120.00	0.00	88.00	40.82		Oct 07, 2006
43238		120.00	0.00	88.00	40.82		Oct 07, 2006
43239		120.00	0.00	88.00	40.82		Oct 07, 2006
43240		120.00	0.00	88.00	40.82		Oct 07, 2006
43241		120.00	0.00	88.00	40.82		Oct 07, 2006
43242		120.00	0.00	88.00	40.82		Oct 07, 2006
43243		120.00	0.00	88.00	40.82		Oct 07, 2006
43244		120.00	0.00	88.00	40.82		Oct 07, 2006
43245		120.00	0.00	88.00	40.82		Oct 07, 2006
43246		120.00	0.00	88.00	40.82		Oct 07, 2006
43247		120.00	0.00	88.00	40.82		Oct 07, 2006
43248		120.00	0.00	88.00	40.82		Oct 07, 2006
43249		120.00	0.00	88.00	40.82		Oct 07, 2006
43250		120.00	0.00	88.00	40.82		Oct 07, 2006
43251		120.00	0.00	88.00	40.82		Oct 07, 2006
43252		120.00	0.00	88.00	40.82		Oct 07, 2006
43253		120.00	0.00	88.00	40.82		Oct 07, 2006
43254		120.00	0.00	88.00	40.82		Oct 07, 2006
43255		120.00	0.00	88.00	40.82		Oct 07, 2006
43256		120.00	0.00	88.00	40.82		Oct 07, 2006
43257		120.00	0.00	88.00	40.82		Oct 07, 2006

<i>Disposition No.</i>	<i>Disposition Name</i>	<i>WORK REQUIREMENT</i>	<i>EXCESS CREDITS</i>	<i>PAYMENT DUE</i>	<i>Ha</i>	<i>NOTE</i>	<i>ANNIVERSARY DATE</i>
43258		120.00	0.00	88.00	40.82		Oct 07, 2006
43259		120.00	0.00	88.00	40.82		Oct 07, 2006
43260		120.00	0.00	88.00	40.82		Oct 07, 2006
43261		120.00	0.00	88.00	40.82		Oct 07, 2006
43262		120.00	0.00	88.00	40.82		Oct 07, 2006
43263		120.00	0.00	88.00	40.82		Oct 07, 2006
43264		120.00	0.00	88.00	40.84		Oct 07, 2006
43265		120.00	0.00	88.00	40.84		Oct 07, 2006
43266		120.00	0.00	88.00	40.84		Oct 07, 2006
43267		120.00	0.00	88.00	40.84		Oct 07, 2006
43268		120.00	0.00	88.00	40.84		Oct 07, 2006
43269		120.00	0.00	88.00	40.85		Oct 07, 2006
43270		120.00	0.00	88.00	40.85		Oct 07, 2006
43271		120.00	0.00	88.00	40.85	STAKED-OCT/04	Oct 07, 2006
Claim	998	119,760.00	0.00	87,824.00	40,821.67		
<i>Project Total:</i>	998	<u>119,760.00</u>	<u>0.00</u>	<u>87,824.00</u>	<u>40,821.67</u>		
<i>Hectares:</i>		<u>40,821.67</u>					

Spartan
INVOICES