

GM 73740

Report on the 2023 field exploration work, Nichicun property

Documents complémentaires

Additional Files



Licence



License

Cette première page a été ajoutée
au document et ne fait pas partie du
rapport tel que soumis par les auteurs.

Ressources naturelles
et Forêts

Québec 



**Electric
Elements**
Mining

NICHICUN Property Report on the 2023 Field exploration work

NTS Map Sheets: 33H08, 33H09

Centre of Property: 693000.201 E 5932020.900 N

Work Period: August 21st, 24th, 27th and 29th, 2023

Prepared For: Electric Elements Mining Corp
100 King Street West, Suite 3400, 1 First Canadian Place
Toronto, Ontario
M5X 1A4

Prepared By: **DAHROUGE GEOLOGICAL CONSULTING LTD.**
Suite 103, 10183 112th St.
Edmonton, Alberta
T5K 1M1

Author(s): Julien Trilleaud, M.Sc., G.I.T.
Laurence Guyot-Messier, M.Sc., G.I.T.
Marguerite Burton, B.Sc., G.I.T.

Reviewed by: François Gagnon, P.Geo., (OGQ 1907)

Report Date: December 20, 2023

Table of Contents

1	Summary	3
2	Introduction	4
2.1	Location & Access.....	4
2.2	Climate & Physiography	6
2.3	Property Claims	7
3	Previous Work.....	8
4	Geological Setting & Mineralization	10
4.1	Regional Geology	10
4.2	Property Geology.....	12
4.3	Mineralization.....	13
5	Exploration	14
5.1	Prospecting, rock sampling (grab & historical core sampling), and mapping	14
5.1.1	Core samples	14
5.1.2	Outcrops	17
5.1.3	Boulders	22
5.2	Work period expenditures	23
6	Sample Preparation, Analysis & Security	24
7	Interpretation and Conclusions	25
8	Recommendations	29
9	Certificate of Qualified Person.....	30
10	References.....	31
11	Appendix.....	33

List of Figures

Figure 2-1	Property Location Map.....	5
Figure 2-2	Nichicun Property Claim Map	7
Figure 3-1	Nichicun Property Historical Work Map.....	9
Figure 4-1	General Geology Map	11
Figure 4-2	Nichicun Property Geology Map.....	13
Figure 5-1	Historical Drillholes Location Map	15
Figure 5-2	Core samples from historical drill hole. A: Biotite (Bt) and Muscovite (Ms) bearing pegmatite from NC-12-004 at 3.8m. B: Pegmatite with muscovite, tourmaline (Tur) and garnet (Grt) from NC-12-009 at 58.3m. C: Pegmatite with muscovite and garnet from NC-12-004 at 32.5m. D: Muscovite bearing pegmatite with graphic texture from NC-12-004 at 34.7m	16
Figure 5-3	2023 Traverse Location Map.....	19
Figure 5-4	2023 Grab Sample Location Map	20
Figure 5-5	Pegmatite outcrops and samples. A: Station NC23MB-017. B: Tourmaline (Tur) pegmatite, sample C00428185 from station NC23MB-017. C: Station NC23MB-005. D: Tourmaline and two-micas pegmatite, sample C00428164 from station NC23MB-005.....	21
Figure 5-6	Boulder and boulder sample photos. A: Boulder of biotite bearing pegmatite with graphic texture from station NC23LGM-007. B: Sample C00430768, pegmatite with muscovite (Ms) and tourmaline (Tur) from station NC23LGM-015.....	23
Figure 7-1	Li vs K/Rb scatter plot for Nichicun property samples	26
Figure 7-2	Scatter plot of Zr/Hf vs Nb/Ta in pegmatite and felsic intrusive samples indicating magma fractionation potential.	27
Figure 7-3	Cross-section from drillholes NC-12-004 and NC-12-009 (data from Roy, 2013).....	28

List of Tables

Table 3-1	Summary of Previous Exploration	8
Table 5-1	Core Resampling Results.....	15
Table 5-2	Outcrop Sample Results.....	18
Table 5-3	Boulder Samples Results	22

List of Appendices

Appendix 1 - <i>Property Claim Listing</i>	33
Appendix 2 - <i>2023 Core Resampling Descriptions</i>	34
Appendix 3 - <i>2023 Prospecting Rock Sample Descriptions</i>	35
Appendix 4 - <i>2023 Core Resamples Analytical certificates</i>	36
Appendix 5 - <i>2023 Prospecting Analytical Certificates</i>	37
Appendix 6- <i>Work Period Expenditure Listing</i>	38

1 SUMMARY

This report summarizes the exploration work conducted on the Nichicun Property (the “Property”) by Dahrouge Geological Consulting Ltd. (“Dahrouge”), on behalf of Electric Elements Mining Corporation (“EEM”). The property was worked on for three and a half days during August 21st, 24th, 27th, and 29th of 2023. Field teams were based out of the Eastmain Mine camp, managed by Benz Mining Corp. The field team was comprised of two geologists-in-training with two field assistants.

The objectives of this program included:

1. Evaluating pegmatite prospects and identifying lithium prospects that warrant further exploration.
 - Focus on amphibolite and metasedimentary units and on historically identified pegmatites.
2. Property wide prospecting, rock sampling and historical core resampling.
3. Property wide and geological mapping

The Nichicun Property includes 157 claims totaling 7786.26 hectares on NTS map sheets 33H08 and 33H09 (Appendix 1). Data was collected in the Zone 18N (UTM NAD 83) coordinate system. The Property was accessed by helicopter.

6 core samples from historical drill holes, 13 outcrop samples, and 11 boulder samples were taken during the summer 2023 exploration program. Most of the samples were analyzed for lithium combined to a lithogeochemistry. 3 samples were analyzed for gold. The highest lithium value of the summer 2023 program is 232 ppm.

2 INTRODUCTION

2.1 LOCATION & ACCESS

The Nichicun property is located approximately 55km south of the Transtaïga road, 100km east-southeast of the La Grande 4 reservoir and 90km north of the Renard Mine, in James Bay, Quebec (Figure 2-1). The Property is centred on the coordinates 693000.201 E 5932020.900 N (Zone 18N (UTM NAD 83)). The Project is accessible by helicopter. The Property is comprised of 157 claims covering 77.86km² (7786.26 Hectares), on NTS sheets 33H08 and 33H09. These claims are held by Osisko Baie James S.E.N.C (Figure 2-2).

The Property is situated on Category III Land within the Eeyou Istchee Cree Territory as defined under the James Bay and Northern Quebec Agreement (JBNQA).

The Nichicun property is in the center of the James Bay district and 50km away from the Transtaïga road as well as without any nearby infrastructure. The closest, not currently in use, exploration camp is on the Noella property, also owned by Electric Elements Mining Corp. The historic drillholes of the Nichicun property are stored at this camp.

Field teams were based out of the Eastmain Mine Camp, managed by Benz Mining Corp. and located approximately 60km south of the Renard Mine. This camp is located ~250km north-northeast from Mistissini, a Cree community, and ~350km from Chibougamau. These towns are accessible by the all-weather Route 167, which runs up to the Eastmain Mine Camp.

The Property location and mining claims are presented in Figure 2-2, with a list of claims presented in Appendix 1.




Figure 2-1 Property Location Map

2.2 CLIMATE & PHYSIOGRAPHY

The region is situated in the central plateau of Northern Quebec, characterized by a high plateau sloping northward and westward and featuring a central depression. The climate is extremely cold, moderately humid in the southern third, and dry elsewhere, with a brief growing season. Approximately one-third of the area is covered by light coniferous forests and open coniferous forests. Lichen and shrub heaths dominate the landscape, while burned areas are abundant, comprising nearly 10% of the territory. Areas of tundra are becoming increasingly prevalent.

In the southern part of the region, the open coniferous forest transitions to wooded heath, progressing further north to lichen and shrub heaths on exposed summits. The hydrographic network is well-developed, with major rivers such as the Churchill, Manicouagan, Caniapiscau, aux Mélézes, La Grande Rivière, and the Great Whale rivers originating in the area. The density of lakes, particularly small ones, is high. Notably, the region hosts significant reservoirs connected to the James Bay hydroelectric network, including the Caniapiscau, Laforge 1, and Laforge 2 reservoirs.

2.3 PROPERTY CLAIMS

The Property is comprised of 157 claims covering 77.86km² (7786.26 Hectares), on NTS map sheets 33H08 and 33H09 (Figure 2-2). See Appendix 1 for a list of claims.




Figure 2-2 Nichicun Property Claim Map

3 PREVIOUS WORK

Major historical work is summarized in Table 3-1 and Figure 3-1.

Table 3-1 Summary of Previous Exploration

Year	Owner/Operator	Work Conducted
1966	Geological Survey of Canada (Eade, 1966)	Geological mapping of New Quebec's southwest
1972	Societe de Developpement de la Baie James (SDBJ) (Caron et al, 1972)	James Bay mining potential study
1973	Societe de Developpement de la Baie James (SDBJ) (Tremblay and Marleau, 1973)	James Bay geological and mineral potential study
1974	Societe de Developpement de la Baie James (SDBJ) (Barr and al., 1974)	James Bay summary report on mineral resources
1974	Societe de Developpement de la Baie James (SDBJ) (Marleau, 1975)	Nitchequon area's geology and mineral potential
1975	Societe de Developpement de la Baie James (SDBJ) (Cannuli, 1975)	"Region B" Lake geochemistry on NTS 33H
1975	Societe de Developpement de la Baie James (SDBJ) (Gleeson, 1976)	"Region B" Lake sediment geochemistry on NTS 33H
1997	Ministere des ressources naturelles (Gauthier et al. 1997)	Geological compilation on NTS 33H Sauvolles Lake
2007	Virginia Gold Mines (Grenier and al., 2008)	Reconnaissance program on the Nichicun Property (347 Grab samples, 200 Till samples)
2009	Virginia Gold Mines (Savard, 2010)	Reconnaissance program on the Nichicun Property (79 Grab samples, 93 Till samples)
2010	Virginia Gold Mines (Roy, 2011)	Field exploration, mapping and sampling on the Nichicun Property (Beep mat, 372 Grab samples, 11 Trenches for 104 samples)
2011	Virginia Gold Mines (St-Hilaire, 2011)	Aeromagnetic survey on the Nichicun Property (1091 line-km flown)
2011	Virginia Gold Mines (Tshimbalanga, 2012)	IP survey on the Nichicun Property (52km of IP survey)

2011	Virginia Gold Mines (Roy and Boivin, 2012)	Field exploration, mapping and sampling on the Nichicun Property (416 Grab samples, 48 Trenches)
2012	Virginia Gold Mines (Roy and Bouchard, 2013)	Field exploration, mapping and sampling on the Nichicun Property (82 grab samples, 10 Trenches for 256 samples and 11 drillholes for a total of 1806m)
2018	Ministere des ressources naturelles (Burniaux et al., 2018)	Regional Geology of Dalmas Lake (include NTS 33H08, 33H09)




Figure 3-1 Nichicun Property Historical Work Map

4 GEOLOGICAL SETTING & MINERALIZATION

4.1 REGIONAL GEOLOGY

The Nichicun Property is situated in the Superior Province, a part of the Canadian Shield with an Archean age (Figure 4-1). This province is divided into several sub-provinces and the property belongs to the volcanic-sedimentary La Grande sub-province. The La Grande sub-province is situated between the plutonic Minto Sub province (to the North) and the meta-sedimentary, migmatized Opinaca sub-province (to the South) (Burniaux and al, 2018).

The La Grande sub-province is characterized by a tonalitic basement covered by Meso to Neo Archean volcano-sedimentary sequences. These rocks are cross cut by several large felsic to intermediate plutons (late Neo Archean age) (Burniaux and al, 2018).




Figure 4-1 General Geology Map

4.2 PROPERTY GEOLOGY

The Nichicun property geology is described here starting from its northern extent and moving southwards (Figure 4-2). According to Burniaux and al, 2018, a small part of the northern property belongs to the Thor Formation, a polygenic conglomerate formation. The maximum sedimentation age of the Thor Formation is 2711 Ma. The contact between the Thor and the Dalmas formation to the south is concordant. The sedimentation age of the Dalmas formation is post 2711 Ma. On the Nichicun Property, the Dalmas formation occurs in two units, the first is an amphibolite with a mafic to intermediate protolith. The second is a paragneiss with a wacke (and rare conglomerate) protolith. Most amphibolites are found between the La Savonniere pluton and the Lac Salo intrusion. The La Savonniere pluton is a tonalitic, granodioritic to granitic pluton with biotite and magnetite. The Lac Salo intrusion is a large primarily granodioritic intrusion with a rarer granitic component. This intrusion can be foliated with biotite and magnetite. The center of the intrusion is massive to weakly foliated while borders are more strongly foliated. The granodiorite is medium to coarse-grained with a white to pinkish color. A porphyritic texture has been described with up to 1% centimetric plagioclase phenocrysts.

The Nichicun property geology, in short, consists of the La Savonniere pluton in the northwest and the Dalmas formation in the southeast.




Figure 4-2 Nichicun Property Geology Map

4.3 MINERALIZATION

The Nichicun property contains 3 gold showings (Figure 3-1) which have been the subject of several exploration and sampling program. These showings are associated with disseminated sulphide mineralization. Gold is associated with quartz veins in two of the showings. The main sulphides are arsenopyrite with lesser pyrite and pyrrhotite.

The property also contains one tungsten showing which is a unique sample without any further exploration program on it. This sample contains 10% sulphides and 1200 ppm tungsten.

The property has not been previously explored for lithium.

5 EXPLORATION

The 2023 field campaign on the Nichicun property consisted of surface geological mapping and sampling with a review of the historical drill holes from the property. Sampling consisted of outcrop sampling (grab) and of resampling of described pegmatites in historical drill holes.

5.1 PROSPECTING, ROCK SAMPLING (GRAB & HISTORICAL CORE SAMPLING), AND MAPPING

Field teams were based out of the Eastmain Mine camp, managed by Benz Mining Corp. The field teams were comprised of two geologists-in-training with two field assistants. On August 24th, one person went to the Noella camp where previous collected drill core is stored and sampled previously recognized pegmatites in this drill core.

5.1.1 Core samples

Eleven drill holes targeting gold mineralization were completed in 2012 on the Nichicun property by Virginia Gold Mines. Pegmatites were identified in this drill core and were therefore of interest for this field work program. Samples were taken from drill holes NC-12-004 and NC-012-009 (Figure 5-1).


The core shack containing the drill core is located at the Noella camp (UTM zone 19, coordinates 0304219E; 5946483N). Racks holding the drill core were intact and the boxes and tags were mostly still in good condition. However, some were in bad condition, which made it more difficult collect the pegmatite samples.

Six samples of drill core were taken in total. The list of the core samples and their descriptions is provided in Appendix 2. A variety of pegmatite mineralogy's were present with assemblages containing muscovite, biotite, tourmaline, and garnet in varying proportions (Figure 5-2). The most common pegmatite type contained muscovite, but there were also assemblages of muscovite-tourmaline-garnet, muscovite-garnet-biotite, biotite-muscovite, muscovite-garnet and solely muscovite. Spodumene was not identified in these samples. However, the high proportion of muscovite in some samples could suggest that the felsic intrusions are prospective for lithium mineralization.

The results from the drill core resampling (Table 5-1) did not return elevated lithium concentrations. The highest lithium value was in sample C00430741 with 169 ppm Li. Tantalum values were lower with the highest value at 24.5 ppm (sample C00430745). However, these samples returned with anomalous rubidium concentrations ranging from 478 ppm to 911 ppm. The highest rubidium value is in sample C00430729, which also contains the second highest analyzed drill core Li concentration of 168 ppm. The certificates of core samples results are in Appendix 4.

Table 5-1 Core Resampling Results

Sample ID	Drillhole	Depth from (m)	Depth To (m)	Lithology	Li (ppm)	Cs (ppm)	Nb (ppm)	Ta (ppm)	Rb (ppm)
C00430729	NC-12-004	11.2	11.3	Pegmatite	168	38.5	58	4.6	911
C00430741	NC-12-004	34.7	34.8	Pegmatite	169	73.6	97	8.5	620
C00430742	NC-12-004	3.8	4	Pegmatite	41	25.9	24	4.9	737
C00430743	NC-12-004	32.5	32.6	Pegmatite	12	15	42	6.3	539
C00430744	NC-12-009	58.3	58.4	Pegmatite	74	21.7	86	14	478
C00430745	NC-12-009	84	84.15	Pegmatite	14	12.6	75	24.5	497

**Figure 5-1 Historical Drillholes Location Map**




Figure 5-2 Core samples from historical drill hole. A: Biotite (Bt) and Muscovite (Ms) bearing pegmatite from NC-12-004 at 3.8m. B: Pegmatite with muscovite, tourmaline (Tur) and garnet (Grt) from NC-12-009 at 58.3m. C: Pegmatite with muscovite and garnet from NC-12-004 at 32.5m. D: Muscovite bearing pegmatite with graphic texture from NC-12-004 at 34.7m

5.1.2 Outcrops

All the traverses planned for the surface sampling campaign could not be completed. However, the traverses which were completed were those that were prioritized because of the presence of indications of a favorable environment for spodumene-bearing pegmatites. These included the nature of the geologic units (metavolcanic and metasedimentary), lithium anomalies and pegmatites mentioned in previous work.

In total, 13 samples from outcrops of either pegmatites or granitoids of interest were described and collected. A total of 39 observation stations were done (Figure 5-3, Figure 5-4). A list of the outcrop samples and their descriptions is provided Appendix 3. The major minerals of the pegmatites are quartz (~25-30%) and feldspar, specifically k-feldspar. The pegmatites are all tourmaline-bearing and contain other minerals including muscovite, biotite, and garnet in quantities from trace to 5 percent (Figure 5-5). Commonly, outcrops are heterogeneous in grain size resulting in localized areas with a granitic appearance.

Spodumene bearing outcrops were not found during this campaign. The teams were not able to correlate the lithium anomalies in previous work with an outcrop or the mineralogy of the rock.

The field observations were confirmed by laboratory results, though one sample did contain an anomalous (>100ppm) lithium concentration (C00429471, 232 ppm Li) (Table 5-2). No other samples have lithium anomalies. Most of the lithium concentrations obtained from outcrop samples were lower than those in the drill core. Tantalum values were also low. The highest tantalum value is in sample C00429473 with 97.5 ppm Ta. Compared to the other outcrops and boulders samples, the sample C00429471 has anomalous REE (addition of Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sm, Tb, Tm, Y and Yb) value. After a conversion of these elements in oxides elements the sample C00429471 has a 0.087% total REE, while the other samples have between 0.001 and 0.012% total REE. The certificates of outcrop samples results are in Appendix 5.

Three samples were analyzed for gold. Two of them have anomalous gold concentrations with 561 and 209 ppb (0.561 and 0.209 g/t; C00428178 and C00430701 respectively). The sample C00428178 was taken in a boudinaged quartz vein with tourmaline and without visible sulphides. The sample C00430701 was taken in a very rusty amphibolite with garnet.

Table 5-2 Outcrop Sample Results

Sample ID	Rock Type	Au (ppb)	Li (ppm)	Cs (ppm)	Nb (ppm)	Ta (ppm)	Rb (ppm)
C00428178	Amphibolite	561	-	-	-	-	-
C00430701	Amphibolite	-	33	0.9	4	<0.5	16.5
C00428163	Felsic Intrusive	-	41	79.8	50	78	228
C00428164	Pegmatite	-	<10	11	40	8.7	501
C00428185	Pegmatite	-	68	8.6	181	31.7	202
C00429471	Pegmatite	-	232	17.4	225	36.3	207
C00429473	Pegmatite	-	21	92	102	97.5	1910
C00430767	Pegmatite	-	<10	11.7	12	2.9	240
C00430772	Pegmatite	-	<10	9.6	44	11.6	250
C00430773	Pegmatite	-	<10	2.2	71	20.7	65.6
C00430702	Qz vein	209	-	-	-	-	-
C00428179	Semi massive sulfide	78	-	-	-	-	-
C00430771	Tonalite	-	11	38.4	54	12.8	258




Figure 5-3 2023 Traverse Location Map




Figure 5-4 2023 Grab Sample Location Map



Figure 5-5 Pegmatite outcrops and samples. A: Station NC23MB-017. B: Tourmaline (Tur) pegmatite, sample C00428185 from station NC23MB-017. C: Station NC23MB-005. D: Tourmaline and two-micas pegmatite, sample C00428164 from station NC23MB-005.

5.1.3 Boulders

A large number of pegmatite boulders were present on the property. In total, 11 samples were taken from those boulders (Figure 5-3, Figure 5-4). The list of the boulder samples and their descriptions is provided in Appendix 3. The pegmatite mineralogies seen in the boulders were similar to those in outcrop with tourmaline and biotite as the main accessory minerals in addition to muscovite and garnet in quantities up to 3% (Figure 5-6). However, the amount of accessory minerals in the boulders was less than what was observed on the outcrops. Graphic textures were also observed on some pegmatitic boulders (Figure 5-6).

No boulder samples contained anomalous lithium (<100 ppm) concentrations (Table 5-3). The highest lithium value was 38 ppm (C00430761), with most analyzed lithium concentrations below the lithium limit detection (<10 ppm). The highest tantalum value in a boulder was 15.9 ppm (C00430768). The certificates of boulder samples results are in Appendix 5.

Table 5-3 Boulder Samples Results

Sample ID	Rock Type	Li (ppm)	Cs (ppm)	Nb (ppm)	Ta (ppm)	Rb (ppm)
C00429472	Pegmatite	<10	4.6	10	2.1	140
C00430756	Pegmatite	17	3.5	5	1.6	61.5
C00430757	Pegmatite	<10	26.7	4	0.8	600
C00430758	Pegmatite	<10	12.3	4	1	368
C00430759	Pegmatite	<10	10.3	8	1.2	210
C00430761	Pegmatite	38	22.7	22	4.9	327
C00430762	Pegmatite	<10	20.1	6	0.6	505
C00430763	Pegmatite	<10	7.6	7	1.3	138
C00430768	Pegmatite	11	29.8	16	15.9	130
C00430769	Pegmatite	<10	14	17	4.9	283
C00430770	Pegmatite	12	11.5	7	1.6	200



Figure 5-6 Boulder and boulder sample photos. A: Boulder of biotite bearing pegmatite with graphic texture from station NC23LGM-007. B: Sample C00430768, pegmatite with muscovite (Ms) and tourmaline (Tur) from station NC23LGM-015.

5.2 WORK PERIOD EXPENDITURES

Total work expenditures for the Nichicun property during the reporting period is \$40 558.91, excluding taxes. The total expenditures are detailed in Appendix 6.

As the date of the report, The Nichicun claims have a total work expenditure requirement of \$349,605, an excess credit on file of \$1,479,709 and a renewal fee of \$25,800.

6 SAMPLE PREPARATION, ANALYSIS & SECURITY

The 31 samples collected (including 1 QA/QC sample) during the 2023 program were sent to SGS Canada Inc. (Val d'Or) for analysis. Pegmatite and granitoid samples were analyzed using sodium peroxide fusion, with a GE_ICM91A50 package. Gold analyses were conducted using fire assay with the GE_FAA30V5 package.

The QA/QC sample was a quartz blank (C00428180). The results of the QA/QC sample are provided in Appendix 5. A quartz blank is considered acceptable if the analyzed value of constituent is less than a concentration which is twice as high as the laboratory detection limit. For example, the detection limit for lithium at SGS Laboratories is 10 ppm, and the analyzed concentration from the blank must therefore be below 20 ppm. The sample C00428180 returned a concentration of less than the detection limit (<10 ppm).

The quartz blanks analysis is considered acceptable. This allows a good degree of confidence in the results produced by SGS.

7 INTERPRETATION AND CONCLUSIONS

Samples at the Nichicun property were evaluated both for their lithium content as well as for their lithogeochemistry. Pegmatite samples from the Nichicun property did not return elevated lithium values. However, a lithogeochemistry analysis was used to evaluate the lithium fertility of the felsic intrusives in the area. In accordance with Steiner's (2019) recommendations and as demonstrated by Ballouard et al. (2016), it has been suggested that pegmatites and their associated granites with elemental ratios such as $K/Rb < 150$, $Nb/Ta < 5$, and $Zr/Hf < 18$ may be associated with LCT-type mineralization. These ratios suggest a high degree of magma fractionation, indicating the likelihood of concentrating incompatible elements in a pegmatite crystallizing during the late stages of crystal fractionation.

Figure 7-1 and Figure 7-2 show the ratios obtained from the 2023 exploration program. Sixteen samples exhibit K/Rb ratios of less than 150. The distribution of these 16 samples is as follows: all core samples, seven outcrop samples and three boulder samples. Figure 7-1 compares the K/Rb ratio with lithium concentration, making it easy to identify interesting samples. The interesting samples would be those with a lithium anomaly (>100 ppm) and a K/Rb ratio below 150. Figure 7-1 shows 3 interesting samples corresponding to the previous characteristics, sample C00429471, 232 ppm lithium, sample C00430729, 168 ppm lithium and C00430741, 169 ppm lithium.

Thirteen samples are in the high fractionated magma zone in Figure 7-2. Two of them (C00430762, C00428164) cannot be considered as the Hf value is below the detection limit, which distorts the graphical representation by reducing the Zr/Hf ratio, these samples were removed from the Figure 7-2. Excluding these samples, there are 4 pegmatite outcrop samples, 4 pegmatite boulder samples, 1 core sample, the tonalite and the felsic intrusive samples with ratios indicating higher degrees of crystal fractionation. When coupling these results with those of the K/Rb ratio, only 5 pegmatite samples meet criteria which indicate a high degree of fractionation based on both sets of ratios. These are the samples C00430768, C00430770, C00429472, C00430745 and C00429473 whose lithium concentration is nevertheless low (respectively 11, 12, <10 , 14, and 21 ppm). The sample C00429471 with the highest concentration of lithium (232 ppm lithium) is close to being within the high fractionation zone. The two other samples with an LCT type indication fall within the category is tonalite and felsic intrusive samples. It's interesting to note that the felsic intrusive sample has the highest lithium value (41 ppm) of the samples in the high fractionation zone. This suggests that this area has a felsic intrusive derived from a highly fractionated magma. A pegmatite originating from this felsic intrusive would be even more differentiated and could be of the LCT type.

To summarize, 3 samples are of interest for their lithium values and K/Rb ratio (C00429471, C00430729 and C00430741). Five pegmatite samples are of interest for their fractionation ratios (C00430768, C00430770, C00429472, C00430745 and C00429473). All these samples are in the same location in the field (Figure 5-1, Figure 5-4) except for C00430768 and C00430770 which are boulder samples. This may suggest that this area is more prospective for LCT-type mineralization. The three highest lithium values may be associated with the same pegmatite (Figure 7-3). The two lithium values found in the drill core belong to the largest pegmatite intersections in historical drillholes (Figure 7-3). It is likely that the expression of this pegmatite at the surface is responsible for outcrop sample which returned a value of 232 ppm lithium.

These results indicate that most of pegmatites found on the Nichicun property are not enriched in lithium and are generally not of the LCT type. However, an area with lithium anomalies and high fractionation of magma rate stands out.




Figure 7-1 Li vs K/Rb scatter plot for Nichicun property samples




Figure 7-2 Scatter plot of Zr/Hf vs Nb/Ta in pegmatite and felsic intrusive samples indicating magma fractionation potential.




Figure 7-3 Cross-section from drillholes NC-12-004 and NC-12-009 (data from Roy, 2013)

8 RECOMMENDATIONS

Recommendations for future work do not include completing previously planned but uncompleted traverses as a significant amount of the metavolcanic and metasedimentary units have been traversed and LCT-type mineralization was not recognized. Assays results confirm these field observations.

However, despite most pegmatites not having a LCT signature, the tonalite and felsic intrusive samples have geochemistry ratios that indicate a potentially high degree of fractionation. It may be beneficial to do more detailed mapping in the area with lithium anomalies and indicators of a high degree of fractionation, in an attempt to identify potential LCT pegmatites.

Another recommendation would be to complete a LiDAR survey and orthophotography to aid in the recognition of pegmatites that could be targeted during a future field program. This would allow for traverses to be planned with a higher degree of precision.

9 CERTIFICATE OF QUALIFIED PERSON

I, François Gagnon do hereby certify that:

I am a professional geoscientist, employed as Senior Geologist of Dahrouge Geological Consulting Ltd. located at #103, 10183 112 Street, Edmonton, Alberta, T5K 1M1, Canada.

This Certificate applies to “NICHICUN Property - Report on the 2023 Field Exploration Work” dated December 20th, 2023, with an effective date of December 20th, 2023;

I am a member in good standing of the Ordre des Géologues du Québec (OGQ license No. 1907). I graduated with a Bachelor’s degree in Geology from Université Laval (Québec, Québec) in 2006.

I have worked in mineral exploration for a total of 17 years since graduating from university during which time I have been involved in projects for precious and base metal, gold and Lithium in Canada and Australia.

I am the author of this Assessment Report for which I own the responsibility.

DATED this 20th Day of December 2023
(Original signed and sealed) “Mr. François Gagnon”

François Gagnon, P. Geo. (OGQ NO. 1907)
Dahrouge Geological Consulting Ltd.

10 REFERENCES

- BARR, W. H., BUXBAUM, R. W., FARKAS, M. S., RAINEY, K. D., LUND, R. J., 1974. SUMMARY REPORT ON MINERAL RESOURCE STUDIES IN THE JAMES BAY REGION. S D B J, rapport statutaire soumis au gouvernement du Québec; GM 34002, 294 pages.
- BALLOUARD, C., POUJOL, M., BOULVAIS, P., BRANQUET, Y., TARTESE, R., & VIGNERESSE, J. L. (2016). NB-TA FRACTIONATION IN PERALUMINOUS GRANITES: A MARKER OF THE MAGMATIC-HYDROTHERMAL TRANSITION. *Geology*, 44(3), 231-234.
- BURNIAUX, P., GUEMACHE, M. A., GIGON, J., GOUTIER, J., 2018. Géologie de la région du lac Dalmas (SNRC 33H08, 33H09, 23E05, 23E12), Eeyou Istchee Baie-James. MERN; RG 2018-02, 50 pages, 1 plan.
- CANNULI, M., 1975. GEOCHIMIE DE LACS, ETE 1975. S D B J, rapport statutaire soumis au gouvernement du Québec; GM 34036, 38 pages.
- Caron, Dufour, Seguin and associate, 1972. EVALUATION DU POTENTIEL MINIER DU BASSIN DE LA BAIE JAMES. rapport statutaire soumis au gouvernement du Québec; GM 34000, 1224 pages, 40 plans.
- Eade, K. E., 1966. Fort George River and Kaniapiskau River (west half) Map-Areas, New Quebec. Geological Survey of Canada. Memoire 354, 23 Pages.
- GAUTHIER, M., LAROCQUE, M., CHARTRAND, F., 1997. Cadre géologique, style et répartition des minéralisations métalliques de la Grande Rivière, Territoire de la Baie James. MRN; MB 97-30, 73 pages.
- GLEESON, C. F., 1976. REPORT ON LAKE SEDIMENT GEOCHEMICAL SURVEY, AREAS A AND B, JAMES BAY TERRITORY. S D B J, rapport statutaire soumis au gouvernement du Québec; GM 34038, 138 pages.
- GRENIER, L., SAVARD, M., ARCHER, P., 2008. TECHNICAL REPORT AND RECOMMENDATIONS, RECONNAISSANCE PROGRAM, NICHICUN PROJECT. MINES VIRGINIA INC, rapport statutaire soumis au gouvernement du Québec; GM 63586, 122 pages, 8 plans.
- MARLEAU, R. A., 1975. GEOLOGY & MINERAL POTENTIAL OF THE NITCHEQUON AREA. S D B J, rapport statutaire soumis au gouvernement du Québec; GM 34057, 47 pages, 3 plans.
- ROY, I., 2011. RAPPORT TECHNIQUE ET RECOMMANDATIONS, PROJET NICHICUN. MINES VIRGINIA INC, rapport statutaire soumis au gouvernement du Québec; GM 66239, 176 pages, 4 plans.
- ROY, I., BOIVIN, J. F., 2012. RAPPORT TECHNIQUE ET RECOMMANDATIONS, CAMPAGNE D'EXPLORATION 2011, PROJET NICHICUN. MINES VIRGINIA INC, rapport statutaire soumis au gouvernement du Québec; GM 67245, 528 pages, 42 plans.
- ROY, I., BOUCHARD, R. A., 2013. RAPPORT TECHNIQUE ET RECOMMANDATIONS, CAMPAGNE D'EXPLORATION 2012, PROJET NICHICUN. MINES VIRGINIA INC, rapport statutaire soumis au gouvernement du Québec; GM 67593, 710 pages, 26 plans.

- SAVARD, M., 2010. RAPPORT TECHNIQUE ET RECOMMANDATIONS, PROJET NICHICUN. MINES VIRGINIA INC, rapport statutaire soumis au gouvernement du Québec; GM 64917, 88 pages, 6 plans.
- Steiner, B. M. (2019). Tools and workflows for grassroots Li–Cs–Ta (LCT) pegmatite exploration. *Minerals*, 9(8), 499.
- ST-HILAIRE, C., 2011. HELIBORNE HIGH RESOLUTION AEROMAGNETIC SURVEY, ESCALE, NICHICU, TRIESTE AND ASHUANIPI PROPERTIES. MINES VIRGINIA INC, rapport statutaire soumis au gouvernement du Québec; GM 65712, 28 pages, 8 plans.
- TREMBLAY, M., MARLEAU, R. A., 1973. ETUDE DE LA GEOLOGIE ET DU POTENTIEL MINERAL DU TERRITOIRE DE LA BAIE-JAMES. S D B J, rapport statutaire soumis au gouvernement du Québec; GM 34001, 1146 pages, 102 plans.
- TSHIMBALANGA, S., 2012. LEVE DE POLARISATION PROVOQUEE, PROPRIETE NICHICUN, SECTEUR DU LAC LA SAVONNIERE. MINES VIRGINIA INC, rapport statutaire soumis au gouvernement du Québec; GM 67229, 17 pages, 37 plans.

11 APPENDICES

Appendix 1 - Property Claim Listing

PROPERTY CLAIM LISTING

GESTIM Date: 2023-11-14

Totals

157

7786.34

\$ 1,479,709

\$ 349,605

\$ 25,800

FID	Property	NTS	Title Type	Title No.	Area (ha)	Registration Date	Expiry Date	Registered Title Holder	Excess Credit	Work Required	Renewal Fee
FID	Property	FEU_NO	TER_C ODE	TIT_NO	POL_SUPR F	TIT_DAT_EM	TIT_DAT_EX	DET_LIST	TIT_CRE_CU	TIT_TR_REQ	TIT_DR_RE Q
1	Nichicun	33H09	CDC	2141468	51.29	2008-01-23	2026-01-22	Osisko Baie James S.E.N.C. (96214)	\$ 328	\$ 2,500	\$ 170
2	Nichicun	33H09	CDC	2141469	51.29	2008-01-23	2026-01-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
3	Nichicun	33H09	CDC	2141470	51.29	2008-01-23	2026-01-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
4	Nichicun	33H09	CDC	2141471	51.29	2008-01-23	2026-01-22	Osisko Baie James S.E.N.C. (96214)	\$ 1,309	\$ 2,500	\$ 170
5	Nichicun	33H09	CDC	2141474	51.28	2008-01-23	2026-01-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
6	Nichicun	33H09	CDC	2141475	51.28	2008-01-23	2026-01-22	Osisko Baie James S.E.N.C. (96214)	\$ 818	\$ 2,500	\$ 170
7	Nichicun	33H09	CDC	2141476	51.28	2008-01-23	2026-01-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
8	Nichicun	33H09	CDC	2141477	51.28	2008-01-23	2026-01-22	Osisko Baie James S.E.N.C. (96214)	\$ 327	\$ 2,500	\$ 170
9	Nichicun	33H09	CDC	2141479	51.27	2008-01-23	2026-01-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
10	Nichicun	33H09	CDC	2132898	51.29	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
11	Nichicun	33H09	CDC	2132899	51.29	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
12	Nichicun	33H09	CDC	2132900	51.29	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
13	Nichicun	33H09	CDC	2132901	51.29	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
14	Nichicun	33H09	CDC	2132902	51.29	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
15	Nichicun	33H09	CDC	2132903	51.29	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
16	Nichicun	33H09	CDC	2132904	51.29	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
17	Nichicun	33H09	CDC	2132905	51.29	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
18	Nichicun	33H09	CDC	2132906	51.29	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ 9,115	\$ 2,500	\$ 170
19	Nichicun	33H09	CDC	2132909	51.28	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
20	Nichicun	33H09	CDC	2132910	51.28	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
21	Nichicun	33H09	CDC	2132911	51.28	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
22	Nichicun	33H09	CDC	2132912	51.28	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
23	Nichicun	33H09	CDC	2132913	51.28	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
24	Nichicun	33H09	CDC	2132914	51.28	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
25	Nichicun	33H09	CDC	2132915	51.28	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
26	Nichicun	33H09	CDC	2132916	51.28	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170

27	Nichicun	33H09	CDC	2132917	51.28	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ 1,309	\$ 2,500	\$ 170
28	Nichicun	33H09	CDC	2132918	51.27	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
29	Nichicun	33H09	CDC	2132919	51.27	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
30	Nichicun	33H09	CDC	2132920	51.27	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
31	Nichicun	33H09	CDC	2132921	51.27	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
32	Nichicun	33H09	CDC	2132922	51.27	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
33	Nichicun	33H09	CDC	2132923	51.27	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
34	Nichicun	33H09	CDC	2132924	51.27	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
35	Nichicun	33H09	CDC	2132925	51.27	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
36	Nichicun	33H09	CDC	2132926	51.27	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
37	Nichicun	33H09	CDC	2132927	51.27	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
38	Nichicun	33H09	CDC	2132928	40.67	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 135
39	Nichicun	33H09	CDC	2132929	32.15	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ 18,161	\$ 2,500	\$ 135
40	Nichicun	33H09	CDC	2132930	36.88	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 135
41	Nichicun	33H09	CDC	2132931	19.72	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,000	\$ 38
42	Nichicun	33H09	CDC	2132932	25.29	2007-10-23	2025-10-22	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 135
43	Nichicun	33H08	CDC	2134396	51.33	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
44	Nichicun	33H08	CDC	2134398	51.33	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
45	Nichicun	33H08	CDC	2134401	51.33	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
46	Nichicun	33H08	CDC	2134403	51.33	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
47	Nichicun	33H08	CDC	2134405	51.33	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
48	Nichicun	33H08	CDC	2134424	51.32	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
49	Nichicun	33H08	CDC	2134427	51.32	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
50	Nichicun	33H08	CDC	2134429	51.32	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
51	Nichicun	33H08	CDC	2134431	51.32	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
52	Nichicun	33H08	CDC	2134432	51.32	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
53	Nichicun	33H08	CDC	2134435	51.32	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
54	Nichicun	33H08	CDC	2134437	51.32	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
55	Nichicun	33H08	CDC	2134438	51.32	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
56	Nichicun	33H08	CDC	2134440	51.32	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 515	\$ 2,500	\$ 170
57	Nichicun	33H08	CDC	2134442	51.32	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 735	\$ 2,500	\$ 170
58	Nichicun	33H08	CDC	2134445	51.32	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 7,897	\$ 2,500	\$ 170
59	Nichicun	33H08	CDC	2134446	51.32	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 9,279	\$ 2,500	\$ 170
60	Nichicun	33H08	CDC	2134464	51.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170

61	Nichicun	33H08	CDC	2134466	51.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
62	Nichicun	33H08	CDC	2134468	51.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
63	Nichicun	33H08	CDC	2134470	51.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
64	Nichicun	33H08	CDC	2134473	51.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
65	Nichicun	33H08	CDC	2134474	51.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
66	Nichicun	33H08	CDC	2134476	51.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
67	Nichicun	33H08	CDC	2134478	51.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 165,237	\$ 2,500	\$ 170
68	Nichicun	33H08	CDC	2134481	51.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 70,807	\$ 2,500	\$ 170
69	Nichicun	33H08	CDC	2134483	51.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 27,311	\$ 2,500	\$ 170
70	Nichicun	33H08	CDC	2134485	51.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 9,160	\$ 2,500	\$ 170
71	Nichicun	33H08	CDC	2134487	51.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 226,473	\$ 2,500	\$ 170
72	Nichicun	33H08	CDC	2134489	51.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 159,600	\$ 2,500	\$ 170
73	Nichicun	33H08	CDC	2134490	51.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 66,410	\$ 2,500	\$ 170
74	Nichicun	33H08	CDC	2134493	51.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 55,892	\$ 2,500	\$ 170
75	Nichicun	33H08	CDC	2134494	51.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 18,574	\$ 2,500	\$ 170
76	Nichicun	33H08	CDC	2134497	51.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
77	Nichicun	33H08	CDC	2134506	51.3	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
78	Nichicun	33H08	CDC	2134507	51.3	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
79	Nichicun	33H08	CDC	2134508	51.3	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
80	Nichicun	33H08	CDC	2134509	51.3	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
81	Nichicun	33H08	CDC	2134510	51.3	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
82	Nichicun	33H08	CDC	2134511	51.3	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
83	Nichicun	33H08	CDC	2134512	51.3	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
84	Nichicun	33H08	CDC	2134513	51.3	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
85	Nichicun	33H08	CDC	2134514	51.3	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 12,967	\$ 2,500	\$ 170
86	Nichicun	33H08	CDC	2134515	51.3	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 244,904	\$ 2,500	\$ 170
87	Nichicun	33H08	CDC	2134516	51.3	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 10,329	\$ 2,500	\$ 170
88	Nichicun	33H08	CDC	2134517	51.3	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 819	\$ 2,500	\$ 170
89	Nichicun	33H08	CDC	2134518	37.43	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 31,138	\$ 2,500	\$ 135
90	Nichicun	33H08	CDC	2134519	34.49	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 34,460	\$ 2,500	\$ 135
91	Nichicun	33H08	CDC	2134520	47.31	2007-10-30	2025-10-29	Osisko Baie James S.E.N.C. (96214)	\$ 233,424	\$ 2,500	\$ 152
92	Nichicun	33H08	CDC	2235854	51.3	2010-06-02	2026-06-01	Osisko Baie James S.E.N.C. (96214)	\$ 1,310	\$ 2,500	\$ 170
93	Nichicun	33H08	CDC	2235855	51.3	2010-06-02	2026-06-01	Osisko Baie James S.E.N.C. (96214)	\$ 1,310	\$ 2,500	\$ 170
94	Nichicun	33H08	CDC	2235856	51.3	2010-06-02	2026-06-01	Osisko Baie James S.E.N.C. (96214)	\$ 1,310	\$ 2,500	\$ 170

95	Nichicun	33H08	CDC	2235857	51.3	2010-06-02	2026-06-01	Osisko Baie James S.E.N.C. (96214)	\$ 1,310	\$ 2,500	\$ 170
96	Nichicun	33H08	CDC	2235858	51.3	2010-06-02	2026-06-01	Osisko Baie James S.E.N.C. (96214)	\$ 1,310	\$ 2,500	\$ 170
97	Nichicun	33H09	CDC	2235859	51.28	2010-06-02	2026-06-01	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
98	Nichicun	33H09	CDC	2235860	51.28	2010-06-02	2026-06-01	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
99	Nichicun	33H09	CDC	2235861	51.25	2010-06-02	2026-06-01	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
100	Nichicun	33H09	CDC	2235862	51.24	2010-06-02	2026-06-01	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
101	Nichicun	33H09	CDC	2235863	51.24	2010-06-02	2026-06-01	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
102	Nichicun	33H09	CDC	2235864	51.24	2010-06-02	2026-06-01	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
103	Nichicun	33H09	CDC	2235865	51.24	2010-06-02	2026-06-01	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
104	Nichicun	33H09	CDC	2235866	51.24	2010-06-02	2026-06-01	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
105	Nichicun	33H09	CDC	2235867	51.21	2010-06-02	2026-06-01	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
106	Nichicun	33H09	CDC	2235868	51.21	2010-06-02	2026-06-01	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
107	Nichicun	33H09	CDC	2235869	51.2	2010-06-02	2026-06-01	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
108	Nichicun	33H08	CDC	2224153	51.3	2010-04-30	2026-04-29	Osisko Baie James S.E.N.C. (96214)	\$ 1,310	\$ 2,500	\$ 170
109	Nichicun	33H09	CDC	2224154	51.21	2010-04-30	2026-04-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
110	Nichicun	33H09	CDC	2224155	51.2	2010-04-30	2026-04-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
111	Nichicun	33H09	CDC	2224170	51.2	2010-04-30	2026-04-29	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 2,500	\$ 170
112	Nichicun	33H09	CDC	2289508	51.26	2011-05-03	2025-05-02	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
113	Nichicun	33H09	CDC	2289509	51.26	2011-05-03	2025-05-02	Osisko Baie James S.E.N.C. (96214)	\$ 326	\$ 1,800	\$ 170
114	Nichicun	33H08	CDC	2255032	51.33	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
115	Nichicun	33H08	CDC	2255033	51.33	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
116	Nichicun	33H08	CDC	2255034	51.32	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ 3,764	\$ 1,800	\$ 170
117	Nichicun	33H08	CDC	2255035	51.32	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ 3,804	\$ 1,800	\$ 170
118	Nichicun	33H08	CDC	2255036	51.32	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
119	Nichicun	33H08	CDC	2255037	51.32	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
120	Nichicun	33H08	CDC	2255038	51.32	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
121	Nichicun	33H08	CDC	2255039	51.32	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
122	Nichicun	33H08	CDC	2255040	51.32	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
123	Nichicun	33H08	CDC	2255041	51.32	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
124	Nichicun	33H08	CDC	2255042	51.31	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
125	Nichicun	33H08	CDC	2255043	51.31	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
126	Nichicun	33H08	CDC	2255044	51.31	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
127	Nichicun	33H08	CDC	2255045	51.31	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
128	Nichicun	33H08	CDC	2255046	51.31	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170

129	Nichicun	33H08	CDC	2255047	51.31	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
130	Nichicun	33H08	CDC	2255048	24.65	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ 15,670	\$ 750	\$ 38
131	Nichicun	33H08	CDC	2255049	18.69	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ 6,771	\$ 750	\$ 38
132	Nichicun	33H08	CDC	2255050	23.7	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ 6,979	\$ 750	\$ 38
133	Nichicun	33H08	CDC	2255051	8.57	2010-10-21	2024-10-20	Osisko Baie James S.E.N.C. (96214)	\$ 219	\$ 750	\$ 38
134	Nichicun	33H08	CDC	2384583	51.3	2013-04-23	2025-04-22	Osisko Baie James S.E.N.C. (96214)	\$ 1,310	\$ 1,800	\$ 170
135	Nichicun	33H08	CDC	2384584	51.3	2013-04-23	2025-04-22	Osisko Baie James S.E.N.C. (96214)	\$ 1,310	\$ 1,800	\$ 170
136	Nichicun	33H09	CDC	2384585	51.29	2013-04-23	2025-04-22	Osisko Baie James S.E.N.C. (96214)	\$ 1,309	\$ 1,800	\$ 170
137	Nichicun	33H09	CDC	2384586	51.29	2013-04-23	2025-04-22	Osisko Baie James S.E.N.C. (96214)	\$ 1,309	\$ 1,800	\$ 170
138	Nichicun	33H09	CDC	2384587	51.29	2013-04-23	2025-04-22	Osisko Baie James S.E.N.C. (96214)	\$ 1,309	\$ 1,800	\$ 170
139	Nichicun	33H09	CDC	2384588	51.29	2013-04-23	2025-04-22	Osisko Baie James S.E.N.C. (96214)	\$ 1,309	\$ 1,800	\$ 170
140	Nichicun	33H09	CDC	2298912	51.28	2011-07-05	2025-07-04	Osisko Baie James S.E.N.C. (96214)	\$ 1,309	\$ 1,800	\$ 170
141	Nichicun	33H09	CDC	2298913	51.28	2011-07-05	2025-07-04	Osisko Baie James S.E.N.C. (96214)	\$ 1,309	\$ 1,800	\$ 170
142	Nichicun	33H09	CDC	2298914	51.28	2011-07-05	2025-07-04	Osisko Baie James S.E.N.C. (96214)	\$ 1,309	\$ 1,800	\$ 170
143	Nichicun	33H09	CDC	2298915	51.27	2011-07-05	2025-07-04	Osisko Baie James S.E.N.C. (96214)	\$ 1,309	\$ 1,800	\$ 170
144	Nichicun	33H09	CDC	2298916	51.27	2011-07-05	2025-07-04	Osisko Baie James S.E.N.C. (96214)	\$ 1,309	\$ 1,800	\$ 170
145	Nichicun	33H09	CDC	2298917	51.27	2011-07-05	2025-07-04	Osisko Baie James S.E.N.C. (96214)	\$ 1,309	\$ 1,800	\$ 170
146	Nichicun	33H09	CDC	2298918	51.27	2011-07-05	2025-07-04	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
147	Nichicun	33H09	CDC	2298919	51.27	2011-07-05	2025-07-04	Osisko Baie James S.E.N.C. (96214)	\$ 1,309	\$ 1,800	\$ 170
148	Nichicun	33H09	CDC	2298920	51.26	2011-07-05	2025-07-04	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
149	Nichicun	33H09	CDC	2298921	51.26	2011-07-05	2025-07-04	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
150	Nichicun	33H09	CDC	2298922	51.26	2011-07-05	2025-07-04	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
151	Nichicun	33H09	CDC	2298923	51.26	2011-07-05	2025-07-04	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
152	Nichicun	33H09	CDC	2298924	51.25	2011-07-05	2025-07-04	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
153	Nichicun	33H09	CDC	2298925	51.25	2011-07-05	2025-07-04	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
154	Nichicun	33H09	CDC	2298926	51.25	2011-07-05	2025-07-04	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 1,800	\$ 170
155	Nichicun	33H09	CDC	2743559	51.23	2023-02-24	2026-02-23	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 135	\$ 170
156	Nichicun	33H09	CDC	2743560	51.22	2023-02-24	2026-02-23	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 135	\$ 170
157	Nichicun	33H09	CDC	2743561	51.22	2023-02-24	2026-02-23	Osisko Baie James S.E.N.C. (96214)	\$ -	\$ 135	\$ 170

Appendix 2 - 2023 Core Resampling Descriptions

Sample ID	Property	Drillhole ID	Depth From (m)	Depth To (m)	Easting	Northing	Showing/Prospect	Sample Source	Sample Type	SIGEOM Rock Code	Rock Type	Minerals	Comments	Li (ppm)	Cs (ppm)	Nb (ppm)	Ta (ppm)	Rb (ppm)
C00430729	Nichicun	NC-12-004	11.2	11.3	693016	5931241	Portageur	Drillhole		I1G	Pegmatite	Mv (10%)		168	38.5	58	4.6	911
C00430741	Nichicun	NC-12-004	34.7	34.8	693016	5931241	Portageur	Drillhole	Graphic texture	I1G	Pegmatite	Mv (10%)	Graphic texture	169	73.6	97	8.5	620
C00430742	Nichicun	NC-12-004	3.8	4	693016	5931241	Portageur	Drillhole	Graphic texture	I1G	Pegmatite	Bo (2%), Mv (1%)	Graphic texture	41	25.9	24	4.9	737
C00430743	Nichicun	NC-12-004	32.5	32.6	693016	5931241	Portageur	Drillhole		I1G	Pegmatite	Mv (3%), Gr (trace)		12	15	42	6.3	539
C00430744	Nichicun	NC-12-009	58.3	58.4	693038	5931189		Drillhole		I1G	Pegmatite	Mv (4%), To (1%), Gr (trace)		74	21.7	86	14	478
C00430745	Nichicun	NC-12-009	84	84.2	693038	5931189		Drillhole		I1G	Pegmatite	Gr (1%), Mv (2%), Bo (trace)		14	12.6	75	24.5	497

Appendix 3 - 2023 Prospecting Rock Sample Descriptions

Sample ID	Property	Easting	Northing	Sample Source	Sample Type	SIGEOM Rock Code	Rock Type	Colour Fresh	Colour Weathered	Deformation level	Alteration	Texture	Major Accessory Minerals	Comments	Analytical method	Au (ppb)	Li (ppm)	Cs (ppm)	Nb (ppm)	Ta (ppm)	Rb (ppm)
C00428163	Nichicun	692683	5930848	Outcrop	Grab	I1	Felsic Intrusive	Beige	Brown	Moderate	Weak	Foliated	Muscovite (5%). Tourmaline (2%).	Felsic intrusive dyke is 2% of the outcrop.	GE_ICM91A50	-	41	79.8	50	78	228
C00428164	Nichicun	691921	5931008	Outcrop	Grab	I1G	Pegmatite	Beige	White	Weak	Weak	Pegmatitic	Muscovite (3%). Tourmaline (3%). Biotite (2%).		GE_ICM91A50	-	<10	11	40	8.7	501
C00428178	Nichicun	696889	5932262	Outcrop	Grab	M16	Amphibolite	Grey	Rusty	Intense	Intense	Acicular	Garnet (5%)	majority of grunerite or actinolite	GE_FAA30V5	561	-	-	-	-	-
C00428179	Nichicun	696005	5932196	Outcrop	Grab	F	Semi massive sulfide	Grey	Rusty	Intense	Intense	Foliated	Pyrite (10-20%)		GE_FAA30V5	78	-	-	-	-	-
C00428185	Nichicun	693044	5931200	Outcrop	Grab	I1G	Pegmatite	Beige	White	Weak	Weak	Pegmatitic	Biotite (2%). Muscovite (2%). Tourmaline (2%).	Heterogeneous Tourmaline distribution. Pegmatite is 60% of the outcrop.	GE_ICM91A50	-	68	8.6	181	31.7	202
C00429471	Nichicun	693039	5931209	Outcrop	Grab	I1G	Pegmatite	Beige	White	Weak	Weak	Pegmatitic	Biotite (2%). Muscovite (2%). Tourmaline (2%).	Sample taken with a saw, muscovite (10%). Black Tourmaline Trace and Light red Garnet Trace.	GE_ICM91A50	-	232	17.4	225	36.3	207
C00429473	Nichicun	692718	5930808	Outcrop	Grab	I1G	Pegmatite	WhitE	White	Weak	Weak	Pegmatitic	Tourmaline (2%). Muscovite (1%).	Pegmatite is 10% of the outcrop. Sample taken in north of the 069 trench.	GE_ICM91A50	-	21	92	102	97.5	1910
C00430701	Nichicun	692714	5930470	Outcrop	Grab	M16	Amphibolite	Black	Green	Weak	Moderate	Porphyritic	Amphibole (70%). Plagioclase (10%).	Amphibolite (meta-basalt), fine grained. Might be a gabbro pyroxenitic as identified in the area by virginia before. Sample taken to have a geochemical base for the area.	GE_ICM91A50	-	33	0.9	4	<0.5	16.5
C00430702	Nichicun	694574	5930396	Outcrop	Grab	R1	Qz vein	White		Intense		Boudinage	Tourmaline (10%).	Pluri centimetric to decimetric boudinaged Quartz vein with tourmaline.	GE_FAA30V5	209	-	-	-	-	-
C00430767	Nichicun	696035	5934054	Outcrop	Grab	I1G	Pegmatite	Beige	Pink			Pegmatitic	Biotite (3%). Tourmaline (1%).	Pegmatitic dyke in a paragneiss outcrop. Magnetite rare trace. Pegmatite is 30% of the block.	GE_ICM91A50	-	<10	11.7	12	2.9	240

C00430771	Nichicun	696128	5934251	Outcrop	Grab	I1D	Tonalite	White						Tourmaline (2%).	Muscovite Trace and Garnet rare trace. Tonalite cut the conglomerate's schistosity with an angle of 30 degrees. Tonalite is 25% of the outcrop.	GE_ICM91A50	-	11	38.4	54	12.8	258
C00430772	Nichicun	696493	5934239	Outcrop	Grab	I1G	Pegmatite	White	White		Weak	Pegmatitic	Tourmaline (8%).			GE_ICM91A50	-	<10	9.6	44	11.6	250
C00430773	Nichicun	696463	5934510	Outcrop	Grab	I1G	Pegmatite	White	Pink			Pegmatitic	Tourmaline (1%).	Pegmatite is 10% of the outcrop.		GE_ICM91A50	-	<10	2.2	71	20.7	65.6
C00429472	Nichicun	692886	5930974	Boulder	Grab	I1G	Pegmatite	White	Pink	Weak	Weak	Pegmatitic	Biotite (1%).	Garnet and tourmaline trace. Biotite in small clusters.		GE_ICM91A50	-	<10	4.6	10	2.1	140
C00430756	Nichicun	697399	5936713	Boulder	Grab	I1G	Pegmatite	Beige				Pegmatitic				GE_ICM91A50	-	17	3.5	5	1.6	61.5
C00430757	Nichicun	697545	5936702	Boulder	Grab	I1G	Pegmatite	Pink				Pegmatitic	Biotite (2%).	Graphic texture, smoky quartz.		GE_ICM91A50	-	<10	26.7	4	0.8	600
C00430758	Nichicun	698381	5936744	Boulder	Grab	I1G	Pegmatite	White				Pegmatitic	Quartz (10%).	Tourmaline Trace.		GE_ICM91A50	-	<10	12.3	4	1	368
C00430759	Nichicun	698581	5937043	Boulder	Grab	I1G	Pegmatite	White				Pegmatitic	Biotite (3%).			GE_ICM91A50	-	<10	10.3	8	1.2	210
C00430761	Nichicun	698049	5937137	Boulder	Grab	I1G	Pegmatite	White				Pegmatitic	Biotite (2%). Garnet (1%).	Tourmaline Trace.		GE_ICM91A50	-	38	22.7	22	4.9	327
C00430762	Nichicun	697353	5937079	Boulder	Grab	I1G	Pegmatite	White				Pegmatitic	Biotite (3%).	Garnet Trace and Graphic texture.		GE_ICM91A50	-	<10	20.1	6	0.6	505
C00430763	Nichicun	697117	5936689	Boulder	Grab	I1G	Pegmatite	White				Pegmatitic	Muscovite (2%). Biotite (1%). Tourmaline (1%).	Garnet Trace.		GE_ICM91A50	-	<10	7.6	7	1.3	138
C00430768	Nichicun	695851	5933905	Boulder	Grab	I1G	Pegmatite	White	Beige			Pegmatitic	Tourmaline (4%). Muscovite (3%). Garnet (1%).			GE_ICM91A50	-	11	29.8	16	15.9	130
C00430769	Nichicun	695048	5933901	Boulder	Grab	I1G	Pegmatite	White	Beige			Pegmatitic	Tourmaline (1%).	Garnet Trace.		GE_ICM91A50	-	<10	14	17	4.9	283
C00430770	Nichicun	695393	5934098	Boulder	Grab	I1G	Pegmatite	White				Pegmatitic	Tourmaline (1%).	Biotite Trace. 20% of the block is conglomerate		GE_ICM91A50	-	12	11.5	7	1.6	200

Appendix 4 - 2023 Core Resamples Analytical certificates



ANALYSIS REPORT BBM23-31795

To OSISKO JAMES BAY S.E.N.C.
ERYN DOYLE
1100 AVENUE DES CANADIENS-DE-MONTREAL
SUITE 300
MONTREAL H3B 2S2
QC
CANADA

Order Number	PO# NC2023-001	Date Received	07-Sep-2023
Project	NICHICUN	Date Analysed	13-Sep-2023 - 31-Oct-2023
Submission Number	OSISKO JAMES BAY S.E.N.C. /	Date Completed	31-Oct-2023
NICHICUN / 28 Core		SGS Order Number	BBM23-31795
Number of Samples	6		

Methods Summary

Number of Sample	Method Code	Description
6	G_WGH_KG	Weight of samples received
6	GE_ICP91A50	Na ₂ O ₂ /NaOH Fusion, 500°C, HNO ₃ , ICPAES, 0.1g-50ml, Glassy Carbon crucibles
6	GE_IMS91A50	Na ₂ O ₂ /NaOH Fusion, ICP-MS, Glassy Carbon crucibles

Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang
Laboratory Operations Manager



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

10-Nov-2023 8:49PM BBM_U0050832579

Page 1 of 6

MIN-M_COA_ROW-Last Modified Date: 05-Nov-2019



Order Number PO# NC2023-001
 Project NICHICUN
 Submission Number OSISKO JAMES BAY S.E.N.C. /
 NICHICUN / 28 Core
 Number of Samples 6

ANALYSIS REPORT BBM23-31795

Element	WTKG	@Al	@Ba	@Be	@Ca	@Cr
Method	G_WGH_KG	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50
Lower Limit	0.01	0.01	10	5	0.1	10
Upper Limit	--	25	10,000	2,500	25	50,000
Unit	kg	%	ppm m / m	ppm m / m	%	ppm m / m
C00430729	1.00	8.02	13	5	0.1	13
C00430741	1.40	8.18	<10	5	0.3	<10
C00430742	0.82	7.44	16	5	0.2	<10
C00430743	0.35	7.89	<10	5	0.3	17
C00430744	0.75	7.97	<10	5	0.3	<10
C00430745	0.89	7.18	15	5	0.3	13

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50
Lower Limit	10	0.01	0.1	10	0.01	10
Upper Limit	10,000	25	25	50,000	25	100,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
C00430729	<10	0.71	5.6	168	0.06	149
C00430741	<10	0.73	3.2	169	0.05	510
C00430742	<10	0.60	5.0	41	0.03	192
C00430743	<10	0.72	2.6	12	0.03	599
C00430744	<10	0.72	2.6	74	0.07	276
C00430745	<10	0.95	3.3	14	0.05	1523

Element	@Ni	@P	@Sc	@Si	@Sr	@Ti
Method	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50
Lower Limit	5	0.01	5	0.1	10	0.01
Upper Limit	10,000	25	50,000	30	5,000	25
Unit	ppm m / m	%	ppm m / m	%	ppm m / m	%
C00430729	12	<0.01	11	>30.0	14	0.03
C00430741	17	<0.01	18	>30.0	11	0.02
C00430742	20	<0.01	<5	>30.0	15	0.02
C00430743	19	0.01	8	>30.0	14	<0.01

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO# NC2023-001
 Project NICHICUN
 Submission Number OSISKO JAMES BAY S.E.N.C. /
 NICHICUN / 28 Core
 Number of Samples 6

ANALYSIS REPORT BBM23-31795

Element	@Ni	@P	@Sc	@Si	@Sr	@Ti
Method	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50
Lower Limit	5	0.01	5	0.1	10	0.01
Upper Limit	10,000	25	50,000	30	5,000	25
Unit	ppm m / m	%	ppm m / m	%	ppm m / m	%
C00430744	13	<0.01	11	>30.0	13	0.02
C00430745	14	<0.01	6	>30.0	14	<0.01

Element	@V	@Zn	@Ag	@As	@Bi	@Cd
Method	GE_ICP91A50	GE_ICP91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	5	5	1	5	0.1	0.2
Upper Limit	10,000	10,000	200	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00430729	<5	37	<1	<5	0.1	<0.2
C00430741	<5	41	<1	<5	3.7	<0.2
C00430742	<5	16	<1	<5	0.5	<0.2
C00430743	<5	26	<1	<5	0.4	<0.2
C00430744	<5	34	<1	8	2.7	<0.2
C00430745	<5	24	<1	<5	11.2	<0.2

Element	@Ce	@Co	@Cs	@Dy	@Er	@Eu
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.1	0.5	0.1	0.05	0.05	0.05
Upper Limit	10,000	10,000	10,000	1,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00430729	5.4	<0.5	38.5	0.96	0.29	<0.05
C00430741	16.2	<0.5	73.6	3.70	2.12	<0.05
C00430742	5.6	<0.5	25.9	2.42	1.43	0.11
C00430743	11.6	<0.5	15.0	3.79	1.66	<0.05
C00430744	22.4	<0.5	21.7	7.89	3.54	0.05
C00430745	19.7	0.9	12.6	7.39	3.64	0.10

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO# NC2023-001
 Project NICHICUN
 Submission Number OSISKO JAMES BAY S.E.N.C. /
 NICHICUN / 28 Core
 Number of Samples 6

ANALYSIS REPORT BBM23-31795

Element	@Ga	@Gd	@Ge	@Hf	@Ho	@In
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	1	0.05	1	1	0.05	0.2
Upper Limit	1,000	1,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00430729	35	1.06	3	<1	0.13	<0.2
C00430741	42	3.26	3	<1	0.66	<0.2
C00430742	21	1.77	2	<1	0.46	<0.2
C00430743	34	3.22	3	<1	0.59	<0.2
C00430744	38	7.27	3	1	1.26	<0.2
C00430745	27	4.95	3	3	1.21	<0.2

Element	@La	@Lu	@Mo	@Nb	@Nd	@Pb
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.1	0.05	2	1	0.1	5
Upper Limit	10,000	1,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00430729	2.6	<0.05	<2	58	2.4	33
C00430741	6.7	0.33	<2	97	8.6	21
C00430742	3.1	0.22	<2	24	2.5	42
C00430743	4.9	0.22	<2	42	5.7	16
C00430744	8.6	0.40	<2	86	13.5	22
C00430745	8.1	0.53	<2	75	10.3	25

Element	@Pr	@Rb	@Sb	@Sm	@Sn	@Ta
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.05	0.2	0.1	0.1	1	0.5
Upper Limit	1,000	10,000	10,000	1,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00430729	0.61	911	0.7	1.0	9	4.6
C00430741	2.06	620	0.9	3.2	12	8.5
C00430742	0.59	737	0.6	1.1	4	4.9
C00430743	1.36	539	0.4	2.7	9	6.3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO# NC2023-001
 Project NICHICUN
 Submission Number OSISKO JAMES BAY S.E.N.C. /
 NICHICUN / 28 Core
 Number of Samples 6

ANALYSIS REPORT BBM23-31795

Element	@Pr	@Rb	@Sb	@Sm	@Sn	@Ta
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.05	0.2	0.1	0.1	1	0.5
Upper Limit	1,000	10,000	10,000	1,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00430744	3.00	478	0.5	5.8	8	14.0
C00430745	2.48	497	0.6	4.1	2	24.5

Element	@Tb	@Th	@Tl	@Tm	@U	@W
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.05	0.1	0.5	0.05	0.05	1
Upper Limit	1,000	1,000	1,000	1,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00430729	0.17	1.3	5.1	<0.05	1.30	5
C00430741	0.58	5.6	3.3	0.32	8.83	7
C00430742	0.37	3.6	4.3	0.21	4.08	<1
C00430743	0.65	3.4	2.6	0.24	1.82	3
C00430744	1.32	10.5	2.8	0.46	12.59	4
C00430745	1.11	4.3	2.8	0.53	5.23	1

Element	@Y	@Yb	@Zr
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.5	0.1	0.5
Upper Limit	1,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m
C00430729	4.6	0.2	2.4
C00430741	18.8	2.3	6.3
C00430742	12.9	1.5	10.2
C00430743	19.9	1.7	6.4
C00430744	36.3	3.2	14.1
C00430745	39.8	4.3	24.0

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO# NC2023-001
Project NICHICUN
Submission Number OSISKO JAMES BAY S.E.N.C. /
NICHICUN / 28 Core
Number of Samples 6

ANALYSIS REPORT BBM23-31795

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

Appendix 5 - 2023 Prospecting Analytical Certificates



ANALYSIS REPORT BBM23-31801

To OSISKO JAMES BAY S.E.N.C.
ERYN DOYLE
1100 AVENUE DES CANADIENS-DE-MONTREAL
SUITE 300
MONTREAL H3B 2S2
QC
CANADA

Order Number	PO: NC2023-001	Date Received	07-Sep-2023
Project	NICHICUN	Date Analysed	13-Sep-2023 - 13-Nov-2023
Submission Number	OSISKO JAMES BAY S.E.N.C. /	Date Completed	14-Nov-2023
NICHICUN / 22 Rocks		SGS Order Number	BBM23-31801
Number of Samples	22		

Methods Summary

Number of Sample	Method Code	Description
22	G_WGH_KG	Weight of samples received
19	GE_ICP91A50	Na ₂ O ₂ /NaOH Fusion, 500°C, HNO ₃ , ICPAES, 0.1g-50ml, Glassy Carbon crucibles
19	GE_IMS91A50	Na ₂ O ₂ /NaOH Fusion, ICP-MS, Glassy Carbon crucibles
3	GE_FAA30V5	Au, FAS, exploration grade, AAS, 30g-5ml

Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang
Laboratory Operations Manager



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

16-Nov-2023 11:56PM BBM_U0051165770

Page 1 of 10

MIN-M_COA_ROW-Last Modified Date: 05-Nov-2019



Order Number PO: NC2023-001
Project NICHICUN
Submission Number OSISKO JAMES BAY S.E.N.C. /
NICHICUN / 22 Rocks
Number of Samples 22

ANALYSIS REPORT BBM23-31801

Element Method Lower Limit Upper Limit Unit	WTKG G_WGH_KG 0.01 -- kg	@Al GE_ICP91A50 0.01 25 %	@Ba GE_ICP91A50 10 10,000 ppm m / m	@Be GE_ICP91A50 5 2,500 ppm m / m	@Ca GE_ICP91A50 0.1 25 %	@Cr GE_ICP91A50 10 50,000 ppm m / m
C00430701	0.65	7.31	64	<5	5.9	76
C00430702	2.36	-	-	-	-	-
C00430756	1.17	4.04	25	<5	0.3	22
C00430757	1.58	7.83	69	<5	0.1	<10
C00430758	0.72	8.32	49	<5	0.3	16
C00430759	1.06	7.10	48	<5	0.5	18
C00430761	0.94	7.40	54	<5	0.4	12
C00430762	1.18	7.60	44	<5	0.3	12
C00430763	1.28	8.56	227	5	0.7	11
C00430767	1.31	8.22	26	5	0.5	20
C00430768	1.45	7.53	14	26	0.5	11
C00430769	0.51	8.48	19	5	0.5	11
C00430770	1.01	7.68	40	5	0.6	13
C00430771	1.44	7.63	30	15	0.4	11
C00430772	0.68	7.64	59	5	0.3	14
C00430773	1.02	8.42	232	11	0.8	16
C00428163	1.46	8.21	62	31	0.7	22
C00428164	0.62	7.61	90	<5	0.1	28
C00428178	1.05	-	-	-	-	-
C00428179	0.83	-	-	-	-	-
C00428180	0.48	0.05	<10	<5	<0.1	33
C00428185	0.55	8.43	16	5	0.7	43

Element Method Lower Limit Upper Limit Unit	@Cu GE_ICP91A50 10 10,000 ppm m / m	@Fe GE_ICP91A50 0.01 25 %	@K GE_ICP91A50 0.1 25 %	@Li GE_ICP91A50 10 50,000 ppm m / m	@Mg GE_ICP91A50 0.01 25 %	@Mn GE_ICP91A50 10 100,000 ppm m / m
---	---	---------------------------------------	-------------------------------------	---	---------------------------------------	--

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: NC2023-001
 Project NICHICUN
 Submission Number OSISKO JAMES BAY S.E.N.C. /
 NICHICUN / 22 Rocks
 Number of Samples 22

ANALYSIS REPORT BBM23-31801

Element Method Lower Limit Upper Limit Unit	@Cu GE_ICP91A50 10 10,000 ppm m / m	@Fe GE_ICP91A50 0.01 25 %	@K GE_ICP91A50 0.1 25 %	@Li GE_ICP91A50 10 50,000 ppm m / m	@Mg GE_ICP91A50 0.01 25 %	@Mn GE_ICP91A50 10 100,000 ppm m / m
C00430701	17	12.73	0.5	33	6.70	2036
C00430756	<10	1.36	1.0	17	0.24	372
C00430757	<10	0.60	7.5	<10	0.03	82
C00430758	<10	0.36	6.9	<10	<0.01	58
C00430759	<10	0.59	3.9	<10	0.04	141
C00430761	<10	0.71	5.0	38	0.06	203
C00430762	<10	0.65	6.2	<10	0.03	314
C00430763	<10	0.56	3.1	<10	0.04	137
C00430767	<10	1.33	2.9	<10	0.02	274
C00430768	<10	0.68	1.7	11	0.06	444
C00430769	<10	0.55	4.3	<10	0.02	309
C00430770	<10	0.43	3.0	12	0.02	204
C00430771	<10	0.67	2.1	11	0.02	897
C00430772	<10	0.69	4.5	<10	0.06	398
C00430773	<10	0.71	1.5	<10	0.10	384
C00428163	<10	1.57	0.7	41	0.35	906
C00428164	<10	0.52	5.5	<10	0.02	142
C00428180	<10	0.57	<0.1	<10	<0.01	63
C00428185	<10	1.35	1.5	68	0.26	540

Element Method Lower Limit Upper Limit Unit	@Ni GE_ICP91A50 5 10,000 ppm m / m	@P GE_ICP91A50 0.01 25 %	@Sc GE_ICP91A50 5 50,000 ppm m / m	@Si GE_ICP91A50 0.1 30 %	@Sr GE_ICP91A50 10 5,000 ppm m / m	@Ti GE_ICP91A50 0.01 25 %
C00430701	199	0.03	35	21.5	50	0.65
C00430756	23	<0.01	9	>30.0	21	0.05
C00430757	14	<0.01	<5	>30.0	43	0.02

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: NC2023-001
Project NICHICUN
Submission Number OSISKO JAMES BAY S.E.N.C. /
NICHICUN / 22 Rocks
Number of Samples 22

ANALYSIS REPORT BBM23-31801

Element	@Ni	@P	@Sc	@Si	@Sr	@Ti
Method	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50
Lower Limit	5	0.01	5	0.1	10	0.01
Upper Limit	10,000	25	50,000	30	5,000	25
Unit	ppm m / m	%	ppm m / m	%	ppm m / m	%
C00430758	14	<0.01	<5	>30.0	37	<0.01
C00430759	15	<0.01	<5	>30.0	37	0.01
C00430761	16	<0.01	<5	>30.0	42	0.02
C00430762	15	<0.01	<5	>30.0	34	0.01
C00430763	15	0.02	<5	>30.0	81	<0.01
C00430767	12	<0.01	<5	>30.0	21	0.01
C00430768	11	0.01	<5	>30.0	23	0.01
C00430769	12	<0.01	<5	>30.0	23	<0.01
C00430770	18	<0.01	<5	>30.0	31	<0.01
C00430771	12	<0.01	6	>30.0	21	0.01
C00430772	15	0.01	6	>30.0	31	0.01
C00430773	18	<0.01	6	>30.0	134	0.02
C00428163	26	0.03	<5	>30.0	25	0.07
C00428164	15	<0.01	<5	>30.0	18	<0.01
C00428180	14	<0.01	<5	>30.0	<10	<0.01
C00428185	25	0.02	7	>30.0	17	0.04

Element	@V	@Zn	@Ag	@As	@Bi	@Cd
Method	GE_ICP91A50	GE_ICP91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	5	5	1	5	0.1	0.2
Upper Limit	10,000	10,000	200	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00430701	245	142	<1	<5	0.1	<0.2
C00430756	8	43	<1	<5	0.6	<0.2
C00430757	<5	10	<1	<5	0.1	<0.2
C00430758	<5	<5	<1	<5	0.3	<0.2
C00430759	<5	9	<1	<5	0.9	<0.2
C00430761	<5	23	<1	<5	1.0	<0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: NC2023-001
 Project NICHICUN
 Submission Number OSISKO JAMES BAY S.E.N.C. /
 NICHICUN / 22 Rocks
 Number of Samples 22

ANALYSIS REPORT BBM23-31801

Element Method Lower Limit Upper Limit Unit	@V GE_ICP91A50 5 10,000 ppm m / m	@Zn GE_ICP91A50 5 10,000 ppm m / m	@Ag GE_IMS91A50 1 200 ppm m / m	@As GE_IMS91A50 5 10,000 ppm m / m	@Bi GE_IMS91A50 0.1 1,000 ppm m / m	@Cd GE_IMS91A50 0.2 10,000 ppm m / m
C00430762	<5	12	<1	<5	<0.1	<0.2
C00430763	<5	8	<1	<5	14.0	<0.2
C00430767	7	15	<1	<5	0.2	<0.2
C00430768	<5	27	<1	<5	1.0	<0.2
C00430769	<5	11	<1	<5	6.0	<0.2
C00430770	<5	9	<1	<5	0.3	<0.2
C00430771	<5	33	<1	<5	5.0	<0.2
C00430772	<5	17	<1	7	1.4	<0.2
C00430773	6	15	<1	<5	0.5	<0.2
C00428163	20	91	<1	88	1.8	<0.2
C00428164	<5	8	<1	<5	1.4	<0.2
C00428180	<5	<5	<1	<5	<0.1	<0.2
C00428185	22	128	<1	10	<0.1	<0.2

Element Method Lower Limit Upper Limit Unit	@Ce GE_IMS91A50 0.1 10,000 ppm m / m	@Co GE_IMS91A50 0.5 10,000 ppm m / m	@Cs GE_IMS91A50 0.1 10,000 ppm m / m	@Dy GE_IMS91A50 0.05 1,000 ppm m / m	@Er GE_IMS91A50 0.05 1,000 ppm m / m	@Eu GE_IMS91A50 0.05 1,000 ppm m / m
C00430701	11.7	61.8	0.9	4.25	2.73	1.14
C00430756	11.2	1.8	3.5	4.65	3.02	0.06
C00430757	19.7	<0.5	26.7	2.85	1.95	0.30
C00430758	8.4	<0.5	12.3	3.83	2.21	0.15
C00430759	4.2	<0.5	10.3	6.07	4.06	0.16
C00430761	5.1	<0.5	22.7	1.84	1.01	0.15
C00430762	2.3	<0.5	20.1	0.68	0.46	0.14
C00430763	9.3	0.7	7.6	4.47	2.65	0.34
C00430767	15.1	<0.5	11.7	7.06	3.26	0.07

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: NC2023-001
Project NICHICUN
Submission Number OSISKO JAMES BAY S.E.N.C. /
NICHICUN / 22 Rocks
Number of Samples 22

ANALYSIS REPORT BBM23-31801

Element	@Ce	@Co	@Cs	@Dy	@Er	@Eu
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.1	0.5	0.1	0.05	0.05	0.05
Upper Limit	10,000	10,000	10,000	1,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00430768	6.4	<0.5	29.8	2.16	1.13	0.06
C00430769	21.6	<0.5	14.0	6.40	3.77	0.10
C00430770	9.1	<0.5	11.5	6.37	4.23	0.11
C00430771	13.6	<0.5	38.4	5.90	3.62	0.07
C00430772	7.9	<0.5	9.6	1.77	0.86	0.07
C00430773	11.6	1.0	2.2	2.61	1.25	0.18
C00428163	11.4	2.5	79.8	1.93	0.62	0.31
C00428164	6.2	<0.5	11.0	1.53	0.69	0.06
C00428180	<0.1	2.3	0.2	<0.05	<0.05	<0.05
C00428185	26.1	3.2	8.6	4.50	1.37	0.05

Element	@Ga	@Gd	@Ge	@Hf	@Ho	@In
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	1	0.05	1	1	0.05	0.2
Upper Limit	1,000	1,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00430701	17	3.71	2	2	0.87	<0.2
C00430756	17	3.40	2	1	0.94	<0.2
C00430757	15	2.66	2	<1	0.61	<0.2
C00430758	20	2.49	2	3	0.71	<0.2
C00430759	20	3.68	2	<1	1.28	<0.2
C00430761	20	1.58	2	1	0.33	<0.2
C00430762	18	0.49	2	<1	0.15	<0.2
C00430763	22	3.21	2	1	0.84	<0.2
C00430767	28	5.88	3	3	1.14	<0.2
C00430768	24	1.71	3	4	0.38	<0.2
C00430769	26	5.05	3	5	1.16	<0.2
C00430770	22	4.08	2	3	1.33	<0.2

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: NC2023-001
Project NICHICUN
Submission Number OSISKO JAMES BAY S.E.N.C. /
NICHICUN / 22 Rocks
Number of Samples 22

ANALYSIS REPORT BBM23-31801

Element Method Lower Limit Upper Limit Unit	@Ga GE_IMS91A50 1 1,000 ppm m / m	@Gd GE_IMS91A50 0.05 1,000 ppm m / m	@Ge GE_IMS91A50 1 1,000 ppm m / m	@Hf GE_IMS91A50 1 10,000 ppm m / m	@Ho GE_IMS91A50 0.05 1,000 ppm m / m	@In GE_IMS91A50 0.2 1,000 ppm m / m
C00430771	29	4.69	4	5	1.11	<0.2
C00430772	28	1.49	3	2	0.28	<0.2
C00430773	30	2.63	3	2	0.42	<0.2
C00428163	45	2.34	5	4	0.24	<0.2
C00428164	23	1.41	3	<1	0.25	<0.2
C00428180	<1	<0.05	1	<1	<0.05	<0.2
C00428185	35	6.30	4	4	0.57	<0.2

Element Method Lower Limit Upper Limit Unit	@La GE_IMS91A50 0.1 10,000 ppm m / m	@Lu GE_IMS91A50 0.05 1,000 ppm m / m	@Mo GE_IMS91A50 2 10,000 ppm m / m	@Nb GE_IMS91A50 1 10,000 ppm m / m	@Nd GE_IMS91A50 0.1 10,000 ppm m / m	@Pb GE_IMS91A50 5 10,000 ppm m / m
C00430701	4.4	0.38	<2	4	8.8	<5
C00430756	5.0	0.42	<2	5	6.0	25
C00430757	9.0	0.25	<2	4	9.8	62
C00430758	3.8	0.27	<2	4	4.2	74
C00430759	1.8	0.52	<2	8	2.3	65
C00430761	2.3	0.14	<2	22	2.5	73
C00430762	1.1	0.09	<2	6	1.1	56
C00430763	4.4	0.36	39	7	4.9	61
C00430767	6.2	0.42	<2	12	7.7	44
C00430768	2.7	0.20	<2	16	3.0	27
C00430769	8.9	0.66	<2	17	11.0	55
C00430770	3.8	0.64	<2	7	4.7	37
C00430771	5.8	0.61	<2	54	7.6	54
C00430772	3.3	0.14	<2	44	3.4	50
C00430773	5.2	0.18	<2	71	6.0	48

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: NC2023-001
Project NICHICUN
Submission Number OSISKO JAMES BAY S.E.N.C. /
NICHICUN / 22 Rocks
Number of Samples 22

ANALYSIS REPORT BBM23-31801

Element	@La	@Lu	@Mo	@Nb	@Nd	@Pb
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.1	0.05	2	1	0.1	5
Upper Limit	10,000	1,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00428163	5.2	0.09	<2	50	5.8	8
C00428164	2.6	0.10	2	40	3.1	46
C00428180	<0.1	<0.05	3	<1	<0.1	<5
C00428185	8.9	0.17	<2	181	12.9	17

Element	@Pr	@Rb	@Sb	@Sm	@Sn	@Ta
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.05	0.2	0.1	0.1	1	0.5
Upper Limit	1,000	10,000	10,000	1,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00430701	1.71	16.5	2.1	2.7	<1	<0.5
C00430756	1.36	61.5	0.4	2.3	5	1.6
C00430757	2.24	600	0.4	2.6	<1	0.8
C00430758	1.00	368	0.2	1.7	<1	1.0
C00430759	0.47	210	0.2	1.5	<1	1.2
C00430761	0.59	327	0.6	1.1	2	4.9
C00430762	0.27	505	0.3	0.4	<1	0.6
C00430763	1.12	138	0.2	2.3	<1	1.3
C00430767	1.83	240	0.5	4.0	2	2.9
C00430768	0.76	130	0.8	1.5	2	15.9
C00430769	2.64	283	0.2	4.1	<1	4.9
C00430770	1.08	200	0.2	2.3	<1	1.6
C00430771	1.68	258	0.9	3.7	4	12.8
C00430772	0.90	250	0.2	1.4	1	11.6
C00430773	1.39	65.6	0.2	2.5	1	20.7
C00428163	1.40	228	0.6	2.3	13	78.0
C00428164	0.76	501	0.5	1.3	2	8.7
C00428180	<0.05	1.7	0.3	<0.1	<1	<0.5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: NC2023-001
 Project NICHICUN
 Submission Number OSISKO JAMES BAY S.E.N.C. /
 NICHICUN / 22 Rocks
 Number of Samples 22

ANALYSIS REPORT BBM23-31801

Element	@Pr	@Rb	@Sb	@Sm	@Sn	@Ta
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.05	0.2	0.1	0.1	1	0.5
Upper Limit	1,000	10,000	10,000	1,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00428185	3.24	202	0.8	7.1	3	31.7

Element	@Tb	@Th	@Ti	@Tm	@U	@W
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.05	0.1	0.5	0.05	0.05	1
Upper Limit	1,000	1,000	1,000	1,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00430701	0.63	0.9	<0.5	0.38	0.19	<1
C00430756	0.69	6.8	<0.5	0.44	13.58	<1
C00430757	0.41	13.0	3.4	0.27	2.58	<1
C00430758	0.52	8.2	2.4	0.30	2.85	<1
C00430759	0.81	12.4	1.4	0.56	8.78	<1
C00430761	0.28	7.3	2.3	0.14	90.73	<1
C00430762	0.09	2.4	2.5	0.08	2.30	<1
C00430763	0.64	5.0	0.9	0.38	4.32	2
C00430767	1.15	12.7	1.5	0.44	4.67	<1
C00430768	0.35	6.7	0.8	0.19	6.88	1
C00430769	0.93	15.5	2.0	0.57	14.27	<1
C00430770	0.87	6.3	1.4	0.63	6.97	<1
C00430771	0.89	13.2	1.5	0.56	16.30	3
C00430772	0.28	8.5	1.6	0.14	4.83	1
C00430773	0.46	5.5	<0.5	0.18	10.33	2
C00428163	0.40	4.0	1.3	0.10	3.89	3
C00428164	0.25	2.2	2.8	0.11	1.19	3
C00428180	<0.05	<0.1	<0.5	<0.05	<0.05	35
C00428185	0.99	12.1	1.3	0.18	17.39	3

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO: NC2023-001
Project NICHICUN
Submission Number OSISKO JAMES BAY S.E.N.C. /
NICHICUN / 22 Rocks
Number of Samples 22

ANALYSIS REPORT BBM23-31801

Element	@Y	@Yb	@Zr	@Au
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_FAA30V5
Lower Limit	0.5	0.1	0.5	5
Upper Limit	1,000	1,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppb
C00430701	19.8	2.6	73.8	-
C00430702	-	-	-	209
C00430756	27.9	3.1	19.8	-
C00430757	16.8	1.8	13.8	-
C00430758	22.5	2.0	41.0	-
C00430759	38.1	3.6	13.9	-
C00430761	10.1	1.1	23.8	-
C00430762	4.0	0.6	6.6	-
C00430763	26.8	2.6	16.4	-
C00430767	39.3	3.0	48.2	-
C00430768	11.9	1.5	31.5	-
C00430769	37.2	4.5	68.8	-
C00430770	39.2	4.5	41.9	-
C00430771	33.8	4.1	63.5	-
C00430772	8.8	1.1	17.9	-
C00430773	12.1	1.3	24.2	-
C00428163	8.8	0.7	43.7	-
C00428164	7.9	0.8	6.1	-
C00428178	-	-	-	561
C00428179	-	-	-	78
C00428180	<0.5	<0.1	<0.5	-
C00428185	18.2	1.4	46.7	-

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



ANALYSIS REPORT BBM23-33561

To DAHROUGE GEOLOGICAL CONSULTING
JONATHAN MARLEAU - OSISKO DEVELOPMENT CORP
10183 112 ST. NW #103
EDMONTON T5K 1M1
AB
CANADA

Order Number	PO CAD20339.00	Date Received	27-Oct-2023
Project	Nichicun	Date Analysed	02-Nov-2023 - 29-Nov-2023
Submission Number	OSISKO DEVELOPMENT /	Date Completed	29-Nov-2023
NICHICUN / 3 CORE		SGS Order Number	BBM23-33561
Number of Samples	3		

Methods Summary

Number of Sample	Method Code	Description
3	G_WGH_KG	Weight of samples received
3	GE_ICP91A50	Na ₂ O ₂ /NaOH Fusion, 500°C, HNO ₃ , ICPAES, 0.1g-50ml, Glassy Carbon crucibles
3	GE_IMS91A50	Na ₂ O ₂ /NaOH Fusion, ICP-MS, Glassy Carbon crucibles

Comments

Preparation of samples was performed at the SGS Sudbury site.

Analysis of samples was performed at the SGS Burnaby site.

Authorised Signatory

John Chiang
Laboratory Operations Manager



This document is issued by the Company under its General Conditions of Service accessible at <https://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WARNING: The sample(s) to which the findings recorded herein (the "Findings") relate was(were) drawn and / or provided by the Client or by a third party acting at the Client's direction. The Findings constitute no warranty of the sample's representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. The findings report on the samples provided by the client and are not intended for commercial or contractual settlement purposes.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

1-Dec-2023 12:21AM BBM_U0052037099

Page 1 of 6

MIN-M_COA_ROW-Last Modified Date: 05-Nov-2019



Order Number PO CAD20339.00
 Project Nichicun
 Submission Number OSISKO DEVELOPMENT /
 NICHICUN / 3 CORE
 Number of Samples 3

ANALYSIS REPORT BBM23-33561

Element	WTKG	@Al	@Ba	@Be	@Ca	@Cr
Method	G_WGH_KG	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50
Lower Limit	0.01	0.01	10	5	0.1	10
Upper Limit	--	25	10,000	2,500	25	50,000
Unit	kg	%	ppm m / m	ppm m / m	%	ppm m / m
C00429471	0.43	8.20	<10	9	0.5	17
C00429472	1.00	6.86	28	<5	0.6	19
C00429473	0.50	7.96	60	244	0.2	16
*Std OREAS 553	-	3.18	364	<5	5.4	49
*Rep C00429471	-	7.57	<10	8	0.5	14
*Blk BLANK	-	<0.01	<10	<5	<0.1	<10
*Std OREAS 147	-	4.70	1831	32	1.1	73

Element	@Cu	@Fe	@K	@Li	@Mg	@Mn
Method	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50
Lower Limit	10	0.01	0.1	10	0.01	10
Upper Limit	10,000	25	25	50,000	25	100,000
Unit	ppm m / m	%	%	ppm m / m	%	ppm m / m
C00429471	<10	1.71	1.1	232	0.05	3333
C00429472	<10	0.60	2.1	<10	0.03	186
C00429473	<10	0.75	3.4	21	0.05	581
*Std OREAS 553	6275	1.24	0.9	105	5.24	1624
*Rep C00429471	<10	1.60	1.1	222	0.05	3213
*Blk BLANK	<10	<0.01	0.1	<10	<0.01	<10
*Std OREAS 147	285	3.11	1.7	2196	0.52	389

Element	@Ni	@P	@Sc	@Si	@Sr	@Ti
Method	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50
Lower Limit	5	0.01	5	0.1	10	0.01
Upper Limit	10,000	25	50,000	30	5,000	25
Unit	ppm m / m	%	ppm m / m	%	ppm m / m	%
C00429471	15	0.02	26	>30.0	10	0.02
C00429472	15	<0.01	<5	>30.0	34	<0.01

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO CAD20339.00
 Project Nichicun
 Submission Number OSISKO DEVELOPMENT /
 NICHICUN / 3 CORE
 Number of Samples 3

ANALYSIS REPORT BBM23-33561

Element	@Ni	@P	@Sc	@Si	@Sr	@Ti
Method	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50	GE_ICP91A50
Lower Limit	5	0.01	5	0.1	10	0.01
Upper Limit	10,000	25	50,000	30	5,000	25
Unit	ppm m / m	%	ppm m / m	%	ppm m / m	%
C00429473	15	0.01	<5	>30.0	34	0.01
*Std OREAS 553	33	0.05	7	26.9	64	0.21
*Rep C00429471	13	0.01	24	>30.0	10	0.01
*Blk BLANK	6	<0.01	<5	<0.1	<10	<0.01
*Std OREAS 147	32	0.15	9	>30.0	288	0.46

Element	@V	@Zn	@Ag	@As	@Bi	@Cd
Method	GE_ICP91A50	GE_ICP91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	5	5	1	5	0.1	0.2
Upper Limit	10,000	10,000	200	10,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00429471	<5	52	<1	14	0.6	0.3
C00429472	<5	6	<1	<5	0.6	<0.2
C00429473	<5	84	<1	<5	1.0	<0.2
*Std OREAS 553	75	45	<1	8	2.8	<0.2
*Rep C00429471	<5	49	<1	14	0.6	0.4
*Blk BLANK	<5	<5	<1	<5	<0.1	<0.2
*Std OREAS 147	60	144	<1	33	13.1	0.3

Element	@Ce	@Co	@Cs	@Dy	@Er	@Eu
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.1	0.5	0.1	0.05	0.05	0.05
Upper Limit	10,000	10,000	10,000	1,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00429471	137	1.4	17.4	37.71	25.77	0.05
C00429472	6.1	0.6	4.6	2.21	1.06	0.07
C00429473	3.0	1.0	92.0	1.66	0.37	<0.05
*Std OREAS 553	56.6	7312	0.8	3.97	2.23	0.98

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO CAD20339.00
 Project Nichicun
 Submission Number OSISKO DEVELOPMENT /
 NICHICUN / 3 CORE
 Number of Samples 3

ANALYSIS REPORT BBM23-33561

Element	@Ce	@Co	@Cs	@Dy	@Er	@Eu
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.1	0.5	0.1	0.05	0.05	0.05
Upper Limit	10,000	10,000	10,000	1,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Rep C00429471	141	1.6	17.9	37.65	27.72	0.06
*Blk BLANK	0.4	<0.5	0.2	<0.05	<0.05	<0.05
*Std OREAS 147	1152	7.4	241	8.68	2.67	10.55

Element	@Ga	@Gd	@Ge	@Hf	@Ho	@In
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	1	0.05	1	1	0.05	0.2
Upper Limit	1,000	1,000	1,000	10,000	1,000	1,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00429471	41	30.76	4	11	7.06	<0.2
C00429472	25	1.88	3	1	0.43	<0.2
C00429473	61	1.62	4	3	0.20	<0.2
*Std OREAS 553	9	5.17	1	3	0.82	0.2
*Rep C00429471	46	32.81	4	13	8.52	<0.2
*Blk BLANK	<1	<0.05	<1	<1	<0.05	<0.2
*Std OREAS 147	20	23.06	3	6	1.30	2.9

Element	@La	@Lu	@Mo	@Nb	@Nd	@Pb
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.1	0.05	2	1	0.1	5
Upper Limit	10,000	1,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00429471	51.7	5.96	<2	225	92.1	23
C00429472	2.8	0.16	<2	10	3.2	43
C00429473	1.2	<0.05	<2	102	1.5	12
*Std OREAS 553	33.8	0.29	5	9	26.5	15
*Rep C00429471	48.6	6.50	<2	245	89.4	24
*Blk BLANK	0.2	<0.05	<2	<1	<0.1	<5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO CAD20339.00
 Project Nichicun
 Submission Number OSISKO DEVELOPMENT /
 NICHICUN / 3 CORE
 Number of Samples 3

ANALYSIS REPORT BBM23-33561

Element	@La	@Lu	@Mo	@Nb	@Nd	@Pb
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.1	0.05	2	1	0.1	5
Upper Limit	10,000	1,000	10,000	10,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
*Std OREAS 147	704	0.24	8	1235	372	30

Element	@Pr	@Rb	@Sb	@Sm	@Sn	@Ta
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.05	0.2	0.1	0.1	1	0.5
Upper Limit	1,000	10,000	10,000	1,000	10,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00429471	22.19	207	2.9	33.3	10	36.3
C00429472	0.82	140	0.4	1.5	1	2.1
C00429473	0.41	1910	0.2	1.2	12	97.5
*Std OREAS 553	7.13	26.0	0.4	5.1	1	0.7
*Rep C00429471	21.25	216	2.9	32.7	11	34.3
*Blk BLANK	0.06	1.1	<0.1	<0.1	<1	<0.5
*Std OREAS 147	118	1179	10.2	47.4	751	17.9

Element	@Tb	@Th	@Tl	@Tm	@U	@W
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.05	0.1	0.5	0.05	0.05	1
Upper Limit	1,000	1,000	1,000	1,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m	ppm m / m
C00429471	5.75	53.8	1.0	4.38	36.97	6
C00429472	0.37	3.9	0.9	0.16	2.08	<1
C00429473	0.40	4.0	9.6	0.05	5.50	2
*Std OREAS 553	0.76	6.5	<0.5	0.32	26.06	1
*Rep C00429471	6.14	47.5	1.1	5.12	37.25	7
*Blk BLANK	<0.05	0.2	<0.5	<0.05	<0.05	<1
*Std OREAS 147	2.28	77.6	11.5	0.31	15.83	5

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received



Order Number PO CAD20339.00
Project Nichicun
Submission Number OSISKO DEVELOPMENT /
NICHICUN / 3 CORE
Number of Samples 3

ANALYSIS REPORT BBM23-33561

Element	@Y	@Yb	@Zr
Method	GE_IMS91A50	GE_IMS91A50	GE_IMS91A50
Lower Limit	0.5	0.1	0.5
Upper Limit	1,000	1,000	10,000
Unit	ppm m / m	ppm m / m	ppm m / m
C00429471	236	37.8	139
C00429472	14.4	1.2	9.4
C00429473	9.3	0.4	17.8
*Std OREAS 553	21.6	2.0	107
*Rep C00429471	265	40.7	145
*Blk BLANK	<0.5	<0.1	<0.5
*Std OREAS 147	29.9	1.8	214

SGS Canada Minerals Burnaby conforms to the requirements of ISO/IEC17025 for specific tests as listed on their scope of accreditation found at <https://www.scc.ca/en/search/laboratories/sgs>
Tests and Elements marked with an "@" symbol in the report denote ISO/IEC17025 accreditation.

- not analysed | -- element not determined | I.S. insufficient sample | L.N.R. listed not received

Appendix 6- *Work Period Expenditure Listing*

	Mining Title No.	No. of Hectares	NTS Mapsheet	Owner ID.	Field works (Rocks)	Sampling (Analysis)	Property Examination (Field Program Planning)	Property Examination (Field Program Reporting)	Other (Camp)	Total
1	2141468	51.29	33H09	96214	628.28	\$ 55	\$ 4.07	\$ 50.03	352.92	1090.27
2	2141469	51.29	33H09	96214	628.28	\$ -	\$ 4.07	\$ 50.03	352.92	1035.29
3	2141470	51.29	33H09	96214	628.28	\$ 55	\$ 4.07	\$ 50.03	352.92	1090.27
4	2141471	51.29	33H09	96214	628.28	\$ -	\$ 4.07	\$ 50.03	352.92	1035.29
5	2141474	51.28	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
6	2141475	51.28	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
7	2141476	51.28	33H09	96214	628.28	\$ -	\$ 4.07	\$ 50.03	352.92	1035.29
8	2141477	51.28	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
9	2141479	51.27	33H09	96214	628.28	\$ 110	\$ 4.07	\$ 50.03	352.92	1145.24
10	2132898	51.29	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
11	2132899	51.29	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
12	2132900	51.29	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
13	2132901	51.29	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
14	2132902	51.29	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
15	2132903	51.29	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
16	2132904	51.29	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
17	2132905	51.29	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
18	2132906	51.29	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
19	2132909	51.28	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
20	2132910	51.28	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
21	2132911	51.28	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
22	2132912	51.28	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
23	2132913	51.28	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
24	2132914	51.28	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
25	2132915	51.28	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
26	2132916	51.28	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
27	2132917	51.28	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
28	2132918	51.27	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
29	2132919	51.27	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
30	2132920	51.27	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
31	2132921	51.27	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
32	2132922	51.27	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09

33	2132923	51.27	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
34	2132924	51.27	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
35	2132925	51.27	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
36	2132926	51.27	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
37	2132927	51.27	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
38	2132928	40.67	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
39	2132929	32.15	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
40	2132930	36.88	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
41	2132931	19.72	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
42	2132932	25.29	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
43	2134396	51.33	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
44	2134398	51.33	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
45	2134401	51.33	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
46	2134403	51.33	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
47	2134405	51.33	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
48	2134424	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
49	2134427	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
50	2134429	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
51	2134431	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
52	2134432	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
53	2134435	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
54	2134437	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
55	2134438	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
56	2134440	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
57	2134442	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
58	2134445	51.32	33H08	96214	628.28	\$ -	\$ 4.07	\$ 50.03	352.92	1035.29
59	2134446	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
60	2134464	51.31	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
61	2134466	51.31	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
62	2134468	51.31	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
63	2134470	51.31	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
64	2134473	51.31	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
65	2134474	51.31	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
66	2134476	51.31	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09

67	2134478	51.31	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
68	2134481	51.31	33H08	96214	628.28	\$ -	\$ 4.07	\$ 50.03	352.92	1035.29
69	2134483	51.31	33H08	96214	628.28	\$ -	\$ 4.07	\$ 50.03	352.92	1035.29
70	2134485	51.31	33H08	96214	628.28	\$ -	\$ 4.07	\$ 50.03	352.92	1035.29
71	2134487	51.31	33H08	96214	628.28	\$ 165	\$ 4.07	\$ 50.03	352.92	1200.22
72	2134489	51.31	33H08	96214	628.28	\$ -	\$ 4.07	\$ 50.03	352.92	1035.29
73	2134490	51.31	33H08	96214	628.28	\$ -	\$ 4.07	\$ 50.03	352.92	1035.29
74	2134493	51.31	33H08	96214	628.28	\$ 55	\$ 4.07	\$ 50.03	352.92	1090.27
75	2134494	51.31	33H08	96214	628.28	\$ -	\$ 4.07	\$ 50.03	352.92	1035.29
76	2134497	51.31	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
77	2134506	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
78	2134507	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
79	2134508	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
80	2134509	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
81	2134510	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
82	2134511	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
83	2134512	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
84	2134513	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
85	2134514	51.3	33H08	96214	628.28	\$ -	\$ 4.07	\$ 50.03	352.92	1035.29
86	2134515	51.3	33H08	96214	628.28	\$ 440	\$ 4.07	\$ 50.03	352.92	1475.09
87	2134516	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
88	2134517	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
89	2134518	37.43	33H08	96214	628.28	\$ -	\$ 4.07	\$ 50.03	352.92	1035.29
90	2134519	34.49	33H08	96214	628.28	\$ 55	\$ 4.07	\$ 50.03	352.92	1090.27
91	2134520	47.31	33H08	96214	628.28	\$ 55	\$ 4.07	\$ 50.03	352.92	1090.27
92	2235854	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
93	2235855	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
94	2235856	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
95	2235857	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
96	2235858	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
97	2235859	51.28	33H09	96214	628.28	\$ -	\$ 4.07	\$ 50.03	352.92	1035.29
98	2235860	51.28	33H09	96214	628.28	\$ -	\$ 4.07	\$ 50.03	352.92	1035.29
99	2235861	51.25	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
100	2235862	51.24	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09

101	2235863	51.24	33H09	96214	628.28	\$ 55	\$ 4.07	\$ 50.03	352.92	1090.27
102	2235864	51.24	33H09	96214	628.28	\$ 165	\$ 4.07	\$ 50.03	352.92	1200.22
103	2235865	51.24	33H09	96214	628.28	\$ 55	\$ 4.07	\$ 50.03	352.92	1090.27
104	2235866	51.24	33H09	96214	628.28	\$ 110	\$ 4.07	\$ 50.03	352.92	1145.24
105	2235867	51.21	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
106	2235868	51.21	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
107	2235869	51.2	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
108	2224153	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
109	2224154	51.21	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
110	2224155	51.2	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
111	2224170	51.2	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
112	2289508	51.26	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
113	2289509	51.26	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
114	2255032	51.33	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
115	2255033	51.33	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
116	2255034	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
117	2255035	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
118	2255036	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
119	2255037	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
120	2255038	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
121	2255039	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
122	2255040	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
123	2255041	51.32	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
124	2255042	51.31	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
125	2255043	51.31	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
126	2255044	51.31	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
127	2255045	51.31	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
128	2255046	51.31	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
129	2255047	51.31	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
130	2255048	24.65	33H08	96214	628.28	\$ -	\$ 4.07	\$ 50.03	352.92	1035.29
131	2255049	18.69	33H08	96214	628.28	\$ -	\$ 4.07	\$ 50.03	352.92	1035.29
132	2255050	23.7	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
133	2255051	8.57	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
134	2384583	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09

135	2384584	51.3	33H08	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
136	2384585	51.29	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
137	2384586	51.29	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
138	2384587	51.29	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
139	2384588	51.29	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
140	2298912	51.28	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
141	2298913	51.28	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
142	2298914	51.28	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
143	2298915	51.27	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
144	2298916	51.27	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
145	2298917	51.27	33H09	96214	628.28	\$ -	\$ 4.07	\$ 50.03	352.92	1035.29
146	2298918	51.27	33H09	96214	628.28	\$ 110	\$ 4.07	\$ 50.03	352.92	1145.24
147	2298919	51.27	33H09	96214	628.28	\$ 165	\$ 4.07	\$ 50.03	352.92	1200.22
148	2298920	51.26	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
149	2298921	51.26	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
150	2298922	51.26	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
151	2298923	51.26	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
152	2298924	51.25	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
153	2298925	51.25	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
154	2298926	51.25	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
155	2743559	51.23	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
156	2743560	51.22	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09
157	2743561	51.22	33H09	96214	0.00	\$ -	\$ 4.07	\$ 50.03	0.00	54.09