

GM 31566

REPORT ON A TURAM ELECTROMAGNETIC SURVEY, CHIBOUGAMAU AREA

Documents complémentaires

Additional Files



Licence



Licence

Cette première page a été ajoutée
au document et ne fait pas partie du
rapport tel que soumis par les auteurs.

Énergie et Ressources
naturelles

Québec 

REPORT
ON A
TURAM ELECTROMAGNETIC SURVEY
CHIBOUGAMAU AREA
NORTHWESTERN QUEBEC

ON BEHALF OF
CONWEST EXPLORATION COMPANY LTD.

Ministère des Richesses Naturelles, Québec

SERVICE DE LA
DOCUMENTATION TECHNIQUE

5 - AVR 1976

Date:

No GM: **31566**.....





TABLE OF CONTENTS

Summary	Page 1
Introduction	Page 2
Method and Instrumentation	Page 2
Presentation of Results	Page 2
Discussion of Results	Page 3
Conclusion and Recommendations	Page 4
Appendices: SE-71 Specification Sheet "Some Aspects of the Turam Electromagnetic Method"	
Figure 1	Location map
Plates 1 to 5	Turam electromagnetic survey (Profiles) Scale 1" = 200'




SUMMARY

Turam electromagnetic surveys were carried over three grids in Northwestern Quebec. The E.M. results are generally quiet with several weak but significant anomalies observed.

Three conductors indicate high ρ_T values and five conductors indicate moderate ρ_T values. It is recommended that these eight conductors be further explored.

Several very weak, primarily phase shift anomalies are observed, which do not at this time warrant any further investigation.



Report on a
TURAM ELECTROMAGNETIC SURVEY
CHIBOUGAMAU AREA
NORTHWESTERN QUEBEC
on behalf of
CONWEST EXPLORATION COMPANY LIMITED

Introduction

During the period, July 2nd to July 31st, 1975, a Turam electromagnetic survey was executed by Scintrex Surveys Ltd. in the Chibougamau area, northwestern Quebec, on behalf of Conwest Exploration Company Limited.

The survey was carried out by Mr. Lund Johnston, with supervision provided by Mr. Roger Gedde, M.Sc. The survey covered three separate grids: Grid IX in Lemoine Township; Grid II in Lemoine and Dollier Townships; and Grid X in Rinfret Township. A total of 36 line miles of Turam profile measurements were made over the three grids. Figure 1, a Location Map, shows the location of the claim blocks and the survey grid lines on a scale of 1:250,000.

Method and Instrumentation

The Turam method, utilizing a Scintrex SE-71 instrument, was used for the present survey. A 400 Hz primary field was transmitted throughout the survey. The coil separation and the station interval were 100 ft. Grid lines were parallel, spaced at 400 ft. intervals.

For a detailed description of the SE-71 Turam unit please see the appended instrument specification sheet. Those wanting a more comprehensive discussion on the Turam method and interpretation of the data are referred to the appended article entitled "Some Aspects of the Turam Electromagnetic Method" by R.A. Bosschart.

Presentation of Results

The survey results are presented in profile form on plates 1 through 5, as follows:

Plate 1: Grid IX in Lemoine Township
Plates 2 & 3: Grid II in Lemoine & Dollier Townships
Plates 4 & 5: Grid X in Rinfret Township



Presentation of Results (continued)

The data profiles are presented as stacked profiles, with the grid lines forming the base for the profiles. The data scales are:

Field Strength Ratio (FSR):	1" = 20%
Phase Shift ($\Delta\phi$):	1" = 10°

The horizontal scale is 1" = 200'.

Discussion of Results

Grid IX - Plate 1

Five distinct conductors are defined by relatively low amplitude Turam anomalies on this grid.

Conductors A₁ and A₂ are parallel and spaced 150 to 200 ft. apart, and may in fact form a banded zone of more than two distinct conductors. Conductor A₁ indicates very high $\nabla\tau$ values (>50 mhos), suggesting a massive sulphide or graphitic zone conductor.

Conductor B is defined on one line only, L 0+00, with a possible indication of it showing on L 4E. The calculated $\nabla\tau$ is >50 mhos, and the estimated depth is 50 ft. subsurface.

Conductors C₁ and C₂ form a parallel zone with the conductor axes about 200 ft. apart. Calculated $\nabla\tau$ values range from 15 to >50 mhos, with conductor C₂ giving the highest values. Depth estimates vary from 60 ft. to 100 ft. subsurface.


Grid II - Plates 2 and 3

The Turam results from Grid II show two conductors of significance (D₁ & D₂) and some very minor phase shift anomalies (ie. conductors E & F).

Conductors D₁ and D₂ are weak and have relatively low $\nabla\tau$ values (10 mhos or less). The depth estimate for conductor D₁ on L 98E is 100 ft. subsurface.

Grid X - Plates 4 and 5

Several weak anomalies are observed on this grid, mostly in the northern part. Conductors I₂, N₃ and N₄ show moderate to good $\nabla\tau$ values, whereas conductors H₁, I₁, J, K, L, M, N₁, N₂, P & Q are defined by anomalies showing mostly phase shift. Zone R covers an area of phase distortion probably caused by conductive overburden.



Grid X - Plates 4 and 5 (continued)

Conductor I₂ shows the best ρ_c value, 15 mhos, on L 28W, where depth calculation gives 75 ft. subsurface to the conductor axis.

The calculations are made, however, assuming a strike length of 800 ft. If conductor I₂ forms a continuous zone with conductor I₁, which extends northward but is slightly offset, then the ρ_c value would be lowered.

Conductors N₃ and N₄ form a parallel conductor zone, being 50 to 60 ft. apart. The ρ_c value calculated for N₄ on L 76E is 6 mhos. The depth estimate is 100 ft.

Conclusions and Recommendations

Several low amplitude EM anomalies which define conductors of moderate to high ρ_c values are observed on the Turam surveys over Grid II, IX and X.

Conductors A₁, B and C₂, all on Grid IX, have high ρ_c values and therefore the greatest possibility of being massive sulphide mineralisation.

Conductors A₂ and C₁ on Grid IX, D₁ on Grid II, and I₂ and N₃ on Grid X show ρ_c values sufficiently high enough to warrant further investigation.


It is recommended that these eight conductors be further investigated. If diamond drilling is undertaken to directly sample these conductors, drilling should be positioned to intersect the conductor directly below the indicated anomaly location at a depth slightly greater than the estimated depth to the current axis.

Respectfully submitted,

Gilles Laverdure, B.Sc.A.,
Geophysicist


Roger Gedde, M.Sc.,
Geophysicist

29 Sept 1975





SCINTREX

SE-71

3 FREQUENCY
TURAM SYSTEM

The SE-71 is an electromagnetic prospecting system utilizing a fixed source and moving receiver configuration. (Turam Method).

The source consists of a large loop, with sides several thousands of feet long, to which alternating current of 200, 400 or 800 Hz is supplied by a motor generator set which drives an electric convertor.

The receiver system consists of two coils, one of which incorporates the compensator. The latter measures the intensity ratio and phase difference between the fields received in the two coils.

Advanced solid state circuitry, a design based on long experience, and an indestructible fibre glass construction make the SE-71 an instrument combining high sensitivity and a drift free performance with lightness, exceptional reliability and sturdiness.

Specific advantages of the Turam method compared to other electromagnetic procedures are the great depth of exploration, the high accuracy and diagnostic quality of the data, and the absence of topographic distortion in the measurements. It is unique in performing successfully under conditions of heavy overburden and of extremely rugged topography.

SPECIFICATIONS

TRANSMITTER SYSTEM: (Mounted on packframe)

Briggs & Stratton 2 H.P. Engine

Bosch 12V. D.C. Generator

DC-AC Convertor, 200, 400, 800 c.p.s. $\pm 1\%$

Available output power 180 Watts

Weight complete — 67 lbs. (30 kg.)

RECEIVER SYSTEM:

Coil Size 20½ inches

Frequency 200, 400, 800 c.p.s. tuneable over range of $\pm 5\%$

Battery Type Eveready #216, 9V, life expectancy: 2 months

Read-Out Field strength ratio and phase difference


Read-Out Range 0% to 200% $\pm 20^\circ$

Weight — Each coil — 3 lbs. (1.4 kg.)

Weight — Console — 5 lbs. (2.3 kg.)

Weight — Interconnecting cable — 7 lbs. (3.2 kg.)

DESCRIPTION OF THE SE-71
3 FREQUENCY TURAM SYSTEM



1. Headphones

2. Compensator

3. Compensator Coil

4. Assistance Coil

5. Frequency Switch

6. Converter

7. Motor-generator set



SCINTREX LIMITED

222 Snidercroft Road • Concord, Ontario, Canada

Some Aspects of the Turam Electromagnetic Method

Robbert A. Bosschart
and
Harold O. Seigel

Scintrex Limited
222 Snidercroft Rd.
Concord, Ontario.

Transactions, Volume LXIX, 1966, pp. 156-161

ABSTRACT

Most electromagnetic methods presently used in mining exploration are of the moving source type; i.e., the primary field source is moved simultaneously and in a fixed configuration with the receiver.

Of the fixed-source methods, which employ a stationary primary field and a moving receiver, the Turam method is the most effective and has marked advantages over alternative electromagnetic methods.

The results are little affected by topographic relief, and a high degree of resolution can be obtained because of the constant relation between source field and investigation area.

Another inherent advantage of the Turam configuration is that it provides more favourable dimensional relations. Thus, the primary field attenuates at a much lower rate than in moving-source configurations and, secondly, the method is size sensitive; i.e., conductor size affects the strength of the response, which is not the case with moving-source methods.

These factors result in a considerably better potential depth penetration.

Introduction

IN the period following the first world war, Scandinavia became the cradle of geo-electrical prospecting. The Swedish "Tvaram" (Sundberg, 1931) and "Compensator" (Sundberg & Hedstrom, 1933) were the forerunners of the large majority of present-day electromagnetic methods. From the Compensator method were derived, in quick succession, the "Turam" (Hedstrom, 1937) and the "Slingram" (Hedstrom, 1945) methods. Both techniques are still being used in virtually unmodified form, although the "Slingram" has been adapted to a variety of airborne applications and has, in the course of time, assumed a confusing array of pseudonyms, such as "Loop Frame," "Horizontal Loop," "E.M. Gun," "Minigun," "Ronka," "Magniphase," etc., as well as a number of names for the airborne adaptations. The Slingram-derived methods are characterized by a constant transmitter-receiver configuration, which is moved over the target area. They are called "Moving Source Compensation Methods."

The Turam method has been in active use since its development in 1932. In principle, it comprises a fixed transmitting layout of large dimensions and a moving receiver system which measures the gradients of phase and amplitude of the induced electromagnetic field. The coupling between the field source and a conductor, which is variable in the moving-source systems, is constant in the Turam or related configurations, resulting in a response of a somewhat different character. Therefore, a distinction is made between "Fixed Source" and "Moving Source" Compensation methods.

A typical Turam layout (*Figure 1*) consists of a rectangular transmitting loop of insulated wire with sides several thousand feet long, to which alternating current of one or more frequencies between 10^2 and 10^3 c.p.s. is fed by a gasoline-engine-driven alternator. The receiver system embodies two induction coils, carried at a constant separation (e.g., 100 ft.) and connected to a compensator which measures the intensity ratio and the phase difference between the fields received by the two coils.

As a rule, profiles are measured outside the transmitting loop, perpendicular to the long axis of the loop and not exceeding the length of the short axis.

The intensity of the induced primary field depends on the size and shape of the transmitting loop and the location of the observation point. The free air field strength ratios between stations successively occupied by the receiving coils are determined by calculation, and the observed ratios are normalized through division by these values. The presence of secondary fields is characterized by abnormal field strength ratios and phase differences.




Figure 1.—General layout of the Turam method.




Figure 2.—Three-frequency Turam receiving system (Sharpe SE-700).

Although in practice Turam measurements are, because of the light, mobile receiving system (*Figure 2*), made rapidly (at the rate of 3 to 6 miles per day), a change of primary layout at least each alternate day is required under average conditions. In order to maintain this rate of coverage, a crew of four men is employed—two to measure and two to lay out and recover loops. In terms of line miles per man-day, the Turam method is therefore rather less efficient than the moving-source methods. On the other hand, it has specific advantages in results over the latter, as will be shown below.

Quantitative Interpretation

When a block of ground is energized by means of an alternating electromagnetic (E.M.) field, the resulting field at the surface is, when conductors are present, elliptically polarized. This is because the secondary fields are phase-shifted relative to the primary field. With methods measuring a geometrical component (e.g., Vertical Loop E.M. methods), field ellipticity has the effect of blurring the observations; i.e., instead of a precise angle of zero induction a "null width" of minimum induction is obtained, and this null width widens with increasing phase shift. As a result, such methods may become less definitive in the presence of medium to poor conductors, such as conductive overburden or relatively disseminated mineralization.

A major advantage of Compensation methods is that phase shifts are compensated and field components can be measured accurately, independent of the degree of field ellipticity. Moreover, two related components are usually measured (either phase and amplitude, or in-phase and out-of-phase components), which greatly diminishes the possibility of obtaining spurious anomalies, and, more importantly, because the relation between these components depends on the conductor characteristics, renders possible a quantitative interpretation of the obtained data.

In recent years, much work has been done to investigate the response of mathematical or reduced-scale models of geological conductors in moving-source or fixed-source configurations and so provide a basis for the quantitative interpretation of field data (Wait, 1952, '53, '60; West, 1960; Hedstrom & Parasnis, 1958; Paterson, 1961; Bosschart, 1961, '64). As a result, some conductor characteristics can often be closely enough determined to discriminate between anomalies arising from potential ore conductors and those arising from electrolytic conductors (overburden, weathered shear zones, etc.) and the conducting bodies, even at considerable depth, can be accurately located for diamond drilling. The possibility of assigning significance to anomalies on the basis of amplitude ratios rather than on amplitude strength, and giving precedence to weak anomalies among larger and stronger ones, in itself signifies a considerable extension of the capabilities of these methods.

The response of conductors, calculated theoretically or observed in model experiments in a particular measuring configuration, are usually presented in the form of response diagrams showing a set of two curves which represent the variation of peak amplitudes of the in-phase and out-of-phase components with the variation of a response parameter. The latter includes, in some form, the exciting frequency and the relevant

conductor characteristics. For instance, for an infinite sheet the response parameter may be written as

$$\lambda = 10^3 \frac{r}{fd},$$

in which r = resistivity in ohm-cm, f = frequency, and d = thickness in m.

Such a diagram, representing the response of a medium-size tabular conductor (1000 ft. strike length) in a Turam configuration, is shown in *Figure 3A*. The straight line marked Q is the in-phase to out-of-phase ratio. This ratio varies with the response parameter and the strike length and thus gives, for a determinate frequency, a value for the resistivity/thickness ratio of the conductor. The validity of this particular diagram is limited to the specified strike length, but it illustrates the general relations. As they show the relation between the relative amplitudes of the response and the frequency, an important function of such diagrams is to indicate how anomalies caused by bodies of different conductivity can be emphasized or de-emphasized by changing the exciting frequency. An example of this application is described below.

In some areas, the overburden is both conductive and of irregular configuration and thickness. At standard prospecting frequencies, the strong field distortion arising from this condition could mask the response of underlying conductors, even when these would have appreciably better conductivity. In *Figure 3B-1*, an example of extreme overburden distortion at a frequency of 800 c.p.s. is shown, with anomalies as strong as 40 per cent field strength ratio (R) and a 24-degree phase difference (P). The same traverse at a frequency of 200 c.p.s. is shown in the bottom profile. The field strength anomaly has almost disappeared; from 40 per cent it has decreased to 4.5 per cent. The phase difference is down to 7.5 from 24 degrees. When these results are compared with the response diagram (*Figure 3-1*) they appear to be entirely predictable. The overburden anomalies have a r/d value of approximately 50 ohm-cm./m. and thus λ equals 62 ohm-cm.sec./m. at 800 c.p.s. and 250 ohm-cm.sec./m. at 200 c.p.s. As the curves show, the in-phase component drops 80 per cent and the out-of-phase component 60 per cent with the change of λ from 62 to 250 ohm-cm.sec./m. This example shows that the overburden response can be drastically reduced by lowering the frequency. The process would, however, be futile if the response from underlying better conductors would be proportionally decreased. With the use of properly selected exciting frequencies, however, this is not the case; for a good conductor with, say, an r/d value of 1.5, the change in frequency would represent a change from $\lambda = 2$ to $\lambda = 8$, with a corresponding drop of the in-phase amplitude of only 25 per cent and an actual gain in out-of-phase amplitude of 75 per cent (*Figure 3A-2*).

Under 200 ft. of cover, this conductor might (subject to size and over-all geometry), at a frequency of 800 c.p.s., give rise to a 22 per cent in-phase and a 4 per cent out-of-phase anomaly (approximately 20 per cent field strength ratio, 2.5 degree phase difference) (*Figure 3B-2*), and would be difficult to distinguish from the 800-c.p.s. overburden noise shown in *Figure 3B-1*. At the lower frequency, the anomaly would be 17 per cent in-phase and 7 per cent out-of-phase (15 per cent field strength ratio, 5-degree phase difference), and it would stand out clearly from the reduced overburden response.

Potential Depth Penetration

In assessing the capabilities of electromagnetic methods, the effective depth penetration is among the most important factors to consider. It can be defined as the maximum depth at which the response of conductors of potential economic interest can be clearly distinguished from electromagnetic fields arising from other sources.

An examination of the descriptions of some fifty producing orebodies on the Canadian and Baltic Precambrian shields shows that the large majority are

steeply dipping, lenticular or tabular bodies of concentrated sulphides, with strike lengths varying from 300 to 3,000 ft. (see Figure 4A) and depth extensions, where known, of a comparable order of magnitude. An example of the response of good conductors within this size range in typical moving-source and fixed-source configurations is shown in the same diagram (Figure 4B). The conductor is a tabular body of good conductivity ($\lambda = 10.3$ ohm-cm.sec./m.) at a depth of 60 ft. The strike length and height have been increased simultaneously from 10^3 to 10^4 feet. It can be seen that, up to a strike length of 400 ft.,




Figure 3.—Response of a thin, medium-size tabular conductor (1000-ft. strike length) in a fixed-source measuring configuration.

the response in both configurations is comparable. In the moving-source configuration (Horizontal Loop), a further increase in size results in very little gain in the response. Saturation is reached at a strike length of 600 to 800 ft.

In the fixed-source (Turam) configuration, the response shows its steepest gain where the moving-source response flattens off; for an increase in strike length from 300 to 3,000 ft., the fixed-source response increases from 6 per cent to 80 per cent, or




Figure 4.—A comparison of the response of conductors of varying size in moving-source and fixed-source measuring configurations.

more than 13 times, whereas the moving source response increases from 4 per cent to 7.5 per cent, or by a factor of less than 2.

In practical terms, this means that size has a negligible effect on the detectability of a conductor in a moving-source configuration, but contributes materially to its detectability in a fixed-source system. The larger the body, the greater the depth at which it can be found with the Turam method. A major reason for the observed difference in potential depth penetration of the two types of configuration is the different rate of fall-off of the response of bodies of the shapes and dimensions discussed above.

For moving-source configurations, this question has been examined by Hedstrom & Parasnis (1958). In a diagram, for instance, they show the variation of the response of a 2,000 by 2,000 ft. sheet conductor of good conductivity ($\lambda = 4$ ohm-cm.sec./m.) with the depth. (Figure 5). Between depth to coil separation ratios of 0.2 and 0.8 the rate of fall-off increases from the 1st to the 5th power of the depth. In ground surveys, where the in-phase noise level is, under average conditions, rarely less than 2 per cent, a discernable anomaly will thus have to have an in-phase amplitude of at least 4 per cent. As the diagram shows, the response falls below this value at a depth to coil separation ratio of 0.57. At 300 ft., which is the largest separation practical, the potential depth penetration is therefore less than 170 ft.; at the standard 200 ft. separation, it is less than 115 ft.

The variation with depth of the response of a smaller conductor (1,000 by 1,000 ft) of comparable conductivity ($\lambda = 3.5$) in a Turam configuration is

shown in Figure 6. To a depth of 200 ft. the response falls off at a rate of less than the 1st power; to depths of well over 600 ft., it falls off at a rate of less than the 2nd power.

At a 600-ft. depth, the in-phase amplitude is still better than 4 per cent. For a 2,000 by 2,000-ft. body, it would be approximately 6 per cent, and, with a further increase in size, it could reach 8 per cent. The potential depth penetration can thus be conservatively estimated to be 600 ft.

Figure 7 is a field example of a 400-c.p.s. Turam traverse over two steeply dipping mixed graphite and sulphide conductors under 340 ft. of overburden (Timmins area). The field strength ratio anomaly of the strongest conductor is 23 per cent, which is approximately three times stronger than the field strength ratio anomaly of the smaller conductor shown in Figure 6 at the same depth of burial. This example indicates that the present body could be found at much greater depth and that the estimate of the potential depth penetration, based on the smaller body, is indeed conservative. It may be noted that the in-phase response in a moving-source system (300 ft. coil separation) would be less than 1 per cent and that the body would be undetectable with such a method.

Effect of Topographic Relief

Neglecting external sources, the noise level of moving-source compensation methods is strongly dependent on the coupling between transmitter and receiver; i.e., if the configuration is not rigidly maintained during operation, spurious in-phase anomalies result. For instance, an error of 5 per cent in the




Figure 5.—Variation of the response with depth of a thin tabular conductor of infinite strike length in a moving source configuration. (Hedstrom and Parasnis, 1958).




Figure 6.—Variation of the response with depth (a) of a thin tabular conductor of finite strike length (1000 ft.) in a fixed-source measuring configuration.




Figure 7.—Turam traverse over deeply buried conductors in the Timmins area.

coil separation causes a change of 15 per cent in the in-phase component. In the presence of secondary fields, both components are affected. Elevation differences between the coils produce a comparable effect. As a result, these methods become impractical in areas of appreciable topographic relief.

With the Turam system, a 5 per cent error in coil separation causes a change of 2 per cent at a distance of 300 ft. from the source, 0.5 per cent at 500 ft. and 0.2 per cent at 1000 ft. The effect of elevation differences between coils is, because the field at the surface is predominantly vertical, even smaller.

The effect of terrain relief on the measurements is therefore negligible, except in areas of very rugged topography. Moreover, where corrections are required, they can be made, because of the fixed relation between source and terrain, in a simple and straightforward manner.

Conclusions

In the foregoing, those aspects of the Turam method that have marked advantages over alternative methods have been stressed. It is, at present, the most powerful electromagnetic prospecting tool at our disposal.

It is also a rather elaborate method and therefore does not necessarily represent the most efficient approach under all circumstances.

In areas of thin cover and level topography, systematic surveys may, for instance, be done more

economically with moving-source compensation methods. Also, for fast ground follow-up of airborne electromagnetic surveys, where the problem is usually confined to determining the accurate location of pre-selected anomalies, methods measuring geometrical components will yield the desired information more rapidly and at less expense.


The proper field of application of the Turam method lies where conditions are more difficult and the requirements severe; in particular in cases where a high degree of discrimination between conductors is desired, where the depth of overburden limits the use of other methods or where appreciable topographic relief occurs.

References

- (1931) Sundberg, K., "Principles of the Swedish Geo-Electrical Methods," *Erganzungshafte fur Angewandte Geophysik*, Vol. 1.
- (1933) Sundberg, K., and E. H. Hedstrom, "Structural Investigations by Electromagnetic Methods," *World Petroleum Congress*.
- (1937) Hedstrom, E. H., "Phase Measurements in Electrical Prospecting," *A.I.M.E. Techn. Publ. 827*.
- (1945) Hedstrom, E. H., and Nordstrom, A., "Malmletningsteknikens Nuvarande Standpunkt," Uppsala.
- (1958) Hedstrom, E. H., and Parasnis, D. S., "Some Model Experiments Relating to Electromagnetic Prospecting with Special Reference to Airborne Work," *Geophys. Prosp.*, Vol. VI, 4.
- (1964) Bosschart, R. A., "Analytical Interpretation of Fixed Source Electromagnetic Prospecting Data," Delft.

(Reprinted from The Canadian Mining and Metallurgical Bulletin, April, 1966)

Printed in Canada



LOCATION MAP

CONWEST EXPLORATION CO. LTD.

GRID No. 1, 2, and 3
LEMOINE, DOLLIER AND RINFRET TWP.,
CHIBOUGAMAU, QUEBEC

GROUND GEOPHYSICAL SURVEY

Scale: 1: 250,000